



## Donaldson Filter Product Specification Guide



F I L T E R S

For the most current part interchange and cross reference information to Donaldson filtration and exhaust products, please check out our on-line catalog at [www.donaldson-filters.com](http://www.donaldson-filters.com).

If you desire a printed catalog of our Donaldson brand cross reference information, please request catalog number F110070 from Donaldson or your local distribution outlet.

Donaldson drives down operating costs with complete engine protection!

Catalog No.  
F110025

Donaldson<sup>®</sup>



## **Donaldson Filter Product Specifications Guide**

### **New Products ..... Pages 2-4**

Take a peak at the new filter parts that have been added since our last publication. New replacement parts are also featured in the What's New area of our web site [www.donaldson-filters.com](http://www.donaldson-filters.com).

### **Liquid Filter Maintenance Kits ..... Pages 5-10**

Why order separate part numbers for your filter maintenance when you can order one part number that contains all the liquid filters you need in one package! Check out our selection for popular diesel engine manufacturers.

### **Filter Performance Alternatives for Standard Filters ..... Pages 11-23**

You have a UL approved filter and want a standard filter, or, maybe you want better engine protection or longer filter life. Or, perhaps you're gearing up for winter and need a fuel filter water separator instead of a standard fuel. Use this section to help pinpoint your upgrade options.

### **Product Specifications by Part Number ..... Pages 25-236**

This section contains the dimensional product attributes for all the Donaldson replacement filters and other filtration accessories. Donaldson has other product catalogs on exhaust, intake housings and accessories if you don't find your product here.

### **Product Specifications by Description & Size ..... Pages 237-303**

Use this section when you only have the dimensional characteristics of a particular filter.

### **UPC to Part Number Interchange ..... Pages 305-315**

When someone calls with a Donaldson part number and all you have is the UPC Code, this handy cross reference will get you to the correct Donaldson filter part number for ordering and dimensional verification.

### **Engine Aftermarket Warranty ..... Page 316**

The information contained herein has been compiled from data available to Donaldson Company, Inc. This information should be used as a **guide only** for choosing the proper replacement part. All engine and equipment manufacturers, including Donaldson, reserve the right to change or discontinue any model or specification at any time and without notice. Therefore, Donaldson makes no guarantee or warranty, either expressed or implied, as to the accuracy of the data shown. In addition, Donaldson shall not be held liable or responsible for any misapplication or improper application. **BEFORE** purchasing or installing any Donaldson product, check the product specifications.

Donaldson®

## New Filter Replacement Products!

The following list of products are new replacement filters available from your local Donaldson distribution outlet.

Donaldson frequently adds replacement products for new equipment and new replacement products for older equipment.

If the product you need is not in this catalog, it may still be available. Check out our on-line catalog or the What's New area on our web site.

### Looking for a local Donaldson distribution outlet?

Call us at 1-800-374-1374 or visit the FIND US area on our web site.

**Web site address:**  
[www.donaldson-filters.com](http://www.donaldson-filters.com)

**Liquid Filter Maintenance Kits for Popular Engines are featured on pages 5-10.**

## Air Panel - Ventilation and In-Cab Filters

CAT 3E0410 .....	P780135
CAT 7X6041 .....	P780298
CAT 9X3352 .....	P780163
CATERPILLAR 8C9657 .....	P543107
JOHN DEERE AH115833 .....	P532931
JOHN DEERE AT116077 .....	P533788
HITACHI 4206637 .....	P533788

## Air Primary

AIR MAZE CD1628610826 .....	P546614
AIR MAZE CD1830610826 .....	P546761
CASE IH 187471A1 .....	P547331
CAT 1085330 .....	P546641
DAIHATSU 1780187304000 .....	P500121
DAIHATSU 1780187304000 .....	P500032
DAIHATSU 1780187506000 .....	P500037
DAIHATSU 1780187702000 .....	P500035
DAIHATSU 1780187705000, 178018704000 .....	P500034
DAIHATSU 1780187710000, 1780187714000 .....	P500036
DAIHATSU 1780187717000 .....	P500038
DAIHATSU 1780187Z04001 .....	P500033
FREIGHTLINER CLASSIC XL .....	P537355
FORD LIGHT TRUCK .....	P546597
FORD LIGHT TRUCK 1995 - 1998 .....	P546598
FORD 1999 LIGHT TRUCK .....	P546596
FIAT 7414198, 7422739 .....	P500091
GARDNER DENVER 1157641 .....	P546567
HINO 17801-1960 .....	P500039
HINO 17801-2200 .....	P500042
HINO 178012410 .....	P500043
HINO 178012440A .....	P500041
HINO 178012590 .....	P500047
HINO 178012830, 178012890A .....	P500046
HINO 178012850 .....	P500044
HINO 178013000 .....	P832150
HITACHI 4206098 .....	P780385
HITACHI 4285623 .....	P543662
HONDA 17220657000, 17220673005 ..	P500066
HONDA 17220634005 .....	P500065
HONDA 17220P07000 .....	P500074
HONDA 17220PE0003 .....	P500071
HONDA 17220PE3601 .....	P500067
HONDA 17220PH3000 .....	P500075
HONDA 17220PH4601 .....	P500070
HONDA 17220PM3Y01 .....	P500069
HONDA 17220PM4003 .....	P500073
HONDA 17220PT0T01 .....	P500072
HONDA 17232PD5600 .....	P500068
HYSTER 336567 .....	P148932
HYSTER 1377093 .....	P535337
ISUZU 5-14215-030-0,5142150060 ....	P500110
ISUZU 5142150380 .....	P500061
ISUZU 8941516143 .....	P500063
ISUZU 8942171000 .....	P500060
ISUZU 8943349060 .....	P500064
ISUZU 9942320590 .....	P500021
JCB 32903001 .....	P780272
JCB 32903201 .....	P780310
JOHN DEERE AT175344 .....	P537405
JOHN DEERE AT178583 .....	P538392
JOHN DEERE RE45827 .....	P546566
KOMATSU 6001817210 .....	P500094

KOMATSU 6675817010 .....	P500093
KOMATSU 6675817011 .....	P500102
KOMATSU 6675817021 .....	P500099
KOMATSU 6675817231 .....	P500100
MAZDA AF14200 .....	P500122
MAZDA B36613Z40 .....	P500079
MAZDA B60323603 .....	P500080
MAZDA E30123603 .....	P500077
MAZDA R20523603 .....	P500078
MAZDA R20523603 .....	P500078
MAZDA R20523603 .....	P500078
MAZDA R20523603 .....	P500078
MITSUBISHI MD017284 .....	P500001
MITSUBISHI MD603014 .....	P500004
MITSUBISHI MD603354 .....	P500003
MITSUBISHI MD603816 .....	P500009
MITSUBISHI MD603932 .....	P500008
MITSUBISHI MD604802 .....	P500006
MITSUBISHI MD604880 .....	P500005
MITSUBISHI MD604952 .....	P500010
MITSUBISHI MD620563 .....	P500120
MITSUBISHI ME017242 .....	P500014
MITSUBISHI ME073252 .....	P545613
MITSUBISHI ME073821 .....	P536036
MITSUBISHI MT202713 .....	P500002
MITSUBISHI MT421158 .....	P500007
MITSUBISHI 9136113300 .....	P546641
MOTORCRAFT FA1675 .....	P546596
NAVISTAR 3507421C1 .....	P539765
NEW HOLLAND 86529587 .....	P546566
NISSAN 16546-01B00 .....	P500087
NISSAN 16546-02N00 .....	P500123
NISSAN 16546-76000 .....	P500083
NISSAN 16546-97001 .....	P500111
NISSAN 16546-D1100 .....	P500084
NISSAN 16546-J5570 .....	P500113
NISSAN 16546-N4200 .....	P500082
NISSAN D6546Z9100 .....	P536577
SUZUKI 1378060A00 .....	P500054
SUZUKI 1378062B00 .....	P500055
SUZUKI 1378067022 .....	P500048
SUZUKI 1378077300 .....	P500051
SUZUKI 1378077500 .....	P500050
SUZUKI 1378078100 .....	P500052
SUZUKI 1378079210 .....	P500049
SUZUKI 1378082000 .....	P500053
SUZUKI 1378083000 .....	P500056
TIMOR OK20913Z0 .....	P500116
TOYOTA 17743U110071 .....	P829964
TOYOTA 1780-156020 .....	P500024
TOYOTA 17801-13010, 17801-33011 ..	P500016
TOYOTA 17801-13020 .....	P500025
TOYOTA 17801-15010 .....	P500019
TOYOTA 17801-15060 .....	P500030
TOYOTA 17801-16020 .....	P500026
TOYOTA 17801-23020, 17801-23030, 17801-31060 .....	P500015
TOYOTA 17801-31050 .....	P500021
TOYOTA 17801-35030 .....	P500027
TOYOTA 17801-48010, 17801-48011 ..	P500017
TOYOTA 17801-54010 .....	P500020
TOYOTA 17801-54050 .....	P500022
TOYOTA 17801-54060 .....	P500023
TOYOTA 17801-54100 .....	P500028
TOYOTA 17801-54170 .....	P500124
TOYOTA 17801-64010 .....	P500031
TOYOTA 17801-67060 .....	P500125
VOLVO 11110217 .....	P781398

**Air Primary, EON®**

FREIGHTLINER FLN .....	EAF5105
NAVISTAR .....	EAF5104
FREIGHTLINER, PETERBILT .....	EAF5100
KENWORTH, PETERBILT .....	EAF5101
VORTEX .....	EAF5102

**Air Primary, Plexus™**

KW T2000 PETERBILT 387 .....	P542101
MACK 57MD46M .....	P540731

**Air Primary, Wrap**

CATERPILLAR 8N-2555 .....	P521685
---------------------------	---------

**Air Safety**

AIR MAZE CD1628610827 .....	P546613
AIR MAZE CD1830610827 .....	P546762
CASE IH 187472A1 .....	P547332
FREIGHTLINER FLN SERIES .....	P538542
JOHN DEERE AT178584 .....	P538393
HITACHI 4247974 .....	P543661
HYSTER 1377096 .....	P535338
KOBELCO 2446R277S6 .....	P542033
KOMATSU 6001817360 .....	P500096
KOMATSU 6675817030 .....	P500101
KOMATSU 6675817031 .....	P500103
NISSAN 16546-97002 .....	P500112
TEREX 15272253 .....	P777875
TOYOTA 17744U210071 .....	P534885
VOLVO 110339999 .....	P777875
VOLVO 11110218 .....	P781399
VOLVO 1665886 .....	P780321

**DuraLite™ Housing/Filter**

JOHN DEERE RE63779A .....	C105028
JOHN DEERE RE64564 .....	C125017

**Liquid Filter Maintenance Kits for Popular Engines are featured on pages 5-10.**

**Coolant Spin-on**

VOLVO 1661964 ,1699830 .....	P552096
VOLVO 3945411 .....	P554019

**Fuel Cartridge, Secondary**

CAT 5S7645 .....	P502136
DETROIT DIESEL 16V149T ENG ....	EFF0047S
KUBOTA 15231-43563,15231-43560	P502138
KUBOTA 15521-43160 .....	P502161
KUBOTA 16271-43560 .....	P502166
MACK 483GB471M .....	P554471
MANN B405C, BF1018/1 .....	P502131
MANN EK405, P1018/1 .....	P502132
MITSUBISHI 3166201031 .....	P502113
MITSUBISHI MA125373 .....	P502115
MITSUBISHI ME016862 .....	P502117
MITSUBISHI ME046010 .....	P502114
MITSUBISHI ME971550,ME971553	P502116
NISSAN 16444Z9027 .....	P551338
TOYOTA 0423456010 .....	P502118
TUNG FUNG 20108840 .....	P502137
YANMAR 10420055710 .....	P502133
YANMAR 10450055710 .....	P502134
YANMAR 10599155710 .....	P502135
YANMAR 12455055700 .....	P502166
YANMAR 12910055650 .....	P502161

**Fuel, In-line**

CASE IH D145357 .....	P550433
CUMMINS 3318919 .....	P550446
JOHN DEERE AR103220 .....	P550446

**Fuel Spin-on Primary**

CARRIER 300109000 .....	P550455
CARRIER 300109001 .....	P550448
CAT 4N-5823 .....	EFF9092S
DAIHATSU 2330387308000 .....	P502149
FORD 1999 LIGHT TRUCK .....	P550437
FSA FF2028 .....	P502177
LEYLAND ABU9642 .....	P502169
MACK 483GB470M .....	P554470
MAZDA 145623570A .....	P502158
MAZDA RF0323570 .....	P502157
MAZDA SL07-23570 .....	P502169
MITSUBISHI 3446200300 .....	P502143
MITSUBISHI MB433425 .....	P502142
MOTORCRAFT FD4596 .....	P550437
NISSAN 16403-Z9000,16403-Z9005	P502163
NISSAN 16405-01T70 .....	P502167
RACOR S3225P .....	P550436
RYCO Z169A .....	P502177
TCM 20801-02131 .....	P502142
TOYOTA 23303-56040 .....	P502146

**Fuel/Water Separator Cartridge**

CUMMINS ISB SERIES ENGINES ...	P550430
FLEETGUARD FS1011 .....	
OPTIGUARD SYSTEM .....	P550447

**Fuel/Water Separator Spin-on**

NEW HOLLAND 87840590 .....	P550435
NEW HOLLAND 87840591 .....	P550434

**Gasket**

LPS05 & HBK05 SERIES ELEMENTS .....	P179354
GRESEN 1576001 .....	P177051
OPTIONAL GASKET FOR P555603 & P164906 .....	P179322
GASKET, LIQUID FILTER .....	P174997
GRESEN 3274001 .....	P177050
GRESEN 3277001 .....	P177049

**Hydraulic Cartridge**

CATERPILLAR 3S3875 .....	P502178
CATERPILLAR 997352 .....	P551347
HITACHI 3502410N .....	P502170
HITACHI 4159320 .....	P502172
HITACHI 4207841 .....	P173238
HITACHI,4227353 .....	P173207
JOHN DEERE TH101885,TH111010	P173207
KOBELCO R36P0019 .....	P502215
O & K 1717467 .....	P173081

**Hydraulic Spin-on**

CLARK 4202525 .....	P174675
Clark Hurth 247052 .....	P550445
FORD FONNB486BB .....	P502224
Hyster 1315621 .....	P550445
NEW HOLLAND 82005016 .....	P502224

**Hydraulic Spin-on Duramax®**

JOHN DEERE RE55801 .....	P178619
JOHN DEERE T175002 .....	P177047

*Turn the page for other new products!*

**Lube Cartridge Bypass**

HITACHI 4225367 ..... P550423

**Lube Cartridge Full Flow**

 CATERPILLAR 9T9054 ..... P550429  
 FLEETLIFE FP614-40 ..... P551336  
 HINO 15607-1210 ..... P502189  
 HINO 15607-1351 ..... P502190  
 HINO 15607-1390 ..... P502192  
 HINO 156071341, 15607-1340 ..... P502191  
 HINO 9956210300, 15607-1120 ..... P502188  
 HITACHI 4208241 ..... P551344  
 HITACHI 4231195 ..... P551345  
 ISUZU 1132401160 ..... P502201  
 ISUZU 1132401170 ..... P502200  
 ISUZU 13240045 ..... P502196  
 ISUZU 13240085 ..... P502194  
 ISUZU 1878103720 ..... P502202  
 ISUZU 513240036 ..... P502193  
 LEYLAND 11K243 ..... P502225  
 MANN AF32 ..... P502211  
 MANN AF34 ..... P502210  
 MANN H20211 ..... P502223  
 MANN H614/X ..... P502207  
 MANN H727/1 ..... P502214  
 MERCEDES 1021800009 ..... P502207  
 MITSUBISHI 3134012030 ..... P502179  
 MITSUBISHI 3144012030 ..... P502180  
 MITSUBISHI 68937310012 ..... P502184  
 MITSUBISHI ME021073 ..... P502183  
 NISSAN 1520876225 ..... P502203  
 NISSAN 1527499025 ..... P502205  
 NISSAN 1527499128 ..... P502206  
 TOYOTA 04152-31012 ..... P502185  
 TOYOTA 0415246010 ..... P502187  
 TOYOTA 0415277010 ..... P502186

**Lube Spin-on Bypass**

 Donaldson Endurance®  
 VERSION OF P550777 ..... ELF7777  
 MITSUBISHI MD069782 ..... P551343  
 VOLVO 4775565 ..... P550425

**Lube Spin-on Combination**

 CATERPILLAR 517950 ..... P502093  
 CUMMINS ENGINES ..... ELF7300S  
 CUMMINS SIGNATURE 600 ..... P559000  
 DAIHATSU, ISUZU, MAZDA ..... P502058  
 FLEETGUARD LF9000, LF9001 ..... P559000  
 ISUZU 8941432050 ..... P502032  
 ISUZU 8970967770, 8971482700,  
 8943381811 ..... P502046  
 ISUZU 8943604271 ..... P502043  
 ISUZU 8970967770 ..... P502042  
 MAZDA PNY214302 ..... P502059  
 MAZDA VSY114302 ..... P502061  
 MITSUBISHI ME013307, ME013343 ..... P502008  
 NISSAN 1520840L00, 1520820N00 ... P502068  
 TOYOTA 90915-03003, 90915-30001 P502017

**Lube Spin-on Full Flow**

 ATLAS COPCO, BMW, DAIHATSU,  
 SUZUKI ..... P502022  
 BRIGGS & STRATON 492932,  
 SUZUKI, DAIHATSU, MAZDA ..... P502024  
 CUMMINS "98" B SERIES ..... P550428  
 CUMMINS 299670, DAIHATSU ..... P502023  
 DAIHATSU 1560187309000 ..... P502025  
 DET DIESEL 2000 &  
 MARINE 4000 SERIES ..... P551402  
 DETROIT DIESEL 4000 SERIES ..... P551400  
 ECHLIN OF1 ..... P502094  
 ECHLIN OF16 ..... P502102  
 ECHLIN OF17 ..... P502098  
 ECHLIN OF18 ..... P502107  
 ECHLIN OF19 ..... P502099  
 ECHLIN OF2 ..... P502106  
 ECHLIN OF20 ..... P502100  
 ECHLIN OF25 ..... P502101  
 ECHLIN OF29 ..... P502103  
 ECHLIN OF34 ..... P502104  
 ECHLIN OF39 ..... P502105  
 ECHLIN OF4 ..... P502095  
 ECHLIN OF44 ..... P502109  
 ECHLIN OF5 ..... P502096  
 ECHLIN OF71 ..... P502110  
 ECHLIN OF74 ..... P502111  
 ECHLIN OF8 ..... P502097  
 ECHLIN OF86 ..... P502108  
 Donaldson Endurance®  
 VERSION OF P559000 ..... ELF7900  
 Donaldson Synteq® Version of  
 P551670 for Off-Road Apps ..... XLP7670  
 Donaldson Synteq® Version of  
 P554105 for Off-Road Apps ..... XLP4105  
 FIAT 4371582V03 ..... P502077  
 FIAT 74741272 ..... P502222  
 FORD 785F6714AA3A ..... P502072  
 GM 5576054, AC PF35 ..... P502091  
 GM 6437982, AC PF34 ..... P502086  
 HARVARD 25-250 ..... P502112  
 HINO 156071480 ..... P550406  
 HINO 156072050 ..... P552050  
 HITACHI 4183853 ..... P550422  
 HITACHI 4266385 ..... P550421  
 HITACHI 4296675 ..... P550420  
 HONDA 15400-PA6-305 ..... P502048  
 HONDA 15400-PH1-014,  
 15400-PK1-003 ..... P502051  
 HONDA 15400-PH1-F03 ..... P502050  
 HONDA 15400-PR3-004 ..... P502049  
 ISUZU 11324010521 ..... P550421  
 ISUZU 94314263 ..... P502047  
 ISUZU 8943212191 ..... P550422  
 ISUZU 8944309830 ..... P502039  
 ISUZU NPR4.3, C-515 ..... P502045  
 JOHN DEERE RE59754 ..... P551352  
 KIA OB3114302, OB63114302 ..... P502062  
 KOMATSU 600-211-1230 ..... ELF7670S  
 MACK/VOLVO ..... ELF7483S  
 MAZDA 130523802 ..... P550411  
 MAZDA 145623802A, RF0323802 .... P502056  
 MAZDA FEY014302 ..... P502057  
 MAZDA JEY014302 ..... P502063  
 MAZDA TFY014302 ..... P502060

 MERCEDES 051155561G ..... P502090  
 MITSUBISHI 32A4000100 ..... P502085  
 MITSUBISHI 32B4000100 ..... P502080  
 MITSUBISHI 3743802400 ..... P502083  
 MITSUBISHI 3754001101 ..... P502081  
 MITSUBISHI C45702411, WP110 .... P551348  
 MITSUBISHI C4570411 ..... P502082  
 MITSUBISHI LPF08 ..... P502084  
 MITSUBISHI MD135737,  
 30A4000100 ..... P502007  
 MITSUBISHI MD136466 ..... P502009  
 MITSUBISHI MD322508 ..... P502010  
 NISSAN 15201Z9000, 15201Z9002,  
 15201Z9003 ..... P502088  
 NISSAN 15201Z9001, 15201Z9004 ... P502089  
 NISSAN 1520801B10 ..... P502069  
 NISSAN 1520853J00 ..... P502070  
 NISSAN, MAZDA, MITSUBISHI ..... P502067  
 PEUGEOT 1109-43 ..... P502074  
 PEUGEOT 1109-51 ..... P502076  
 PEUGEOT 1109-59 ..... P502075  
 PROTON PW502889 ..... P502092  
 SUBARU 15208AA020 ..... P502071  
 SUZUKI 16510-83000 ..... P502031  
 SYNTHETIC MEDIA VERSION  
 OF P551670 ..... XLP7670  
 SYNTHETIC MEDIA VERSION  
 OF P554105 ..... XLP4105  
 TOYOTA 90915-03002,90915-20001 P502016  
 TOYOTA 15600-06010 ..... P502020  
 TOYOTA 90915-03001,90915-10001 P502015  
 TOYOTA 90915-03004 ..... P502019  
 WAKO UWP110 ..... P502082

**Pad**

CATERPILLAR 3E0411 ..... P780164

**Transmission Cartridge**

 ALLISON WORLD 3060  
 TRANSMISSION, #29526898 ..... P179096  
 ALLISON WORLD  
 TRANSMISSION #29526899 ..... P179206



The following pages list the details of available filter maintenance kits for popular engines and equipment. For pricing and availability, please contact your local Donaldson distribution outlet.

**Engine Kits**  
Caterpillar  
Cummins  
Detroit Diesel  
Ford  
GM  
Mack  
Navistar  
Volvo

**Vehicle / Equipment**  
Carrier  
Ottawa  
ThermoKing  
Transcold

**Note about Filter Kits that contain Coolant Filters**

The coolant products we sell are considered a Class 5 hazardous product. Because of this classification, UPS will no longer ship Class 5 hazardous materials by air - Next Day, 2nd Day, or 3 Day Select.

**THIS ENTIRE SECTION WAS UPDATED JAN. 17, 2000**

### Carrier

Part Number	-----Lube-----		-----Fuel-----		
	Full-Flow	Bypass	Primary	Secondary	Water Separator
P559201	P550299		P557440, P558712		
P559046	P550299	P553404	P557440, P558712		
P559307	P550299	P553404, P550750			

### Caterpillar Engines

Part Number	-----Lube-----		-----Fuel-----			Coolant	Hydraulic
	Full-Flow	Bypass	Primary	Secondary	Water Separator		
P559520	(2)P554005		(2)P551311				
P559260	(2)P554005		(2)P555823				P556700, (2)P559740
P559261	(2)P554005		(2)P555823				(2)P550523, (2)P559740
P559264	(2)P554005, P550816		(2)P555823				P556064, P559740, (6)P556700
P559016	(2)P555570		P557440				
P559087	(2)P555570		P557440, P559803-Box				
P559024	(2)P555570		P559803				
P559018	(2)P555680		P557440				
P559017	(2)P555680		P559100				
P559078	(2)P556007		P557440				
P559506	(4)P554005		(2)P551316				
P559513	ELF7405	P555823	P558000				
P559272	P167405		P557440		P558000	P554071	
P559505	P554004		P551313			P554071	
P559294	P554004		P557440				
P559259	P554004		P557440				P550523, P556064
P559311	P554004		P557440			P554071	
P559532	P554005			P555823	P558010	P552071	
P559302	P554005		EFF9090, P551712			P554071	
P559105	P554005		P550104	P551712		P554071	
P559538	P554005		P550105	P551311		P552071	
P559285	P554005		P550105	P551712			X006136
P559519	P554005		P551311				
P559288	P554005		P551712			P554071	
P559517	P554005		P551712				
P559527	P554005		P551712		P558000	P554685	
P559308	P554005		P551712		P558000		

### Caterpillar Engines, continued

Part Number	-----Lube-----		-----Fuel-----			Coolant	Hydraulic
	Full-Flow	Bypass	Primary	Secondary	Water Separator		
P559019	P554005		P555823			P554071	
P559050	P554005		P555823				
P559097	P554005		P555823		P558000		
P559093	P554005		P555823		P558000	P554071	
P559295	P554005		P555823		P558000	P554071	
P559210	P554005		P555823		P558010	P554072	P550222
P559480	P554005		P555823	P557440			
P559085	P554005		P555823, P550089			P554072	
P559027	P554005		P555823, P550105				
P559063	P554005		P555823, P550105			P554071	
P559039	P554005		P555823, P556915				
P559088	P554005		P555823, P556915			P554071	
P559281	P554005		P557440, P551712			P554685	
P559214	P554005	P550777	P555823				
P559104	P554105		P550105	P555823			
P559401	P554105		P551712, P550104				
P559280	P554105		P555823			P554685	
P559410	P554105		P555823, P550105			P554071	
P559467	P554105		P555823, P550105			P552071	
P559290	P554105		P555823				

### Cummins Engines

Part Number	-----Lube-----		-----Fuel-----			Coolant	Hydraulic	Other
	Full-Flow	Bypass	Primary	Secondary	Water Separator			
P559262	(2)P551670		(2)P557440				(3)P551142	
P559235	(2)P553000		(2)P550105					
P559463	(2)P553000		P550106	P556916		P554071		
P559265	(4)P551670	(2)P550777	(2)P550202					
P559284	(6)P553000				(6) P558000			
P559509	ELF7300				P550461			
P559278	ELF7670	P550777	P550105			P554071	P550223	
P559291	ELF7670	P550777	P550105			P554071		
P559026	P550516	P550750	P550104			P554071		
P559075	P550516	P550750	P550104					P167574-Gasket
P559239	P551670		P550105			P554071		
P559465	P551670		P550106			P554071	P550388	
P559034	P551670	P550500	P550104			P554071		
P559257	P551670	P550750			P558000	P554071		
P559074	P551670	P550750	P550104					P167575-Gasket
P559010	P551670	P550750	P550104					
P559030	P551670	P550750	P550104			P554071		
P559011	P551670	P550750	P550104			P554071		P167575
P559014	P551670	P550750	P550105			P554071		
P559033	P551670	P550750	P550105					
P559098	P551670	P550751	P550104			P554071		
P559090	P551670	P550751	P550125					P167574, P170492-Gaskets
P559020	P551670	P550777			P552020	P554071		
P559049	P551670	P550777			P558000	P554071		

**Cummins Engines, continued**

Part Number	-----Lube-----		-----Fuel-----			Coolant	Hydraulic	Other
	Full-Flow	Bypass	Primary	Secondary	Water Separator			
P559096	P551670	P550777			P558000			
P559076	P551670	P550777	P550104					
P559218	P551670	P550777	P550104			P554685		
P559094	P551670	P550777	P550104			P554071		
P559080	P551670	P550777	P550105			P554071		
P559022	P551670	P550777	P550105					
P559258	P551670	P550777	P550105			P554073		
P559023	P551670	P550777	P550105			P554071		
P559283	P551670	P550777	P550106			P554072		
P559089	P551670	P550777	P550125			P554071		P170492-Gasket
P559243	P551670	P550777	P550202					
P559539	P551670	P550777	P551000			P552071		
P559237	P551670	P550777	P557440					
P559531	P553000				P550248	P552071		
P559482	P553000				P550248			
P559472	P553000				P550248	P554071		
P559412	P553000				P550461			
P559303	P553000				P551000	P552071		
P559468	P553000				P551000			
P559504	P553000				P551000, P553375			
P559256	P553000				P552020	P554071		
P559518	P553000				P555010	P554073		
P559529	P553000				P558000	P554685		
P559244	P553000				P558000			
P559530	P553000				P558020	P554685		
P559266	P553000				P558000	P554072		
P559047	P553000				P558000	P554071		
P559286	P553000				P558000	P554071		X006136
P559255	P553000				P558000			X006136
P559219	P553000		P550104			P554685		
P559015	P553000		P550104			P554071		
P559279	P553000		P550105			P554071	P550223	
P559032	P553000		P550105			P554072		
P559242	P553000		P550105			P554072	(2)P550388	
P559037	P553000		P550105			P554071		
P559070	P553000		P550105					
P559220	P553000		P550105			P554685		
P559091	P553000		P550125			P554071		P170492-Gasket
P559481	P553000		P550440					
P559310	P555570, P558615		P550090- In-line		P550248		P551553	
P559411	P558615			P550440	P551329			
P559238	P558615		P553004		P551329			

**Detroit Diesel Engines**

Part Number	-----Lube-----		-----Fuel-----			Coolant	Hydraulic	Other
	Full-Flow	Bypass	Primary	Secondary	Water Separator			
P559475				P556916	P558000	X006136		
P559287			P556915	P556916				X006136
P559263	(2)P550671		(2)P550958	(2)P550959				
P559204	(2)P551670			P556916				
P559254	(2)P551670		(2)P556915	P556916		P554071		
P559038	(2)P551670	P550777		P556916		P554072		P169982-Gasket
P559469	(2)P551670	P550777		P556916				
P559095	(2)P551670	P550777		P556916	P552020			X006136
P559202	(2)P551670	P550777		P556916	P558000			
P559203	(2)P551670	P550777		P556916	P558010			



### Detroit Diesel Engines, continued

Part Number	-----Lube-----		-----Fuel-----			Coolant	Hydraulic	Other
	Full-Flow	Bypass	Primary	Secondary	Water Separator			
P559473	(2)P552100					P554071		
P559474	(2)P552100				P550463			
P559470	(2)P552100			P556916				
P559471	(2)P552100			P556916	P550463	P554071		
P559248	(2)P552100			P556916	P558010			
P559309	(2)P552100	P550777	P556915	P556916		P554685		
P559056	ELF7670	P550777	P556915	P556916				
P559055	ELF7670	P550777	P556915	P556916		P554685	P550223, P550487	
P559059	ELF7670	P550777	P556915	P556916		P554685	P550223	
P559036	P550132		P556915	P556916				
P559053	P550132	P550750	P556915	P556916				P167574
P559502	P550655		P556915	P556916				
P559086	P550671		P556915	P556916				
P559212	P551670		P550105	P556916				
P559206	P551670		P556915					
P559008	P551670		P556915	P556916				
P559052	P551670	P550750	P550105	P556916				P167575- Gasket
P559035	P551670	P550750	P556915	P556916				
P559054	P551670	P550777	P550105	P556916				
P559029	P551670	P550777	P556915	P556916				

### Detroit Diesel, Series 60 Engine

Part Number	-----Lube-----		-----Fuel-----			Coolant	Hydraulic	Other
	Full-Flow	Bypass	Primary	Secondary	Water Separator			
P559092				P556916				P169982- Gasket
P559101	(2)ELF3998		P556915	P556916				
P559478	(2)P551670	P550777						
P559044	(2)P551670	P550777		P556916				P169982- Gasket
P559028	(2)P551670	P550777	P556915	P556916				
P559043	(2)P551670	P550777	P556915	P556916		P554071		
P559221	(2)P551670	P550777	P556915	P556916		P554685		
P559516	(2)P552100				P550463	P554071		
P559245	(2)P552100			P550916				P169982- Gasket
P559501	(2)P552100			P556916		P554071		
P559503	(2)P552100			P556916	P550461	P554071		
P559409	(2)P552100			P556916	P551000			
P559250	(2)P552100			P556916	P558000			
P559246	(2)P552100			P556916	P558010	P554071		
P559479	(2)P552100		P550105					
P559477	(2)P552100		P556915					
P559299	(2)P552100		P556915	P556916		P554071		
P559251	(2)P552100		P556915	P556916				
P559466	(2)P552100		P556915	P556916		P552071		
P559476	(2)P552100	P550777						
P559300	P550299	P553404	P557440		P551329			
P559247	P551670		P556915	P556916		P554071		

### Ford Engines

Part Number	-----Lube-----		-----Fuel-----			Coolant
	Full-Flow	Bypass	Primary	Secondary	Water Separator	
P559306	(2)P550731, P550088		(2)P555095			
P559083	(2)P550731, P550088		(2)P555095			P554071

### GM Engines

Part Number	Lube		Fuel			Coolant	Hydraulic	Other
	Full-Flow	Bypass	Primary	Secondary	Water Separator			
P559274	(2)P550035	P550928	P550089					

### Mack Engines

Part Number	Lube		Fuel			Coolant	Hydraulic	Other
	Full-Flow	Bypass	Primary	Secondary	Water Separator			
P559510	(2) ELF7483	P550286			P550459	P552015		
P559512	(2)ELF7483	P550286	P550219	P550431				
P559331	(2)P553191					P554860		
P559515	(2)P553191				P550459	P554860		
P559514	(2)P553191			P550431	P550459	P554860		
P559268	(2)P553191		P550219	P550218		P554860	P550637	
P559277	(2)P553191		P550219	P550218		P554860	P550223	
P559001	(2)P553191		P550219	P550218		P554860		
P559002	(2)P553191		P550219	P550218				
P559269	(2)P553191		P550219	P550218		P554860	P550637	P528211-Breather
P559270	(2)P553191		P550219	P550431		P554860	P550637	
P559007	(2)P553191		P550219	P550431		P554422		
P559252	(2)P553191		P550219	P550431		P554860		
P559205	(2)P553191		P550219	P550431				
P559267	(2)P553191	P550286		P550431	P558040	P554860		
P559069	(2)P553191	P550286	P550219	P550218		P554860		
P559526	(2)P553191	P550286	P550219	P550431		P554860	P550388, P165015	
P559222	(2)P553191	P550286	P550219	P550431				
P559031	(2)P553191	P550286	P550219	P550431		P554422		
P559051	(2)P553191	P550286	P550219	P550431		P554860		
P559271	(2)P553191	P550286	P550219	P550431		P554860	P550637	
P559546	(2)P553191	P550286	P554470	P554471		P554860		
P559547	(2)P553191	P550286	P554470	P554471		P554860		
P559276	(2)P553191, P550132		P550219	P550218		P554860	P550637	
P559004	(3)P553191		P550219	P550431				
P559003	(3)P553191		P550219	P550431		P554422		
P559292	P553191		P550219	P550218				

### Navistar

Part Number	Lube		Fuel			Coolant	Hydraulic	Other
	Full-Flow	Bypass	Primary	Secondary	Water Separator			
P559079	(2)P555616		P552251	P552603				
P559275	(2)P555616		P555627	P553855				
P559528	P550367		P552603			P554071		
P559273	P550367	P552603						
P559009	(2)P555616		P555627	P552603				
P559240	(2)P555616	P552603				P554071		
P559217	(2)P555616	P552603	P555627			P554071		
P559048	(2)P557207, P552251	P552603						
P559025	P555616			P553855	P558050	P554071		

### Ottawa (w/Cummins Engine)

Part Number	Lube		Fuel			Coolant	Hydraulic	Other
	Full-Flow	Bypass	Primary	Secondary	Water Separator			
P559305	P555570, P558615			P550440			P551553	

### ThermoKing

Part Number	-----Lube-----		-----Fuel-----		
	Full-Flow	Bypass	Primary	Secondary	Water Separator
P559249	P553712	P553746	P553854	P553693	
P559282	P553712	P553746	P556285		P556286
P559545	P553782		P556285	P557364	
P559215	P553871	P553746		P553693	P555030
P559207	P553871	P553746		P553693	P558000
P559045	P553871	P553746	P550105	P553693	
P559200	P553871	P553746	P553854	P553855	
P559236	P553871	P553746	P557440	P553693	
P559293	P555616	P553746	P555627	P553855	

### Transcold

Part Number	-----Lube-----		-----Fuel-----		
	Full-Flow	Bypass	Primary	Secondary	Water Separator
P559208	P550299		P558712		
P559211	P550299	P553404	P557440, P558712		

### Volvo

Part Number	-----Lube-----		-----Fuel-----		
	Full-Flow	Bypass	Primary	Secondary	Water Separator
P559550	(2) P553191	P550425	P550372		P550461
P559289	P553191	P550777	(2)P553004		

## Application Guide Footnotes

Footnotes are used to identify filters that have an alternate performing filter for the same application. There are separate footnotes for each type of filter (e.g., air, lube, fuel, hydraulic and coolant). If you have the Donaldson part number, this section will show you the optional filter choices available from your local Donaldson distribution outlet.

When you buy a new vehicle or piece of equipment, the original filtration system recommended by the manufacturer was based on the operating parameters at the time of purchase. As equipment and vehicles change ownership during the life of the equipment, the filtration system may require an upgrade or change to the filtration performance based on the new operating environment.

*\*Disclaimer: The alternatives filter choices listed on the following pages are for FIT ONLY!! Alternative choices may affect filter life, pressure drop, oil cleanliness or compatibility.*

**THIS ENTIRE SECTION WAS UPDATED JAN. 17, 2000.**

**Two Coolant Maintenance pages were added, resulting in a page number shift, from the printed catalog, for this section only.**

<b>Air Filters .....</b>	<b>p 12-15</b>
<b>Fuel Filters .....</b>	<b>p 16</b>
<b>Lube Filters .....</b>	<b>p 17</b>
<b>Coolant Filter Maintenance .....</b>	<b>p 18-19</b>
<b>Hydraulic Mobile Filters &amp; Donaldson Hydraulic Housings .....</b>	<b>p 20-25</b>

**Your current Donaldson Part Number**

<b>P181009</b>	
Donaldson EBA15 Housings, Donaldson Endurance® EON® Media	EAF5009
Donaldson EBA15 Housings, Standard Media Long Life	P182009

**Description and part number of alternative filters that fit the same housing or thread plate.\***

**As you make your choice for an alternative filter, remember to consider any one or more of these filtration system factors: operating environment, components to be protected, degree of filtration, oil type, oil viscosity, flow rate, pressure (psi/kPa), etc.**



## Air Filter Alternatives

Part Number	Alternative / Optional Description	Alternative Part Number
<b>P102745</b>	Donaldson FWG04 Housings, High Pulsation Media Larger ID For Kubota with Tokyo Roki Air Cleaner	P148970 P148113
<b>P111098</b>	Cab Ventilation Panel	P103688
<b>P122510</b>	Donaldson FWA05/FWG05 Housings, Standard Media Donaldson FWA05/FWG05 Housings, Standard Media Long Life	P181050 P182050
<b>P122514</b>	Donaldson FW06 Housings, High Pulsation Media Donaldson FWA06/FWG06 Housings, Standard Media Donaldson FWA06/FWG06 Housings, Standard Media Long Life	P148966 P181052 P182052
<b>P129396</b>	Donaldson EBA11 Housings, Donaldson Endurance® EON® Media Donaldson EBA11 Housings, Standard Media	EAFF5024 P151097
<b>P129472</b>	Donaldson EBA09 Housings, Endurance® EON® Media Donaldson EBA09 Housings, Standard Media	EAFF5025 P140822
<b>P141228</b>	Donaldson EBA11 Housings, Donaldson Endurance® EON® Media	EAFF5026
<b>P141317</b>	Donaldson Endurance® EON® Media Donaldson ECG11 Carbon Treated Media	EAFF5097 P154575
<b>P142100</b>	Donaldson EBA11 Housings, Donaldson Endurance® EON® Media	EAFF5027
<b>P148043</b>	Donaldson ECG11 2400 Series, Donaldson Endurance® EON® Media Donaldson ECG11 2400 Series, Non Carbon Treated	EAFF5029 P150694
<b>P148586</b>	Donaldson FHG06 Housings, Standard Media Donaldson FHG06 Housings, Standard Media Long Life	P181062 P182062
<b>P148970</b>	Donaldson FWG04 Housings, Standard Media Larger ID For Kubota with Tokyo Roki Air Cleaner	P102745 P148113
<b>P150694</b>	Donaldson ECG11 2400 Series, Carbon Treated Donaldson ECG11 2400 Series, Donaldson Endurance® EON® Media	P148043 EAFF5029
<b>P150695</b>	Donaldson ECG11 2500 Series, Donaldson Endurance® EON® Media	EAFF5047
<b>P151028</b>	Donaldson EBB12 Housings, Donaldson Endurance® EON® Media	EAFF5048
<b>P151097</b>	Donaldson EBA11 Housings, Carbon Treated Media Donaldson EBA11 Housings, Donaldson Endurance® EON® Media	P129396 EAFF5024

Part Number	Alternative / Optional Description	Alternative Part Number
<b>P153551</b>	Donaldson ECG11 2500 Series, Donaldson Endurance® EON® Media Same As P153551 with Black Painted End Cover	EAFF5053 P537791
<b>P154575</b>	Same As P154575 Includes P117477 Cover Gasket	P141317
<b>P181000</b>	Donaldson FWA14/FWG14 Housings, Donaldson Endurance® EON® Media Donaldson FWA14/FWG14 Housings, Standard Media Long Life Donaldson FWA14/FWG14 Housings, UL Approved Media	EAFF5000 P182000 P122529
<b>P181001</b>	Donaldson FWA16/FWG16 Housings, Donaldson Endurance® EON® Media Donaldson FWA16/FWG16 Housings, Standard Media Long Life	EAFF5001 P182001
<b>P181002</b>	Donaldson FHG16 Housings, Donaldson Endurance® EON® Media Donaldson FHG16 Housings, Standard Media Long Life	EAFF5002 P182002
<b>P181003</b>	Donaldson EBA11 Housings, Donaldson Endurance® EON® Media	EAFF5003
<b>P181004</b>	Donaldson EBA15 Housings, Donaldson Endurance® EON® Media	EAFF5004
<b>P181007</b>	Donaldson EBA13 Housings, Donaldson Endurance® EON® Media Donaldson EBA13 Housings, Standard Media Long Life	EAFF5007 P182007
<b>P181008</b>	Donaldson EBA15 Housings, Donaldson Endurance® EON® Media Donaldson EBA15 Housings, Standard Media Long Life	EAFF5008 P182008
<b>P181009</b>	Donaldson EBA15 Housings, Donaldson Endurance® EON® Media Donaldson EBA15 Housings, Standard Media Long Life	EAFF5009 P182009
<b>P181014</b>	Donaldson EBA13/Ford Housings, Donaldson Endurance® EON® Media Donaldson EBA13/Ford Housings, Standard Media Long Life	EAFF5014 P182014
<b>P181015</b>	Donaldson EBB14/EGB14 Housings, Donaldson Endurance® EON® Media Donaldson EBB14/EGB14 Housings, Standard Media Long Life	EAFF5015 P182015
<b>P181016</b>	Donaldson EBA13 Housings, Donaldson Endurance® EON® Media Donaldson EBA13 Housings, Standard Media Long Life	EAFF5016 P182016
<b>P181017</b>	Donaldson EBA11 Housings, Standard Media Long Life	P182017
<b>P181019</b>	Donaldson EBB12 Housings, Donaldson Endurance® EON® Media	EAFF5019
<b>P181021</b>	Donaldson EBB12 Housings, Standard Media Long Life	P182021

## Air Filter Alternatives, cont.

<b>Part Number</b>	<b>Alternative / Optional Description</b>	<b>Alternative Part Number</b>
<b>P181028</b>	Donaldson EBB12/EGB12 Housings, Donaldson Endurance® EON® Media	EAF5028
	Donaldson EBB12/EGB12 Housings, Standard Media Long Life	P182028
<b>P181030</b>	Donaldson EBB14 Housings, Donaldson Endurance® EON® Media	EAF5030
<b>P181031</b>	Donaldson SBG16 Housings, Standard Media Long Life	P182031
<b>P181032</b>	Donaldson SBG14 Housings, Standard Media Long Life	P182032
<b>P181033</b>	Donaldson SBG12 Housings, Standard Media Long Life	P182033
<b>P181034</b>	Donaldson FHG12 Housings, Donaldson Endurance® EON® Media	EAF5034
	Donaldson FHG12 Housings, Standard Media Long Life	P182034
<b>P181035</b>	Donaldson FWA12/FWG12 Housings, Donaldson Endurance® EON® Media	EAF5035
	Donaldson FWA12/FWG12 Housings, Standard Media Long Life	P182035
	Donaldson FWA12/FWG12 Housings, UL Approved Media	P122525
<b>P181036</b>	Donaldson SBG16 Housings, Standard Media Long Life	P182036
<b>P181037</b>	Donaldson SBG14 Housings, Standard Media Long Life	P182037
<b>P181038</b>	Donaldson SRG20/SRG29 Housings, Donaldson Endurance® EON® Media	EAF5038
	Donaldson SRG20/SRG29 Housings, Standard Media Long Life	P182038
<b>P181039</b>	Donaldson STG16 Housings, Donaldson Endurance® EON® Media	EAF5039
	Donaldson STG16 Housings, Standard Media Long Life	P182039
<b>P181040</b>	Donaldson SRG20/SRG29 Housings, Donaldson Endurance® EON® Media	EAF5040
	Donaldson SRG20/SRG29 Housings, Standard Media Long Life	P182040
<b>P181041</b>	Donaldson STG14 Housings, Donaldson Endurance® EON® Media	EAF5041
	Donaldson STG14 Housings, Standard Media Long Life	P182041
<b>P181042</b>	Donaldson STG16 Housings, Donaldson Endurance® EON® Media	EAF5042
	Donaldson STG16 Housings, Standard Media Long Life	P182042
<b>P181043</b>	Donaldson FVG14 Housings, Donaldson Endurance® EON® Media	EAF5043
	Donaldson FVG14 Housings, Standard Media Long Life	P182043
<b>P181044</b>	Donaldson STG12 Housings, Donaldson Endurance® EON® Media	EAF5044
	Donaldson STG12 Housings, Standard Media Long Life	P182044

<b>Part Number</b>	<b>Alternative / Optional Description</b>	<b>Alternative Part Number</b>
<b>P181045</b>	Donaldson FWA10/FWG10 Housings, Standard Media Long Life	P182045
<b>P181046</b>	Donaldson FHG14 Housings, Donaldson Endurance® EON® Media	EAF5046
	Donaldson FHG14 Housings, Standard Media Long Life	P182046
<b>P181048</b>	Donaldson SRG20 Housings, Standard Media Long Life	P182048
<b>P181049</b>	Donaldson FVG16 Housings, Donaldson Endurance® EON® Media	EAF5049
	Donaldson FVG16 Housings, Standard Media Long Life	P182049
<b>P181050</b>	Donaldson FWA05/FWG05 Housings, Standard Media Long Life	P182050
	Donaldson FWA05/FWG05 Housings, UL Approved Media	P122510
<b>P181052</b>	Donaldson FW06 Housings, High Pulsation Media	P148966
	Donaldson FWA06/FWG06 Housings, Standard Media Long Life	P182052
	Donaldson FWA06/FWG06 Housings, UL Approved Media	P122514
<b>P181053</b>	Donaldson FWA16 Housings, Standard Media Long Life	P182053
<b>P181054</b>	Donaldson FWA08/FWG08 Housings, High Pulsation Media	P148968
	Donaldson FWA08/FWG08 Housings, Standard Media Long Life	P182054
<b>P181055</b>	Donaldson FVG16 Housings, Standard Media Long Life	P182055
<b>P181056</b>	IHC, White Housings, Donaldson Endurance® EON® Media	EAF5056
<b>P181057</b>	Donaldson Fwd16, FVG16 Housings, Donaldson Endurance® EON® Media	EAF5057
<b>P181059</b>	Donaldson FHG08 Housing, High Pulsation Media	P148573
	Donaldson FHG08 Housing, Standard Media Long Life	P182059
<b>P181062</b>	Donaldson FHG06 Housings, High Pulsation Applications	P148586
	Donaldson FHG06 Housings, Standard Media Long Life	P182062
<b>P181063</b>	Donaldson FHG09 Housings, Standard Media Long Life	P182063
<b>P181064</b>	Donaldson FHG10 Housings, Standard Media Long Life	P182064
<b>P181068</b>	Donaldson SBG08 Housings, Standard Media Long Life	P182068
<b>P181070</b>	Donaldson FTG11 Housings, Standard Media Long Life	P182070
<b>P181071</b>	Donaldson SBG10 Housings, Standard Media Long Life	P182071
<b>P181072</b>	Donaldson FHG05 Housings, High Pulsation Media	P148967
	Donaldson FHG05 Housings, Standard Media Long Life	P182072
<b>P181073</b>	Donaldson FTG15 Housings, Standard Media Long Life	P182073



## Air Filter Alternatives, cont.

Part Number Alternative / Optional Description	Alternative Part Number
<b>P181078</b> Donaldson FVG14 Housings, Standard Media Long Life	P182078
<b>P181080</b> Donaldson FTG11 Housings, Standard Media Long Life	P182080
<b>P181090</b> Donaldson EGB10 Housings, Standard Media Long Life	P182090
<b>P181092</b> Donaldson EGB09 Housings, Standard Media Long Life	P182092
<b>P181095</b> Donaldson EBB16/Volvo Housings, Standard Media Long Life	P182095
<b>P181096</b> Donaldson EBB15/Volvo Housings, Standard Media Long Life	P182096
<b>P181099</b> Donaldson EBB16 Housings, Donaldson Endurance® EON® Media Donaldson EBB16 Housings, Standard Media Long Life	EAFF5099 P182099
<b>P181187</b> Ford E3tz9601c Donaldson Endurance® EON® Media	EAFF5187
<b>P181188</b> Navistar 588213c1 Donaldson Endurance® EON® Media	EAFF5188
<b>P182000</b> Donaldson FWA14/FWG14 Housings, Donaldson Endurance® EON® Media Donaldson FWA14/FWG14 Housings, Standard Media Donaldson FWA14/FWG14 Housings, UL Approved Media	EAFF5000 P181000 P122529
<b>P182001</b> Donaldson FWA16/FWG16 Housings, Donaldson Endurance® EON® Media Donaldson FWA16/FWG16 Housings, Standard Media	EAFF5001 P181001
<b>P182002</b> Donaldson FHG16 Housings, Donaldson Endurance® EON® Media Donaldson FHG16 Housings, Standard Media	EAFF5002 P181002
<b>P182007</b> Donaldson EBA13 Housings, Donaldson Endurance® EON® Media Donaldson EBA13 Housings, Standard Media	EAFF5007 P181007
<b>P182009</b> Donaldson EBA15 Housings, Donaldson Endurance® EON® Media Donaldson EBA15 Housings, Standard Media	EAFF5009 P181009
<b>P182013</b> Ford Dohz9601f, Motorcraft F186 Donaldson Endurance® EON® Media Ford Dohz9601f, Motorcraft F186 Standard Media	EAFF5013 P181013
<b>P182014</b> Donaldson EBA13/Ford Housings, Donaldson Endurance® EON® Media Donaldson EBA13/Ford Housings, Standard Media	EAFF5014 P181014
<b>P182031</b> Donaldson SBG16 Housings, Standard Media	P181031
<b>P182032</b> Donaldson SBG14 Housings, Standard Media	P181032

Part Number Alternative / Optional Description	Alternative Part Number
<b>P182033</b> Donaldson SBG12 Housings, Standard Media	P181033
<b>P182034</b> Donaldson FHG12 Housings, Donaldson Endurance® EON® Media Donaldson FHG12 Housings, Standard Media	EAFF5034 P181034
<b>P182035</b> Donaldson FWA12/FWG12 Housings, Donaldson Endurance® EON® Media Donaldson FWA12/FWG12 Housings, Standard Media	EAFF5035 P181035
<b>P182036</b> Donaldson SBG16 Housings, Standard Media	P181036
<b>P182037</b> Donaldson SBG14 Housings, Standard Media	P181037
<b>P182038</b> Donaldson SRG20/SRG29 Housings, Donaldson Endurance® EON® Media Donaldson SRG20/SRG29 Housings, Standard Media	EAFF5038 P181038
<b>P182039</b> Donaldson STG16 Housings, Donaldson Endurance® EON® Media Donaldson STG16 Housings, Standard Media	EAFF5039 P181039
<b>P182040</b> Donaldson SRG20/SRG29 Housings, Donaldson Endurance® EON® Media Donaldson SRG20/SRG29 Housings, Standard Media	EAFF5040 P181040
<b>P182041</b> Donaldson STG14 Housings, Donaldson Endurance® EON® Media Donaldson STG14 Housings, Standard Media	EAFF5041 P181041
<b>P182042</b> Donaldson STG16 Housings, Donaldson Endurance® EON® Media Donaldson STG16 Housings, Standard Media	EAFF5042 P181042
<b>P182044</b> Donaldson STG12 Housings, Donaldson Endurance® EON® Media Donaldson STG12 Housings, Standard Media	EAFF5044 P181044
<b>P182045</b> Donaldson FWA10/FWG10 Housings, Standard Media	P181045
<b>P182046</b> Donaldson FHG14 Housings, Donaldson Endurance® EON® Media Donaldson FHG14 Housings, Standard Media	EAFF5046 P181046
<b>P182049</b> Donaldson FVG16 Housings, Donaldson Endurance® EON® Media Donaldson FVG16 Housings, Standard Media	EAFF5049 P181049
<b>P182050</b> Donaldson FWA05/FWG05 Housings, Standard Media Donaldson FWA05/FWG05 Housings, UL Approved Media	P181050 P122510
<b>P182052</b> Donaldson FW06 Housings, High Pulsation Media Donaldson FWA06/FWG06 Housings, Standard Media Donaldson FWA06/FWG06 Housings, UL Approved Media	P148966 P181052 P122514
<b>P182054</b> Donaldson FWA08/FWG08 Housings, High Pulsation Media Donaldson FWA08/FWG08 Housings, Standard Media	P148968 P181054

## Air Filter Alternatives, cont.

<b>Part Number</b>	<b>Alternative / Optional Description</b>	<b>Alternative Part Number</b>
<b>P182059</b>	Donaldson FHG08 Housing, High Pulsation Media	P148573
	Donaldson FHG08 Housing, Standard Media	P181059
<b>P182062</b>	Donaldson FHG06 Housings, High Pulsation Applications	P148586
	Donaldson FHG06 Housings, Standard Media	P181062
<b>P182063</b>	Donaldson FHG09 Housings, Standard Media	P181063
<b>P182064</b>	Donaldson FHG10 Housings, Standard Media	P181064
<b>P182068</b>	Donaldson SBG08 Housings, Standard Media	P181068
<b>P182070</b>	Donaldson FTG11 Housings, Standard Media	P181070
<b>P182071</b>	Donaldson SBG10 Housings, Standard Media	P181071
<b>P182072</b>	Donaldson FHG05 Housings, High Pulsation Media	P148967
	Donaldson FHG05 Housings, Standard Media	P181072
<b>P182078</b>	Donaldson FVG14 Housings, Standard Media	P181078
<b>P182080</b>	Donaldson FTG11 Housings, Standard Media	P181080
<b>P182090</b>	Donaldson EGB10 Housings, Standard Media	P181090
<b>P182092</b>	Donaldson EGB09 Housings, Standard Media	P181092
<b>P182096</b>	Donaldson EBB15/Volvo Housings, Standard Media	P181096
<b>P182099</b>	Donaldson EBB16 Housings, Donaldson Endurance® EON® Media	EA5F5099
	Donaldson EBB16 Housings, Standard Media	P181099
<b>P521598</b>	Donaldson EBA13 Housings, Donaldson Endurance® EON® Media	EA5F5060
<b>P522293</b>	Donaldson EBA11 Housings, Donaldson Endurance® EON® Media	EA5F5061
<b>P526678</b>	Donaldson EPG11 Housings Freightliner, Donaldson Endurance® EON® Media	EA5F5066
<b>P527484</b>	Donaldson EPG11 Housings Ford & GM, Donaldson Endurance® EON® Media	EA5F5067
<b>P527682</b>	Donaldson EPG15 Housings, Donaldson Endurance® EON® Media	EA5F5069
<b>P532966</b>	Donaldson Endurance® EON® Media	EA5F5105

<b>Part Number</b>	<b>Alternative / Optional Description</b>	<b>Alternative Part Number</b>
<b>P533235</b>	Donaldson Endurance® EON® Media	EA5F5104
<b>P534816</b>	Donaldson Endurance® EON® Media	EA5F5100
<b>P534925</b>	Donaldson Endurance® EON® Media	EA5F5101
<b>P540388</b>	Donaldson Endurance® EON® Media	EA5F5098
<b>P771003</b>	Mack, RVI, Donaldson Endurance® EON® Media	EA5F5074
<b>P771504</b>	Standard Media Long Life	P772504
<b>P771520</b>	Standard Media Long Life	P772520
<b>P771521</b>	Standard Media Long Life	P772521
<b>P771522</b>	Standard Media Long Life	P772522
<b>P771523</b>	Standard Media Long Life	P772523
<b>P771529</b>	Standard Media Long Life	P772529
<b>P771530</b>	Standard Media Long Life	P772530
<b>P771532</b>	Standard Media Long Life	P772532
<b>P771549</b>	Standard Media Long Life	P772549
<b>P772506</b>	Standard Media	P771506
<b>P772519</b>	Standard Media	P771519
<b>P772521</b>	Standard Media	P771521
<b>P772522</b>	Standard Media	P771522
<b>P772523</b>	Standard Media	P771523
<b>P772524</b>	Standard Media	P771524
<b>P772529</b>	Standard Media	P771529
<b>P772531</b>	Standard Media	P771531
<b>P772532</b>	Standard Media	P771532
<b>P772550</b>	Standard Media	P771550
<b>R800103</b>	R800103 with Hardware	P535365



## Fuel Filter Alternatives

<b>Part Number</b>	<b>Alternative / Optional Description</b>	<b>Alternative Part Number</b>
<b>P550060</b>	Felt Media	P550860
<b>P550061</b>	Pleated Paper Media	P550861
<b>P550105</b>	Donaldson Standard Media with Sediment Drain	P550106
<b>P550106</b>	Donaldson Standard Media (Water Separation See P558000)	P550105
<b>P550115</b>	Standard Media with Drain Screw Water Absorbing Media	P551915 P550215
<b>P550202</b>	Donaldson Endurance® Synteq® Media (5µ Absolute)	EFF9202
<b>P550215</b>	Standard Media with Drain Screw Standard Media without Drain	P551915 P550115
<b>P550218</b>	Donaldson Endurance® Synteq® Media (5µ Absolute)	EFF9441
<b>P550431</b>	Donaldson Endurance® Synteq® Media (5µ Absolute)	EFF9440
<b>P550587</b>	P550588 but without Drain Valve Rolled Media	P550424 P550588
<b>P550588</b>	P550588 but without Drain Valve Pleated Paper Media	P550424 P550587
<b>P550688</b>	Donaldson Standard Media	P553004
<b>P550860</b>	Pleated Paper Media	P550060
<b>P550861</b>	Felt Media	P550061
<b>P550936</b>	GM 8.2l Diesel 4.25 Long	P550089
<b>P550959</b>	Donaldson Endurance® Synteq® Media (5µ Absolute)	EFF0047
<b>P551000</b>	Donaldson Standard with Water Drain Valve	P558000

<b>Part Number</b>	<b>Alternative / Optional Description</b>	<b>Alternative Part Number</b>
<b>P551130</b>	Stanadyne Fuel Filter Water Separator	P559803
<b>P551712</b>	Donaldson Endurance® Synteq® Media (5µ Absolute) Donaldson Standard Media (Water Separation See P555006)	EFF9092 P555823
<b>P551740</b>	Donaldson Endurance® Synteq® Media (5µ Absolute) Donaldson Standard Media (Water Separation See P558030)	EFF9096 P557440
<b>P553004</b>	Donaldson FFWS Media	P550688
<b>P555001</b>	Donaldson Standard with Water Drain Valve Donaldson Synthetic Water Drain Valve	P558000 P551000
<b>P555823</b>	Donaldson Endurance® Synteq® Media (5µ Absolute) Donaldson Standard Media (94mm Diameter)	EFF9092 P551712
<b>P556916</b>	Donaldson Endurance® Synteq® Media (5µ Absolute)	EFF9091
<b>P557440</b>	Donaldson Endurance® Synteq® Media (5µ Absolute) Donaldson Standard Media (85mm Diameter)	EFF9096 P551740
<b>P558000</b>	Donaldson Synthetic with Water Drain Valve	P551000
<b>P559803</b>	Stanadyne Standard Fuel	P551130



**Lube Filter Alternatives**

<b>Part Number</b>	<b>Alternative / Optional Description</b>	<b>Alternative Part Number</b>
<b>P166564</b>	Donaldson Standard Media	P550035
<b>P169071</b>	Donaldson Standard Media	P550008
<b>P550008</b>	Donaldson Synteq® Media	P169071
<b>P550035</b>	Donaldson Synteq® Media	P166564
<b>P550051</b>	Donaldson Synteq® Media	P551260
<b>P550117</b>	Cotton Media	P550300
<b>P550132</b>	Donaldson Synteq® Media	P166375
<b>P550141</b>	Donaldson Synteq® Media	P166364
<b>P550147</b>	Donaldson Synteq® Media	P166167
<b>P550300</b>	Cellulose Media	P550117
<b>P550484</b>	Donaldson Synteq® Media	P166482
<b>P550485</b>	Donaldson Synteq® Media	P166481
<b>P550516</b>	Donaldson Synteq® Media	P166483
<b>P550750</b>	Premium 750 Bypass Cartridge	P550751
<b>P550751</b>	Standard 750 Bypass Cartridge	P550750
<b>P550777</b>	Donaldson Endurance® Synteq® Media	ELF7777
<b>P550816</b>	Donaldson Synteq® Media	P164203
<b>P550947</b>	Donaldson Endurance® Synteq® Media	ELF7947

<b>Part Number</b>	<b>Alternative / Optional Description</b>	<b>Alternative Part Number</b>
<b>P551670</b>	Donaldson Synteq® for Off-Road Apps	XLP7670
	Donaldson Endurance® Synteq® Media for On-Road Apps	ELF7670
<b>P552100</b>	Donaldson Endurance® Synteq® Media	ELF3998
<b>P553000</b>	Donaldson Endurance® Synteq® Media	ELF7300
<b>P553191</b>	Donaldson Endurance® Synteq® Media (Mack)	ELF7483
<b>P554004</b>	Donaldson Endurance® Synteq® Media (Caterpillar)	ELF7739
<b>P554005</b>	Donaldson Endurance® Synteq® Media for On-Road Apps	ELF7405
	Donaldson Synteq® Media for Off- Road Apps	XLP4105
	Donaldson Standard Media (118mm Diameter)	P554105
<b>P554105</b>	Donaldson Endurance® Synteq® Media for On-Road Apps	ELF7405
	Donaldson Synteq® Media for Off- Road Apps	XLP4105
	Donaldson Standard Media (135mm Diameter)	P554005
<b>P555570</b>	Donaldson Synteq® Media	P166508
<b>P555616</b>	Donaldson Endurance® Synteq® Media	ELF7616
<b>P555680</b>	Donaldson Endurance® Synteq® Media	ELF7680
<b>P558615</b>	Donaldson Endurance® Synteq® Media	ELF7349
<b>P558616</b>	Donaldson Endurance® Synteq® Media	ELF7345
<b>P559000</b>	Donaldson Endurance® Synteq® Media	ELF7900

## SCA & SCA+ Coolant Maintenance Guidelines

THIS PAGE ADDED JAN. 17, 2000

**Donaldson SCA replaces  
DCA2 and BTE**

**Donaldson SCA+ replaces  
DCA4 and BTA PLUS**

### Proper Diesel Engine Coolant Maintenance Requires ...

1. Low silicate antifreeze
2. Good quality water
3. Protective Coolant Additive
4. Chemical Concentration Testing

### Coolant Filters

Charged With	Designed to Fit	SCA Part No.	SCA+ Part No.
None	All	P554685	P554685
2 units	All		P552070
4 units	All Navistar Volvo	P554071 P552096	P552071 P552106
6 units	All	P554072	P552072
8 units	All Mack Volvo	P554073 P554860 P554019	P552073 P552015
11 units	Mack	P554422	
12 units	All	P554074	P552074
15 units	All	P554075	P552075
23 units	All	P552055	P552076
Extended Life	All	P552088	

### Cooling System Treatment

Liquid Measure	SCA	SCA+
1 Pt. / 0.47 L.	X006136	X007099
1 Qt. / 0.95 L.	X007036	
2 Qt. / 1.89 L.	X007037	X007100
1 Gal. / 3.79 L.	X007038	
5 Gal. / 18.93 L.	X006137	X007101
Drum: 55 Gal. / 208.2 L.	X006138	X007102

The following tables are intended to be used as guidelines at service intervals or at flush and re-charge time.

### Servicing Cooling Systems up to 20 Gallons

Service Interval	-----System Capacity-----			
	0-5 gals 0-18.9 L	6-10 gals 22.7-37.9 L	11-15 gals 41.7-56.8 L	16-20 gals 60.6-75.7 L
at 5,000 miles (8 km) or 125 hours	n/a	2 units	2 units	2 units
at 10,000 miles (16.1 km) or 250 hours	2 units	2 units	4 units	4 units
at 15,000 miles (24.1 km) or 375 hours	2 units	4 units	4 units	6 units
at 20,000 miles (32.2 km) or 500 hours	2 units	4 units	6 units	8 units
at 25,000 miles (40 km) or 625 hours	2 units	4 units	8 units	12 units

\*SCA or SCA+

**THIS PAGE ADDED JAN. 17, 2000**

**Servicing Cooling Systems  
21-400 Gallons**

**Add SCA or SCA+ Liquid Pints:**

- 1 - at 250 Hours
- 2 - at 500 Hours

Capacity	1	2
21 to 30 gallons 79.5 to 113.5 liters	2 pints 1.0 liter	3 pints 1.41 liters
31 to 50 gallons 117.3 to 189.3 liters	3 pints 1.4 liters	5 pints 2.4 liters
51 to 75 gallons 193.1 to 284 liters	4 pints 1.9 liters	8 pints 3.8 liters
76 to 100 gallons 287.7 to 378.5 liters	5 pints 2.4 liters	10 pints 4.8 liters
101 to 150 gallons 382 to 568 liters	8 pints 3.8 liters	15 pints 7.1 liters
151 to 200 gallons 572-757 liters	10 pints 4.8 liters	20 pints 9.6 liters
201 to 250 gallons 761-946 liters	13 pints 6.2 liters	25 pints 12 liters
251 to 300 gallons 950-1,136 liters	15 pints 7.2 liters	30 pints 14.4 liters
301 to 350 gallons 1,139-1,325 liters	18 pints 8.6 liters	35 pints 16.8 liters
351 to 400 gallons 1,329-1,514 liters	20 pints 9.6 liters	40 pints 19.2 liters

**Action Required - After testing  
coolant for additive concentration  
at the normal oil drain interval:**

- If Additive level is below 1.2 units per gallon (3.8 liters): Replace the coolant filter and add 1 pint (0.5 liters) of additive liquid per each 4 gallons (15.1 liters) of coolant (equals 1.2 units per gallon or 3.8 liters).
- If Additive level is 1.2 to 3 units per gallon (3.8 liters): Continue to replace the coolant filter at each oil drain interval.
- If Additive level is above 3 units per gallon (3.8 liters): Replace the coolant filter with a non-charged filter until the additive concentration falls below 3 units per gallon (3.8 liters) when tested at every subsequent oil drain interval.

**Re-Charging Cooling System  
After Flush**

After flushing, refill with a ratio of 1 pint of additive\*-each 4 gallons of coolant.

Gallons/Liters of Coolant in System	Additive* Liquid Volume	Resulting Units Per Gallon (3.8 L)
5-7 gallons 18.9-26.5 liters	2 pints 1.0 liter	1.4-2.0
8-11 gallons 30.3-41.7 liters	3 pints 1.4 liters	1.3-1.9
11-15 gallons 41.7-56.8 liters	4 pints 1.9 liters	1.3-1.8
16-20 gallons 60.6-75.7 liters	5 pints 2.4 liters	1.2-1.6
21-30 gallons 79.5-113.5 liters	1 gal 3.8 liters	1.3-1.9
31-50 gallons 117.3-189.3 liters	1.5 gal 5.7 liters	1.2-1.9
51-75 gallons 193.1-284 liters	2.25 gal 8.5 liters	1.2-1.8
76-100 gallons 287.7-378.5 liters	3 gal 11.4 liters	1.2-1.6
101-150 gallons 382-568 liters	4.5 gal 17 liters	1.2-1.8
151-200 gallons 572-757 liters	6 gal 22.7 liters	1.2-1.6
201-250 gallons 761-946 liters	7.5 gal 28.4 liters	1.2-1.5
251-300 gallons 950-1,136 liters	9 gal 34.1 liters	1.2-1.4
301-350 gallons 1,139-1,325 liters	10.5 gal 39.8 liters	1.2-1.4
351-400 gallons 1,329-1,514 liters	2 gal 45.4 liters	1.2-1.4

\*SCA or SCA+





Part Number	Alternative / Optional Description	Alternative Part Number
<b>P164241</b>	Cellulose 40µ Absolute	P555461
<b>P165238</b>	Cellulose 40µ Absolute Synteq® 16µ Absolute	P559740 P164200
<b>P165239</b>	Cellulose 40µ Absolute Synteq® 16µ Absolute	P556064 P164205
<b>P165240</b>	Cellulose 40µ Absolute Synteq® 16µ Absolute	P556700 P164207
<b>P166376</b>	Cellulose 40µ Absolute HYD./TRANS. Cellulose 40µ Absolute LUBE Synteq® 22µ Absolute LUBE	P550951 P550132 P166375
<b>P550951</b>	Synteq® 10µ Absolute HYD./TRANS.	P166376
<b>P551210</b>	Includes P171221 O-ring Includes P171465 O-ring	P551334 P551333
<b>P551333</b>	Includes P171221 O-ring Without Packaged Seals	P551334 P551210
<b>P551334</b>	Includes P171465 O-ring Without Packaged Seals	P551333 P551210
<b>P555461</b>	Synteq® 16µ Absolute	P164241
<b>P556064</b>	Synteq® 16µ Absolute	P164205
<b>P556700</b>	Synteq® 16µ Absolute	P164207
<b>P559740</b>	Synteq® 16µ Absolute	P164200

**6" O.D.x18" Length Hydraulic Replacement Cartridges**

Media Number	Media Technology	B <sub>(x)</sub> = 2/20/75 Rating	I.D. in	I.D. mm	Part Number
½	Synteq®	<2µ/<2µ/2µ	2.6	66	P178729
2	Synteq®	2µ/3µ/5µ	2.6	66	P170102
4	Synteq®	5µ/13µ/16µ	2.6	66	P173543
5	Cellulose	5µ/13µ/17µ	2.6	66	P550212
10	Cellulose	10µ/20µ/25µ	2.6	66	P550213
25	Cellulose	25µ/50µ/-	2.6	66	P550216
1	Synteq®	<2µ/<2µ/3µ	3.2	81	P176202
2	Synteq®	2µ/3µ/5µ	3.2	81	P176203
4	Synteq®	5µ/13µ/16µ	3.2	81	P176204
9	Synteq®	10µ/17µ/22µ	3.2	81	P176205

**Hydraulic Filter Alternatives for Donaldson Hydraulic Housings**

The following pages contain the service element choices for Donaldson stock assemblies. Hydraulic filter alternatives are for fit only!! Selecting an alternative filter may affect filter life, pressure drop, oil cleanliness or fluid compatibility.

**Hydraulic Filter Application Notes:**  
If you're filtering petroleum-based oil, filters with seals made of BunaN are appropriate for most applications.

If you're filtering diester, phosphate ester fluids, water glycol, water/oil emulsions, and HWCF over 150°F/ 83°C, use filters with seals made of fluorocarbon, such as Viton® from DuPont Dow Elastomers, or Fluorel® from 3M Company.

Synteq® filter media is compatible with petroleum based fluids, as well as with most phosphate esters, water oil emulsions, and HWCF (high water content fluids).

**For the most current information on Donaldson Hydraulic Housings, visit our web site at <http://www.donaldson.com/ih>**

Assembly Style	Catalog Page No	Assembly Style	Catalog Page No
<b>In-Tank Assemblies</b>		<b>Medium Pressure</b>	
FHK SERIES	817	HMK03 SERIES	814
FIK SERIES	817	HMK04 SERIES	815
FRK SERIES	817	HMK05 SERIES	814
FSK SERIES	817	HMK25 SERIES	814
<b>Low Pressure</b>		<b>High Pressure</b>	
HAK05 SERIES	813	HPK02 SERIES	815
HBK04 SERIES	813	HPK03 SERIES	815
HBK05 SERIES	813	HPK04 SERIES	816
HDK06 SERIES	813	HPK05 SERIES	816
HEK11 SERIES	813		
HFK08 SERIES	814		
LPS04 SERIES	814		
LPS05 SERIES	814		

## HAK05 Series Filters



Media Number	Media Technology	B <sub>(x)</sub> = 2/20/75 Rating	Length in mm		Part Number
No. 1	Synteq®	<2µ/<2µ/3µ	8	203	P161008
			16	406	P161016
No. 2	Synteq®	2µ/3µ/5µ	8	203	P165626
			16	406	P165628
No. 2½	Synteq®	2µ/7µ/10µ	8	203	P176220
			16	406	P176221
No. 3	Cellulose	4µ/12µ/16µ	8	203	P160308
			16	406	P160316
No. 4	Synteq®	5µ/13µ/16µ	8	203	P166460
			16	406	P164697
No. 5	Cellulose	5µ/13µ/17µ	8	203	P160708
			16	406	P160716
No. 6	Synteq®	5µ/10µ/13µ	8	203	P160558
			16	406	P160566
No. 7	Synteq®	7µ/17µ/22µ	8	203	P166461
			16	406	P164699
No. 10	Cellulose	10µ/21µ/25µ	8	203	P160208
			16	406	P160216
No. 15	Cellulose	15µ/30µ/35µ	8	203	P160608
			16	406	P160616
No. 16	Synteq®	15µ/30µ/37µ	8	203	P165252 with fluoroelastomer seal
			8	203	P163172
			16	406	P161571
No. 20	Synteq®	20µ/33µ/40µ	16	406	P166597
No. 25	Cellulose	27µ/50µ/ -	8	203	P160108
			16	406	P160116
No. 149	Wire Mesh	150µ	8	203	P162368
			16	406	P160700

## HDK06 Series Filters



Media Number	Media Technology	B <sub>(x)</sub> = 2/20/75 Rating	Part Number
No. ½	Synteq®	<2µ/<2µ/2µ	P161016
No. 2	Synteq®	2µ/3µ/5µ	P165628
No. 2½	Synteq®	2µ/7µ/10µ	P176221
No. 4	Synteq®	5µ/13µ/16µ	P164697
No. 6	Synteq®	5µ/10µ/13µ	P160566
No. 7	Synteq®	7µ/17µ/22µ	P164699
No. 10	Cellulose	10µ/21µ/25µ	P160216
No. 15	Cellulose	15µ/30µ/35µ	P160616
No. 16	Synteq®	15µ/30µ/37µ	P161571
No. 25	Cellulose	25µ/50µ/ -	P160116
No. 149	Wire Mesh	150µ	P160700

All HDK06 filters have BunaN seals, which are appropriate for most applications involving petroleum oil.

## HBK04 Series Filters



Media Number	Media Technology	B <sub>(x)</sub> = 2/20/75 Rating	Length in mm		Part Number
No. 10	Cellulose	10µ/21µ/25µ	5.8	147	P162766
			8.8	223	P164351
No. 25	Cellulose	25µ/50µ/ -	5.8	147	P164348
			8.8	223	P164352

## HBK05 Series Filters



Media Number	B <sub>(x)</sub> = 2/20/75 Rating	Length in mm		Part Number
No. ½	<2µ/<2µ/2µ	10.7	272	P167796 with fluoroelastomer seal
No. 1	<2µ/<2µ/3µ	6.7	170	P169430
		10.7	272	P167832
No. 2	<2µ/<3µ/5µ	6.7	170	P167162
		10.7	272	P165762
No. 2½	<2µ/<7µ/10µ	6.7	170	P165875
		10.7	272	P165876
No. 6	<5µ/<10µ/13µ	6.7	170	P167944 with fluoroelastomer seal
		10.7	272	P167945 with fluoroelastomer seal
		10.7	272	P165877
No. 9	<10µ/<17µ/22µ	6.7	170	P165877
		10.7	272	P165878
No. 20	<20µ/<33µ/ -	6.7	170	P165879
		10.7	272	P165880

## HEK11 Series Filters



Media Number	Media Technology	B <sub>(x)</sub> = 2/20/75 Rating	Part Number
No. 1	Synteq®	- /<2µ/3µ	P163472
No. 2	Synteq®	2µ/3µ/5µ	P176417
No. 2½	Synteq®	2µ/7µ/10µ	P176223
No. 6	Synteq®	5µ/10µ/13µ	P165449
No. 7	Synteq®	7µ/17µ/22µ	P164707
No. 10	Cellulose	10µ/21µ/25µ	P160229
No. 20	Synteq®	20µ/33µ/40µ	P171279
No. 25	Cellulose	27µ/50µ/ -	P160225
No. 149	Wire Mesh	150µ	P160078

## HFK08 Series Filters



Media Number	Media Technology	B <sub>(x)</sub> = 2/20/75 Rating	Part Number
No. ½	Synteq®	<2µ/<2µ/2µ	P164405
No. 2	Synteq®	2µ/3µ/5µ	P166462
No. 2½	Synteq®	2µ/7µ/10µ	P176222
No. 4	Synteq®	5µ/13µ/16µ	P164701
No. 6	Synteq®	5µ/10µ/13µ with fluoroelastomer seal	P164407
No. 7	Synteq®	7µ/17µ/22µ	P164703
No. 10	Cellulose	10µ/21µ/25µ	P161961
No. 25	Cellulose	25µ/50µ/ -	P161365
No. 44	Wire Mesh	45µ	P173573
No. 74	Wire Mesh	75µ	P162802
No. 149	Wire Mesh	150µ	P163945

## LPS04 Series Filters

Media Technology	B <sub>(x)</sub> = 2 Rating	Length in mm	Part Number
Cellulose	3µ	5.21 132	P551550
Cellulose	10µ	5.21 132 8.6 218	P551551 P550255
Cellulose	25µ	5.21 132 8.6 218	P551553 P550256
Cellulose <i>Water Absorption Media*</i>	25µ	5.21 132	P551554
Wire Mesh	150µ	5.76 146 8.09 205	P550274 P551233
Synteq®	2µ/7µ/10µ		P179089

\* Absorbs approximately 6 ounces / 170 milliliters of water @ 20 psid.

## LPS05 Series Filters

Media Technology	B <sub>(x)</sub> = 2 Rating	Length in mm	Part Number
Cellulose	3µ	6.9 174 11.4 289	P550386 P550250
Cellulose	10µ	6.9 174 11.4 289	P550388 P550251
Cellulose	25µ	6.9 174 11.4 289 11.4 289	P550387 P550252 P550253**
Wire Mesh	150µ	6.7 168 10.7 271	P550275 P550276

\*\* Absorbs approximately 24 ounces / 700 milliliters of water @ 20 psid.

## Duramax® High Pressure Spin-on

### HMK03 Series Filters



Media Number	Media Technology	B <sub>(x)</sub> = 2/20/75 Rating	Length in mm	Part Number
No. 1	Synteq®	<2/<2/3µ	5.5 140 9.5 242	P170306 P170307
No. 2	Synteq®	2µ/3µ/5µ	5.5 140 9.5 242	P170308 P170309
No. 2½	Synteq®	2µ/7µ/10µ	9.5 242	P176107
No. 4	Synteq®	5µ/13µ/16µ	5.5 140 9.5 242	P170310 P170311
No. 9	Synteq®	10µ/17µ/22µ	5.5 140 9.5 242 9.5 242	P170312 P170313 P171320 with Neoprene Seal
No. 10	Cellulose	10µ/21µ/25µ	5.5 140 9.5 242	P170480* P170089*

**NOTE:** All HMK03 filters have fluoroelastomer seals except P171320.

\* Not recommended for use with "No Bypass" head assembly P170327.

### HMK05/HMK25 Series Filters



Media Number	Media Technology	B <sub>(x)</sub> = 2/20/75 Rating	Part Number
No. 1	Synteq®	<2µ/<2µ/3µ	P170906 P171273 with fluoroelastomer seal
No. 2	Synteq®	2µ/3µ/5µ	P165675 P171274 with fluoroelastomer seal
No. 2½	Synteq®	2µ/7µ/10µ	P176567
No. 4	Synteq®	5µ/13µ/16µ	P165659 P171275 with fluoroelastomer seal
No. 9	Synteq®	10µ/17µ/22µ	P165569 P171276 with fluoroelastomer seal
No. 10	Cellulose	10µ/21µ/25µ	P165705
No. 20	Synteq®	20µ/33µ/40µ	P165672
No. 149	Wire Mesh	149 µ	P173943


## HMK04 Series Filters



Media Number	Media Technology	B <sub>(x)</sub> =2/20/75 Rating	Length		Part Number
			in	mm	
No. ½	Synteq®	<2µ/<2µ/2µ	9.4	240	P165185 with fluoroelastomer seal
No. 1	Synteq®	<2µ/<2µ/3µ	9.4	240	P167590
No. 2	Synteq®	2µ/3µ/5µ	6	152	P165354
			9.4	240	P165332
No. 2½	Synteq®	2µ/7µ/10µ	6	152	P176565
			9.4	240	P176566
No. 3	Cellulose	4µ/12µ/16µ	6	152	P163405
			9.4	240	P163323
	Synteq®	4µ/12µ/16µ	6	152	P163552*
No. 4	Synteq®	5µ/13µ/16µ	6	152	P164375
			9.4	240	P164378
			6	152	P163542*
			9.4	240	P163555*
No. 5	Cellulose	5µ/13µ/17µ	6	152	P163412
			9.4	240	P163434
No. 5	Synteq®	5µ/13µ/17µ	6	152	P163542
			9.4	240	P163555
No. 6	Synteq®	5µ/10µ/13µ	9.4	240	P164056 with fluoroelastomer seal
No. 7	Synteq®	7µ/17µ/22µ	6	152	P164381
			9.4	240	P164384
No. 10	Cellulose	10µ/21µ/25µ	6	152	P163419
			9.4	240	P163324
No. 15	Cellulose	15µ/30µ/35µ	6	152	P163496
			9.4	240	P163322
No. 16	Synteq®	15µ/30µ/37µ	9.4	240	P164059 with fluoroelastomer seal
No. 20	Synteq®	20µ/33µ/40µ	6	152	P165335
			9.4	240	P165338
			9.4	240	P163558*
No. 25	Cellulose	25µ/50µ/ -	6	152	P163428
			9.4	240	P163425


\* 300 psi collapse

## HPK02 Series Filters



Media Number	B <sub>(x)</sub> = 2/20/75 Rating	Length		Part Number
		in	mm	
No. 1	<2µ/<2µ/3µ	4.37	111	P169429 with BunaN Seal
				P167180 with Fluoroelastomer Seal High Collapse
		8.12	203	P167838 with BunaN Seal
				P167182 with Fluoroelastomer Seal High Collapse
No. 2	2µ/3µ/5µ	4.37	111	P165041 with BunaN Seal
		8.12	203	P165043 with BunaN Seal
No. 2½	2µ/7µ/10µ	4.37	111	P165006 with BunaN Seal
	- / - /10µ			P167181 with Fluoroelastomer Seal High Collapse
	2µ/7µ/10µ	8.12	203	P165015 with BunaN Seal
	- / - /10µ			P167183 with Fluoroelastomer Seal High Collapse
No. 7	7µ/17µ/22µ	4.37	111	P165136 with BunaN Seal
		8.12	203	P165138 with BunaN Seal

## HPK03 Series Filters



Media Number	B <sub>(x)</sub> = 2/20/75 Rating	Part Number
No. 1	<2/<2/<3µ	P167842 with BunaN Seal P167185 with Fluoroelastomer Seal*
No. 2	2µ /3µ /5µ	P164594 with BunaN Seal P164601 with Fluoroelastomer Seal
No. 2½	2µ /7µ /10µ - / - /20µ	P164166 with BunaN Seal P167186 with Fluoroelastomer Seal*
No. 4	5µ /13µ /16µ	P164365 with Fluoroelastomer Seal
No. 9	10µ /17µ /22µ	P164174 with BunaN Seal
No. 20	20µ /33µ /---	P165319 with BunaN Seal
No. 74	75µ	P162233 with BunaN Seal Wire Mesh Media

\* High Collapse. Recommended for No Bypass Applications

**NOTE:** Donaldson high collapse filters, with their steel endcaps and reinforcing wire-backed media, are rated to withstand up to 3000 psi/ 20,700 kPa before collapsing.

## HPK04 Series Filters



Media Number	B <sub>(x)</sub> = 2/20/75 Rating	Length in.	mm	Part Number
No. 1	<2μ/<2μ/<3μ	8	203	P167842 with BunaN Seal
				P167185 with Fluoroelastomer Seal High Collapse
				P169433 with BunaN Seal
		16	406	P167187 with Fluoroelastomer Seal High Collapse
				P169436 with Fluoroelastomer Seal
No. 2	2μ/3μ/5μ	8	203	P164594 with BunaN Seal
				P164601 with Fluoroelastomer Seal
		16	406	P164598 with BunaN Seal
				P164603 with Fluoroelastomer Seal
No. 2½	2μ/7μ/10μ	8	203	P164166 with BunaN Seal
				P167186 with Fluoroelastomer Seal High Collapse
		16	406	P164170 with BunaN Seal
				P167188 with Fluoroelastomer Seal High Collapse
				P164367 with Fluoroelastomer Seal
No. 4	5μ/13μ/16μ	8	203	P164365 with Fluoroelastomer Seal
No. 9	10μ/17μ/22μ	8	203	P164174 with BunaN Seal
		16	406	P164178 with BunaN Seal
No. 20	20μ/33μ/-	8	203	P165319 with BunaN Seal
No. 74	75μ	8	204	P162233 with BunaN Seal Wire Mesh Media

## HPK05 Series Filters



Media Number	B <sub>(x)</sub> = 2/20/75 Rating	Part Number
No. 1	<2μ/<2μ/<3μ	P167841 with BunaN Seal
No. 2	2μ/3μ/5μ	P164585 with BunaN Seal
No. 2½	2μ/7μ/10μ	P164227 with BunaN Seal
		P164435 with Fluoroelastomer Seal
No. 9	10μ/17μ/22μ	P164229 with BunaN Seal
		P171037 with Fluoroelastomer Seal High Collapse

**NOTE:** Donaldson high collapse filters, with their steel endcaps and reinforcing wire-backed media, are rated to withstand up to 3000 psi/ 20,700 kPa before collapsing.

# Donaldson In-Tank Hydraulic Assemblies

## FIK Series Filters

Media Type	Beta Rating	FIK Assembly Part Numbers				
		K040799	K051204	K070248	K070249	K070250
Synthetic	$\beta_{10} \geq 75$	P171531	P171537	P171555	P171573	P171579
Synthetic	$\beta_{25} \geq 75$	P171532	P171538	P171556	P171574	P171580
Cellulose	$\beta_{10} \geq 2$	P171533	P171539	P171557	P171575	P171581
Cellulose	$\beta_{25} \geq 2$	P171534	P171540	P171558	P171576	P171582
Wire Mesh	60 Absolute	P171535	P171541	P171559	P171577	P171583
Wire Mesh	90 Absolute	P171530	P171536	P171554	P171572	P171578

## FHK Series Filters

Media Type	Beta Rating	FHK Assembly Part Numbers				
		K040814	K040815	K051209	K070253	K070254
Synthetic	$\beta_{10} \geq 75$	P171525	P171531	P171537	P171561	P171567
Synthetic	$\beta_{25} \geq 75$	P171526	P171532	P171538	P171562	P171568
Cellulose	$\beta_{10} \geq 2$	P171527	P171533	P171539	P171563	P171569
Cellulose	$\beta_{25} \geq 2$	P171528	P171534	P171540	P171564	P171570
Wire Mesh	60 Absolute	P171529	P171535	P171541	P171565	P171571
Wire Mesh	90 Absolute	P171524	P171530	P171536	P171560	P171566

\*FIK Assemblies not stock product (special order item only)

## FRK Series Filters

Media Type	Beta Rating	FRK Assembly Part Numbers						
		K040816	K040817	K040818	K040819	K051210	K051211	K051212
Synthetic	$\beta_{10} \geq 75$	P171822	P171823	P171824	P171825	P171826	P171827	P171828
Synthetic	$\beta_{25} \geq 75$	P171815	P171816	P171817	P171818	P171819	P171820	P171821
Cellulose	$\beta_{10} \geq 2$	P171808	P171809	P171810	P171811	P171812	P171813	P171814
Cellulose	$\beta_{25} \geq 2$	P171801	P171802	P171803	P171804	P171805	P171806	P171807
Wire Mesh	60 Absolute	P171794	P171795	P171796	P171797	P171798	P171799	P171800
Wire Mesh	90 Absolute	P171787	P171788	P171789	P171790	P171791	P171792	P171793










## FSK Series Filters










Media Type	Beta Rating	FSK Assembly Part Numbers			
		K030319	K040811	K040812	K040813
Synthetic	$\beta_{10} \geq 75$	P171845	P171525	P171531	P171846
Synthetic	$\beta_{25} \geq 75$	P171842	P171526	P171532	P171847
Cellulose	$\beta_{10} \geq 2$	P171839	P171527	P171533	P171840
Cellulose	$\beta_{25} \geq 2$	P171836	P171528	P171534	P171837
Wire Mesh	60 Absolute	P171833	P171529	P171535	P171834
Wire Mesh	90 Absolute	P171830	P171524	P171530	P171831












<b>Section key words</b> <b>Palabras claves</b> <b>Rubriques</b> <b>Schlüsselwörter</b> <b>Parole chiavi</b>	
<b>Part No. =</b>	
Número de pieza Numéro de pièce	Teilenummer Disegno
<b>Description =</b>	
Descripción Description	Beschreibung Descrizione
<b>Primary Application/Contents =</b>	
Aplicación principal y contenido Utilisation principale/contenu	Hauptanwendung/Inhalt Applicazione principale/contenuto
<b>Outer Diameter =</b>	
Diámetro externo Diamètre extérieur	Außendurchmesser Diametro esterno
<b>I.D. or Thread Size =</b>	
Diámetro interno o rosca Diamètre extérieur ou pas de vis	Innendurchmesser oder Gewinde Diametro interno o filettatura
<b>Length =</b>	
Largo Longueur	Länge Lunghezza
<b>Panel Width =</b>	
Ancho del panel Largeur du panneau	Plattenbreite Larghezza del pannello
<b>Panel Depth =</b>	
Profundidad del panel Profondeur de panneau	Plattentiefe Profondità del pannello
<b>Panel Length =</b>	
Largo del panel Longueur du panneau	Plattenlänge Lunghezza del pannello
<b>Flange Diameter =</b>	
Diámetro de reborde Diamètre de la bride	Flanschdurchmesser Diametro della flangia
<b>Flange Bolt Holes =</b>	
Agujeros de pernos de reborde Trous de montage de la bride	Schraubenlöcher Fori di montaggio della flangia
<b>Flange Bolt Hole Size =</b>	
Tamaño agujeros pernos reborde Diamètre trous de montage bride	Schraubenlochgröße Diametro fori montaggio flangia
<b>Flange Bolt Hole Circle =</b>	
Círculo agujeros pernos reborde Périmètre trous de montage bride	Schraubenlochanordnung Perimetro fori montaggio flangia
<b>Beta<sub>(ω)</sub> = 2/20/75 =</b>	
Beta <sub>(ω)</sub> = 2/2075 Beta <sub>(ω)</sub> = 2/20/75	Beta <sub>(ω)</sub> = 2/20/75 Beta <sub>(ω)</sub> = 2/20/75
<b>Relief Valve Setting =</b>	
Graduación de la válvula de alivio Réglage soupape de sûreté	Ventileinstellung Regolazione valvola limitatrice
<b>Anti Drain (Yes/No) =</b>	
Antidrenaje (Si/No) Clapet anti-retour (Oui/Non)	Rückflußventil (Ja/Nein) Valvola anti-scarico (Si/No)






























	<p><b>Part Number:</b> B085001 <b>Description:</b> Air Primary, DuraLite® <b>Primary Appl.:</b> CATERPILLAR 7C-1571, DONALDSON ECB A/C <b>Dimensions:</b> Outer Dia: 8.50" (216 mm) Inner Dia: 3.00" (76 mm) Length: 11.00" (279 mm) <b>UPC Code:</b> 742330-00050</p>
	<p><b>Part Number:</b> B085008 <b>Description:</b> Air Primary, DuraLite® <b>Primary Appl.:</b> AIR CLEANER, DURALITE ECB 08" <b>Dimensions:</b> Outer Dia: 8.50" (216 mm) Inner Dia: 4.00" (102 mm) Length: 8.50" (216 mm) <b>UPC Code:</b> 742330-00051</p>
	<p><b>Part Number:</b> B085011 <b>Description:</b> Air Primary, DuraLite® <b>Primary Appl.:</b> CUMMINS 2912986, HERCULES B085008 &amp; 40000642, DONALDSON ECB A/C <b>Dimensions:</b> Outer Dia: 8.50" (216 mm) Inner Dia: 4.00" (102 mm) Length: 11.00" (279 mm) <b>UPC Code:</b> 742330-00052</p>
	<p><b>Part Number:</b> B085046 <b>Description:</b> Air Primary, DuraLite® <b>Primary Appl.:</b> MARINE OR OTHER HIGH MOISTURE ENVIRONMENTS <b>Dimensions:</b> Outer Dia: 8.50" (216 mm) Inner Dia: 4.00" (102 mm) Length: 11.00" (279 mm) <b>UPC Code:</b> 742330-00053</p>
	<p><b>Part Number:</b> B085048 <b>Description:</b> Air Primary, DuraLite® <b>Primary Appl.:</b> MARINE OR OTHER HIGH MOISTURE ENVIRONMENTS <b>Dimensions:</b> Outer Dia: 8.50" (216 mm) Inner Dia: 3.00" (76 mm) Length: 11.00" (279 mm) <b>UPC Code:</b> 742330-00054</p>
	<p><b>Part Number:</b> B105002 <b>Description:</b> Air Primary, DuraLite® <b>Primary Appl.:</b> GENERAC, SPARTAN MOTORS, DONALDSON ECB A/C <b>Dimensions:</b> Outer Dia: 10.50" (267 mm) Inner Dia: 5.00" (127 mm) Length: 15.00" (381 mm) <b>UPC Code:</b> 742330-00062</p>
	<p><b>Part Number:</b> B105003 <b>Description:</b> Air Primary, DuraLite® <b>Primary Appl.:</b> AIR CLEANER, DURALITE ECB 10" <b>Dimensions:</b> Outer Dia: 10.50" (267 mm) Inner Dia: 4.00" (102 mm) Length: 10.50" (267 mm) <b>UPC Code:</b> 742330-00063</p>
	<p><b>Part Number:</b> B105006 <b>Description:</b> Air Primary, DuraLite® <b>Primary Appl.:</b> CUMMINS 3912986, ISUZU X14210031, LEROI 438671 <b>Dimensions:</b> Outer Dia: 10.50" (267 mm) Inner Dia: 4.00" (102 mm) Length: 10.50" (267 mm) <b>UPC Code:</b> 742330-00064</p>
	<p><b>Part Number:</b> B105020 <b>Description:</b> Air Primary, DuraLite® <b>Primary Appl.:</b> MARINE OR OTHER HIGH MOISTURE ENVIRONMENTS <b>Dimensions:</b> Outer Dia: 10.50" (267 mm) Inner Dia: 4.00" (102 mm) Length: 10.50" (267 mm) <b>UPC Code:</b> 742330-00067</p>

	<p><b>Part Number:</b> B125003 <b>Description:</b> Air Primary, DuraLite® <b>Primary Appl.:</b> DEUTZ ALLIS 900025380434, DIVERSIFIED, DONALDSON ECB A/C <b>Dimensions:</b> Outer Dia: 12.50" (318 mm) Inner Dia: 6.00" (152 mm) Length: 15.00" (381 mm) <b>UPC Code:</b> 742330-00073</p>
	<p><b>Part Number:</b> B125005 <b>Description:</b> Air Primary, DuraLite® <b>Primary Appl.:</b> LEROI 43867 <b>Dimensions:</b> Outer Dia: 12.50" (318 mm) Inner Dia: 5.50" (140 mm) Length: 9.00" (229 mm) <b>UPC Code:</b> 742330-00074</p>
	<p><b>Part Number:</b> C045001 <b>Description:</b> Air Primary, DuraLite® <b>Primary Appl.:</b> DEUTZ ALLIS 1356376 &amp; 71356376, FMC 309093, DONALDSON ECC A/C <b>Dimensions:</b> Outer Dia: 4.50" (114 mm) Inner Dia: 1.50" (38 mm) Length: 4.50" (114 mm) <b>UPC Code:</b> 742330-00084</p>
	<p><b>Part Number:</b> C045002 <b>Description:</b> Air Primary, DuraLite® <b>Primary Appl.:</b> AIR CLEANER, DURALITE ECC 04" <b>Dimensions:</b> Outer Dia: 4.50" (114 mm) Inner Dia: 1.50" (38 mm) Length: 8.00" (203 mm) <b>UPC Code:</b> 742330-00085</p>
	<p><b>Part Number:</b> C055002 <b>Description:</b> Air Primary, DuraLite® <b>Primary Appl.:</b> GEHL CO 75986 &amp; 79388, GENERAC CORP 73912, DONALDSON ECC A/C <b>Dimensions:</b> Outer Dia: 5.50" (140 mm) Inner Dia: 1.75" (44 mm) Length: 7.00" (178 mm) <b>UPC Code:</b> 742330-00086</p>
	<p><b>Part Number:</b> C055003 <b>Description:</b> Air Primary, DuraLite® <b>Primary Appl.:</b> DEUTZ ALLIS 900025380434, MURPHY DIESEL MD43843, DONALDSON ECC A/C <b>Dimensions:</b> Outer Dia: 5.50" (140 mm) Inner Dia: 1.75" (44 mm) Length: 4.00" (102 mm) <b>UPC Code:</b> 742330-00087</p>
	<p><b>Part Number:</b> C065001 <b>Description:</b> Air Primary, DuraLite® <b>Primary Appl.:</b> E-Z GO CART 21959G1, JACOBSEN 330811, DONALDSON ECC A/C <b>Dimensions:</b> Outer Dia: 6.50" (165 mm) Inner Dia: 2.00" (51 mm) Length: 4.00" (102 mm) <b>UPC Code:</b> 742330-00088</p>
	<p><b>Part Number:</b> C065002 <b>Description:</b> Air Primary, DuraLite® <b>Primary Appl.:</b> FIAT-ALLIS 73253611, DONALDSON ECC A/C <b>Dimensions:</b> Outer Dia: 6.50" (165 mm) Inner Dia: 2.00" (51 mm) Length: 7.50" (190 mm) <b>UPC Code:</b> 742330-00089</p>
	<p><b>Part Number:</b> C065003 <b>Description:</b> Air Primary, DuraLite® <b>Primary Appl.:</b> YANMAR (DCI ECC065003) <b>Dimensions:</b> Outer Dia: 6.50" (165 mm) Inner Dia: 2.25" (57 mm) Length: 5.00" (127 mm) <b>UPC Code:</b> 742330-00090</p>





















	<p>Part Number: <b>C065015</b> Description: <b>Air Primary, DuraLite®</b> Primary Appl.: CARRIER TRASCOLD 30-01077-01/16781, DONALDSON ECC A/C Dimensions: Outer Dia: 6.50" (165 mm) Inner Dia: 2.00" (51 mm) Length: 9.00" (229 mm) UPC Code: 742330-00092</p>
	<p>Part Number: <b>C085001</b> Description: <b>Air Primary, DuraLite®</b> Primary Appl.: BRODERSON 60012047, DONALDSON ECC A/C Dimensions: Outer Dia: 8.50" (216 mm) Inner Dia: 2.50" (64 mm) Length: 4.00" (102 mm) UPC Code: 742330-00093</p>
	<p>Part Number: <b>C085002</b> Description: <b>Air Primary, DuraLite®</b> Primary Appl.: FIAT ALLIS 73253613, GENERAC CORP 73267, DONALDSON ECC A/C Dimensions: Outer Dia: 8.50" (216 mm) Inner Dia: 2.50" (64 mm) Length: 6.50" (165 mm) UPC Code: 742330-00094</p>
	<p>Part Number: <b>C085003</b> Description: <b>Air Primary, DuraLite®</b> Primary Appl.: LISTER DIESEL 000-03043, TIPPECANOE 3919046, DONALDSON ECC A/C Dimensions: Outer Dia: 8.50" (216 mm) Inner Dia: 3.00" (76 mm) Length: 5.00" (127 mm) UPC Code: 742330-00095</p>
	<p>Part Number: <b>C085004</b> Description: <b>Air Primary, DuraLite®</b> Primary Appl.: CUMMINS 3908719, LEROI 438672, DONALDSON ECC A/C Dimensions: Outer Dia: 8.50" (216 mm) Inner Dia: 3.00" (76 mm) Length: 9.50" (241 mm) UPC Code: 742330-00096</p>
	<p>Part Number: <b>C085005</b> Description: <b>Air Primary, DuraLite®</b> Primary Appl.: LEROI 43867 Dimensions: Outer Dia: 8.50" (216 mm) Inner Dia: 2.50" (64 mm) Length: 5.00" (127 mm) UPC Code: 742330-00097</p>
	<p>Part Number: <b>C085006</b> Description: <b>Air Primary, DuraLite®</b> Primary Appl.: ISUZU X14210031 Dimensions: Outer Dia: 8.50" (216 mm) Inner Dia: 2.50" (64 mm) Length: 9.50" (241 mm) UPC Code: 742330-00098</p>
	<p>Part Number: <b>C085041</b> Description: <b>Air Primary, DuraLite®</b> Primary Appl.: SAME AS C085004 WITH INNER LINER ADDED Dimensions: Outer Dia: 8.50" (216 mm) Inner Dia: 3.00" (76 mm) Length: 9.50" (241 mm) UPC Code: 742330-00099</p>
	<p>Part Number: <b>C085043</b> Description: <b>Air Primary, DuraLite®</b> Primary Appl.: SAME AS C085006 WITH INNER LINER ADDED Dimensions: Outer Dia: 8.50" (216 mm) Inner Dia: 2.50" (64 mm) Length: 9.50" (241 mm) UPC Code: 742330-00100</p>

	<p>Part Number: <b>C105003</b> Description: <b>Air Primary, DuraLite®</b> Primary Appl.: LEROI 438673 Dimensions: Outer Dia: 10.50" (267 mm) Inner Dia: 4.00" (102 mm) Length: 6.00" (152 mm) UPC Code: 742330-00101</p>
	<p>Part Number: <b>C105004</b> Description: <b>Air Primary, DuraLite®</b> Primary Appl.: GRIMMER-SCHMIDT, CUMMINS Dimensions: Outer Dia: 10.50" (267 mm) Inner Dia: 4.00" (102 mm) Length: 10.50" (267 mm) UPC Code: 742330-00102</p>
	<p>Part Number: <b>C105017</b> Description: <b>Air Primary, DuraLite®</b> Primary Appl.: SAME AS C105004 WITH INNER LINER ADDED Dimensions: Outer Dia: 10.50" (267 mm) Inner Dia: 4.00" (102 mm) Length: 10.50" (267 mm) UPC Code: 742330-00103</p>
	<p>Part Number: <b>C105028</b> Description: <b>Air Primary, DuraLite®</b> Primary Appl.: JOHN DEERE RE63779A, ECC10 WITH RODENT LINER Dimensions: Outer Dia: 10.50" (267 mm) Inner Dia: 4.00" (102 mm) Length: 6.00" (152 mm) UPC Code: 742330-10855</p>
	<p>Part Number: <b>C125004</b> Description: <b>Air Primary, DuraLite®</b> Primary Appl.: FIAT ALLIS 73253513, PERKINS, DONALDSON ECC A/C Dimensions: Outer Dia: 12.50" (318 mm) Inner Dia: 5.00" (127 mm) Length: 11.00" (279 mm) UPC Code: 742330-00104</p>
	<p>Part Number: <b>C125017</b> Description: <b>Air Primary, DuraLite®</b> Primary Appl.: JOHN DEERE RE64564, ECC12 WITH RODENT LINER Dimensions: Outer Dia: 12.50" (318 mm) Inner Dia: 5.00" (127 mm) Length: 11.00" (279 mm) UPC Code: 742330-10856</p>
	<p>Part Number: <b>D045003</b> Description: <b>Air Primary, DuraLite®</b> Primary Appl.: INGERSOLL RAND 8524575 Dimensions: Outer Dia: 4.50" (114 mm) Inner Dia: 1.50" (38 mm) Length: 4.50" (114 mm) UPC Code: 742330-00105</p>
	<p>Part Number: <b>D045004</b> Description: <b>Air Primary, DuraLite®</b> Primary Appl.: JOHN DEERE AM101283 Dimensions: Outer Dia: 4.50" (114 mm) Inner Dia: 1.50" (38 mm) Length: 6.00" (152 mm) UPC Code: 742330-00106</p>
	<p>Part Number: <b>D055004</b> Description: <b>Air Primary, DuraLite®</b> Primary Appl.: GEHL CO 77628, JOHN DEERE AM100258, DONALDSON ECD A/C Dimensions: Outer Dia: 5.50" (140 mm) Inner Dia: 1.75" (44 mm) Length: 7.00" (178 mm) UPC Code: 742330-00107</p>










	<p>Part Number: <b>D065003</b> Description: <b>Air Primary, DuraLite®</b> Primary Appl.: FREIGHTLINER, TELEDYNE Dimensions: Outer Dia: 6.50" (165 mm) Inner Dia: 2.00" (51 mm) Length: 4.00" (102 mm) UPC Code: 742330-00108</p>		<p>Part Number: <b>EAF5009</b> Description: <b>Air Primary, EON®</b> Primary Appl.: Donaldson EBA15 A/C, P182009 is standard version Dimensions: Outer Dia: 12.74" (324 mm) Inner Dia: 8.38" (213 mm) Length: 26.00" (660 mm) UPC Code: 742330-08239</p>
	<p>Part Number: <b>D065008</b> Description: <b>Air Primary, DuraLite®</b> Primary Appl.: FREIGHTLINER, THERMOKING 11-5978, DONALDSON ECD A/C Dimensions: Outer Dia: 6.50" (165 mm) Inner Dia: 2.00" (51 mm) Length: 9.00" (229 mm) UPC Code: 742330-00109</p>		<p>Part Number: <b>EAF5013</b> Description: <b>Air Primary, EON®</b> Primary Appl.: FORD DOHZ9601F, P182013 is standard version Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.72" (196 mm) Length: 10.00" (254 mm) UPC Code: 742330-08240</p>
	<p>Part Number: <b>EAF5000</b> Description: <b>Air Primary, EON®</b> Primary Appl.: Donaldson FWA14, FWG14 A/C Dimensions: Outer Dia: 11.09" (282 mm) Inner Dia: 6.72" (171 mm) Length: 12.00" (305 mm) UPC Code: 742330-02713</p>		<p>Part Number: <b>EAF5014</b> Description: <b>Air Primary, EON®</b> Primary Appl.: Donaldson EBA13 A/C, P182014 is standard version Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.04" (153 mm) Length: 15.00" (381 mm) UPC Code: 742330-08241</p>
	<p>Part Number: <b>EAF5001</b> Description: <b>Air Primary, EON®</b> Primary Appl.: Donaldson FWA16, FWG16 A/C Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.72" (196 mm) Length: 14.00" (356 mm) UPC Code: 742330-02714</p>		<p>Part Number: <b>EAF5015</b> Description: <b>Air Primary, EON®</b> Primary Appl.: Donaldson EBB14 OR EBG14, P182015 is standard version Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.72" (196 mm) Length: 18.00" (457 mm) UPC Code: 742330-08242</p>
	<p>Part Number: <b>EAF5002</b> Description: <b>Air Primary, EON®</b> Primary Appl.: Donaldson FHG16 A/C Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.73" (196 mm) Length: 18.00" (457 mm) UPC Code: 742330-02715</p>		<p>Part Number: <b>EAF5016</b> Description: <b>Air Primary, EON®</b> Primary Appl.: Donaldson EBA13, P182016 is standard version Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.04" (153 mm) Length: 26.00" (660 mm) UPC Code: 742330-08243</p>
	<p>Part Number: <b>EAF5003</b> Description: <b>Air Primary, EON®</b> Primary Appl.: Donaldson FHG16 A/C, P181003 is standard version Dimensions: Outer Dia: 8.84" (225 mm) Inner Dia: 5.48" (139 mm) Length: 22.00" (559 mm) UPC Code: 742330-08235</p>		<p>Part Number: <b>EAF5019</b> Description: <b>Air Primary, EON®</b> Primary Appl.: Donaldson EBB12 A/C, P181019 is standard version Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.03" (153 mm) Length: 11.90" (302 mm) UPC Code: 742330-08244</p>
	<p>Part Number: <b>EAF5004</b> Description: <b>Air Primary, EON®</b> Primary Appl.: Donaldson EBA15 A/C, P182004 is standard version Dimensions: Outer Dia: 12.74" (324 mm) Inner Dia: 8.38" (213 mm) Length: 14.00" (356 mm) UPC Code: 742330-08236</p>		<p>Part Number: <b>EAF5024</b> Description: <b>Air Primary, EON®</b> Primary Appl.: EBA11 Konepac, P129396 is standard version Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.95" (177 mm) Length: 28.00" (711 mm) UPC Code: 742330-08221</p>
	<p>Part Number: <b>EAF5007</b> Description: <b>Air Primary, EON®</b> Primary Appl.: Donaldson EBA13 A/C, P182007 is standard version Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.04" (153 mm) Length: 21.82" (554 mm) UPC Code: 742330-08237</p>		<p>Part Number: <b>EAF5025</b> Description: <b>Air Primary, EON®</b> Primary Appl.: Donaldson EBA09 KONEPAC, P129472 is standard version Dimensions: Outer Dia: 8.66" (220 mm) Inner Dia: 5.21" (132 mm) Length: 28.00" (711 mm) UPC Code: 742330-08222</p>
	<p>Part Number: <b>EAF5008</b> Description: <b>Air Primary, EON®</b> Primary Appl.: Donaldson EBA15 A/C, P182008 is standard version Dimensions: Outer Dia: 12.74" (324 mm) Inner Dia: 8.38" (213 mm) Length: 22.00" (559 mm) UPC Code: 742330-08238</p>		<p>Part Number: <b>EAF5026</b> Description: <b>Air Primary, EON®</b> Primary Appl.: Donaldson EBA13 KONEPAC, P141228 is standard version Dimensions: Outer Dia: 12.75" (324 mm) Inner Dia: 8.32" (211 mm) Length: 28.00" (711 mm) UPC Code: 742330-08223</p>




















	<p>Part Number: <b>EAF5027</b> Description: <b>Air Primary, EON®</b> Primary Appl.: Donaldson EBA13 KONEPAC, P142100 is standard version Dimensions: Outer Dia: 12.75" (324 mm) Inner Dia: 8.32" (211 mm) Length: 23.99" (609 mm) UPC Code: 742330-08224</p>
	<p>Part Number: <b>EAF5028</b> Description: <b>Air Primary, EON®</b> Primary Appl.: Donaldson EBB12 OR EBG12 A/C, P182028 is standard version Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.04" (153 mm) Length: 16.00" (406 mm) UPC Code: 742330-08245</p>
	<p>Part Number: <b>EAF5029</b> Description: <b>Air Primary, EON®</b> Konepac Primary Appl.: Donaldson ECG11 KONEPAC A/C, P150694 is standard version Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.95" (177 mm) Length: 28.00" (711 mm) UPC Code: 742330-08225</p>
	<p>Part Number: <b>EAF5030</b> Description: <b>Air Primary, EON®</b> Primary Appl.: Donaldson EBB14 A/C, P182030 is standard version Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.73" (196 mm) Length: 7.00" (178 mm) UPC Code: 742330-08230</p>
	<p>Part Number: <b>EAF5034</b> Description: <b>Air Primary, EON®</b> Primary Appl.: Donaldson FHG12 A/C Dimensions: Outer Dia: 9.21" (234 mm) Inner Dia: 4.85" (123 mm) Length: 13.00" (330 mm) UPC Code: 742330-02746</p>
	<p>Part Number: <b>EAF5035</b> Description: <b>Air Primary, EON®</b> Primary Appl.: Donaldson FWA12, FWG12 A/C Dimensions: Outer Dia: 9.22" (234 mm) Inner Dia: 4.84" (123 mm) Length: 10.00" (254 mm) UPC Code: 742330-02747</p>
	<p>Part Number: <b>EAF5038</b> Description: <b>Air Primary, EON®</b> Primary Appl.: Donaldson SRG20, SRG29 A/C Dimensions: Outer Dia: 17.62" (448 mm) Inner Dia: 11.07" (281 mm) Length: 23.06" (586 mm) UPC Code: 742330-02750</p>
	<p>Part Number: <b>EAF5039</b> Description: <b>Air Primary, EON®</b> Primary Appl.: Donaldson STG16 A/C Dimensions: Outer Dia: 13.83" (351 mm) Inner Dia: 9.49" (241 mm) Length: 17.88" (454 mm) UPC Code: 742330-02751</p>
	<p>Part Number: <b>EAF5040</b> Description: <b>Air Primary, EON®</b> Primary Appl.: Donaldson SRG20, SRG29 A/C Dimensions: Outer Dia: 17.58" (447 mm) Inner Dia: 12.22" (310 mm) Length: 23.03" (585 mm) UPC Code: 742330-02752</p>









	<p>Part Number: <b>EAF5041</b> Description: <b>Air Primary, EON®</b> Primary Appl.: Donaldson STG14 A/C Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.73" (196 mm) Length: 16.00" (406 mm) UPC Code: 742330-02753</p>
	<p>Part Number: <b>EAF5042</b> Description: <b>Air Primary, EON®</b> Primary Appl.: Donaldson STG16 A/C Dimensions: Outer Dia: 14.68" (373 mm) Inner Dia: 10.34" (263 mm) Length: 23.88" (607 mm) UPC Code: 742330-02754</p>
	<p>Part Number: <b>EAF5043</b> Description: <b>Air Primary, EON®</b> Primary Appl.: Donaldson FVG14 A/C Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.73" (196 mm) Length: 19.88" (505 mm) UPC Code: 742330-02755</p>
	<p>Part Number: <b>EAF5044</b> Description: <b>Air Primary, EON®</b> Primary Appl.: Donaldson STG12 A/C Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.04" (153 mm) Length: 13.76" (350 mm) UPC Code: 742330-02756</p>
	<p>Part Number: <b>EAF5046</b> Description: <b>Air Primary, EON®</b> Primary Appl.: Donaldson FHG14 A/C Dimensions: Outer Dia: 11.09" (282 mm) Inner Dia: 6.73" (171 mm) Length: 16.00" (406 mm) UPC Code: 742330-02758</p>
	<p>Part Number: <b>EAF5047</b> Description: <b>Air Primary, EON®</b> Konepac Primary Appl.: Donaldson ECG11 KONEPAC A/C, P150695 is standard version Dimensions: Outer Dia: 10.62" (270 mm) Inner Dia: 6.69" (170 mm) Length: 28.20" (716 mm) UPC Code: 742330-08226</p>
	<p>Part Number: <b>EAF5048</b> Description: <b>Air Primary, EON®</b> Primary Appl.: FRAM CA2550, P151028 is standard version Dimensions: Outer Dia: 9.50" (241 mm) Inner Dia: 6.89" (175 mm) Length: 27.44" (697 mm) UPC Code: 742330-08227</p>
	<p>Part Number: <b>EAF5049</b> Description: <b>Air Primary, EON®</b> Primary Appl.: Donaldson FVG16 A/C Dimensions: Outer Dia: 12.74" (324 mm) Inner Dia: 8.38" (213 mm) Length: 24.28" (617 mm) UPC Code: 742330-02761</p>
	<p>Part Number: <b>EAF5053</b> Description: <b>Air Primary, EON®</b> Konepac Primary Appl.: Donaldson ECG11 A/C, P153551 is standard version Dimensions: Outer Dia: 10.62" (270 mm) Inner Dia: 6.69" (170 mm) Length: 22.02" (559 mm) UPC Code: 742330-08228</p>




	<p><b>Part Number:</b> EAF5055</p> <p><b>Description:</b> Air Primary, EON® Konepac</p> <p><b>Primary Appl.:</b> Donaldson ECG11 A/C, P155842 is standard version</p> <p><b>Dimensions:</b> Outer Dia: 10.62" (270 mm) Inner Dia: 6.69" (170 mm) Length: 20.02" (508 mm)</p> <p><b>UPC Code:</b> 742330-08229</p>
	<p><b>Part Number:</b> EAF5056</p> <p><b>Description:</b> Air Primary, EON®</p> <p><b>Primary Appl.:</b> Donaldson EBB14 A/C, P182056 is standard version</p> <p><b>Dimensions:</b> Outer Dia: 12.09" (307 mm) Inner Dia: 7.72" (196 mm) Length: 15.19" (386 mm)</p> <p><b>UPC Code:</b> 742330-08231</p>
	<p><b>Part Number:</b> EAF5057</p> <p><b>Description:</b> Air Primary, EON®</p> <p><b>Primary Appl.:</b> Donaldson FWD16 OR FVG16 A/C, P182057 is standard version</p> <p><b>Dimensions:</b> Outer Dia: 12.74" (324 mm) Inner Dia: 8.38" (213 mm) Length: 17.03" (433 mm)</p> <p><b>UPC Code:</b> 742330-08232</p>
	<p><b>Part Number:</b> EAF5060</p> <p><b>Description:</b> Air Primary, EON®</p> <p><b>Primary Appl.:</b> Donaldson EBA13 A/C, P521598 is standard version</p> <p><b>Dimensions:</b> Outer Dia: 11.83" (300 mm) Inner Dia: 7.37" (187 mm) Length: 24.00" (610 mm)</p> <p><b>UPC Code:</b> 742330-08250</p>
	<p><b>Part Number:</b> EAF5061</p> <p><b>Description:</b> Air Primary, EON®</p> <p><b>Primary Appl.:</b> Donaldson EBA11 A/C, P522293 is standard version</p> <p><b>Dimensions:</b> Outer Dia: 10.40" (264 mm) Inner Dia: 6.95" (177 mm) Length: 28.00" (711 mm)</p> <p><b>UPC Code:</b> 742330-08251</p>
	<p><b>Part Number:</b> EAF5065</p> <p><b>Description:</b> Air Primary, EON®</p> <p><b>Primary Appl.:</b> MCI BUS # 9G-3-37, P522874 is standard version</p> <p><b>Dimensions:</b> Outer Dia: 15.09" (383 mm) Inner Dia: 8.70" (221 mm) Length: 15.34" (390 mm)</p> <p><b>UPC Code:</b> 742330-08252</p>
	<p><b>Part Number:</b> EAF5066</p> <p><b>Description:</b> Air Primary, EON®</p> <p><b>Primary Appl.:</b> FREIGHTLINER, P526678 is standard version</p> <p><b>Dimensions:</b> Outer Dia: 9.33" (237 mm) Inner Dia: 5.15" (131 mm) Length: 14.49" (368 mm)</p> <p><b>UPC Code:</b> 742330-08253</p>
	<p><b>Part Number:</b> EAF5067</p> <p><b>Description:</b> Air Primary, EON®</p> <p><b>Primary Appl.:</b> GM # 15619013, FORD # F3HZ9601A, P527484 is standard version</p> <p><b>Dimensions:</b> Outer Dia: 9.33" (237 mm) Inner Dia: 5.15" (131 mm) Length: 12.28" (312 mm)</p> <p><b>UPC Code:</b> 742330-08254</p>
	<p><b>Part Number:</b> EAF5069</p> <p><b>Description:</b> Air Primary, EON®</p> <p><b>Primary Appl.:</b> Donaldson EPG15 A/C, P527682 is standard version</p> <p><b>Dimensions:</b> Outer Dia: 13.09" (332 mm) Inner Dia: 6.78" (172 mm) Length: 14.76" (375 mm)</p> <p><b>UPC Code:</b> 742330-08255</p>









	<p><b>Part Number:</b> EAF5073</p> <p><b>Description:</b> Air Primary, EON®</p> <p><b>Primary Appl.:</b> Donaldson ECG09 A/C, P150692 is standard version</p> <p><b>Dimensions:</b> Outer Dia: 8.66" (220 mm) Inner Dia: 5.21" (132 mm) Length: 28.00" (711 mm)</p> <p><b>UPC Code:</b> 742330-08256</p>
	<p><b>Part Number:</b> EAF5074</p> <p><b>Description:</b> Air Primary, EON®</p> <p><b>Primary Appl.:</b> MACK, RVI, P771003 is standard version</p> <p><b>Dimensions:</b> Outer Dia: 8.66" (220 mm) Inner Dia: 5.20" (132 mm) Length: 15.00" (381 mm)</p> <p><b>UPC Code:</b> 742330-08257</p>
	<p><b>Part Number:</b> EAF5095</p> <p><b>Description:</b> Air Primary, EON®</p> <p><b>Primary Appl.:</b> Donaldson EBB16 A/C, P182095 is standard version</p> <p><b>Dimensions:</b> Outer Dia: 13.84" (352 mm) Inner Dia: 9.47" (241 mm) Length: 15.50" (394 mm)</p> <p><b>UPC Code:</b> 742330-08246</p>
	<p><b>Part Number:</b> EAF5096</p> <p><b>Description:</b> Air Primary, EON®</p> <p><b>Primary Appl.:</b> Donaldson EBB15 A/C, P182096 is standard version</p> <p><b>Dimensions:</b> Outer Dia: 12.09" (307 mm) Inner Dia: 7.72" (196 mm) Length: 15.00" (381 mm)</p> <p><b>UPC Code:</b> 742330-08247</p>
	<p><b>Part Number:</b> EAF5099</p> <p><b>Description:</b> Air Primary, EON®</p> <p><b>Primary Appl.:</b> Donaldson EBB16 A/C, P182099 is standard version</p> <p><b>Dimensions:</b> Outer Dia: 13.84" (352 mm) Inner Dia: 7.47" (190 mm) Length: 18.06" (459 mm)</p> <p><b>UPC Code:</b> 742330-08248</p>
	<p><b>Part Number:</b> EAF5100</p> <p><b>Description:</b> Air Primary, EON®</p> <p><b>Primary Appl.:</b> Donaldson ERA13 A/C, FREIGHTLINER, PETERBILT, STANDARD VERSION, P534816</p> <p><b>Dimensions:</b> Outer Dia: 11.09" (282 mm) Inner Dia: 6.78" (172 mm) Length: 23.44" (595 mm)</p> <p><b>UPC Code:</b> 742330-10642</p>
	<p><b>Part Number:</b> EAF5101</p> <p><b>Description:</b> Air Primary, EON®</p> <p><b>Primary Appl.:</b> Donaldson ERA15 AIR CLNR, KENWORTH, PETERBILT, STANDARD VERSION, P534925</p> <p><b>Dimensions:</b> Outer Dia: 12.74" (324 mm) Inner Dia: 7.44" (189 mm) Length: 25.44" (646 mm)</p> <p><b>UPC Code:</b> 742330-10643</p>
	<p><b>Part Number:</b> EAF5102</p> <p><b>Description:</b> Air Primary, EON®</p> <p><b>Primary Appl.:</b> VORTOX, STANDARD VERSION, P181186</p> <p><b>Dimensions:</b> Outer Dia: 12.74" (324 mm) Inner Dia: 8.38" (213 mm) Length: 26.00" (660 mm)</p> <p><b>UPC Code:</b> 742330-10644</p>
	<p><b>Part Number:</b> EAF5104</p> <p><b>Description:</b> Air Primary, EON®</p> <p><b>Primary Appl.:</b> Donaldson EPG15 AIR CLEANER, NAVISTAR, STANDARD VERSION, P533235</p> <p><b>Dimensions:</b> Outer Dia: 13.06" (332 mm) Inner Dia: 6.78" (172 mm) Length: 18.15" (461 mm)</p> <p><b>UPC Code:</b> 742330-10646</p>



















	<p>Part Number: <b>EAF5105</b>          Description: <b>Air Primary, EON®</b>          Primary Appl.: Donaldson EPG11 AIR CLEANER, FREIGHTLINER FLN, STANDARD VERSION, P532966          Dimensions: Outer Dia: 9.33" (237 mm)          Inner Dia: 5.15" (131 mm)          Length: 18.50" (470 mm)          UPC Code: 742330-10647</p>
	<p>Part Number: <b>EAF5187</b>          Description: <b>Air Primary, EON®</b>          Primary Appl.: FORD E3T9601C, P181187 is standard version          Dimensions: Outer Dia: 11.68" (297 mm)          Inner Dia: 8.11" (206 mm)          Length: 5.00" (127 mm)          UPC Code: 742330-08233</p>
	<p>Part Number: <b>EAF5188</b>          Description: <b>Air Primary, EON®</b>          Primary Appl.: IHC 588213C1, P181188 is standard version          Dimensions: Outer Dia: 11.68" (297 mm)          Inner Dia: 8.11" (206 mm)          Length: 7.00" (178 mm)          UPC Code: 742330-08234</p>
	<p>Part Number: <b>EFF0047</b>          Description: <b>Fuel Spin-on Secondary</b>          Primary Appl.: DETROIT DIESEL ENGINES, Donaldson Endurance Version of P550959, P550959-Standard Fuel          Dimensions: Outer Dia: 4.67" (119 mm)          Thread Size: 1 1/16" - 16          Length: 8.94" (227 mm)          UPC Code: 742330-01975</p>
	<p>Part Number: <b>EFF0047S</b>          Description: <b>Fuel Spin-on Secondary</b>          Primary Appl.: DETROIT DIESEL 16V149T ENG, INDIVIDUAL BOX VERSION OF EFF0047, P550959-Standard Fuel          Dimensions: Outer Dia: 4.67" (119 mm)          Thread Size: 1 1/16" - 16          Length: 8.94" (227 mm)          UPC Code: 742330-01975</p>
	<p>Part Number: <b>EFF9092</b>          Description: <b>Fuel Spin-on Primary</b>          Primary Appl.: CAT ENGINES, Donaldson Endurance Version of P555823, P555823-Standard Fuel, P555006-FFWS w/bowl, P555060-FFWS filter only          Dimensions: Outer Dia: 4.25" (108 mm)          Thread Size: 1" - 14          Length: 10.31" (262 mm)          UPC Code: 742330-01908</p>
	<p>Part Number: <b>EFF9092S</b>          Description: <b>Fuel Spin-on Primary</b>          Primary Appl.: CAT 4N5823, INDIVIDUAL BOX VERSION OF EFF9092, P555823-Standard Fuel, P555006-FFWS w/bowl, P555060-FFWS filter only          Dimensions: Outer Dia: 4.25" (108 mm)          Thread Size: 1" - 14          Length: 10.31" (262 mm)          UPC Code: 742330-01908</p>
	<p>Part Number: <b>EFF9202</b>          Description: <b>Fuel Spin-on Primary</b>          Primary Appl.: CUMMINS 299202, REPLACES EFF9094, ENDURANCE VERSION OF P550202          Dimensions: Outer Dia: 4.65" (118 mm)          Thread Size: 1 1/4" - 12          Length: 10.64" (270 mm)          UPC Code: 742330-10396</p>










	<p>Part Number: <b>EFF9440</b>          Description: <b>Fuel Spin-on Secondary</b>          Primary Appl.: MACK 483-GB-440, REPLACES P169098, ENDURANCE VERSION OF P550431          Dimensions: Outer Dia: 4.24" (108 mm)          Thread Size: 1 1/16" - 16          Length: 10.31" (262 mm)          UPC Code: 742330-10398</p>
	<p>Part Number: <b>EFF9441</b>          Description: <b>Fuel Spin-on Secondary</b>          Primary Appl.: MACK 483-GB-441, REPLACES P169097, ENDURANCE VERSION OF P550218          Dimensions: Outer Dia: 4.24" (108 mm)          Thread Size: 7/8" - 16          Length: 7.95" (202 mm)          UPC Code: 742330-10397</p>
	<p>Part Number: <b>ELF3998</b>          Description: <b>Lube Spin-on Full Flow</b>          Primary Appl.: DETROIT DIESEL SERIES 60 ENGINES, Donaldson Endurance Version of P552100, P552100 is Standard Version          Dimensions: Outer Dia: 4.65" (118 mm)          Thread Size: 1 5/8" - 12          Length: 10.24" (260 mm)          UPC Code: 742330-02442</p>
	<p>Part Number: <b>ELF3998S</b>          Description: <b>Lube Spin-on Full Flow</b>          Primary Appl.: DETROIT DIESEL SERIES 60 ENGINES, INDIVIDUAL BOX VERSION OF ELF3998, P552100 is Standard Version          Dimensions: Outer Dia: 4.65" (118 mm)          Thread Size: 1 5/8" - 12          Length: 10.24" (260 mm)          UPC Code: 742330-02442</p>
	<p>Part Number: <b>ELF7300</b>          Description: <b>Lube Spin-on Combination</b>          Primary Appl.: CUMMINS ENGINES, Donaldson Endurance Version of P553000          Dimensions: Outer Dia: 4.65" (118 mm)          Thread Size: 2 1/4" - 12          Length: 11.75" (298 mm)          UPC Code: 742330-08978</p>
	<p>Part Number: <b>ELF7300S</b>          Description: <b>Lube Spin-on Combination</b>          Primary Appl.: CUMMINS ENGINES, INDIVIDUAL BOX VERSION OF ELF7300          Dimensions: Outer Dia: 4.65" (118 mm)          Thread Size: 2 1/4" - 12          Length: 11.75" (298 mm)          UPC Code: 742330-08978</p>
	<p>Part Number: <b>ELF7345</b>          Description: <b>Lube Spin-on Full Flow</b>          Primary Appl.: CUMMINS 4B 3.9 SERIES LUBE, Donaldson Endurance Version of P558616, ENDURANCE VERSION OF P558616          Dimensions: Outer Dia: 3.66" (93 mm)          Thread Size: 1" - 16          Length: 5.35" (136 mm)          Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>          UPC Code: 742330-10393</p>
	<p>Part Number: <b>ELF7349</b>          Description: <b>Lube Spin-on Full Flow</b>          Primary Appl.: CUMMINS 4B &amp; 6B SERIES LUBE, Donaldson Endurance Version of P558615, ENDURANCE VERSION OF P558615          Dimensions: Outer Dia: 3.66" (93 mm)          Thread Size: 1" - 16          Length: 6.85" (174 mm)          Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>          UPC Code: 742330-10392</p>











	<p>Part Number: <b>ELF7367</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: NAVISTAR 1819452C1, Donaldson Endurance Version of P550367, ENDURANCE VERSION OF P550367 Dimensions: Outer Dia: 11.73" (298 mm) Thread Size: M36 x 1.5 Length: 11.73" (298 mm) UPC Code: 742330-10412</p>
	<p>Part Number: <b>ELF7367S</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: NAVISTAR 1819452C1, INDIVIDUAL BOX VERSION OF ELF7367, P550367-Standard Lube Dimensions: Outer Dia: 11.73" (298 mm) Thread Size: M36 x 1.5 Length: 11.73" (298 mm) UPC Code: 742330-10412</p>
	<p>Part Number: <b>ELF7405</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: CAT ENGINES, Donaldson Endurance Version of P554005, P554005-is CAT standard lube, P554105-MACK/RV/VOLVO Standard Lube Dimensions: Outer Dia: 11.73" (298 mm) Thread Size: 1 1/2" - 16 Length: 11.73" (298 mm) Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math> UPC Code: 742330-01826</p>
	<p>Part Number: <b>ELF7405S</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: CAT 2P-4005, INDIVIDUAL BOX VERSION OF ELF7405, P554005-is CAT standard lube, P554105-MACK/RV/VOLVO Standard Lube Dimensions: Outer Dia: 11.73" (298 mm) Thread Size: 1 1/2" - 16 Length: 11.73" (298 mm) UPC Code: 742330-01826</p>
	<p>Part Number: <b>ELF7483</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: MACK/VOLVO ENGINES, Donaldson Endurance Version of P553191, ENDURANCE VERSION OF P553191 Dimensions: Outer Dia: 4.25" (108 mm) Thread Size: 1 1/8" - 16 Length: 10.31" (262 mm) Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math> UPC Code: 742330-10395</p>
	<p>Part Number: <b>ELF7483S</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: MACK/VOLVO, INDIVIDUAL BOX VERSION OF ELF7483, ENDURANCE VERSION OF P553191 Dimensions: Outer Dia: 4.25" (108 mm) Thread Size: 1 1/8" - 16 Length: 10.31" (262 mm) UPC Code: 742330-10395</p>
	<p>Part Number: <b>ELF7616</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: NAVISTAR 675616C91, CASE, IH, ENDURANCE VERSION OF P555616 Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: 1" - 12 Length: 6.85" (174 mm) Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math> UPC Code: 742330-10394</p>
	<p>Part Number: <b>ELF7670</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: CUMMINS ENGINES, Donaldson Endurance Version of P551670, Similar Parts: P551670-10.25"L, P550671-9.75"L, P550947-6.16"L Dimensions: Outer Dia: 4.65" (118 mm) Thread Size: 1 1/2" - 12 Length: 10.24" (260 mm) Performance: <math>\beta_{4\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{15\mu} = 75</math> UPC Code: 742330-01853</p>

	<p>Part Number: <b>ELF7670S</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: CUMMINS 299670, KOMATSU #600-211-1230, INDIVIDUAL BOX VERSION OF ELF7670, Similar Parts: P551670-10.25"L, P550671-9.75"L, P550947-6.16"L Dimensions: Outer Dia: 4.65" (118 mm) Thread Size: 1 1/2" - 12 Length: 10.24" (260 mm) UPC Code: 742330-01853</p>
	<p>Part Number: <b>ELF7680</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: CAT 9N5680, ENDURANCE VERSION OF P555680 Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: 1" - 12 Length: 5.35" (136 mm) Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math> UPC Code: 742330-10391</p>
	<p>Part Number: <b>ELF7739</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: CAT ENGINES, Donaldson Endurance Version of P554004 Dimensions: Outer Dia: 4.25" (108 mm) Thread Size: 1 1/8" - 16 Length: 10.31" (262 mm) UPC Code: 742330-10469</p>
	<p>Part Number: <b>ELF7739S</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: CAT ENGINES, INDIVIDUAL BOX VERSION OF ELF7739 Dimensions: Outer Dia: 4.25" (108 mm) Thread Size: 1 1/8" - 16 Length: 10.31" (262 mm) UPC Code: 742330-10469</p>
	<p>Part Number: <b>ELF7777</b> Description: <b>Lube Spin-on Bypass</b> Primary Appl.: ENDURANCE VERSION OF P550777 Dimensions: Outer Dia: 4.65" (118 mm) Thread Size: 1 3/8" - 16 Length: 10.24" (260 mm) UPC Code: 742330-11180</p>
	<p>Part Number: <b>ELF7900</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: ENDURANCE VERSION OF P559000 Dimensions: Outer Dia: 4.65" (118 mm) Thread Size: M95 x 2.5 Length: 11.70" (297 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11184</p>
	<p>Part Number: <b>ELF7947</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: DETROIT DIESEL ENGINES, Donaldson Endurance Version of P550947, P550947-Standard lube Dimensions: Outer Dia: 4.65" (118 mm) Thread Size: 1 1/2" - 12 Length: 6.22" (158 mm) Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math> UPC Code: 742330-01885</p>
	<p>Part Number: <b>ELF7947S</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: DETROIT DIESEL ENGINES, INDIVIDUAL BOX VERSION OF ELF7947, P550947-Standard lube Dimensions: Outer Dia: 4.65" (118 mm) Thread Size: 1 1/2" - 12 Length: 6.22" (158 mm) UPC Code: 742330-01885</p>

	<p>Part Number: <b>EOA7375</b> Description: <b>Engine Liquid Test Kit</b> Contents or Usage: SPECTROCHEMICAL OIL ANALYSIS PLUS LEM UPC Code: 742330-08813</p>	<p>Shape </p>	<p>Part Number: <b>P018182</b> Description: <b>Gasket</b> Compound: Sponge Rubber Dimensions: Outer Dia: 6.88" (175 mm) Inner Dia: 5.88" Thickness: .37" (10 mm) Primary Appl: DONALDSON SBG10 AIR CLEANER UPC Code: 742330-00674</p>
	<p>Part Number: <b>EOA7376</b> Description: <b>Engine Liquid Test Kit</b> Contents or Usage: SPECTROCHEMICAL OIL ANALYSIS PLUS LEM &amp; TAN/TBN UPC Code: 742330-08814</p>	<p>Shape </p>	<p>Part Number: <b>P018406</b> Description: <b>Gasket</b> Compound: Sponge Rubber Dimensions: Outer Dia: 6.75" (171 mm) Inner Dia: 6" Thickness: .37" (10 mm) Primary Appl: DONALDSON SBG08 AIR CLEANER UPC Code: 742330-00679</p>
	<p>Part Number: <b>P015835</b> Description: <b>Air Primary</b> Primary Appl: IHC, PACCAR Dimensions: Outer Dia: 6.84" (174 mm) Inner Dia: 4.24" (108 mm) Length: 8.00" (203 mm) UPC Code: 742330-00635</p>		<p>Part Number: <b>P101038</b> Description: <b>Air Primary, Finned</b> Primary Appl: GMC MURPHY DIESEL Dimensions: Outer Dia: 7.93" (201 mm) Inner Dia: 3.57" (91 mm) Length: 12.00" (305 mm) UPC Code: 742330-00708</p>
	<p>Part Number: <b>P015837</b> Description: <b>Air Primary</b> Primary Appl: FWD OSHKOSH Dimensions: Outer Dia: 9.21" (234 mm) Inner Dia: 6.60" (168 mm) Length: 10.00" (254 mm) UPC Code: 742330-00637</p>		<p>Part Number: <b>P102052</b> Description: <b>Cab Air</b> Primary Appl: CAT 5L-6389 Dimensions: Width: 19.50" (495 mm) Depth: 2.19" (56 mm) Length: 19.50" (495 mm) UPC Code: 742330-00742</p>
	<p>Part Number: <b>P015838</b> Description: <b>Air Primary</b> Primary Appl: FWD OSHKOSH Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 7.79" (198 mm) Length: 12.00" (305 mm) UPC Code: 742330-00638</p>		<p>Part Number: <b>P102745</b> Description: <b>Air Primary, Finned</b> Primary Appl: FWG04, CLARK, TORO, ADVANCE MACHINE, P148970-High Pulsation Version Dimensions: Outer Dia: 3.26" (83 mm) Inner Dia: 1.68" (43 mm) Length: 7.00" (178 mm) UPC Code: 742330-00748</p>
<p>Shape </p>	<p>Part Number: <b>P017368</b> Description: <b>Gasket</b> Compound: Sponge Rubber Dimensions: Outer Dia: 12.25" (311 mm) Inner Dia: 11.25" Thickness: .38" (10 mm) Primary Appl: SBG16 AIR CLEANER UPC Code: 742330-00660</p>		<p>Part Number: <b>P103688</b> Description: <b>Cab Air</b> Primary Appl: CAT, GMC, WHITE MOTOR, USE P111098 FOR ENGINE PANEL APPLICATIONS Dimensions: Width: 24.00" (610 mm) Depth: 2.19" (56 mm) Length: 24.00" (610 mm) UPC Code: 742330-00765</p>
	<p>Part Number: <b>P017665</b> Description: <b>Air Primary</b> Primary Appl: IHC, MACK, TEREX, WABCO Dimensions: Outer Dia: 8.40" (213 mm) Inner Dia: 5.79" (147 mm) Length: 9.00" (229 mm) UPC Code: 742330-00662</p>		<p>Part Number: <b>P104445</b> Description: <b>Air Primary, Finned</b> Primary Appl: FIAT ALLIS 73039921 Dimensions: Outer Dia: 7.93" (201 mm) Inner Dia: 3.57" (91 mm) Length: 13.00" (330 mm) UPC Code: 742330-00785</p>
<p>Shape </p>	<p>Part Number: <b>P018029</b> Description: <b>Gasket</b> Compound: Sponge Rubber Dimensions: Outer Dia: 10.56" (268 mm) Inner Dia: 9.56" Thickness: .37" (10 mm) Primary Appl: DONALDSON SBG14 AIR CLEANER UPC Code: 742330-00667</p>		<p>Part Number: <b>P105831</b> Description: <b>Cab Air</b> Primary Appl: WABCO Dimensions: Width: 19.50" (495 mm) Depth: 2.19" (56 mm) Length: 19.50" (495 mm) UPC Code: 742330-00819</p>
<p>Shape </p>	<p>Part Number: <b>P018033</b> Description: <b>Gasket</b> Compound: Sponge Rubber Dimensions: Outer Dia: 8.88" (226 mm) Inner Dia: 7.88" Thickness: .37" (10 mm) Primary Appl: DONALDSON SBG12 AIR CLEANER UPC Code: 742330-00668</p>		<p>Part Number: <b>P105919</b> Description: <b>Cab Air</b> Primary Appl: CAT 6L-8485 Dimensions: Width: 15.00" (381 mm) Depth: 2.19" (56 mm) Length: 15.00" (381 mm) UPC Code: 742330-00820</p>

	<b>Part Number: P105958</b> <b>Description: Cab Air</b> <b>Primary Appl.: BUCYRUS ERIE, UNIT RIG</b> <b>Dimensions:</b> Width: 10.00" (254 mm) Depth: 2.19" (56 mm) Length: 10.00" (254 mm) <b>UPC Code:</b> 742330-00822
	<b>Part Number: P106146</b> <b>Description: Cab Air</b> <b>Primary Appl.: JOHN DEERE, WABCO</b> <b>Dimensions:</b> Width: 14.04" (357 mm) Depth: 2.19" (56 mm) Length: 15.00" (381 mm) <b>UPC Code:</b> 742330-00824
	<b>Part Number: P106680</b> <b>Description: Cab Air</b> <b>Primary Appl.: JOHN DEERE, IHC, CASE, ALLIS CHALMERS</b> <b>Dimensions:</b> Width: 14.08" (190 mm) Depth: 2.19" (56 mm) Length: 28.00" (711 mm) <b>UPC Code:</b> 742330-00832
	<b>Part Number: P106950</b> <b>Description: Air Primary</b> <b>Primary Appl.: MF 1029945M92</b> <b>Dimensions:</b> Outer Dia: 4.08" (104 mm) Inner Dia: 2.49" (63 mm) Length: 9.00" (229 mm) <b>UPC Code:</b> 742330-00835
	<b>Part Number: P106965</b> <b>Description: Cab Air</b> <b>Primary Appl.: ALLIS CHALMERS, TEREX, LETOURNEAU</b> <b>Dimensions:</b> Width: 11.00" (279 mm) Depth: 2.19" (56 mm) Length: 11.00" (279 mm) <b>UPC Code:</b> 742330-00837
	<b>Part Number: P107266</b> <b>Description: Air Vee-Pac®</b> <b>Primary Appl.: GMC 9034697</b> <b>Dimensions:</b> Width: 30.94" (786 mm) Depth: 10.84" (275 mm) Length: 18.00" (457 mm) <b>UPC Code:</b> 742330-00838
	<b>Part Number: P108158</b> <b>Description: Air Primary</b> <b>Primary Appl.: IHC 702244C1</b> <b>Dimensions:</b> Outer Dia: 7.02" (178 mm) Inner Dia: 4.39" (112 mm) Length: 19.76" (502 mm) <b>UPC Code:</b> 742330-00845
	<b>Part Number: P108736</b> <b>Description: Air Primary, Finned</b> <b>Primary Appl.: MF 1032762M91, Safety=P120949</b> <b>Dimensions:</b> Outer Dia: 4.08" (104 mm) Inner Dia: 2.49" (63 mm) Length: 9.00" (229 mm) <b>UPC Code:</b> 742330-00847
	<b>Part Number: P110854</b> <b>Description: Air Primary, Finned</b> <b>Primary Appl.: IHC 343731R91</b> <b>Dimensions:</b> Outer Dia: 7.93" (201 mm) Inner Dia: 3.57" (91 mm) Length: 16.00" (406 mm) <b>UPC Code:</b> 742330-00861


















	<b>Part Number: P111098</b> <b>Description: Air Panel, Engine</b> <b>Primary Appl.: CAT 6L-4714, USE P103688 FOR VENTILATION APPLICATION</b> <b>Dimensions:</b> Width: 24.00" (610 mm) Depth: 2.19" (56 mm) Length: 24.00" (610 mm) <b>UPC Code:</b> 742330-00866
	<b>Part Number: P112212</b> <b>Description: Air Safety</b> <b>Primary Appl.: WHITE FARM 165807A, IHC, Primary=P181059</b> <b>Dimensions:</b> Outer Dia: 3.35" (85 mm) Inner Dia: 2.27" (58 mm) Length: 13.00" (330 mm) <b>UPC Code:</b> 742330-00872
	<b>Part Number: P112671</b> <b>Description: Cab Air</b> <b>Primary Appl.: CAT, CRENLO, THERMOKING</b> <b>Dimensions:</b> Width: 10.00" (254 mm) Depth: 2.19" (56 mm) Length: 17.00" (432 mm) <b>UPC Code:</b> 742330-00882
	<b>Part Number: P112775</b> <b>Description: Cab Air</b> <b>Primary Appl.: EXCEL, OWATONNA, STEIGER, IHC</b> <b>Dimensions:</b> Width: 5.00" (127 mm) Depth: 2.19" (56 mm) Length: 38.00" (965 mm) <b>UPC Code:</b> 742330-00883
	<b>Part Number: P112789</b> <b>Description: Gasket</b> <b>Compound:</b> <b>Dimensions:</b> Outer Dia: 5.52" (140 mm) Inner Dia: 4.76" Thickness: .38" (10 mm) <b>Primary Appl.: Donaldson HYDRAULIC SYSTEM, BOOT GASKET, 5.68" OD</b> <b>UPC Code:</b> 742330-00884
	<b>Part Number: P113247</b> <b>Description: Cab Air</b> <b>Primary Appl.: CAT, VERSATILE, WHITE FARM</b> <b>Dimensions:</b> Width: 7.00" (178 mm) Depth: 2.19" (56 mm) Length: 23.50" (597 mm) <b>UPC Code:</b> 742330-00886
	<b>Part Number: P113330</b> <b>Description: Cab Air</b> <b>Primary Appl.: FEMCO CABS, GM 25043797, IR 57059404</b> <b>Dimensions:</b> Width: 5.00" (127 mm) Depth: 2.19" (56 mm) Length: 24.00" (610 mm) <b>UPC Code:</b> 742330-00887
	<b>Part Number: P113343</b> <b>Description: Air Safety</b> <b>Primary Appl.: JOHN DEERE, WHITE FARM</b> <b>Dimensions:</b> Outer Dia: 4.57" (116 mm) Inner Dia: 3.49" (89 mm) Length: 15.00" (381 mm) <b>UPC Code:</b> 742330-00888



















	<p>Part Number: <b>P113395</b> Description: <b>Air Primary</b> Primary Appl.: FORD C8HZ9601C Dimensions: Outer Dia: 9.21" (234 mm) Inner Dia: 4.85" (123 mm) Length: 11.00" (279 mm) UPC Code: 742330-00889</p>
	<p>Part Number: <b>P113407</b> Description: <b>Cab Air</b> Primary Appl.: TEREX, WHITE FARM Dimensions: Width: 7.50" (190 mm) Depth: 2.19" (56 mm) Length: 20.00" (508 mm) UPC Code: 742330-00890</p>
	<p>Part Number: <b>P113703</b> Description: <b>Air Primary</b> Primary Appl.: CASE L35975 Dimensions: Outer Dia: 6.08" (154 mm) Inner Dia: 3.49" (89 mm) Length: 14.00" (356 mm) UPC Code: 742330-00892</p>
	<p>Part Number: <b>P113720</b> Description: <b>Air Primary</b> Primary Appl.: CAT, WABCO Dimensions: Outer Dia: 3.12" (79 mm) Inner Dia: 1.5" (38 mm) Length: 3.25" (83 mm) UPC Code: 742330-00893</p>
	<p>Part Number: <b>P113946</b> Description: <b>Cab Air</b> Primary Appl.: JOHN DEERE, FARMHAND Dimensions: Width: 15.00" (381 mm) Depth: 2.19" (56 mm) Length: 15.00" (381 mm) UPC Code: 742330-00896</p>
	<p>Part Number: <b>P114101</b> Description: <b>Air Vee-Pac<sup>®</sup></b> Primary Appl.: UNIT RIG 902000 Dimensions: Width: 18.00" (457 mm) Depth: 10.84" (275 mm) Length: 35.44" (900 mm) UPC Code: 742330-00898</p>
	<p>Part Number: <b>P114229</b> Description: <b>Cab Air</b> Primary Appl.: UNIVERSAL SILENCER Dimensions: Width: 19.38" (492 mm) Depth: 2.19" (56 mm) Length: 24.38" (619 mm) UPC Code: 742330-00900</p>
	<p>Part Number: <b>P114241</b> Description: <b>Air Primary</b> Primary Appl.: ATLAS COPCO, WORTHINGTON Dimensions: Outer Dia: 7.63" (194 mm) Inner Dia: 4.29" (109 mm) Length: 16.00" (406 mm) UPC Code: 742330-00901</p>
	<p>Part Number: <b>P114326</b> Description: <b>Cab Air</b> Primary Appl.: WHITE FARM 7760810 Dimensions: Width: 11.00" (279 mm) Depth: 2.19" (56 mm) Length: 23.50" (597 mm) UPC Code: 742330-00910</p>


















	<p>Part Number: <b>P114500</b> Description: <b>Air Safety</b> Primary Appl.: MF 1037735M91, IHC 529852R5, Primary-P119135,OR P131331,OR P131283, OR P525423 Dimensions: Outer Dia: 3.41" (87 mm) Inner Dia: 2.93" (74 mm) Length: 14.00" (356 mm) UPC Code: 742330-00911</p>
	<p>Part Number: <b>P114931</b> Description: <b>Air Safety</b> Primary Appl.: EUCLID, TEREX, WABCO, CLARK, Primary=P181039 Dimensions: Outer Dia: 8.64" (219 mm) Inner Dia: 7.06" (179 mm) Length: 16.66" (423 mm) UPC Code: 742330-00917</p>
	<p>Part Number: <b>P115051</b> Description: <b>Cab Air</b> Primary Appl.: CRENLO 80255 Dimensions: Width: 5.25" (133 mm) Depth: 2.19" (56 mm) Length: 18.50" (470 mm) UPC Code: 742330-00921</p>
	<p>Part Number: <b>P115070</b> Description: <b>Air Safety</b> Primary Appl.: Donaldson SRG20, WABCO, LETOURNEAU, UNIT RIG, Primary=P181038 Dimensions: Outer Dia: 10.86" (276 mm) Inner Dia: 8.18" (208 mm) Length: 21.68" (551 mm) UPC Code: 742330-00923</p>
<p>Shape</p>  <p>Cross Section</p> 	<p>Part Number: <b>P115096</b> Description: <b>Gasket</b> Compound: Cellular Rubber Thickness: 45.56" Primary Appl.: DONALDSON SRG AIR CLEANER UPC Code: 742330-00924</p>
	<p>Part Number: <b>P115097</b> Description: <b>Gasket</b> Compound: Dimensions: Outer Dia: 16.25" Primary Appl.: DONALDSON SRG AIR CLEANER UPC Code: 742330-00925</p>
<p>Shape</p>  <p>Cross Section</p> 	<p>Part Number: <b>P115098</b> Description: <b>Gasket</b> Compound: Cellular Rubber Thickness: 17.19" Primary Appl.: DONALDSON SRG AIR CLEANER UPC Code: 742330-00926</p>
	<p>Part Number: <b>P115690</b> Description: <b>Air Panel, Engine</b> Primary Appl.: JOHN DEERE AH80920 Dimensions: Width: 6.12" (155 mm) Depth: 2.19" (56 mm) Length: 37.00" (940 mm) UPC Code: 742330-00940</p>





















	<p>Part Number: <b>P115739</b> Description: <b>Cab Air</b> Primary Appl.: UNIT RIG, WHITE FARM Dimensions: Width: 15.00" (381 mm) Depth: 2.19" (56 mm) Length: 17.00" (432 mm) UPC Code: 742330-00941</p>		<p>Part Number: <b>P118342</b> Description: <b>Air Primary</b> Primary Appl.: CASE, CLARK, SULLAIR Dimensions: Outer Dia: 5.25" (133 mm) Inner Dia: 2.64" (67 mm) Length: 8.00" (203 mm) UPC Code: 742330-00970</p>
	<p>Part Number: <b>P115889</b> Description: <b>Air Primary</b> Primary Appl.: JOHN DEERE A30508, IHC 627127C1 Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.04" (153 mm) Length: 16.00" (406 mm) UPC Code: 742330-00942</p>		<p>Part Number: <b>P118343</b> Description: <b>Air Primary, Fined</b> Primary Appl.: IHC Dimensions: Outer Dia: 9.21" (234 mm) Inner Dia: 4.85" (123 mm) Length: 10.00" (254 mm) UPC Code: 742330-00971</p>
	<p>Part Number: <b>P116446</b> Description: <b>Air Safety</b> Primary Appl.: BUCYRUS ERIE, IR, ONAN, SULLAIR, Primary=P181049 Dimensions: Outer Dia: 8.24" (209 mm) Inner Dia: 7.12" (181 mm) Length: 22.00" (559 mm) UPC Code: 742330-00946</p>		<p>Part Number: <b>P118540</b> Description: <b>Cab Air</b> Primary Appl.: MASSEY FERGUSON 52446M1 Dimensions: Width: 9.25" (235 mm) Depth: 2.19" (56 mm) Length: 29.00" (737 mm) UPC Code: 742330-00973</p>
	<p>Part Number: <b>P117109</b> Description: <b>Cab Air</b> Primary Appl.: CLARK, HESSTON, HUPP Dimensions: Width: 6.50" (165 mm) Depth: 2.19" (56 mm) Length: 33.00" (838 mm) UPC Code: 742330-00952</p>		<p>Part Number: <b>P118785</b> Description: <b>Air Primary</b> Primary Appl.: CLARK, MASSEY FERGUSON Dimensions: Outer Dia: 2.46" (62 mm) Inner Dia: 1.91" (49 mm) Length: 8.26" (210 mm) UPC Code: 742330-00977</p>
	<p>Part Number: <b>P117327</b> Description: <b>Air Primary</b> Primary Appl.: UNIT RIG 23486, WHITE MOTOR 027090093 Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.73" (196 mm) Length: 13.00" (330 mm) UPC Code: 742330-00953</p>		<p>Part Number: <b>P118951</b> Description: <b>Cab Air</b> Primary Appl.: CAB VENT PANEL Dimensions: Width: 16.00" (406 mm) Depth: 2.19" (56 mm) Length: 24.00" (610 mm) UPC Code: 742330-00979</p>
	<p>Part Number: <b>P117383</b> Description: <b>Air Primary</b> Primary Appl.: LINCOLN ELECTRIC M122841 Dimensions: Outer Dia: 11.09" (282 mm) Inner Dia: 6.73" (171 mm) Length: 12.00" (305 mm) UPC Code: 742330-00954</p>		<p>Part Number: <b>P119135</b> Description: <b>Air Primary, Fined</b> Primary Appl.: MASSEY FERGUSON, NEW HOLLAND, Safety=P114500 Dimensions: Outer Dia: 5.23" (133 mm) Inner Dia: 3.65" (93 mm) Length: 15.00" (381 mm) UPC Code: 742330-00982</p>
	<p>Part Number: <b>P117781</b> Description: <b>Air Safety</b> Primary Appl.: Donaldson SRG, WABCO, LETOURNEAU, UNIT RIG, Primary=P181040 Dimensions: Outer Dia: 11.87" (301 mm) Inner Dia: 10.25" (260 mm) Length: 22.02" (559 mm) UPC Code: 742330-00960</p>		<p>Part Number: <b>P119184</b> Description: <b>Air Primary</b> Primary Appl.: GMC Dimensions: Outer Dia: 13.84" (352 mm) Inner Dia: 11.23" (285 mm) Length: 7.00" (178 mm) UPC Code: 742330-00984</p>
	<p>Part Number: <b>P118157</b> Description: <b>Air Primary</b> Primary Appl.: EUCLID, TEREX Dimensions: Outer Dia: 13.84" (352 mm) Inner Dia: 11.23" (285 mm) Length: 14.00" (356 mm) UPC Code: 742330-00965</p>		<p>Part Number: <b>P119370</b> Description: <b>Air Safety</b> Primary Appl.: Donaldson STG14 DONACLONE AIR CLEANER, P181041=PRMY, P182041=Long Life Primary Dimensions: Outer Dia: 7.64" (194 mm) Inner Dia: 6.04" (153 mm) Length: 15.00" (381 mm) UPC Code: 742330-00987</p>
	<p>Part Number: <b>P118216</b> Description: <b>Air Safety</b> Primary Appl.: IHC 627976C1, USE WITH PRIMARY P131280 Dimensions: Outer Dia: 6.39" (162 mm) Inner Dia: 5.29" (134 mm) Length: 20.00" (508 mm) UPC Code: 742330-00967</p>		


















	<p>Part Number: <b>P119371</b>          Description: <b>Air Safety</b>          Primary Appl.: Donaldson STG12 DONACLONE AIR CLEANER, P181044=Primary, P182044=Long Life Primary          Dimensions: Outer Dia: 5.94" (151 mm)          Inner Dia: 4.86" (123 mm)          Length: 12.00" (305 mm)          UPC Code: 742330-00988</p>
	<p>Part Number: <b>P119372</b>          Description: <b>Air Safety</b>          Primary Appl.: Donaldson FHG16 CYCLOPAC, PRMY=P181002, Long Life Primary=P182002          Dimensions: Outer Dia: 7.28" (185 mm)          Inner Dia: 6.20" (157 mm)          Length: 17.70" (450 mm)          UPC Code: 742330-00989</p>
	<p>Part Number: <b>P119373</b>          Description: <b>Air Safety</b>          Primary Appl.: Donaldson FHG14 CYCLOPAC, PRMY=P181046, Long Life Primary=P182046          Dimensions: Outer Dia: 6.39" (162 mm)          Inner Dia: 5.29" (134 mm)          Length: 16.00" (406 mm)          UPC Code: 742330-00990</p>
	<p>Part Number: <b>P119374</b>          Description: <b>Air Safety</b>          Primary Appl.: Donaldson FHG12 CYCLOPAC, Primary=P181034 OR Long Life Primary=P182034, FTG PRMY=R800103          Dimensions: Outer Dia: 4.58" (116 mm)          Inner Dia: 3.48" (88 mm)          Length: 13.00" (330 mm)          UPC Code: 742330-00991</p>
	<p>Part Number: <b>P119375</b>          Description: <b>Air Safety</b>          Primary Appl.: Donaldson FHG10 CYCLOPAC, Primary=P181064, Long Life Primary=P182064          Dimensions: Outer Dia: 4.58" (116 mm)          Inner Dia: 3.48" (88 mm)          Length: 15.65" (398 mm)          UPC Code: 742330-00992</p>
	<p>Part Number: <b>P119410</b>          Description: <b>Air Safety</b>          Primary Appl.: Donaldson FHG08 CYCLOPAC, Primary=P181059          Dimensions: Outer Dia: 3.41" (87 mm)          Inner Dia: 2.90" (74 mm)          Length: 14.00" (356 mm)          UPC Code: 742330-00993</p>
	<p>Part Number: <b>P119417</b>          Description: <b>Air Primary</b>          Primary Appl.: IHC, FREIGHTLINER, WABCO          Dimensions: Outer Dia: 12.74" (324 mm)          Inner Dia: 8.38" (213 mm)          Length: 11.00" (279 mm)          UPC Code: 742330-00995</p>
	<p>Part Number: <b>P119492</b>          Description: <b>Air Primary</b>          Primary Appl.: JOHN DEERE AL19152          Dimensions: Outer Dia: 4.53" (115 mm)          Inner Dia: 2.50" (64 mm)          Length: 13.11" (333 mm)          UPC Code: 742330-00996</p>

	<p>Part Number: <b>P119539</b>          Description: <b>Air Safety</b>          Primary Appl.: Donaldson FHG06 CYCLOPAC, Primary=P181062          Dimensions: Outer Dia: 3.00" (76 mm)          Inner Dia: 2.40" (61 mm)          Length: 14.00" (356 mm)          UPC Code: 742330-00997</p>
	<p>Part Number: <b>P119595</b>          Description: <b>Air Primary</b>          Primary Appl.: IHC, MACK, PACCAR          Dimensions: Outer Dia: 11.59" (294 mm)          Inner Dia: 8.98" (228 mm)          Length: 10.00" (254 mm)          UPC Code: 742330-00998</p>
	<p>Part Number: <b>P119596</b>          Description: <b>Air Primary</b>          Primary Appl.: CLARK, IHC, WABCO          Dimensions: Outer Dia: 10.40" (264 mm)          Inner Dia: 7.79" (198 mm)          Length: 10.00" (254 mm)          UPC Code: 742330-00999</p>
	<p>Part Number: <b>P119720</b>          Description: <b>Air Primary</b>          Primary Appl.: WHITE MOTOR          Dimensions: Outer Dia: 11.09" (282 mm)          Inner Dia: 6.73" (171 mm)          Length: 13.00" (330 mm)          UPC Code: 742330-01001</p>
	<p>Part Number: <b>P119778</b>          Description: <b>Air Safety</b>          Primary Appl.: Donaldson FHG09 CYCLOPAC, FHG Primary=P181063, FHG P182063=Long Life Primary          Dimensions: Outer Dia: 4.16" (106 mm)          Inner Dia: 3.65" (93 mm)          Length: 15.00" (381 mm)          UPC Code: 742330-01002</p>
	<p>Part Number: <b>P119791</b>          Description: <b>Air Safety</b>          Primary Appl.: OLIVER 303003477          Dimensions: Outer Dia: 3.41" (87 mm)          Inner Dia: 2.93" (74 mm)          Length: 11.00" (279 mm)          UPC Code: 742330-01003</p>
	<p>Part Number: <b>P120307</b>          Description: <b>Air Safety</b>          Primary Appl.: ADVANCE, CARRIER, CASE, NEW HOLLAND, Primary=P181072          Dimensions: Outer Dia: 2.46" (62 mm)          Inner Dia: 1.91" (49 mm)          Length: 13.00" (330 mm)          UPC Code: 742330-01009</p>
	<p>Part Number: <b>P120320</b>          Description: <b>Cab Air</b>          Primary Appl.: EATON 219479, CAT 8P5343          Dimensions: Width: 6.00" (152 mm)          Depth: 2.19" (56 mm)          Length: 23.50" (597 mm)          UPC Code: 742330-01011</p>









	<p>Part Number: <b>P120484</b> Description: <b>Air Primary</b> Primary Appl.: WHITE FARM Dimensions: Outer Dia: 4.16" (106 mm) Inner Dia: 3.65" (93 mm) Length: 14.55" (370 mm) UPC Code: 742330-01013</p>		<p>Part Number: <b>P122425</b> Description: <b>Air Safety</b> Primary Appl.: IHC, KOEHRING, KOMATSU, USE WITH PRIMARY P131343 OR P539481 Dimensions: Outer Dia: 7.64" (194 mm) Inner Dia: 6.04" (153 mm) Length: 17.00" (432 mm) UPC Code: 742330-01033</p>
	<p>Part Number: <b>P120949</b> Description: <b>Air Safety</b> Primary Appl.: CLARK 6598222, Primary=P108736 OR P122510 Dimensions: Outer Dia: 2.46" (62 mm) Inner Dia: 1.91" (49 mm) Length: 8.26" (210 mm) UPC Code: 742330-01017</p>		<p>Part Number: <b>P122492</b> Description: <b>Air Primary, Finned</b> Primary Appl.: CASE, CLARK, UL APPROVED VERSION OF P181054 Dimensions: Outer Dia: 6.09" (155 mm) Inner Dia: 3.48" (88 mm) Length: 12.00" (305 mm) UPC Code: 742330-01034</p>
	<p>Part Number: <b>P121036</b> Description: <b>Cab Air</b> Primary Appl.: IHC, CASE Dimensions: Width: 6.00" (152 mm) Depth: 2.19" (56 mm) Length: 38.00" (965 mm) UPC Code: 742330-01018</p>		<p>Part Number: <b>P122510</b> Description: <b>Air Primary, Finned</b> Primary Appl.: FLAME RETARDANT, UL APPROVED, Safety=P120949, Long Life Primary=P182050 Dimensions: Outer Dia: 4.08" (104 mm) Inner Dia: 2.49" (63 mm) Length: 10.00" (254 mm) UPC Code: 742330-01035</p>
	<p>Part Number: <b>P121240</b> Description: <b>Air Primary, Finned</b> Primary Appl.: KUBOTA Dimensions: Outer Dia: 3.26" (83 mm) Inner Dia: 1.68" (43 mm) Length: 7.00" (178 mm) UPC Code: 742330-01021</p>		<p>Part Number: <b>P122514</b> Description: <b>Air Primary, Finned</b> Primary Appl.: FLAME RETARDANT, UL APPROVED, Primary=P181052, Long Life Primary=P182052 Dimensions: Outer Dia: 5.25" (133 mm) Inner Dia: 2.64" (67 mm) Length: 11.00" (279 mm) UPC Code: 742330-01036</p>
	<p>Part Number: <b>P121351</b> Description: <b>Cab Air</b> Primary Appl.: PACCAR, DART Dimensions: Width: 15.00" (381 mm) Depth: 2.19" (56 mm) Length: 20.00" (508 mm) UPC Code: 742330-01023</p>		<p>Part Number: <b>P122529</b> Description: <b>Air Primary, Finned</b> Primary Appl.: FLAME RETARDANT UL APPROVED, Long Life Primary=P182000, SMP Primary=P181000 Dimensions: Outer Dia: 11.09" (282 mm) Inner Dia: 6.72" (171 mm) Length: 12.00" (305 mm) UPC Code: 742330-01040</p>
	<p>Part Number: <b>P121378</b> Description: <b>Cab Air</b> Primary Appl.: MASSEY FERGUSON 529760M1 Dimensions: Width: 6.00" (152 mm) Depth: 2.19" (56 mm) Length: 47.00" (1194 mm) UPC Code: 742330-01024</p>		<p>Part Number: <b>P123007</b> Description: <b>Air Safety</b> Primary Appl.: JOY 360628321, RENAULT RVI 5010094145, Primary=P772585 Dimensions: Outer Dia: 6.39" (162 mm) Inner Dia: 5.29" (134 mm) Length: 15.00" (381 mm) UPC Code: 742330-01044</p>
	<p>Part Number: <b>P121607</b> Description: <b>Air Primary</b> Primary Appl.: CASE A44185, OLIVER 303089258 Dimensions: Outer Dia: 13.84" (352 mm) Inner Dia: 7.48" (190 mm) Length: 6.88" (175 mm) UPC Code: 742330-01028</p>		<p>Part Number: <b>P123159</b> Description: <b>Air Primary, Finned</b> Primary Appl.: MASSEY FERGUSON 1043326M91 Dimensions: Outer Dia: 5.25" (133 mm) Inner Dia: 2.64" (67 mm) Length: 11.00" (279 mm) UPC Code: 742330-01045</p>
	<p>Part Number: <b>P121922</b> Description: <b>Air Primary</b> Primary Appl.: FORD, MACK WHITE MOTOR Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.73" (196 mm) Length: 12.00" (305 mm) UPC Code: 742330-01029</p>		<p>Part Number: <b>P123160</b> Description: <b>Air Safety</b> Primary Appl.: CLARK, MASSEY FERGUSON, ALLIS CHALMERS, Primary=<del>P771592</del> <b>P181052</b> Dimensions: Outer Dia: 2.59" (66 mm) Inner Dia: 2.15" (55 mm) Length: 10.00" (254 mm) UPC Code: 742330-01046</p>
	<p>Part Number: <b>P122115</b> Description: <b>Cab Air</b> Primary Appl.: CLARK, FIAT ALLIS Dimensions: Width: 6.50" (165 mm) Depth: 2.19" (56 mm) Length: 23.50" (597 mm) UPC Code: 742330-01032</p>		




















	<p>Part Number: <b>P123229</b>            Description: <b>Cab Air</b>            Primary Appl.: DEUTZ 70257109            Dimensions: Width: 12.00" (305 mm)            Depth: 2.19" (56 mm)            Length: 16.00" (406 mm)            UPC Code: 742330-01047</p>		<p>Part Number: <b>P124366</b>            Description: <b>Air Safety</b>            Primary Appl.: IR 35254895            Dimensions: Outer Dia: 8.64" (219 mm)            Inner Dia: 7.06" (179 mm)            Length: 14.00" (356 mm)            UPC Code: 742330-01064</p>
	<p>Part Number: <b>P123230</b>            Description: <b>Air Safety</b>            Primary Appl.: JOHN DEERE AR61988, CASE A44286            Dimensions: Outer Dia: 6.84" (174 mm)            Inner Dia: 4.24" (108 mm)            Length: 5.82" (148 mm)            UPC Code: 742330-01048</p>		<p>Part Number: <b>P124370</b>            Description: <b>Air Primary</b>            Primary Appl.: IR 35254903            Dimensions: Outer Dia: 13.83" (351 mm)            Inner Dia: 9.49" (241 mm)            Length: 15.00" (381 mm)            UPC Code: 742330-01065</p>
	<p>Part Number: <b>P123347</b>            Description: <b>Air Primary</b>            Primary Appl.: Donaldson ECG10 AIR CLEANER            Dimensions: Outer Dia: 8.04" (204 mm)            Inner Dia: 6.06" (154 mm)            Length: 11.00" (279 mm)            UPC Code: 742330-01050</p>		<p>Part Number: <b>P124548</b>            Description: <b>Air Safety</b>            Primary Appl.: CASE A44805            Dimensions: Outer Dia: 6.84" (174 mm)            Inner Dia: 4.24" (108 mm)            Length: 8.00" (203 mm)            UPC Code: 742330-01066</p>
	<p>Part Number: <b>P123440</b>            Description: <b>Cab Air</b>            Primary Appl.: EATON BERGSTROM            Dimensions: Width: 8.00" (203 mm)            Depth: 2.19" (56 mm)            Length: 17.00" (432 mm)            UPC Code: 742330-01051</p>		<p>Part Number: <b>P124767</b>            Description: <b>Air Safety</b>            Primary Appl.: DYNAPAC, IR, DRESSER, Primary=P181093            Dimensions: Outer Dia: 3.41" (87 mm)            Inner Dia: 2.90" (74 mm)            Length: 10.00" (254 mm)            UPC Code: 742330-01069</p>
	<p>Part Number: <b>P123827</b>            Description: <b>Air Primary</b>            Primary Appl.: DDA GEN SETS 3-71, 4-71, 6-71            Dimensions: Outer Dia: 9.21" (234 mm)            Inner Dia: 4.85" (123 mm)            Length: 13.00" (330 mm)            UPC Code: 742330-01056</p>		<p>Part Number: <b>P124837</b>            Description: <b>Air Safety</b>            Primary Appl.: JOHN DEERE AT31227, OLIVER, IHC, Primary=P127075            Dimensions: Outer Dia: 4.58" (116 mm)            Inner Dia: 3.48" (88 mm)            Length: 11.00" (279 mm)            UPC Code: 742330-01070</p>
	<p>Part Number: <b>P123918</b>            Description: <b>Air Primary</b>            Primary Appl.: IHC 34677R91            Dimensions: Outer Dia: 12.09" (307 mm)            Inner Dia: 7.73" (196 mm)            Length: 10.00" (254 mm)            UPC Code: 742330-01058</p>		<p>Part Number: <b>P124860</b>            Description: <b>Air Safety</b>            Primary Appl.: TEREX 9031711, Primary=P181043, Long Life Primary=P182043            Dimensions: Outer Dia: 7.64" (194 mm)            Inner Dia: 6.04" (153 mm)            Length: 18.00" (457 mm)            UPC Code: 742330-01073</p>
	<p>Part Number: <b>P123990</b>            Description: <b>Air Primary</b>            Primary Appl.: ROOF DRILL DUST COLLECTOR            Dimensions: Outer Dia: 6.84" (174 mm)            Inner Dia: 3.48" (88 mm)            Length: 13.00" (330 mm)            UPC Code: 742330-01059</p>		<p>Part Number: <b>P124862</b>            Description: <b>Air Safety</b>            Primary Appl.: Donaldson FVG14 CYCLOFLOW AIR CLEANER            Dimensions: Outer Dia: 7.64" (194 mm)            Inner Dia: 6.04" (153 mm)            Length: 21.00" (533 mm)            UPC Code: 742330-01074</p>
	<p>Part Number: <b>P124046</b>            Description: <b>Air Safety</b>            Primary Appl.: FORD, CASE IR, PRMY=P181070, Long Life Primary=P182070            Dimensions: Outer Dia: 5.70" (145 mm)            Inner Dia: 4.58" (116 mm)            Length: 17.00" (432 mm)            UPC Code: 742330-01061</p>		<p>Part Number: <b>P124866</b>            Description: <b>Air Safety</b>            Primary Appl.: Donaldson FVG16 CYCLOFLOW AIR CLEANER, Primary=P124867            Dimensions: Outer Dia: 8.64" (219 mm)            Inner Dia: 7.06" (179 mm)            Length: 18.00" (457 mm)            UPC Code: 742330-01075</p>
	<p>Part Number: <b>P124047</b>            Description: <b>Air Safety</b> <i>Primary=P181082</i>            Primary Appl.: Donaldson FTG 13" A/C, CLARK 1991853            Dimensions: Outer Dia: 6.39" (162 mm)            Inner Dia: 5.29" (134 mm)            Length: 19.00" (483 mm)            UPC Code: 742330-01062</p>		<p>Part Number: <b>P124867</b>            Description: <b>Air Primary</b>            Primary Appl.: Donaldson FVG16 CYCLOFLOW AIR CLEANER, Safety=P124866            Dimensions: Outer Dia: 13.84" (352 mm)            Inner Dia: 9.47" (241 mm)            Length: 20.00" (508 mm)            UPC Code: 742330-01076</p>

	<p>Part Number: <b>P124868</b> Description: <b>Air Safety</b> Primary Appl.: Donaldson FVG16 CYCLOFLOW AIR CLEANER Dimensions: Outer Dia: 8.64" (219 mm) Inner Dia: 7.06" (179 mm) Length: 20.66" (525 mm) UPC Code: 742330-01077</p>		<p>Part Number: <b>P127315</b> Description: <b>Air Safety</b> Primary Appl.: CLARK, TIMBERJACK, Primary=P181080 Dimensions: Outer Dia: 5.70" (145 mm) Inner Dia: 4.58" (116 mm) Length: 12.00" (305 mm) UPC Code: 742330-01097</p>
	<p>Part Number: <b>P125310</b> Description: <b>Air Vee-Pac®</b> Primary Appl.: GAS TURBINE ENGINE VPAC Dimensions: Width: 36.12" (917 mm) Depth: 6.21" (158 mm) Length: 14.00" (356 mm) UPC Code: 742330-01079</p>		<p>Part Number: <b>P127787</b> Description: <b>Air Safety</b> Primary Appl.: DEUTZ, HESSTON, PRIMARMY'S: EGB=P770828, FLG=P772553, FHG=P772564 Dimensions: Outer Dia: 3.41" (87 mm) Inner Dia: 2.93" (74 mm) Length: 12.00" (305 mm) UPC Code: 742330-01102</p>
	<p>Part Number: <b>P125744</b> Description: <b>Air Primary</b> Primary Appl.: GAS TURBINE ENGINE DOWNFLOW COLLECTOR Dimensions: Outer Dia: 12.74" (324 mm) Inner Dia: 8.38" (213 mm) Length: 22.00" (559 mm) UPC Code: 742330-01080</p>		<p>Part Number: <b>P127914</b> Description: <b>Air Primary, Finned</b> Primary Appl.: FORD DOHZ9601D, MOTORCRAFT FA78 Dimensions: Outer Dia: 9.22" (234 mm) Inner Dia: 4.84" (123 mm) Length: 10.00" (254 mm) UPC Code: 742330-01103</p>
	<p>Part Number: <b>P126227</b> Description: <b>Cab Air</b> Primary Appl.: EATON 2-17922 Dimensions: Width: 6.00" (152 mm) Depth: 2.19" (56 mm) Length: 25.50" (648 mm) UPC Code: 742330-01088</p>		<p>Part Number: <b>P127915</b> Description: <b>Air Primary, Finned</b> Primary Appl.: FORD DOHZ9601B, MOTORCRAFT FA76 Dimensions: Outer Dia: 11.09" (282 mm) Inner Dia: 6.73" (171 mm) Length: 10.00" (254 mm) UPC Code: 742330-01104</p>
	<p>Part Number: <b>P126318</b> Description: <b>Air Primary</b> Primary Appl.: ALLIS CHALMERS 269244 Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.04" (153 mm) Length: 18.00" (457 mm) UPC Code: 742330-01089</p>		<p>Part Number: <b>P128252</b> Description: <b>Air Primary</b> Primary Appl.: CASE, CLARK Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.04" (153 mm) Length: 14.00" (356 mm) UPC Code: 742330-01109</p>
	<p>Part Number: <b>P127075</b> Description: <b>Air Primary</b> Primary Appl.: JOHN DEERE AT39124, IHC 1150719C1, Safety=P124837 Dimensions: Outer Dia: 9.21" (234 mm) Inner Dia: 4.85" (123 mm) Length: 12.00" (305 mm) UPC Code: 742330-01092</p>		<p>Part Number: <b>P128408</b> Description: <b>Air Safety</b> Primary Appl.: Donaldson STG16 DONACLONE AIR CLEANER, Primary=P181042, Long Life Primary=P182042 Dimensions: Outer Dia: 10.24" (260 mm) Inner Dia: 9.12" (232 mm) Length: 22.00" (559 mm) UPC Code: 742330-01112</p>
	<p>Part Number: <b>P127308</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson FTG15 AIR CLEANER, Safety=P127309 Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.73" (196 mm) Length: 24.00" (610 mm) UPC Code: 742330-01094</p>		<p>Part Number: <b>P128781</b> Description: <b>Air Primary</b> Primary Appl.: LOCOMOTIVE Dimensions: Outer Dia: 12.74" (324 mm) Inner Dia: 8.38" (213 mm) Length: 23.00" (584 mm) UPC Code: 742330-01114</p>
	<p>Part Number: <b>P127309</b> Description: <b>Air Safety</b> Primary Appl.: Donaldson FTG15 CYCLOPAC, P127308=Primary Dimensions: Outer Dia: 7.28" (185 mm) Inner Dia: 6.20" (157 mm) Length: 23.00" (584 mm) UPC Code: 742330-01095</p>		<p>Part Number: <b>P128810</b> Description: <b>Cab Air</b> Primary Appl.: VENT PANEL Dimensions: Width: 5.00" (127 mm) Depth: 2.19" (56 mm) Length: 26.00" (660 mm) UPC Code: 742330-01115</p>
	<p>Part Number: <b>P127313</b> Description: <b>Air Safety</b> Primary Appl.: LEROI 437382, Primary= P181073 Dimensions: Outer Dia: 7.28" (185 mm) Inner Dia: 6.20" (157 mm) Length: 18.00" (457 mm) UPC Code: 742330-01096</p>		











	<p>Part Number: <b>P128960</b> Description: <b>Air Primary</b> Primary Appl.: FORD, MOTORCRAFT FA609 Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.04" (153 mm) Length: 20.00" (508 mm) UPC Code: 742330-01116</p>
	<p>Part Number: <b>P129396</b> Description: <b>Air Primary, Konepac</b> Primary Appl.: Donaldson EBA11 KONEPAC-TREATED W/COVER GASKET, PACKAGED GASKET P117477, P151097-Non-Treated w/Cover Gasket, EON-EAF5024 Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.95" (177 mm) Length: 28.00" (711 mm) UPC Code: 742330-01119</p>
	<p>Part Number: <b>P129472</b> Description: <b>Air Primary, Konepac</b> Primary Appl.: Donaldson EBA09 KONEPAC-TREATED W/CVR GASKET, P140822-Reverse Flow Version, EON-EAF5025 Dimensions: Outer Dia: 8.66" (220 mm) Inner Dia: 5.21" (132 mm) Length: 28.00" (711 mm) UPC Code: 742330-01121</p>
	<p>Part Number: <b>P130747</b> Description: <b>Air Safety</b> Primary Appl.: KOMATSU 11T-76-13310, DCI ETD DRILL DUST COLLCTR Dimensions: Outer Dia: 7.93" (201 mm) Inner Dia: 3.57" (91 mm) Length: 16.00" (406 mm) UPC Code: 742330-01128</p>
	<p>Part Number: <b>P130760</b> Description: <b>Air Primary, Finned</b> Primary Appl.: JOHN DEERE AE31723 AR84228, Safety-P126984 Dimensions: Outer Dia: 5.25" (133 mm) Inner Dia: 3.26" (83 mm) Length: 12.00" (305 mm) UPC Code: 742330-01129</p>
	<p>Part Number: <b>P130761</b> Description: <b>Air Primary, Finned</b> Primary Appl.: IHC 924779C2, UL APPROVED Dimensions: Outer Dia: 5.25" (133 mm) Inner Dia: 3.26" (83 mm) Length: 12.00" (305 mm) UPC Code: 742330-01130</p>
	<p>Part Number: <b>P130763</b> Description: <b>Air Primary, Finned</b> Primary Appl.: JOHN DEERE AT33363 Dimensions: Outer Dia: 6.84" (174 mm) Inner Dia: 4.24" (108 mm) Length: 10.00" (254 mm) UPC Code: 742330-01132</p>
	<p>Part Number: <b>P130764</b> Description: <b>Air Primary</b> Primary Appl.: JOHN DEERE AT35155, IHC 634269C1 Dimensions: Outer Dia: 7.93" (201 mm) Inner Dia: 5.32" (135 mm) Length: 12.00" (305 mm) UPC Code: 742330-01133</p>

	<p>Part Number: <b>P130766</b> Description: <b>Air Primary</b> Primary Appl.: JOHN DEERE AR46481, USE WITH SAFETY P131394 Dimensions: Outer Dia: 6.08" (154 mm) Inner Dia: 3.49" (89 mm) Length: 12.00" (305 mm) UPC Code: 742330-01134</p>
	<p>Part Number: <b>P130769</b> Description: <b>Air Primary</b> Primary Appl.: JOHN DEERE AL27160 Dimensions: Outer Dia: 4.08" (104 mm) Inner Dia: 2.49" (63 mm) Length: 7.00" (178 mm) UPC Code: 742330-01135</p>
	<p>Part Number: <b>P130770</b> Description: <b>Air Primary, Finned</b> Primary Appl.: JOHN DEERE AT27824 Dimensions: Outer Dia: 9.21" (234 mm) Inner Dia: 4.85" (123 mm) Length: 13.00" (330 mm) UPC Code: 742330-01136</p>
	<p>Part Number: <b>P130771</b> Description: <b>Air Primary</b> Primary Appl.: JOHN DEERE AR46976, IVECO 1902040 Dimensions: Outer Dia: 6.84" (174 mm) Inner Dia: 3.49" (89 mm) Length: 14.00" (356 mm) UPC Code: 742330-01137</p>
	<p>Part Number: <b>P130772</b> Description: <b>Air Safety</b> Primary Appl.: JOHN DEERE AR70107, Long Life Primary-P182092 Dimensions: Outer Dia: 5.94" (151 mm) Inner Dia: 4.86" (123 mm) Length: 18.00" (457 mm) UPC Code: 742330-01138</p>
	<p>Part Number: <b>P130776</b> Description: <b>Air Safety</b> Primary Appl.: DEERE AL27159, FIAT 1909129, SAME 2.4249.050.4 Dimensions: Outer Dia: 3.00" (76 mm) Inner Dia: 2.40" (61 mm) Length: 11.00" (279 mm) UPC Code: 742330-01140</p>
	<p>Part Number: <b>P130884</b> Description: <b>Air Primary</b> Primary Appl.: GMC 2014573 Dimensions: Outer Dia: 8.84" (225 mm) Inner Dia: 5.48" (139 mm) Length: 14.00" (356 mm) UPC Code: 742330-01141</p>
	<p>Part Number: <b>P130959</b> Description: <b>Air Primary, Konepac</b> Primary Appl.: Donaldson EBA09, CARBON TREATED W/CVR GASKET Dimensions: Outer Dia: 8.66" (220 mm) Inner Dia: 5.21" (132 mm) Length: 15.00" (381 mm) UPC Code: 742330-01142</p>
	<p>Part Number: <b>P131231</b> Description: <b>Cab Air</b> Primary Appl.: GARDNER DENVER 5L34 Dimensions: Width: 9.00" (229 mm) Depth: 2.19" (56 mm) Length: 32.00" (813 mm) UPC Code: 742330-01143</p>



















	<p>Part Number: <b>P131280</b> Description: <b>Air Primary</b> Primary Appl.: IHC 627975C2, JOHN DEERE AT49022, USE WITH SAFETY P118216 Dimensions: Outer Dia: 11.09" (282 mm) Inner Dia: 6.72" (171 mm) Length: 20.00" (508 mm) UPC Code: 742330-01144</p>		<p>Part Number: <b>P131343</b> Description: <b>Air Primary</b> Primary Appl.: IHC 680587C2 Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.73" (196 mm) Length: 18.00" (457 mm) UPC Code: 742330-01159</p>
	<p>Part Number: <b>P131283</b> Description: <b>Air Primary</b> Primary Appl.: IHC 529851R2, Safety=P114500 Dimensions: Outer Dia: 6.08" (154 mm) Inner Dia: 3.49" (89 mm) Length: 15.00" (381 mm) UPC Code: 742330-01145</p>		<p>Part Number: <b>P131348</b> Description: <b>Air Primary</b> Primary Appl.: IHC 627934C1, Safety=P131336 Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.03" (153 mm) Length: 12.00" (305 mm) UPC Code: 742330-01160</p>
	<p>Part Number: <b>P131321</b> Description: <b>Air Primary</b> Primary Appl.: IHC 547159R2 Dimensions: Outer Dia: 4.08" (104 mm) Inner Dia: 1.5" (38 mm) Length: 6.02" (153 mm) UPC Code: 742330-01146</p>		<p>Part Number: <b>P131357</b> Description: <b>Air Primary</b> Primary Appl.: IHC 383711R93 Dimensions: Outer Dia: 6.08" (154 mm) Inner Dia: 3.49" (89 mm) Length: 16.00" (406 mm) UPC Code: 742330-01162</p>
	<p>Part Number: <b>P131324</b> Description: <b>Air Primary</b> Primary Appl.: IHC 537334R1 Dimensions: Outer Dia: 6.08" (154 mm) Inner Dia: 3.49" (89 mm) Length: 13.00" (330 mm) UPC Code: 742330-01148</p>		<p>Part Number: <b>P131359</b> Description: <b>Air Primary, Finned</b> Primary Appl.: IHC 383731R93 Dimensions: Outer Dia: 5.25" (133 mm) Inner Dia: 2.64" (67 mm) Length: 14.00" (356 mm) UPC Code: 742330-01163</p>
	<p>Part Number: <b>P131331</b> Description: <b>Air Primary, Finned</b> Primary Appl.: IHC 690049C2, Safety=P114500 Dimensions: Outer Dia: 6.84" (174 mm) Inner Dia: 3.49" (89 mm) Length: 15.00" (381 mm) UPC Code: 742330-01150</p>		<p>Part Number: <b>P131394</b> Description: <b>Air Safety</b> Primary Appl.: JOHN DEERE AT44378 Dimensions: Outer Dia: 3.41" (87 mm) Inner Dia: 2.90" (74 mm) Length: 11.00" (279 mm) UPC Code: 742330-01165</p>
	<p>Part Number: <b>P131335</b> Description: <b>Air Safety</b> Primary Appl.: IHC 932390C1, WHITE FARM 303108716 Dimensions: Outer Dia: 5.70" (145 mm) Inner Dia: 4.58" (116 mm) Length: 16.00" (406 mm) UPC Code: 742330-01153</p>		<p>Part Number: <b>P131395</b> Description: <b>Air Primary</b> Primary Appl.: IHC 932391C2, WHITE FARM 303108724 Dimensions: Outer Dia: 9.21" (234 mm) Inner Dia: 5.86" (149 mm) Length: 18.00" (457 mm) UPC Code: 742330-01166</p>
	<p>Part Number: <b>P131336</b> Description: <b>Air Safety</b> Primary Appl.: IHC 627935C1, CASE A47146, Primary=P131348 Dimensions: Outer Dia: 5.94" (151 mm) Inner Dia: 4.86" (123 mm) Length: 10.00" (254 mm) UPC Code: 742330-01154</p>		<p>Part Number: <b>P131397</b> Description: <b>Air Primary</b> Primary Appl.: IHC 935694C1 Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.04" (153 mm) Length: 16.00" (406 mm) UPC Code: 742330-01167</p>
	<p>Part Number: <b>P131337</b> Description: <b>Air Safety</b> Primary Appl.: IHC 935693C1, JOHN DEERE AE30507 Dimensions: Outer Dia: 5.94" (151 mm) Inner Dia: 4.86" (123 mm) Length: 14.00" (356 mm) UPC Code: 742330-01155</p>		<p>Part Number: <b>P131404</b> Description: <b>Air Primary</b> Primary Appl.: IHC 346779R91 Dimensions: Outer Dia: 13.83" (351 mm) Inner Dia: 9.49" (241 mm) Length: 14.00" (356 mm) UPC Code: 742330-01168</p>
	<p>Part Number: <b>P131338</b> Description: <b>Air Safety</b> Primary Appl.: IHC 672020C1 Dimensions: Outer Dia: 7.64" (194 mm) Inner Dia: 6.04" (153 mm) Length: 12.00" (305 mm) UPC Code: 742330-01156</p>		<p>Part Number: <b>P132349</b> Description: <b>Air Safety</b> Primary Appl.: FORD Dimensions: Outer Dia: 7.28" (185 mm) Inner Dia: 6.20" (157 mm) Length: 15.65" (398 mm) UPC Code: 742330-01171</p>













	<p>Part Number: <b>P132447</b> Description: <b>Cab Air</b> Primary Appl.: CLARK 793320-3 Dimensions: Width: 16.00" (406 mm) Depth: 2.19" (56 mm) Length: 26.00" (660 mm) UPC Code: 742330-01172</p>
	<p>Part Number: <b>P132448</b> Description: <b>Cab Air</b> Primary Appl.: CASE F64318 Dimensions: Width: 7.00" (178 mm) Depth: 2.19" (56 mm) Length: 38.00" (965 mm) UPC Code: 742330-01173</p>
	<p>Part Number: <b>P132935</b> Description: <b>Air Primary, Finned</b> Primary Appl.: CASE A47032 Dimensions: Outer Dia: 6.84" (174 mm) Inner Dia: 4.24" (108 mm) Length: 14.00" (356 mm) UPC Code: 742330-01175</p>
	<p>Part Number: <b>P132939</b> Description: <b>Air Safety</b> Primary Appl.: CASE A47033 Dimensions: Outer Dia: 4.16" (106 mm) Inner Dia: 3.65" (93 mm) Length: 13.00" (330 mm) UPC Code: 742330-01176</p>
	<p>Part Number: <b>P133044</b> Description: <b>Air Safety</b> Primary Appl.: STEIGER 01-3898 Dimensions: Outer Dia: 13.83" (351 mm) Inner Dia: 9.49" (241 mm) Length: 22.00" (559 mm) UPC Code: 742330-01179</p>
	<p>Part Number: <b>P133045</b> Description: <b>Air Primary</b> Primary Appl.: STEIGER 01-3899 Dimensions: Outer Dia: 8.64" (219 mm) Inner Dia: 7.06" (179 mm) Length: 20.66" (525 mm) UPC Code: 742330-01180</p>
	<p>Part Number: <b>P133138</b> Description: <b>Air Safety</b> Primary Appl.: ATLAS 3216708202, CAT 100-6849, FIAT 1930790, Primary S: ELB-P772522, FLB-P772530, FWG-P772545 Dimensions: Outer Dia: 4.57" (116 mm) Inner Dia: 3.46" (88 mm) Length: 15.00" (381 mm) UPC Code: 742330-01182</p>
	<p>Part Number: <b>P133179</b> Description: <b>Air Safety</b> Primary Appl.: ALLIS CHALMERS 259793, FIAT ALLIS 73116280 Dimensions: Outer Dia: 7.64" (194 mm) Inner Dia: 6.04" (153 mm) Length: 18.00" (457 mm) UPC Code: 742330-01184</p>

	<p>Part Number: <b>P133701</b> Description: <b>Air Primary</b> Primary Appl.: VORTOX VF-135A Dimensions: Outer Dia: 10.37" (263 mm) Inner Dia: 5.63" (143 mm) Length: 10.00" (254 mm) UPC Code: 742330-01187</p>
	<p>Part Number: <b>P133702</b> Description: <b>Air Primary</b> Primary Appl.: UNITED 250C3S, HYSTER, TOWMOTOR, IHC Dimensions: Outer Dia: 3.50" (89 mm) Inner Dia: 2.08" (53 mm) Length: 10.35" (263 mm) UPC Code: 742330-01188</p>
	<p>Part Number: <b>P133703</b> Description: <b>Air Primary</b> Primary Appl.: UNITED 250C13S, IHC, WAYNE Dimensions: Outer Dia: 5.44" (138 mm) Inner Dia: 3.21" (82 mm) Length: 17.00" (432 mm) UPC Code: 742330-01189</p>
	<p>Part Number: <b>P133705</b> Description: <b>Air Primary</b> Primary Appl.: IHC, MACK Dimensions: Outer Dia: 8.06" (205 mm) Inner Dia: 5.78" (147 mm) Length: 4.00" (102 mm) UPC Code: 742330-01190</p>
	<p>Part Number: <b>P133706</b> Description: <b>Air Primary</b> Primary Appl.: UNITED 250C4S, IHC, TOWMOTOR Dimensions: Outer Dia: 4.42" (112 mm) Inner Dia: 2.21" (56 mm) Length: 12.25" (311 mm) UPC Code: 742330-01191</p>
	<p>Part Number: <b>P133709</b> Description: <b>Air Primary</b> Primary Appl.: IR 40070 Dimensions: Outer Dia: 16.62" (422 mm) Inner Dia: 12.03" (306 mm) Length: 16.00" (406 mm) UPC Code: 742330-01192</p>
	<p>Part Number: <b>P133712</b> Description: <b>Air Primary</b> Primary Appl.: FRAM CA240PLHD Dimensions: Outer Dia: 9.63" (245 mm) Inner Dia: 5.11" (130 mm) Length: 11.60" (295 mm) UPC Code: 742330-01193</p>
	<p>Part Number: <b>P133713</b> Description: <b>Air Primary</b> Primary Appl.: IHC, BROS Dimensions: Outer Dia: 8.89" (226 mm) Inner Dia: 4.33" (110 mm) Length: 10.00" (254 mm) UPC Code: 742330-01194</p>
	<p>Part Number: <b>P133714</b> Description: <b>Air Primary</b> Primary Appl.: DUST COLLECTORS Dimensions: Outer Dia: 16.62" (422 mm) Inner Dia: 12.03" (306 mm) Length: 24.00" (610 mm) UPC Code: 742330-01195</p>








	<p><b>Part Number:</b> P133765 <b>Description:</b> Air Primary <b>Primary Appl.:</b> JOHN DEERE AR54336, AR79941 <b>Dimensions:</b> Outer Dia: 7.32" (186 mm) Inner Dia: 3.96" (101 mm) Length: 14.88" (378 mm) <b>UPC Code:</b> 742330-01196</p>		<p><b>Part Number:</b> P136398 <b>Description:</b> Air Primary <b>Primary Appl.:</b> AIR MAZE 200746-07, CUMMINS 169365 <b>Dimensions:</b> Outer Dia: 9.60" (244 mm) Inner Dia: 5.04" (128 mm) Length: 7.29" (185 mm) <b>UPC Code:</b> 742330-01208</p>
	<p><b>Part Number:</b> P134353 <b>Description:</b> Air Primary <b>Primary Appl.:</b> CLARK 1991959, Safety=P134354 <b>Dimensions:</b> Outer Dia: 10.86" (276 mm) Inner Dia: 6.50" (165 mm) Length: 15.00" (381 mm) <b>UPC Code:</b> 742330-01197</p>		<p><b>Part Number:</b> P136400 <b>Description:</b> Air Panel, Engine <b>Primary Appl.:</b> POLYESTER OUTER WRAP FOR P136412 <b>Dimensions:</b> Width: 10.50" (267 mm) Depth: .88" (22 mm) Length: 28.00" (711 mm) <b>UPC Code:</b> 742330-01209</p>
	<p><b>Part Number:</b> P134354 <b>Description:</b> Air Safety <b>Primary Appl.:</b> JOHN DEERE T52224, TIMBERJACK, Primary=P134353 <b>Dimensions:</b> Outer Dia: 6.39" (162 mm) Inner Dia: 5.29" (134 mm) Length: 14.00" (356 mm) <b>UPC Code:</b> 742330-01198</p>		<p><b>Part Number:</b> P136401 <b>Description:</b> Air Safety <b>Primary Appl.:</b> AIR MAZE CD916500830, JOHN DEERE <b>Dimensions:</b> Outer Dia: 3.87" (98 mm) Inner Dia: 3.16" (80 mm) Length: 13.00" (330 mm) <b>UPC Code:</b> 742330-01210</p>
	<p><b>Part Number:</b> P134960 <b>Description:</b> Air Primary <b>Primary Appl.:</b> WHITE FARM 303216535 <b>Dimensions:</b> Outer Dia: 9.14" (232 mm) Inner Dia: 5.28" (134 mm) Length: 17.00" (432 mm) <b>UPC Code:</b> 742330-01200</p>		<p><b>Part Number:</b> P136405 <b>Description:</b> Air Primary <b>Primary Appl.:</b> AIR MAZE CD1120501830, JOHN DEERE <b>Dimensions:</b> Outer Dia: 9.06" (230 mm) Inner Dia: 4.87" (124 mm) Length: 19.38" (492 mm) <b>UPC Code:</b> 742330-01211</p>
	<p><b>Part Number:</b> P135930 <b>Description:</b> Cab Air <b>Primary Appl.:</b> GAS TURBINE ENGINES <b>Dimensions:</b> Width: 23.50" (597 mm) Depth: 5.19" (132 mm) Length: 23.50" (597 mm) <b>UPC Code:</b> 742330-01201</p>		<p><b>Part Number:</b> P136406 <b>Description:</b> Air Safety <b>Primary Appl.:</b> AIR MAZE CD1120501826, JOHN DEERE <b>Dimensions:</b> Outer Dia: 4.66" (118 mm) Inner Dia: 3.97" (101 mm) Length: 16.50" (419 mm) <b>UPC Code:</b> 742330-01212</p>
	<p><b>Part Number:</b> P136254 <b>Description:</b> Air Primary <b>Primary Appl.:</b> JOHN DEERE AR43941 <b>Dimensions:</b> Outer Dia: 6.84" (174 mm) Inner Dia: 3.49" (89 mm) Length: 12.00" (305 mm) <b>UPC Code:</b> 742330-01202</p>		<p><b>Part Number:</b> P136412 <b>Description:</b> Air Safety <b>Primary Appl.:</b> AIR MAZE CD1628500827, IHC <b>Dimensions:</b> Outer Dia: 7.37" (187 mm) Inner Dia: 6.16" (156 mm) Length: 25.56" (649 mm) <b>UPC Code:</b> 742330-01214</p>
	<p><b>Part Number:</b> P136255 <b>Description:</b> Air Primary <b>Primary Appl.:</b> JOHN DEERE AR79679, Safety=P141319 <b>Dimensions:</b> Outer Dia: 9.08" (231 mm) Inner Dia: 5.24" (133 mm) Length: 16.75" (425 mm) <b>UPC Code:</b> 742330-01203</p>		<p><b>Part Number:</b> P136646 <b>Description:</b> Air Primary, Konepac <b>Primary Appl.:</b> Donaldson EBA09 KONEPAC UNTREATED, MACK, GMC <b>Dimensions:</b> Outer Dia: 8.66" (220 mm) Inner Dia: 5.21" (132 mm) Length: 15.00" (381 mm) <b>UPC Code:</b> 742330-01217</p>
	<p><b>Part Number:</b> P136258 <b>Description:</b> Air Primary, Finned <b>Primary Appl.:</b> JOHN DEERE AH19848 <b>Dimensions:</b> Outer Dia: 5.25" (133 mm) Inner Dia: 2.64" (67 mm) Length: 9.00" (229 mm) <b>UPC Code:</b> 742330-01204</p>		<p><b>Part Number:</b> P136828 <b>Description:</b> Air Primary <b>Primary Appl.:</b> UNITED 250C14S, HOUGH, HYSTER <b>Dimensions:</b> Outer Dia: 6.92" (176 mm) Inner Dia: 4.44" (113 mm) Length: 9.00" (229 mm) <b>UPC Code:</b> 742330-01218</p>
	<p><b>Part Number:</b> P136390 <b>Description:</b> Air Primary <b>Primary Appl.:</b> UNITED 250C5S, IHC, FORD <b>Dimensions:</b> Outer Dia: 4.42" (112 mm) Inner Dia: 2.21" (56 mm) Length: 10.35" (263 mm) <b>UPC Code:</b> 742330-01205</p>		<p><b>Part Number:</b> P136831 <b>Description:</b> Air Primary <b>Primary Appl.:</b> AIR MAZE CD1628500826, IHC <b>Dimensions:</b> Outer Dia: 12.57" (319 mm) Inner Dia: 12.54" (319 mm) Length: 27.00" (686 mm) <b>UPC Code:</b> 742330-01219</p>



	<p>Part Number: <b>P136835</b> Description: <b>Air Primary</b> Primary Appl.: WHITE MOTOR 027000805 Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.72" (196 mm) Length: 19.47" (495 mm) UPC Code: 742330-01222</p>
	<p>Part Number: <b>P136836</b> Description: <b>Air Primary</b> Primary Appl.: VORTOX VF100A Dimensions: Outer Dia: 7.32" (186 mm) Inner Dia: 3.54" (90 mm) Length: 10.00" (254 mm) UPC Code: 742330-01223</p>
	<p>Part Number: <b>P136837</b> Description: <b>Air Primary</b> Primary Appl.: VORTOX VF160A Dimensions: Outer Dia: 11.83" (300 mm) Inner Dia: 7.15" (182 mm) Length: 12.80" (325 mm) UPC Code: 742330-01224</p>
	<p>Part Number: <b>P137285</b> Description: <b>Air Primary, Konepac</b> Primary Appl.: SAME TRACTOR, Primary=P137293 Dimensions: Outer Dia: 2.99" (76 mm) Inner Dia: 1.86" (47 mm) Length: 13.15" (334 mm) UPC Code: 742330-01226</p>
	<p>Part Number: <b>P137293</b> Description: <b>Air Primary, Konepac</b> Primary Appl.: SAME TRACTOR, Safety=P137285 Dimensions: Outer Dia: 5.87" (149 mm) Inner Dia: 3.14" (80 mm) Length: 13.03" (331 mm) UPC Code: 742330-01227</p>
	<p>Part Number: <b>P137523</b> Description: <b>Cab Air</b> Primary Appl.: CRENLO Dimensions: Width: 7.00" (178 mm) Depth: 2.19" (56 mm) Length: 15.00" (381 mm) UPC Code: 742330-01228</p>
	<p>Part Number: <b>P137640</b> Description: <b>Air Safety</b> Primary Appl.: IHC 482644C1, Primary=P181028 Dimensions: Outer Dia: 5.94" (151 mm) Inner Dia: 4.86" (123 mm) Length: 13.50" (343 mm) UPC Code: 742330-01229</p>
	<p>Part Number: <b>P137641</b> Description: <b>Air Safety</b> Primary Appl.: IHC 482645C1 Dimensions: Outer Dia: 7.64" (194 mm) Inner Dia: 6.04" (153 mm) Length: 15.50" (394 mm) UPC Code: 742330-01230</p>










	<p>Part Number: <b>P137957</b> Description: <b>Air Primary</b> Primary Appl.: GARDNER DENVER 8507413 Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.03" (153 mm) Length: 13.00" (330 mm) UPC Code: 742330-01232</p>
	<p>Part Number: <b>P138037</b> Description: <b>Air Safety</b> Primary Appl.: IHC 501276C1, IR 58179367, Primary=P181055, Long Life Primary=P182055 Dimensions: Outer Dia: 8.24" (209 mm) Inner Dia: 7.12" (181 mm) Length: 16.00" (406 mm) UPC Code: 742330-01233</p>
	<p>Part Number: <b>P138428</b> Description: <b>Air Primary, Konepac</b> Primary Appl.: LEYLAND-DAF ACU3994, RENAULT 5000807395 Dimensions: Outer Dia: 8.66" (220 mm) Inner Dia: 5.21" (132 mm) Length: 19.29" (490 mm) UPC Code: 742330-01235</p>
	<p>Part Number: <b>P138722</b> Description: <b>Air Safety</b> Primary Appl.: Donaldson FTG AIR CLEANER G130043, Primary=P181082 Dimensions: Outer Dia: 6.40" (163 mm) Inner Dia: 5.29" (134 mm) Length: 18.50" (470 mm) UPC Code: 742330-01237</p>
	<p>Part Number: <b>P139293</b> Description: <b>Air Safety</b> Primary Appl.: O&amp;K HR120C EXCAVATOR, Primary=P772506 Dimensions: Outer Dia: 7.64" (194 mm) Inner Dia: 6.04" (153 mm) Length: 21.65" (550 mm) UPC Code: 742330-01239</p>
	<p>Part Number: <b>P140131</b> Description: <b>Air Primary</b> Primary Appl.: DEUTZ 2165031, KHD 42216-5034, Safety=P777523 Dimensions: Outer Dia: 5.00" (127 mm) Inner Dia: 2.52" (64 mm) Length: 11.22" (285 mm) UPC Code: 742330-01240</p>
	<p>Part Number: <b>P140132</b> Description: <b>Air Primary</b> Primary Appl.: DEUTZ 2241034 Dimensions: Outer Dia: 7.80" (198 mm) Inner Dia: 4.08" (104 mm) Length: 14.39" (366 mm) UPC Code: 742330-08829</p>
	<p>Part Number: <b>P140277</b> Description: <b>Cab Air</b> Primary Appl.: WAUKESHA 169180G Dimensions: Width: 19.50" (495 mm) Depth: 2.19" (56 mm) Length: 25.50" (648 mm) UPC Code: 742330-01241</p>
	<p>Part Number: <b>P140681</b> Description: <b>Air Primary</b> Primary Appl.: MARINE, FLAME RETARDANT, UL APPROVED Dimensions: Outer Dia: 11.09" (282 mm) Inner Dia: 6.73" (171 mm) Length: 12.00" (305 mm) UPC Code: 742330-01244</p>



































	<p><b>Part Number:</b> P140822  <b>Description:</b> Air Primary, Konepac  <b>Primary Appl.:</b> Donaldson EBA09 KONEPAC-STANDARD (REV. FLOW), P129472-Carbon Treated w/cvr gasket, EON-EAF5025  <b>Dimensions:</b> Outer Dia: 8.66" (220 mm)          Inner Dia: 5.21" (132 mm)          Length: 28.00" (711 mm)  <b>UPC Code:</b> 742330-01245</p>
	<p><b>Part Number:</b> P141228  <b>Description:</b> Air Primary, Konepac  <b>Primary Appl.:</b> Donaldson EBA13 KONEPAC AIR CLEANER, EON-EAF5026  <b>Dimensions:</b> Outer Dia: 12.75" (324 mm)          Inner Dia: 8.32" (211 mm)          Length: 28.00" (711 mm)  <b>UPC Code:</b> 742330-01246</p>
	<p><b>Part Number:</b> P141278  <b>Description:</b> Air Safety  <b>Primary Appl.:</b> DCI NDL CYCLOPAC A/C R804518  <b>Dimensions:</b> Outer Dia: 2.46" (62 mm)          Inner Dia: 1.94" (49 mm)          Length: 9.00" (229 mm)  <b>UPC Code:</b> 742330-01247</p>
	<p><b>Part Number:</b> P141317  <b>Description:</b> Air Primary, Konepac  <b>Primary Appl.:</b> IHC 574844C1  <b>Dimensions:</b> Outer Dia: 10.40" (264 mm)          Inner Dia: 6.95" (177 mm)          Length: 22.00" (559 mm)  <b>UPC Code:</b> 742330-01248</p>
	<p><b>Part Number:</b> P141319  <b>Description:</b> Air Safety  <b>Primary Appl.:</b> JOHN DEERE AR79680, Primary=P136255  <b>Dimensions:</b> Outer Dia: 4.66" (118 mm)          Inner Dia: 3.97" (101 mm)          Length: 14.00" (356 mm)  <b>UPC Code:</b> 742330-01249</p>
	<p><b>Part Number:</b> P141320  <b>Description:</b> Cab Air  <b>Primary Appl.:</b> PANEL FILTER  <b>Dimensions:</b> Width: 5.00" (127 mm)          Depth: 2.19" (56 mm)          Length: 29.50" (749 mm)  <b>UPC Code:</b> 742330-01250</p>
	<p><b>Part Number:</b> P141339  <b>Description:</b> Air Primary, Konepac  <b>Primary Appl.:</b> IHC 574845C1  <b>Dimensions:</b> Outer Dia: 8.66" (220 mm)          Inner Dia: 5.21" (132 mm)          Length: 22.00" (559 mm)  <b>UPC Code:</b> 742330-01251</p>
	<p><b>Part Number:</b> P142100  <b>Description:</b> Air Primary, Konepac  <b>Primary Appl.:</b> Donaldson EBA13 KONEPAC-TREATED, EON-EAF5027  <b>Dimensions:</b> Outer Dia: 12.74" (324 mm)          Inner Dia: 8.32" (211 mm)          Length: 24.00" (610 mm)  <b>UPC Code:</b> 742330-01253</p>

	<p><b>Part Number:</b> P142792  <b>Description:</b> Air Panel, Engine  <b>Primary Appl.:</b> FARR PAMIC P-4, UNITED F-4, FILTER HAS TUBES  <b>Dimensions:</b> Width: 5.95" (151 mm)          Depth: 7.79" (198 mm)          Length: 5.95" (151 mm)  <b>UPC Code:</b> 742330-01254</p>
	<p><b>Part Number:</b> P142793  <b>Description:</b> Air Panel, Engine  <b>Primary Appl.:</b> FARR PAMIC P-6, UNITED F-6, FILTER HAS TUBES  <b>Dimensions:</b> Width: 5.95" (151 mm)          Depth: 7.79" (198 mm)          Length: 8.25" (210 mm)  <b>UPC Code:</b> 742330-01255</p>
	<p><b>Part Number:</b> P142794  <b>Description:</b> Air Panel, Engine  <b>Primary Appl.:</b> FARR PAMIC P-9, UNITED F-9, FILTER HAS TUBES  <b>Dimensions:</b> Width: 8.25" (210 mm)          Depth: 7.79" (198 mm)          Length: 8.25" (210 mm)  <b>UPC Code:</b> 742330-01256</p>
	<p><b>Part Number:</b> P142795  <b>Description:</b> Air Panel, Engine  <b>Primary Appl.:</b> FARR PAMIC P-12, UNITED F-12, FILTER HAS TUBES  <b>Dimensions:</b> Width: 8.15" (207 mm)          Depth: 7.79" (198 mm)          Length: 10.48" (266 mm)  <b>UPC Code:</b> 742330-01257</p>
	<p><b>Part Number:</b> P142796  <b>Description:</b> Air Panel, Engine  <b>Primary Appl.:</b> FARR PAMIC P-12-26, UNITED F-12-26, FILTER HAS TUBES  <b>Dimensions:</b> Width: 5.95" (151 mm)          Depth: 7.79" (198 mm)          Length: 15.09" (383 mm)  <b>UPC Code:</b> 742330-01258</p>
	<p><b>Part Number:</b> P142797  <b>Description:</b> Air Panel, Engine  <b>Primary Appl.:</b> FARR PAMIC P-16, UNITED F-16, FILTER HAS TUBES  <b>Dimensions:</b> Width: 10.50" (267 mm)          Depth: 7.79" (198 mm)          Length: 10.50" (267 mm)  <b>UPC Code:</b> 742330-01259</p>
	<p><b>Part Number:</b> P142798  <b>Description:</b> Air Panel, Engine  <b>Primary Appl.:</b> FARR PAMIC P-16-28, UNITED F-16-28, FILTER HAS TUBES  <b>Dimensions:</b> Width: 5.95" (151 mm)          Depth: 7.79" (198 mm)          Length: 19.75" (502 mm)  <b>UPC Code:</b> 742330-01260</p>
	<p><b>Part Number:</b> P142799  <b>Description:</b> Air Panel, Engine  <b>Primary Appl.:</b> FARR PAMIC P-18, UNITED F-18, FILTER HAS TUBES  <b>Dimensions:</b> Width: 8.28" (210 mm)          Depth: 7.79" (198 mm)          Length: 15.15" (385 mm)  <b>UPC Code:</b> 742330-01261</p>
	<p><b>Part Number:</b> P142800  <b>Description:</b> Air Panel, Engine  <b>Primary Appl.:</b> FARR PAMIC P-20, UNITED F-20, FILTER HAS TUBES  <b>Dimensions:</b> Width: 10.53" (267 mm)          Depth: 7.79" (198 mm)          Length: 12.78" (325 mm)  <b>UPC Code:</b> 742330-01262</p>

	<p>Part Number: <b>P142801</b> Description: <b>Air Panel, Engine</b> Primary Appl.: FARR PAMIC P-24, UNITED F-24, FILTER HAS TUBES Dimensions: Width: 10.50" (267 mm) Depth: 7.79" (198 mm) Length: 15.09" (383 mm) UPC Code: 742330-01263</p>
	<p>Part Number: <b>P142802</b> Description: <b>Air Panel, Engine</b> Primary Appl.: FARR PAMIC P-24-38, UNITED F-24-38, FILTER HAS TUBES Dimensions: Width: 8.25" (210 mm) Depth: 7.79" (198 mm) Length: 19.78" (502 mm) UPC Code: 742330-01264</p>
	<p>Part Number: <b>P142803</b> Description: <b>Air Panel, Engine</b> Primary Appl.: FARR PAMIC P-32, UNITED F-32, FILTER HAS TUBES Dimensions: Width: 10.50" (267 mm) Depth: 7.79" (198 mm) Length: 19.75" (502 mm) UPC Code: 742330-01265</p>
	<p>Part Number: <b>P142804</b> Description: <b>Air Panel, Engine</b> Primary Appl.: FARR PAMIC P-36, UNITED F-36, FILTER HAS TUBES Dimensions: Width: 15.19" (386 mm) Depth: 7.79" (198 mm) Length: 15.19" (386 mm) UPC Code: 742330-01266</p>
	<p>Part Number: <b>P142805</b> Description: <b>Air Panel, Engine</b> Primary Appl.: FARR PAMIC P-40, UNITED F-40, FILTER HAS TUBES Dimensions: Width: 12.84" (326 mm) Depth: 7.79" (198 mm) Length: 19.74" (501 mm) UPC Code: 742330-01267</p>
	<p>Part Number: <b>P142806</b> Description: <b>Air Panel, Engine</b> Primary Appl.: FARR PAMIC P-48, UNITED F-48, FILTER HAS TUBES Dimensions: Width: 15.14" (385 mm) Depth: 7.79" (198 mm) Length: 19.74" (501 mm) UPC Code: 742330-01268</p>
	<p>Part Number: <b>P142807</b> Description: <b>Air Panel, Engine</b> Primary Appl.: FARR PAMIC P-64, UNITED F-64, FILTER HAS TUBES Dimensions: Width: 18.74" (476 mm) Depth: 7.79" (198 mm) Length: 18.74" (476 mm) UPC Code: 742330-01269</p>
	<p>Part Number: <b>P142810</b> Description: <b>Air Panel, Engine</b> Primary Appl.: FARR DYNACELL T-519, UNITED F-519 Dimensions: Width: 19.00" (483 mm) Depth: 5.00" (127 mm) Length: 19.00" (483 mm) UPC Code: 742330-01271</p>
	<p>Part Number: <b>P142811</b> Description: <b>Air Panel, Engine</b> Primary Appl.: FARR DYNACELL T-519D, UNITED F-519D Dimensions: Width: 19.00" (483 mm) Depth: 5.00" (127 mm) Length: 19.00" (483 mm) UPC Code: 742330-01272</p>

	<p>Part Number: <b>P142812</b> Description: <b>Air Panel, Engine</b> Primary Appl.: FARR DYNACELL T-528, UNITED F-528 Dimensions: Width: 19.00" (483 mm) Depth: 5.00" (127 mm) Length: 28.50" (724 mm) UPC Code: 742330-01273</p>
	<p>Part Number: <b>P142813</b> Description: <b>Air Panel, Engine</b> Primary Appl.: FARR DYNACELL T-528D, UNITED F-528D Dimensions: Width: 14.31" (363 mm) Depth: 8.00" (203 mm) Length: 23.25" (591 mm) UPC Code: 742330-01274</p>
	<p>Part Number: <b>P145700</b> Description: <b>Air Primary</b> Primary Appl.: KOMATSU, Safety-P119373 Dimensions: Outer Dia: 11.09" (282 mm) Inner Dia: 6.73" (171 mm) Length: 16.00" (406 mm) UPC Code: 742330-01279</p>
	<p>Part Number: <b>P145701</b> Description: <b>Air Safety</b> Primary Appl.: KOMATSU 6127-81-7413, Primary=P145702 Dimensions: Outer Dia: 7.28" (185 mm) Inner Dia: 6.20" (157 mm) Length: 17.70" (450 mm) UPC Code: 742330-01280</p>
	<p>Part Number: <b>P145702</b> Description: <b>Air Primary</b> Primary Appl.: KOMATSU, Donaldson FHG AIR CLEANER, Safety=P145701 Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.72" (196 mm) Length: 18.00" (457 mm) UPC Code: 742330-01281</p>
	<p>Part Number: <b>P145703</b> Description: <b>Air Safety</b> Primary Appl.: KOMATSU Dimensions: Outer Dia: 4.58" (116 mm) Inner Dia: 3.48" (88 mm) Length: 14.72" (374 mm) UPC Code: 742330-01282</p>
	<p>Part Number: <b>P145704</b> Description: <b>Air Primary</b> Primary Appl.: KOMATSU 6691817210 Dimensions: Outer Dia: 9.21" (234 mm) Inner Dia: 4.85" (123 mm) Length: 15.00" (381 mm) UPC Code: 742330-01283</p>
	<p>Part Number: <b>P145709</b> Description: <b>Cab Air</b> Primary Appl.: STOLPER 1020597 Dimensions: Width: 11.00" (279 mm) Depth: 2.19" (56 mm) Length: 26.00" (660 mm) UPC Code: 742330-01284</p>
	<p>Part Number: <b>P145755</b> Description: <b>Air Safety</b> Primary Appl.: JOHN DEERE AR80653 Dimensions: Outer Dia: 5.14" (131 mm) Inner Dia: 4.05" (103 mm) Length: 15.65" (398 mm) UPC Code: 742330-01285</p>






	<p>Part Number: <b>P145756</b> Description: <b>Air Primary</b> Primary Appl.: JOHN DEERE AR80652 Dimensions: Outer Dia: 9.08" (231 mm) Inner Dia: 5.24" (133 mm) Length: 19.38" (492 mm) UPC Code: 742330-01286</p>		<p>Part Number: <b>P148586</b> Description: <b>Air Primary, Finned</b> Primary Appl.: Donaldson FHG06 CYCLOPAC AIR CLEANER, For High Pulsation Applications, Safety=P119539 Dimensions: Outer Dia: 5.25" (133 mm) Inner Dia: 3.26" (83 mm) Length: 15.00" (381 mm) UPC Code: 742330-01313</p>
	<p>Part Number: <b>P145859</b> Description: <b>Air Primary</b> Primary Appl.: TEREX 9039992 Dimensions: Outer Dia: 11.87" (301 mm) Inner Dia: 10.25" (260 mm) Length: 17.66" (449 mm) UPC Code: 742330-01289</p>		<p>Part Number: <b>P148645</b> Description: <b>Cab Air</b> Primary Appl.: AMERICAN LINCOLN 8-24-04071 Dimensions: Width: 23.94" (608 mm) Depth: 2.19" (56 mm) Length: 25.69" (653 mm) UPC Code: 742330-01314</p>
	<p>Part Number: <b>P146555</b> Description: <b>Cab Air</b> Primary Appl.: GAS TURBINE PANEL W/PLEAT SPACERS Dimensions: Width: 19.50" (495 mm) Depth: 5.19" (132 mm) Length: 19.50" (495 mm) UPC Code: 742330-01291</p>		<p>Part Number: <b>P148932</b> Description: <b>Air Primary</b> Primary Appl.: HYSTER 336567, UL APPROVED VERSION OF P181062 Dimensions: Outer Dia: 5.25" (133 mm) Inner Dia: 3.25" (83 mm) Length: 15.00" (381 mm) UPC Code: 742330-10629</p>
	<p>Part Number: <b>P148018</b> Description: <b>Cab Air</b> Primary Appl.: AMERICAN LINCOLN 8-24-04070 Dimensions: Width: 19.68" (500 mm) Depth: 2.19" (56 mm) Length: 23.94" (608 mm) UPC Code: 742330-01292</p>		<p>Part Number: <b>P148966</b> Description: <b>Air Primary, Finned</b> Primary Appl.: Donaldson FW06 CYCLOPAC AIR CLEANER, For High Pulsation Applications Dimensions: Outer Dia: 5.25" (133 mm) Inner Dia: 2.64" (67 mm) Length: 11.00" (279 mm) UPC Code: 742330-01316</p>
	<p>Part Number: <b>P148043</b> Description: <b>Air Primary, Konepac</b> Primary Appl.: Donaldson ECG11 KONEPAC-TREATED AIR CLEANER, P150694-Standard Primary, P150695-Long Life Primary, EON=EAF5029 Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.95" (177 mm) Length: 28.00" (711 mm) UPC Code: 742330-01293</p>		<p>Part Number: <b>P148968</b> Description: <b>Air Primary, Finned</b> Primary Appl.: Donaldson FW08 CYCLOPAC AIR CLEANER, For High Pulsation Applications, Primary=P181054, Long Life Prmy=P182054 Dimensions: Outer Dia: 6.08" (154 mm) Inner Dia: 3.49" (89 mm) Length: 12.00" (305 mm) UPC Code: 742330-01318</p>
	<p>Part Number: <b>P148044</b> Description: <b>Air Primary, Konepac</b> Primary Appl.: Donaldson ECG09 KONEPAC-TREATED AIR CLEANER, P150692-Primary, P150693-Long Life Primary, EON=EAF5073 Dimensions: Outer Dia: 8.66" (220 mm) Inner Dia: 5.21" (132 mm) Length: 28.00" (711 mm) UPC Code: 742330-01294</p>		<p>Part Number: <b>P148969</b> Description: <b>Air Primary, Finned</b> Primary Appl.: Donaldson FW05 CYCLOPAC AIR CLEANER, For High Pulsation Applications Dimensions: Outer Dia: 4.08" (104 mm) Inner Dia: 2.49" (63 mm) Length: 10.00" (254 mm) UPC Code: 742330-01319</p>
	<p>Part Number: <b>P148113</b> Description: <b>Air Primary, Finned</b> Primary Appl.: KUBOTA W/TOKYO ROKI AIR CLEANER Dimensions: Outer Dia: 3.27" (83 mm) Inner Dia: 1.79" (45 mm) Length: 7.00" (178 mm) UPC Code: 742330-01295</p>		<p>Part Number: <b>P148970</b> Description: <b>Air Primary, Finned</b> Primary Appl.: Donaldson FW04 CYCLOPAC AIR CLEANER, For High Pulsation Applications, P102745-Standard Version Dimensions: Outer Dia: 3.26" (83 mm) Inner Dia: 1.68" (43 mm) Length: 7.00" (178 mm) UPC Code: 742330-01320</p>
	<p>Part Number: <b>P148573</b> Description: <b>Air Primary, Finned</b> Primary Appl.: Donaldson FHG08 CYCLOPAC AIR CLEANER, For High Pulsation Applications, Safety=P119410, Primary=P181059, Long Life Primary=P182059 Dimensions: Outer Dia: 6.08" (154 mm) Inner Dia: 3.49" (89 mm) Length: 15.00" (381 mm) UPC Code: 742330-01312</p>		<p>Part Number: <b>P150135</b> Description: <b>Cab Air</b> Primary Appl.: CAT 4N-0015 Dimensions: Width: 15.00" (381 mm) Depth: 5.19" (132 mm) Length: 15.62" (397 mm) UPC Code: 742330-01323</p>








	<p>Part Number: <b>P150348</b> Description: <b>Cab Air</b> Primary Appl.: AMERICAN LINCOLN Dimensions: Width: 23.44" (595 mm) Depth: 2.19" (56 mm) Length: 11.94" (303 mm) UPC Code: 742330-01325</p>		<p>Part Number: <b>P151097</b> Description: <b>Air Primary, Konepac</b> Primary Appl.: Donaldson EBA11 KONEPAC-STANDARD, P129396-Carbon Treated Filter, EON=EAF5024 Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.95" (177 mm) Length: 28.00" (711 mm) UPC Code: 742330-01338</p>
	<p>Part Number: <b>P150464</b> Description: <b>Air Primary</b> Primary Appl.: SPEC. BLAST HOLE DRILL DUST COLL. Dimensions: Outer Dia: 7.93" (201 mm) Inner Dia: 3.57" (91 mm) Length: 16.00" (406 mm) UPC Code: 742330-01327</p>		<p>Part Number: <b>P151098</b> Description: <b>Air Primary</b> Primary Appl.: FLXIBLE BUS 14158154 Dimensions: Outer Dia: 12.74" (324 mm) Inner Dia: 8.38" (213 mm) Length: 16.00" (406 mm) UPC Code: 742330-01339</p>
	<p>Part Number: <b>P150692</b> Description: <b>Air Primary, Konepac</b> Primary Appl.: Donaldson ECG09 KONEPAC-STANDARD, P148044-Carbon Treated Primary, P150693-Long Life Primary, EON=EAF5073 Dimensions: Outer Dia: 8.66" (220 mm) Inner Dia: 5.21" (132 mm) Length: 28.00" (711 mm) UPC Code: 742330-01328</p>		<p>Part Number: <b>P151951</b> Description: <b>Air Primary</b> Primary Appl.: MAN 81.08304.0024 Dimensions: Outer Dia: 8.93" (227 mm) Inner Dia: 4.56" (116 mm) Length: 14.50" (368 mm) UPC Code: 742330-01341</p>
	<p>Part Number: <b>P150693</b> Description: <b>Air Primary, Konepac</b> Primary Appl.: Donaldson ECG09 KONEPAC, P150693-Long Life Primary, P148044-Carbon Treated Primary Dimensions: Outer Dia: 8.66" (220 mm) Inner Dia: 5.20" (132 mm) Length: 28.02" (712 mm) UPC Code: 742330-01329</p>		<p>Part Number: <b>P153551</b> Description: <b>Air Primary, Konepac</b> Primary Appl.: Donaldson SHORT ECG11 KONEPAC SERIES-STD, P154575-Carbon Treated Primary, EON=EAF5053 Dimensions: Outer Dia: 10.62" (270 mm) Inner Dia: 6.69" (170 mm) Length: 22.02" (559 mm) UPC Code: 742330-01343</p>
	<p>Part Number: <b>P150694</b> Description: <b>Air Primary, Konepac</b> Primary Appl.: Donaldson ECG11 KONEPAC -STANDARD, P150695-Long Life Primary, P148043-Carbon Treated Primary, EON=EAF5029 Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.95" (177 mm) Length: 28.00" (711 mm) UPC Code: 742330-01330</p>		<p>Part Number: <b>P153562</b> Description: <b>Air Safety</b> Primary Appl.: IHC 392516R91 Dimensions: Outer Dia: 5.19" (132 mm) Inner Dia: 4.10" (104 mm) Length: 13.00" (330 mm) UPC Code: 742330-01345</p>
	<p>Part Number: <b>P150695</b> Description: <b>Air Primary, Konepac</b> Primary Appl.: Donaldson ECG11 KONEPAC, P150694-Standard Primary, P148043-Carbon Treated Primary, EON=EAF5047 Dimensions: Outer Dia: 10.62" (270 mm) Inner Dia: 6.69" (170 mm) Length: 28.02" (712 mm) UPC Code: 742330-01331</p>		<p>Part Number: <b>P153962</b> Description: <b>Air Primary</b> Primary Appl.: FLXIBLE BUS 97-5349-1, TREATED, P153972 IS UNTREATED VERSION Dimensions: Outer Dia: 13.84" (352 mm) Inner Dia: 9.47" (241 mm) Length: 16.00" (406 mm) UPC Code: 742330-01347</p>
	<p>Part Number: <b>P150706</b> Description: <b>Air Primary</b> Primary Appl.: IVECO TRUCK 4249-1619 Dimensions: Outer Dia: 6.84" (174 mm) Inner Dia: 3.49" (89 mm) Length: 14.00" (356 mm) UPC Code: 742330-01333</p>		<p>Part Number: <b>P153971</b> Description: <b>Air Primary</b> Primary Appl.: TRANSIT BUS Dimensions: Outer Dia: 12.74" (324 mm) Inner Dia: 8.38" (213 mm) Length: 16.00" (406 mm) UPC Code: 742330-01348</p>
	<p>Part Number: <b>P151028</b> Description: <b>Air Primary</b> Primary Appl.: FRAM CA2550, EON=EAF5048 Dimensions: Outer Dia: 9.50" (241 mm) Inner Dia: 6.89" (175 mm) Length: 27.44" (697 mm) UPC Code: 742330-01337</p>		<p>Part Number: <b>P153972</b> Description: <b>Air Primary</b> Primary Appl.: FLXIBLE BUS 97-5409-1, P153962 IS TREATED VERSION Dimensions: Outer Dia: 13.84" (352 mm) Inner Dia: 9.47" (241 mm) Length: 16.00" (406 mm) UPC Code: 742330-01349</p>


















	<p>Part Number: <b>P153973</b> Description: <b>Air Primary</b> Primary Appl.: FLXIBLE 97-5409-00182 Dimensions: Outer Dia: 13.84" (352 mm) Inner Dia: 7.48" (190 mm) Length: 19.00" (483 mm) UPC Code: 742330-01350</p>		<p>Part Number: <b>P158663</b> Description: <b>Air Safety</b> Primary Appl.: CAT 2S-1287, Safety HAS 8 STUDS, Primary=P181102 Dimensions: Outer Dia: 6.31" (160 mm) Inner Dia: 4.63" (118 mm) Length: 16.15" (410 mm) UPC Code: 742330-01364</p>
	<p>Part Number: <b>P154575</b> Description: <b>Air Primary, Konepac</b> Primary Appl.: Donaldson SHORT ECG11 KONEPAC SERIES, CONTAINS CARBON TREATMENT, P153551-Standard Primary Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.95" (177 mm) Length: 22.00" (559 mm) UPC Code: 742330-01352</p>		<p>Part Number: <b>P158664</b> Description: <b>Air Safety</b> Primary Appl.: CAT 2S-1284, Safety HAS 6 STUDS Dimensions: Outer Dia: 3.80" (97 mm) Inner Dia: 2.64" (67 mm) Length: 10.08" (256 mm) UPC Code: 742330-01365</p>
	<p>Part Number: <b>P154686</b> Description: <b>Gasket</b> Compound: Dimensions: Outer Dia: 11.43" Inner Dia: 10.81" Thickness: .74" Primary Appl.: DONALDSON KONEPAC EBA 11" AIR CLEANER, PACKAGED WITH P522293 UPC Code: 742330-01353</p>		<p>Part Number: <b>P158665</b> Description: <b>Air Safety</b> Primary Appl.: CAT 3S-4745, Safety HAS 9 HOLES Dimensions: Outer Dia: 8.70" (221 mm) Inner Dia: 7.00" (178 mm) Length: 15.28" (388 mm) UPC Code: 742330-01366</p>
	<p>Part Number: <b>P154927</b> Description: <b>Air Primary, Special</b> Primary Appl.: FARR ECOII #71338-002, UNITED F-ECOII 11X24 Dimensions: Outer Dia 1: 11.00" (279 mm) Outer Dia 2: 7.00" (178 mm) Length: 25.75" (654 mm) UPC Code: 742330-01354</p>		<p>Part Number: <b>P158666</b> Description: <b>Air Safety</b> Primary Appl.: CAT 4S-8834, Safety HAS 8 HOLES Dimensions: Outer Dia: 7.70" (196 mm) Inner Dia: 6.00" (152 mm) Length: 8.78" (223 mm) UPC Code: 742330-01367</p>
	<p>Part Number: <b>P155842</b> Description: <b>Air Primary, Konepac</b> Primary Appl.: Donaldson SHORT ECG11 A/C, GMC 15527863, EON=EAF5055 Dimensions: Outer Dia: 10.62" (270 mm) Inner Dia: 6.69" (170 mm) Length: 20.02" (508 mm) UPC Code: 742330-01357</p>		<p>Part Number: <b>P158668</b> Description: <b>Air Safety</b> Primary Appl.: CAT 4S-8340, Safety HAS 8 HOLES Dimensions: Outer Dia: 7.70" (196 mm) Inner Dia: 6.00" (152 mm) Length: 13.38" (340 mm) UPC Code: 742330-01368</p>
	<p>Part Number: <b>P158050</b> Description: <b>Air Safety</b> Primary Appl.: Donaldson FVG16-0313, WHITE MOTOR, USE WITH PRIMARY P181057 OR P182057 Dimensions: Outer Dia: 7.64" (194 mm) Inner Dia: 6.04" (153 mm) Length: 15.00" (381 mm) UPC Code: 742330-01358</p>		<p>Part Number: <b>P158669</b> Description: <b>Air Safety</b> Primary Appl.: CAT 9S-9972, Safety HAS 10 HOLES, Primary=P181104 Dimensions: Outer Dia: 6.28" (160 mm) Inner Dia: 4.59" (117 mm) Length: 12.96" (329 mm) UPC Code: 742330-01369</p>
	<p>Part Number: <b>P158661</b> Description: <b>Air Safety</b> Primary Appl.: CAT 2S-1285, Safety HAS 6 STUDS, Primary=P181103 Dimensions: Outer Dia: 4.80" (122 mm) Inner Dia: 3.64" (92 mm) Length: 12.08" (307 mm) UPC Code: 742330-01362</p>		<p>Part Number: <b>P158670</b> Description: <b>Air Safety</b> Primary Appl.: CAT 1P-7360, Safety HAS 8 HOLES, Primary=P181118 Dimensions: Outer Dia: 7.46" (189 mm) Inner Dia: 5.99" (152 mm) Length: 13.38" (340 mm) UPC Code: 742330-01370</p>
	<p>Part Number: <b>P158662</b> Description: <b>Air Safety</b> Primary Appl.: CAT 2S-1286, Safety HAS 8 STUDS, Primary=P181104 Dimensions: Outer Dia: 6.31" (160 mm) Inner Dia: 4.63" (118 mm) Length: 13.08" (332 mm) UPC Code: 742330-01363</p>		<p>Part Number: <b>P158671</b> Description: <b>Air Safety</b> Primary Appl.: CAT 4N-0313, Primary=P526749 Dimensions: Outer Dia: 3.35" (85 mm) Inner Dia: 2.27" (58 mm) Length: 10.00" (254 mm) UPC Code: 742330-01371</p>








	<p><b>Part Number:</b> P158675 <b>Description:</b> Air Safety <b>Primary Appl.:</b> CAT 7N-1308, 1P-8482, SAFETY HAS 10 HOLES, Primary=P181120 OR P181124, Safety=P158677 12" <b>Dimensions:</b> Outer Dia: 8.46" (215 mm) Inner Dia: 6.99" (178 mm) Length: 15.28" (388 mm) <b>UPC Code:</b> 742330-01372</p>
	<p><b>Part Number:</b> P158676 <b>Description:</b> Air Safety <b>Primary Appl.:</b> CAT 7N-9027, Safety HAS 6 STUDS <b>Dimensions:</b> Outer Dia: 3.99" (101 mm) Inner Dia: 2.32" (59 mm) Length: 5.07" (129 mm) <b>UPC Code:</b> 742330-01373</p>
	<p><b>Part Number:</b> P158677 <b>Description:</b> Air Safety <b>Primary Appl.:</b> CAT 6N-6444, Safety HAS 10 HOLES, Primary=P181120, SFTY-P158675 15.28" w/10 holes <b>Dimensions:</b> Outer Dia: 8.46" (215 mm) Inner Dia: 6.99" (178 mm) Length: 11.97" (304 mm) <b>UPC Code:</b> 742330-01374</p>
	<p><b>Part Number:</b> P158678 <b>Description:</b> Air Safety <b>Primary Appl.:</b> CAT 943 WHEEL/TRACK LDR, #8N-4901, Safety HAS 8 HOLES, Primary=P181103 <b>Dimensions:</b> Outer Dia: 4.60" (117 mm) Inner Dia: 3.59" (91 mm) Length: 12.00" (305 mm) <b>UPC Code:</b> 742330-01375</p>
	<p><b>Part Number:</b> P158852 <b>Description:</b> Air Primary <b>Primary Appl.:</b> FORD E6H29601A <b>Dimensions:</b> Outer Dia: 7.93" (201 mm) Inner Dia: 5.32" (135 mm) Length: 16.00" (406 mm) <b>UPC Code:</b> 742330-01377</p>
	<p><b>Part Number:</b> P158854 <b>Description:</b> Cab Air <b>Primary Appl.:</b> JOHN DEERE AR61903 <b>Dimensions:</b> Width: 7.50" (190 mm) Depth: 2.83" (72 mm) Length: 28.00" (711 mm) <b>UPC Code:</b> 742330-01379</p>
	<p><b>Part Number:</b> P158893 <b>Description:</b> Cab Air <b>Primary Appl.:</b> FMC 304973 <b>Dimensions:</b> Width: 6.00" (152 mm) Depth: 2.19" (56 mm) Length: 30.00" (762 mm) <b>UPC Code:</b> 742330-01380</p>
	<p><b>Part Number:</b> P159036 <b>Description:</b> Air Safety <b>Primary Appl.:</b> KOMATSU, Primary=P181139 <b>Dimensions:</b> Outer Dia: 5.08" (129 mm) Inner Dia: 3.82" (97 mm) Length: 13.00" (330 mm) <b>UPC Code:</b> 742330-01382</p>









	<p><b>Part Number:</b> P159037 <b>Description:</b> Air Safety <b>Primary Appl.:</b> KOMATSU 600-181-9120,9300,9301-S, 9320 <b>Dimensions:</b> Outer Dia: 4.09" (104 mm) Inner Dia: 2.91" (74 mm) Length: 11.46" (291 mm) <b>UPC Code:</b> 742330-01383</p>
	<p><b>Part Number:</b> P159039 <b>Description:</b> Air Safety <b>Primary Appl.:</b> KOMATSU <b>Dimensions:</b> Outer Dia: 3.76" (96 mm) Inner Dia: 2.45" (62 mm) Length: 11.20" (284 mm) <b>UPC Code:</b> 742330-01385</p>
	<p><b>Part Number:</b> P159548 <b>Description:</b> Air Primary <b>Primary Appl.:</b> FORD D8NN9B618AA <b>Dimensions:</b> Outer Dia: 9.14" (232 mm) Inner Dia: 5.78" (147 mm) Length: 18.00" (457 mm) <b>UPC Code:</b> 742330-01387</p>
	<p><b>Part Number:</b> P160016 <b>Description:</b> O-Ring <b>Contents or Usage:</b> DONALDSON HAK05 HYDRAULIC ASSY <b>UPC Code:</b> 742330-01389</p>
<p>Shape </p> <p>Cross Section </p>	<p><b>Part Number:</b> P160020 <b>Description:</b> O-Ring, Steel Washer <b>Compound:</b> <b>Dimensions:</b> Outer Dia: 1.23" (31 mm) Inner Dia: .73" (19 mm) Thickness: .25" (6 mm) <b>Primary Appl.:</b> DONALDSON HAK05 HYDRAULIC ASSEMBLIES <b>UPC Code:</b> 742330-01390</p>
	<p><b>Part Number:</b> P160024 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson HEK11 ASSBLY, Media #25 <b>Dimensions:</b> Outer Dia: 7.44" (189 mm) Inner Dia: 4.85" (123 mm) Length: 18.00" (457 mm) <b>Performance:</b> <math>\beta_{25\mu} = 2</math> <math>\beta_{50\mu} = 20</math> <math>\beta_{22\mu} = 75</math> <b>UPC Code:</b> 742330-01391</p>
	<p><b>Part Number:</b> P160077 <b>Description:</b> Hydraulic Electrical Indicator <b>Contents or Usage:</b> Donaldson HYDRAULIC ASSEMBLIES <b>UPC Code:</b> 742330-01392</p>
	<p><b>Part Number:</b> P160078 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> INSLEY #471351, Donaldson HEK11 ASSEMBLY <b>Dimensions:</b> Outer Dia: 7.44" (189 mm) Inner Dia: 4.85" (123 mm) Length: 22.00" (559 mm) <b>Performance:</b> <math>\beta_{149\mu} = 2</math> <b>UPC Code:</b> 742330-01393</p>
	<p><b>Part Number:</b> P160095 <b>Description:</b> Head Assembly Hydraulic <b>Contents or Usage:</b> DONALDSON HAK05, VISUAL INDICATOR RIGHT SIDE <b>UPC Code:</b></p>









	<p><b>Part Number:</b> P160105  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> Donaldson HAK05 ASSBLY, Media #25  <b>Dimensions:</b> Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 5.00" (127 mm)  <b>Performance:</b> <math>\beta_{25\mu} = 2</math> <math>\beta_{50\mu} = 20</math>  <b>UPC Code:</b> 742330-01394</p>
	<p><b>Part Number:</b> P160108  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> GALION D136601, OLD DOM D100-435-2 (DCI HAK05), Media #25  <b>Dimensions:</b> Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 8.00" (203 mm)  <b>Performance:</b> <math>\beta_{25\mu} = 2</math> <math>\beta_{50\mu} = 20</math>  <b>UPC Code:</b> 742330-01395</p>
	<p><b>Part Number:</b> P160113  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> JOY 7017010275, Donaldson HAK05, Media #25  <b>Dimensions:</b> Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 13.00" (330 mm)  <b>Performance:</b> <math>\beta_{25\mu} = 2</math> <math>\beta_{50\mu} = 20</math>  <b>UPC Code:</b> 742330-01396</p>
	<p><b>Part Number:</b> P160116  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> OLD DOM D100-436-2, JOY 1816389, DCI HAK05/HDK06, Media #25  <b>Dimensions:</b> Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 16.00" (406 mm)  <b>Performance:</b> <math>\beta_{25\mu} = 2</math> <math>\beta_{50\mu} = 20</math>  <b>UPC Code:</b> 742330-01397</p>
<p>Shape </p> <p>Cross Section </p>	<p><b>Part Number:</b> P160125  <b>Description:</b> O-Ring, Bypass Valve Seal  <b>Compound:</b> Outer Dia: 2.39" (61 mm)          Inner Dia: 2.11" (54 mm)          Thickness: .13" (4 mm)  <b>Primary Appl.:</b> DONALDSON HAK05/HDK06 HYDRAULIC ASSEMBLIES  <b>UPC Code:</b> 742330-01398</p>
	<p><b>Part Number:</b> P160130  <b>Description:</b> Hydraulic Spring  <b>Contents or Usage:</b> Donaldson HYDRAULIC ASSEMBLIES  <b>UPC Code:</b> 742330-01400</p>
<p>Shape </p> <p>Cross Section </p>	<p><b>Part Number:</b> P160137  <b>Description:</b> O-Ring  <b>Compound:</b> Outer Dia: 6.40" (163 mm)          Inner Dia: 5.98" (152 mm)          Thickness: .21" (5 mm)  <b>Primary Appl.:</b> DONALDSON HDK06 HYDRAULIC ASSEMBLIES  <b>UPC Code:</b> 742330-01401</p>
	<p><b>Part Number:</b> P160166  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> Donaldson HAK05/HDK06 ASSEMBLY  <b>Dimensions:</b> Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 16.00" (406 mm)  <b>Performance:</b> <math>\beta_{25\mu} = 2</math> <math>\beta_{50\mu} = 20</math>  <b>UPC Code:</b> 742330-01403</p>










	<p><b>Part Number:</b> P160205  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> CASE, EATON, INC, CLARK, Donaldson HAK05, Media #10  <b>Dimensions:</b> Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 5.00" (127 mm)  <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math>  <b>UPC Code:</b> 742330-01404</p>
	<p><b>Part Number:</b> P160208  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> BUCYRUS ERIE, CASE, I/R, STEIGER, CHAMPION, DCI-HAKO 5, Media #10  <b>Dimensions:</b> Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 8.00" (203 mm)  <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math>  <b>UPC Code:</b> 742330-01405</p>
	<p><b>Part Number:</b> P160213  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> CASE 111118, CLARK #2521234, Donaldson HAK05, Media #10  <b>Dimensions:</b> Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 13.00" (330 mm)  <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math>  <b>UPC Code:</b> 742330-01406</p>
	<p><b>Part Number:</b> P160215  <b>Description:</b> Hydraulic Seal  <b>Contents or Usage:</b> Donaldson HYDRAULIC ASSEMBLIES  <b>UPC Code:</b> 742330-01407</p>
	<p><b>Part Number:</b> P160216  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> CASE 105892, SULLAIR 241177, (DCI HAK05 &amp; HDK06), Media #10  <b>Dimensions:</b> Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 16.00" (406 mm)  <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math>  <b>UPC Code:</b> 742330-01408</p>
	<p><b>Part Number:</b> P160220  <b>Description:</b> Hydraulic Clamp Assembly  <b>Contents or Usage:</b> Donaldson HYDRAULIC ASSEMBLIES  <b>UPC Code:</b> 742330-01409</p>
	<p><b>Part Number:</b> P160225  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> AMER H&amp;D 9832252, WAGNER 355701 (DCI HEK11), Media #25  <b>Dimensions:</b> Outer Dia: 7.44" (189 mm)          Inner Dia: 4.85" (123 mm)          Length: 22.00" (559 mm)  <b>Performance:</b> <math>\beta_{25\mu} = 2</math> <math>\beta_{50\mu} = 20</math>  <b>UPC Code:</b> 742330-01410</p>
	<p><b>Part Number:</b> P160229  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> AMER H&amp;D 9832392 Donaldson HEK11 ASSY, Media #10  <b>Dimensions:</b> Outer Dia: 7.44" (189 mm)          Inner Dia: 4.85" (123 mm)          Length: 22.00" (559 mm)  <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math>  <b>UPC Code:</b> 742330-01411</p>
	<p><b>Part Number:</b> P160234  <b>Description:</b> Hydraulic Seal  <b>Contents or Usage:</b> Donaldson HYDRAULIC ASSEMBLIES  <b>UPC Code:</b> 742330-01412</p>




















	<p>Part Number: <b>P160293</b>          Description: <b>Hydraulic Baffle Assembly</b>          Contents or Usage: Donaldson HYDRAULIC ASSEMBLIES          UPC Code: 742330-01414</p>
	<p>Part Number: <b>P160316</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: Donaldson HAK05 ASSEMBLY, Media #3          Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 16.00" (406 mm)          Performance: <math>\beta_{4\mu} = 2</math> <math>\beta_{12\mu} = 20</math> <math>\beta_{16\mu} = 75</math>          UPC Code: 742330-01416</p>
<p>Shape</p>  <p>Cross Section</p>	<p>Part Number: <b>P160331</b>          Description: <b>O-Ring</b>          Compound: Outer Dia: 1.72" (44 mm)          Inner Dia: 1.48" (38 mm)          Thickness: .11" (3 mm)          Primary Appl.: DONALDSON HDK06 HYDRAULIC ASSEMBLIES          UPC Code: 742330-01417</p>
	<p>Part Number: <b>P160351</b>          Description: <b>Hydraulic Indicator Assembly</b>          Contents or Usage: Donaldson HYDRAULIC ASSEMBLIES          UPC Code: 742330-01418</p>
	<p>Part Number: <b>P160353</b>          Description: <b>Hydraulic Valve Assembly</b>          Contents or Usage: Donaldson HYDRAULIC ASSEMBLIES          UPC Code: 742330-01419</p>
	<p>Part Number: <b>P160373</b>          Description: <b>Hydraulic Valve Assembly</b>          Contents or Usage: Donaldson HYDRAULIC ASSEMBLIES          UPC Code: 742330-01421</p>
	<p>Part Number: <b>P160455</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: GARDNER DENVER #2109394, Donaldson HAK05, Media #25          Dimensions: Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 5.00" (127 mm)          Performance: <math>\beta_{25\mu} = 2</math> <math>\beta_{50\mu} = 20</math>          UPC Code: 742330-01424</p>
	<p>Part Number: <b>P160470</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: GROVE, Donaldson DCI HAK05 &amp; HDK06          Dimensions: Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 16.00" (406 mm)          Performance: <math>\beta_{25\mu} = 2</math> <math>\beta_{50\mu} = 20</math>          UPC Code: 742330-01425</p>
	<p>Part Number: <b>P160473</b>          Description: <b>Hydraulic Window Assembly</b>          Contents or Usage: Donaldson HYDRAULIC ASSEMBLIES          UPC Code: 742330-01426</p>
	<p>Part Number: <b>P160476</b>          Description: <b>Hydraulic Seal</b>          Contents or Usage: Donaldson HYDRAULIC ASSEMBLIES          UPC Code: 742330-01427</p>

	<p>Part Number: <b>P160479</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: Donaldson HEK11 ASSBLY, Media #25          Dimensions: Outer Dia: 7.44" (189 mm)          Inner Dia: 4.85" (123 mm)          Length: 22.00" (559 mm)          Performance: <math>\beta_{25\mu} = 2</math> <math>\beta_{50\mu} = 20</math>          UPC Code: 742330-01428</p>
	<p>Part Number: <b>P160508</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: EATON #6851961,G/D #5826901P, CASE, (DCI HAK05), P162104=SYNTEQ Media          Dimensions: Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 8.00" (203 mm)          Performance: <math>\beta_{15\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <math>\beta_{35\mu} = 75</math>          UPC Code: 742330-01429</p>
	<p>Part Number: <b>P160513</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: GROVE, EATON #6851957 Donaldson HAK05, P162105=SYNTEQ Media          Dimensions: Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 13.00" (330 mm)          Performance: <math>\beta_{15\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <math>\beta_{35\mu} = 75</math>          UPC Code: 742330-01430</p>
	<p>Part Number: <b>P160516</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: CASE, GROVE, GARD/DENV, LOED CORP, Donaldson HAK05 Assembly          Dimensions: Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 16.00" (406 mm)          Performance: <math>\beta_{15\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <math>\beta_{35\mu} = 75</math>          UPC Code: 742330-01431</p>
	<p>Part Number: <b>P160558</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: CLARK 888936.FMC #76J1505P, Donaldson HAK05, SYNTEQ Media #6, Similar-P163860          Dimensions: Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 8.00" (203 mm)          Performance: <math>\beta_{5\mu} = 2</math> <math>\beta_{10\mu} = 20</math> <math>\beta_{13\mu} = 75</math>          UPC Code: 742330-01434</p>
	<p>Part Number: <b>P160566</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: HYSTER #254612, DONALDSON HAK05 &amp; HDK06, SYNTEQ Media #6, Similar-P163862          Dimensions: Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 16.00" (406 mm)          Performance: <math>\beta_{5\mu} = 2</math> <math>\beta_{10\mu} = 20</math> <math>\beta_{13\mu} = 75</math>          UPC Code: 742330-01435</p>
	<p>Part Number: <b>P160574</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: HARNISCHFEGER #1046Z331, Donaldson HHK05-RETURN          Dimensions: Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 8.00" (203 mm)          Performance: <math>\beta_{15\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <math>\beta_{35\mu} = 75</math>          UPC Code: 742330-01436</p>
	<p>Part Number: <b>P160605</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: EATON, I/R, HARNISCHFEGER #46Z419, DCI HAK05          Dimensions: Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 5.00" (127 mm)          Performance: <math>\beta_{15\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <math>\beta_{35\mu} = 75</math>          UPC Code: 742330-01437</p>









	<p><b>Part Number:</b> P160608 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> DRESSER 141064, AMER H&amp;D #9832471, DCI HAK05 <b>Dimensions:</b> Outer Dia: 4.38" (111 mm) Inner Dia: 2.44" (62 mm) Length: 8.00" (203 mm) <b>Performance:</b> <math>\beta_{15\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <math>\beta_{35\mu} = 75</math> <b>UPC Code:</b> 742330-01438</p>
	<p><b>Part Number:</b> P160613 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> BADGER, WARNER &amp; SWASEY, CASE, HARNISCHFEGER <b>Dimensions:</b> Outer Dia: 4.38" (111 mm) Inner Dia: 2.44" (62 mm) Length: 13.00" (330 mm) <b>Performance:</b> <math>\beta_{15\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <math>\beta_{35\mu} = 75</math> <b>UPC Code:</b> 742330-01439</p>
	<p><b>Part Number:</b> P160616 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson HDK06 ASSEMBLY <b>Dimensions:</b> Outer Dia: 4.38" (111 mm) Inner Dia: 2.44" (62 mm) Length: 16.00" (406 mm) <b>Performance:</b> <math>\beta_{15\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <math>\beta_{35\mu} = 75</math> <b>UPC Code:</b> 742330-08758</p>
	<p><b>Part Number:</b> P160658 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson HAK05 ASSEMBLY, Media #10 <b>Dimensions:</b> Outer Dia: 4.38" (111 mm) Inner Dia: 2.44" (62 mm) Length: 8.00" (203 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> <b>UPC Code:</b> 742330-01443</p>
	<p><b>Part Number:</b> P160663 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson HAK05 ASSEMBLY, Media #10 <b>Dimensions:</b> Outer Dia: 4.38" (111 mm) Inner Dia: 2.44" (62 mm) Length: 13.00" (330 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> <b>UPC Code:</b> 742330-01444</p>
	<p><b>Part Number:</b> P160666 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> MARATHON LETOURNEAU 4068356, (DCI HAK05-HKD06), Media #10 <b>Dimensions:</b> Outer Dia: 4.38" (111 mm) Inner Dia: 2.44" (62 mm) Length: 16.00" (406 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> <b>UPC Code:</b> 742330-01445</p>
	<p><b>Part Number:</b> P160700 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> JOY 1800108, SÜLLAIR 241185, DCI HAK05/HDK06 ASY <b>Dimensions:</b> Outer Dia: 4.38" (111 mm) Inner Dia: 2.44" (62 mm) Length: 16.00" (406 mm) <b>Performance:</b> <math>\beta_{149\mu} = 2</math> <b>UPC Code:</b> 742330-01448</p>
	<p><b>Part Number:</b> P160708 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> FMC #43J1020M, Donaldson HAK05 ASSEMBLY, Media #5 <b>Dimensions:</b> Outer Dia: 4.38" (111 mm) Inner Dia: 2.44" (62 mm) Length: 8.00" (203 mm) <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{17\mu} = 75</math> <b>UPC Code:</b> 742330-01449</p>



	<p><b>Part Number:</b> P160710 <b>Description:</b> Hydraulic Window Kit <b>Contents or Usage:</b> Donaldson HYDRAULIC ASSEMBLIES <b>UPC Code:</b> 742330-01450</p>
	<p><b>Part Number:</b> P160716 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson HAK05 ASSEMBLY, Media #5 <b>Dimensions:</b> Outer Dia: 4.38" (111 mm) Inner Dia: 2.44" (62 mm) Length: 16.00" (406 mm) <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{17\mu} = 75</math> <b>UPC Code:</b> 742330-01451</p>
	<p><b>Part Number:</b> P160779 <b>Description:</b> O-Ring &amp; Retaining Ring Kit <b>Contents or Usage:</b> DONALDSON HDK06 HYDRAULIC ASSEMBLIES <b>UPC Code:</b> 742330-01452</p>
	<p><b>Part Number:</b> P160807 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> IOWA MFG. #4517550903, Donaldson HHK05-SUCTION <b>Dimensions:</b> Outer Dia: 4.38" (111 mm) Inner Dia: 2.44" (62 mm) Length: 16.00" (406 mm) <b>Performance:</b> <math>\beta_{15\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <math>\beta_{35\mu} = 75</math> <b>UPC Code:</b> 742330-01453</p>
	<p><b>Part Number:</b> P160896 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> CLARK, MARATHON LETOURNEAU #4068355 <b>Dimensions:</b> Outer Dia: 7.44" (189 mm) Inner Dia: 4.85" (123 mm) Length: 22.00" (559 mm) <b>Performance:</b> <math>\beta_{15\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <math>\beta_{35\mu} = 75</math> <b>UPC Code:</b> 742330-01454</p>
	<p><b>Part Number:</b> P161008 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson HAK05 ASSEMBLY, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 7.44" (189 mm) Inner Dia: 2.44" (62 mm) Length: 8.00" (203 mm) <b>Performance:</b> <math>\beta_{2\mu} = 75</math> <b>UPC Code:</b> 742330-01455</p>
	<p><b>Part Number:</b> P161010 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson HEK11 ASSEMBLY <b>Dimensions:</b> Outer Dia: 7.44" (189 mm) Inner Dia: 4.85" (123 mm) Length: 18.00" (457 mm) <b>Performance:</b> <math>\beta_{15\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <math>\beta_{35\mu} = 75</math> <b>UPC Code:</b> 742330-01456</p>
	<p><b>Part Number:</b> P161015 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> AMER H&amp;D, INSLEY, Donaldson HEK11 <b>Dimensions:</b> Outer Dia: 7.44" (189 mm) Inner Dia: 4.85" (123 mm) Length: 22.00" (559 mm) <b>Performance:</b> <math>\beta_{15\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <math>\beta_{35\mu} = 75</math> <b>UPC Code:</b> 742330-01457</p>
	<p><b>Part Number:</b> P161016 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson HAK05, HDK06 ASSEMBLIES, 1/2 MEDIA <b>Dimensions:</b> Outer Dia: 4.38" (111 mm) Inner Dia: 2.44" (62 mm) Length: 16.00" (406 mm) <b>Performance:</b> <math>\beta_{2\mu} = 75</math> <b>UPC Code:</b> 742330-01458</p>

	<p>Part Number: <b>P161059</b>          Description: <b>Hydraulic Electric Conduit Kit</b>          Contents or Usage: Donaldson HYDRAULIC ASSEMBLIES          UPC Code: 742330-01459</p>
	<p>Part Number: <b>P161113</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: Donaldson HHK05-RETURN LINE ASSBLY          Dimensions: Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 16.00" (406 mm)          Performance: <math>\beta_{15\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <math>\beta_{35\mu} = 75</math>          UPC Code: 742330-01462</p>
	<p>Part Number: <b>P161205</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: AMER H&amp;D 9832441, Donaldson HEK11          Dimensions: Outer Dia: 7.44" (189 mm)          Inner Dia: 4.85" (123 mm)          Length: 22.00" (559 mm)          Performance: <math>\beta_{15\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <math>\beta_{35\mu} = 75</math>          UPC Code: 742330-01464</p>
	<p>Part Number: <b>P161222</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: TAYLOR MACHINE #4044-318, DCI          HHK05-RETURN          Dimensions: Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 16.00" (406 mm)          Performance: <math>\beta_{149\mu} = 2</math>          UPC Code: 742330-01465</p>
	<p>Part Number: <b>P161269</b>          Description: <b>Hydraulic Strainer</b>          Primary Appl.: Donaldson HSK02 ASSBLY          Dimensions: Outer Dia: 5.78" (147 mm)          Inner Dia: .71" (18 mm)          Length: .21" (5 mm)          Performance: <math>\beta_{175\mu} = 2</math>          UPC Code: 742330-01466</p>
<p>Shape </p> <p>Cross Section </p>	<p>Part Number: <b>P161275</b>          Description: <b>O-Ring</b>          Compound:           Dimensions: Outer Dia: 8.28" (210 mm)          Inner Dia: 7.73" (196 mm)          Thickness: .27" (7 mm)          Primary Appl.: DONALDSON HFK08 HYDRAULIC ASSEMBLIES          UPC Code: 742330-01467</p>
<p>Shape </p> <p>Cross Section </p>	<p>Part Number: <b>P161277</b>          Description: <b>O-Ring, Cup Seal</b>          Compound:           Dimensions: Outer Dia: 6.78" (172 mm)          Inner Dia: 6.32" (161 mm)          Thickness: .23" (6 mm)          Primary Appl.: DONALDSON HFK08 HYDRAULIC ASSEMBLIES          UPC Code: 742330-01468</p>
<p>Shape </p> <p>Cross Section </p>	<p>Part Number: <b>P161282</b>          Description: <b>O-Ring</b>          Compound:           Dimensions: Outer Dia: 3.90" (99 mm)          Inner Dia: 3.48" (88 mm)          Thickness: .21" (5 mm)          Primary Appl.: DONALDSON HFK08 HYDRAULIC ASSEMBLIES          UPC Code: 742330-01469</p>
	<p>Part Number: <b>P161351</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: AMER H&amp;D 9838517          Dimensions: Outer Dia: 3.10" (79 mm)          Inner Dia: 1.76" (45 mm)          Length: 8.14" (207 mm)          Performance: <math>\beta_{149\mu} = 2</math>          UPC Code: 742330-01472</p>

	<p>Part Number: <b>P161365</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: Donaldson HFK08 ASSEMBLY, Media #25          Dimensions: Outer Dia: 6.00" (152 mm)          Inner Dia: 3.41" (87 mm)          Length: 18.00" (457 mm)          Performance: <math>\beta_{25\mu} = 2</math> <math>\beta_{50\mu} = 20</math>          UPC Code: 742330-01473</p>
	<p>Part Number: <b>P161402</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: GENERAL USAGE, Media #10          Dimensions: Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 8.00" (203 mm)          Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math>          UPC Code: 742330-01474</p>
	<p>Part Number: <b>P161413</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: IR 35294024, Donaldson HHK05-RETURN, Media #10          Dimensions: Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 8.00" (203 mm)          Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math>          UPC Code: 742330-01475</p>
	<p>Part Number: <b>P161464</b>          Description: <b>Hydraulic Back Up Ring</b>          Contents or Usage: Donaldson HPK04 ASSEMBLY          UPC Code: 742330-01476</p>
	<p>Part Number: <b>P161571</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: IR 52263209, Donaldson HAK05, SYNTEQ Media, P160516 IS STD          Dimensions: Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 16.00" (406 mm)          Performance: <math>\beta_{15\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <math>\beta_{37\mu} = 75</math>          UPC Code: 742330-01478</p>
	<p>Part Number: <b>P161627</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: Donaldson HHK05 ASSEMBLY, EATON 514784603, Media #5          Dimensions: Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 13.00" (330 mm)          Performance: <math>\beta_{15\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <math>\beta_{35\mu} = 75</math>          UPC Code: 742330-01479</p>
	<p>Part Number: <b>P161632</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: AMER H&amp;D 1015077, Media #10          Dimensions: Outer Dia: 7.44" (189 mm)          Inner Dia: 4.85" (123 mm)          Length: 18.00" (457 mm)          Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math>          UPC Code: 742330-01480</p>
	<p>Part Number: <b>P161848</b>          Description: <b>Hydraulic Window Kit Assembly</b>          Contents or Usage: Donaldson HYDRAULIC ASSEMBLIES          UPC Code: 742330-01485</p>
	<p>Part Number: <b>P161850</b>          Description: <b>Hydraulic Valve Assembly</b>          Contents or Usage: Donaldson HYDRAULIC ASSEMBLIES          UPC Code: 742330-01486</p>
	<p>Part Number: <b>P161851</b>          Description: <b>O-Ring</b>          Contents or Usage: Donaldson HYDRAULIC ASSEMBLIES          UPC Code: 742330-01487</p>















	<p>Part Number: <b>P161852</b> Description: Washer, Gasket Contents or Usage: Donaldson HYDRAULIC ASSEMBLIES UPC Code: 742330-01488</p>
	<p>Part Number: <b>P161908</b> Description: Hydraulic Cartridge Primary Appl.: IOWA MFG #45177-509-03, AMER H&amp;D #1205450 Dimensions: Outer Dia: 4.38" (111 mm) Inner Dia: 2.44" (62 mm) Length: 10.00" (254 mm) Performance: <math>\beta_{15\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <math>\beta_{35\mu} = 75</math> UPC Code: 742330-01489</p>
	<p>Part Number: <b>P161917</b> Description: Hydraulic Cartridge Primary Appl.: DRILTECH #318553 Dimensions: Outer Dia: 4.38" (111 mm) Inner Dia: 2.44" (62 mm) Length: 13.00" (330 mm) Performance: <math>\beta_{74\mu} = 2</math> UPC Code: 742330-01490</p>
	<p>Part Number: <b>P161959</b> Description: Hydraulic Cartridge Primary Appl.: SULLAIR #1847C Dimensions: Outer Dia: 4.38" (111 mm) Inner Dia: 2.44" (62 mm) Length: 13.00" (330 mm) UPC Code: 742330-01493</p>
	<p>Part Number: <b>P161961</b> Description: Hydraulic Cartridge Primary Appl.: Donaldson HFK08 ASSEMBLY, Media #10 Dimensions: Outer Dia: 6.00" (152 mm) Inner Dia: 3.41" (87 mm) Length: 18.00" (457 mm) Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-01494</p>
	<p>Part Number: <b>P161969</b> Description: Hydraulic Cartridge Primary Appl.: AMER H&amp;D 1206666 Dimensions: Outer Dia: 4.38" (111 mm) Inner Dia: 2.44" (62 mm) Length: 13.00" (330 mm) Performance: <math>\beta_{15\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <math>\beta_{35\mu} = 75</math> UPC Code: 742330-01495</p>
<p>Shape </p> <p>Cross Section </p>	<p>Part Number: <b>P162005</b> Description: O-Ring Compound:  Dimensions: Outer Dia: 3.76" (96 mm) Inner Dia: 3.48" (88 mm) Thickness: .13" (4 mm) Primary Appl.: DONALDSON HPK03 HYD ASSEMBLY UPC Code: 742330-01496</p>
	<p>Part Number: <b>P162037</b> Description: Hydraulic Remote Indicator, 25 PSID Contents or Usage: Donaldson HYD ASSEMBLY UPC Code: 742330-01497</p>

	<p>Part Number: <b>P162104</b> Description: Hydraulic Cartridge Primary Appl.: GARDNER DENVER 2109093, Similar P160508 (Std) Dimensions: Outer Dia: 4.39" (112 mm) Inner Dia: 2.44" (62 mm) Length: 8.00" (203 mm) Performance: <math>\beta_{15\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <math>\beta_{37\mu} = 75</math> UPC Code: 742330-01498</p>
	<p>Part Number: <b>P162181</b> Description: Hydraulic Cartridge Primary Appl.: Donaldson HHK05 ASSBLY Dimensions: Outer Dia: 4.38" (111 mm) Inner Dia: 2.44" (62 mm) Length: 13.00" (330 mm) Performance: <math>\beta_{15\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <math>\beta_{35\mu} = 75</math> UPC Code: 742330-01500</p>
	<p>Part Number: <b>P162205</b> Description: Hydraulic Spin-on Primary Appl.: IHC 1103452C2, Donaldson HBK05, Media #10 Dimensions: Outer Dia: 5.00" (127 mm) Thread Size: 3" - 8 Length: 8.81" (224 mm) UPC Code: 742330-01501</p>
	<p>Part Number: <b>P162233</b> Description: Hydraulic Cartridge Primary Appl.: Donaldson HPK04 ASSEMBLY Dimensions: Outer Dia: 3.10" (79 mm) Inner Dia: 1.71" (43 mm) Length: 8.03" (204 mm) Performance: <math>\beta_{74\mu} = 2</math> UPC Code: 742330-01502</p>
	<p>Part Number: <b>P162260</b> Description: Hydraulic Cartridge Primary Appl.: GARDNER DENVER 5990190, SYNTEQ Media #16 Dimensions: Outer Dia: 4.39" (112 mm) Inner Dia: 2.44" (62 mm) Length: 8.00" (203 mm) UPC Code: 742330-01503</p>
	<p>Part Number: <b>P162368</b> Description: Hydraulic Cartridge Primary Appl.: CASE 116427, Donaldson HAK05 ASSY Dimensions: Outer Dia: 4.38" (111 mm) Inner Dia: 2.44" (62 mm) Length: 8.00" (203 mm) Performance: <math>\beta_{149\mu} = 2</math> UPC Code: 742330-01507</p>
	<p>Part Number: <b>P162400</b> Description: Hydraulic DC ELEC in Oil Switch, 25 PSID Contents or Usage: Donaldson HYDRAULIC ASSEMBLIES UPC Code: 742330-01508</p>
	<p>Part Number: <b>P162471</b> Description: Hydraulic Cartridge Primary Appl.: CLARK 2526831, Donaldson HHK05-RETURN, Media #10 Dimensions: Outer Dia: 4.38" (111 mm) Inner Dia: 2.44" (62 mm) Length: 16.00" (406 mm) Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-01511</p>






























	<p><b>Part Number:</b> P162581 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson HHK05 ASSEMBLY <b>Dimensions:</b> Outer Dia: 4.38" (111 mm) Inner Dia: 2.44" (62 mm) Length: 16.00" (406 mm) <b>Performance:</b> <math>\beta_{15\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <b>Relief Valve:</b> None <b>UPC Code:</b> 742330-01513</p>
	<p><b>Part Number:</b> P162642 <b>Description:</b> Hydraulic Visual Indicator Kit, 15 PSI <b>Contents or Usage:</b> Donaldson HBK04, HBK05, HMK04 ASSEMBLIES <b>UPC Code:</b> 742330-01514</p>
	<p><b>Part Number:</b> P162694 <b>Description:</b> Hydraulic 5 PSID Indicator Assembly <b>Contents or Usage:</b> Donaldson HYDRAULIC ASSEMBLIES <b>UPC Code:</b> 742330-01516</p>
	<p><b>Part Number:</b> P162696 <b>Description:</b> Hydraulic 25 PSID Indicator Assembly <b>Contents or Usage:</b> Donaldson HYDRAULIC ASSEMBLIES <b>UPC Code:</b> 742330-01517</p>
	<p><b>Part Number:</b> P162707 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> AMER H&amp;D 1206667, Media #10 <b>Dimensions:</b> Outer Dia: 4.38" (111 mm) Inner Dia: 2.44" (62 mm) Length: 13.00" (330 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> <b>UPC Code:</b> 742330-01518</p>
	<p><b>Part Number:</b> P162708 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson HHK05 ASSEMBLY, Media #10 <b>Dimensions:</b> Outer Dia: 4.38" (111 mm) Inner Dia: 2.44" (62 mm) Length: 16.00" (406 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> <b>UPC Code:</b> 742330-01519</p>
	<p><b>Part Number:</b> P162716 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson HHK05 ASSEMBLY, Media #25 <b>Dimensions:</b> Outer Dia: 4.38" (111 mm) Inner Dia: 2.44" (62 mm) Length: 16.00" (406 mm) <b>Performance:</b> <math>\beta_{25\mu} = 2</math> <math>\beta_{50\mu} = 20</math> <b>UPC Code:</b> 742330-01520</p>
	<p><b>Part Number:</b> P162742 <b>Description:</b> O-Ring Kit <b>Contents or Usage:</b> Donaldson HPK04 ASSY, CONTAINS P161463, P161464 <b>UPC Code:</b> 742330-01521</p>
	<p><b>Part Number:</b> P162766 <b>Description:</b> Hydraulic Spin-on <b>Primary Appl.:</b> M/F 1053870M91, CHARLYNN 5610, DCI HBK04 ASSY, Media #10 <b>Dimensions:</b> Outer Dia: 3.69" (94 mm) Thread Size: 1 1/4" - 12 Length: 5.37" (136 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{15\mu} = 20</math> <math>\beta_{25\mu} = 75</math> <b>UPC Code:</b> 742330-01522</p>

	<p><b>Part Number:</b> P162777 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> OLD DOMINION T00-433-4 <b>Dimensions:</b> Outer Dia: 4.38" (111 mm) Inner Dia: 2.44" (62 mm) Length: 13.00" (330 mm) <b>Performance:</b> <math>\beta_{149\mu} = 2</math> <b>UPC Code:</b> 742330-01523</p>
	<p><b>Part Number:</b> P162860 <b>Description:</b> O-Ring Kit <b>Contents or Usage:</b> Donaldson HPK05 HYDRAULIC ASSEMBLIES <b>UPC Code:</b> 742330-01526</p>
	<p><b>Part Number:</b> P162953 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson HPK03 ASSBLY, Media #3 <b>Dimensions:</b> Outer Dia: 3.10" (79 mm) Inner Dia: 1.73" (44 mm) Length: 8.00" (203 mm) <b>Performance:</b> <math>\beta_{4\mu} = 2</math> <math>\beta_{12\mu} = 20</math> <math>\beta_{16\mu} = 75</math> <b>UPC Code:</b> 742330-01529</p>
	<p><b>Part Number:</b> P162957 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson HPK03 ASSBLY <b>Dimensions:</b> Outer Dia: 3.10" (79 mm) Inner Dia: 1.73" (44 mm) Length: 8.00" (203 mm) <b>Performance:</b> <math>\beta_{15\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <math>\beta_{35\mu} = 75</math> <b>UPC Code:</b> 742330-01530</p>
	<p><b>Part Number:</b> P163172 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> DRILTECH, SULLAIR, SYNTEQ Media #16 <b>Dimensions:</b> Outer Dia: 4.38" (111 mm) Inner Dia: 2.44" (62 mm) Length: 8.00" (203 mm) <b>Performance:</b> <math>\beta_{15\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <math>\beta_{37\mu} = 75</math> <b>UPC Code:</b> 742330-01531</p>
	<p><b>Part Number:</b> P163173 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> CONTAINS P163172 ELEM &amp; P161914 SEAL KIT, SYNTEQ Media #16 <b>Dimensions:</b> Outer Dia: 4.38" (111 mm) Inner Dia: 2.44" (62 mm) Length: 8.00" (203 mm) <b>UPC Code:</b> 742330-01532</p>
	<p><b>Part Number:</b> P163244 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson HPK03 ASSBLY, Media #5 <b>Dimensions:</b> Outer Dia: 3.10" (79 mm) Inner Dia: 1.73" (44 mm) Length: 8.00" (203 mm) <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{17\mu} = 75</math> <b>UPC Code:</b> 742330-01533</p>
	<p><b>Part Number:</b> P163315 <b>Description:</b> Hydraulic Spin-on, Duramax® <b>Primary Appl.:</b> CAT 8T-7478, Donaldson HMK04, Media #10 <b>Dimensions:</b> Outer Dia: 3.82" (97 mm) Thread Size: 1 3/8" - 12 Length: 5.97" (152 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> <b>UPC Code:</b> 742330-01534</p>
	<p><b>Part Number:</b> P163322 <b>Description:</b> Hydraulic Spin-on, Duramax® <b>Primary Appl.:</b> CASE D89909, Donaldson HMK04 <b>Dimensions:</b> Outer Dia: 3.82" (97 mm) Thread Size: 1 3/8" - 12 Length: 9.44" (240 mm) <b>Performance:</b> <math>\beta_{15\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <math>\beta_{35\mu} = 75</math> <b>UPC Code:</b> 742330-01535</p>



















	<p><b>Part Number:</b> P163323 <b>Description:</b> Hydraulic Spin-on, Duramax® <b>Primary Appl.:</b> CLARK 6598903, Donaldson HMK04 ASSY, Media #3 <b>Dimensions:</b> Outer Dia: 3.82" (97 mm) Thread Size: 1 3/8" - 12 Length: 9.44" (240 mm) <b>Performance:</b> <math>\beta_{4\mu} = 2</math> <math>\beta_{12\mu} = 20</math> <math>\beta_{16\mu} = 75</math> <b>UPC Code:</b> 742330-01536</p>
	<p><b>Part Number:</b> P163324 <b>Description:</b> Hydraulic Spin-on, Duramax® <b>Primary Appl.:</b> CASE N7332, IR #50995034, Donaldson HMK04, Media #10 <b>Dimensions:</b> Outer Dia: 3.82" (97 mm) Thread Size: 1 3/8" - 12 Length: 9.44" (240 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> <b>UPC Code:</b> 742330-01537</p>
	<p><b>Part Number:</b> P163405 <b>Description:</b> Hydraulic Spin-on, Duramax® <b>Primary Appl.:</b> Donaldson HMK04 ASSY, Media #3 <b>Dimensions:</b> Outer Dia: 3.82" (97 mm) Thread Size: 1 3/8" - 12 Length: 5.97" (152 mm) <b>Performance:</b> <math>\beta_{4\mu} = 2</math> <math>\beta_{12\mu} = 20</math> <math>\beta_{16\mu} = 75</math> <b>UPC Code:</b> 742330-01538</p>
	<p><b>Part Number:</b> P163412 <b>Description:</b> Hydraulic Spin-on, Duramax® <b>Primary Appl.:</b> IHC 1272051C1, Donaldson HMK04, Media #5 <b>Dimensions:</b> Outer Dia: 3.82" (97 mm) Thread Size: 1 3/8" - 12 Length: 5.97" (152 mm) <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{17\mu} = 75</math> <b>UPC Code:</b> 742330-01539</p>
	<p><b>Part Number:</b> P163419 <b>Description:</b> Hydraulic Spin-on, Duramax® <b>Primary Appl.:</b> CLARK 6599543, TRAILMOBILE 1035485, DCI HMK04, Media #10 <b>Dimensions:</b> Outer Dia: 3.82" (97 mm) Thread Size: 1 3/8" - 12 Length: 5.97" (152 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> <b>UPC Code:</b> 742330-01540</p>
	<p><b>Part Number:</b> P163425 <b>Description:</b> Hydraulic Spin-on, Duramax® <b>Primary Appl.:</b> CASE L36242, KOEHRING 31252006, Donaldson HMK04, Media #25 <b>Dimensions:</b> Outer Dia: 3.82" (97 mm) Thread Size: 1 3/8" - 12 Length: 9.44" (240 mm) <b>Performance:</b> <math>\beta_{25\mu} = 2</math> <math>\beta_{50\mu} = 20</math> <b>UPC Code:</b> 742330-01541</p>
	<p><b>Part Number:</b> P163428 <b>Description:</b> Hydraulic Spin-on, Duramax® <b>Primary Appl.:</b> IR 39136650, Donaldson HMK04, Media #25 <b>Dimensions:</b> Outer Dia: 3.82" (97 mm) Thread Size: 1 3/8" - 12 Length: 5.97" (152 mm) <b>Performance:</b> <math>\beta_{25\mu} = 2</math> <math>\beta_{50\mu} = 20</math> <b>UPC Code:</b> 742330-01542</p>
	<p><b>Part Number:</b> P163434 <b>Description:</b> Hydraulic Spin-on, Duramax® <b>Primary Appl.:</b> CASE D120594, FIAT ALLIS 73131887, DCI HMK04, Media #5 <b>Dimensions:</b> Outer Dia: 3.82" (97 mm) Thread Size: 1 3/8" - 12 Length: 9.44" (240 mm) <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{17\mu} = 75</math> <b>UPC Code:</b> 742330-01543</p>

	<p><b>Part Number:</b> P163435 <b>Description:</b> Hydraulic Spin-on <b>Primary Appl.:</b> IHC 1106643-C1, 1106643-C2 <b>Dimensions:</b> Outer Dia: 5.00" (127 mm) Thread Size: 3" - 8 Length: 12.25" (311 mm) <b>UPC Code:</b> 742330-01544</p>
	<p><b>Part Number:</b> P163437 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PUROLATOR, INGERSOLL RAND <b>Dimensions:</b> Outer Dia: 4.00" (102 mm) Inner Dia: 1.06" (27 mm) Length: 6.00" (152 mm) <b>UPC Code:</b> 742330-01546</p>
	<p><b>Part Number:</b> P163438 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PUROLATOR, INGERSOLL RAND, Media #25 <b>Dimensions:</b> Outer Dia: 5.94" (151 mm) Inner Dia: 1.75" (44 mm) Length: 7.12" (181 mm) <b>UPC Code:</b> 742330-01547</p>
	<p><b>Part Number:</b> P163439 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PUROLATOR, INGERSOLL RAND, GARDNER/DENVER, Media #10 <b>Dimensions:</b> Outer Dia: 5.94" (151 mm) Inner Dia: 1.75" (44 mm) Length: 7.12" (181 mm) <b>UPC Code:</b> 742330-01548</p>
	<p><b>Part Number:</b> P163443 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> FMC #31P0147 <b>Dimensions:</b> Outer Dia: 4.38" (111 mm) Inner Dia: 2.44" (62 mm) Length: 16.00" (406 mm) <b>UPC Code:</b> 742330-01549</p>
	<p><b>Part Number:</b> P163446 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> BUCYRUS ERIE #741572, SYNTEQ Media #6 <b>Dimensions:</b> Outer Dia: 6.00" (152 mm) Inner Dia: 3.96" (101 mm) Length: 11.92" (303 mm) <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{10\mu} = 20</math> <math>\beta_{13\mu} = 75</math> <b>UPC Code:</b> 742330-01552</p>
	<p><b>Part Number:</b> P163447 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> HYSTER #5-44643-2 <b>Dimensions:</b> Outer Dia: 4.00" (102 mm) Inner Dia: 1.56" (40 mm) Length: 14.81" (376 mm) <b>Performance:</b> <math>\beta_{15\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <math>\beta_{35\mu} = 75</math> <b>UPC Code:</b> 742330-01553</p>
	<p><b>Part Number:</b> P163448 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> HYSTER, WABCO VS7413, Media #5 <b>Dimensions:</b> Outer Dia: 5.07" (129 mm) Inner Dia: 3.34" (85 mm) Length: 9.00" (229 mm) <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{17\mu} = 75</math> <b>UPC Code:</b> 742330-01554</p>
	<p><b>Part Number:</b> P163455 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> CONTAINS P160213 ELE &amp; P160016 ORNG, CLARK 960641, Media #10 <b>Dimensions:</b> Outer Dia: 4.38" (111 mm) Inner Dia: 2.44" (62 mm) Length: 13.00" (330 mm) <b>UPC Code:</b> 742330-01555</p>









	<p><b>Part Number:</b> P163472  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> Donaldson HEK11 ASSEMBLY, Media #1  <b>Dimensions:</b> Outer Dia: 7.44" (189 mm)          Inner Dia: 4.85" (123 mm)          Length: 22.00" (559 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 75</math>  <b>UPC Code:</b> 742330-01556</p>
	<p><b>Part Number:</b> P163496  <b>Description:</b> Hydraulic Spin-on, Duramax®  <b>Primary Appl.:</b> CAT 090-2900, HYSTER 3006174, Donaldson HMK04  <b>Dimensions:</b> Outer Dia: 3.82" (97 mm)          Thread Size: 1 3/8" - 12          Length: 5.97" (152 mm)  <b>Performance:</b> <math>\beta_{15\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <math>\beta_{35\mu} = 75</math>  <b>UPC Code:</b> 742330-01557</p>
	<p><b>Part Number:</b> P163542  <b>Description:</b> Hydraulic Spin-on, Duramax®  <b>Primary Appl.:</b> CASE A165029, Donaldson HMK04, Media #5  <b>Dimensions:</b> Outer Dia: 3.82" (97 mm)          Thread Size: 1 3/8" - 12          Length: 5.97" (152 mm)  <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{17\mu} = 75</math>  <b>UPC Code:</b> 742330-01558</p>
	<p><b>Part Number:</b> P163552  <b>Description:</b> Hydraulic Spin-on, Duramax®  <b>Primary Appl.:</b> Donaldson HMK04 ASSY, Media #3  <b>Dimensions:</b> Outer Dia: 3.82" (97 mm)          Thread Size: 1 3/8" - 12          Length: 5.97" (152 mm)  <b>Performance:</b> <math>\beta_{4\mu} = 2</math> <math>\beta_{12\mu} = 20</math> <math>\beta_{16\mu} = 75</math>  <b>UPC Code:</b> 742330-01561</p>
	<p><b>Part Number:</b> P163555  <b>Description:</b> Hydraulic Spin-on, Duramax®  <b>Primary Appl.:</b> KOEHRING 853531235, Donaldson HMK04 ASSY, Media #5  <b>Dimensions:</b> Outer Dia: 3.82" (97 mm)          Thread Size: 1 3/8" - 12          Length: 9.44" (240 mm)  <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{17\mu} = 75</math>  <b>UPC Code:</b> 742330-01562</p>
	<p><b>Part Number:</b> P163558  <b>Description:</b> Hydraulic Spin-on, Duramax®  <b>Primary Appl.:</b> HAWKER SIDDLEY #10030972, Donaldson HMK04, Media #25  <b>Dimensions:</b> Outer Dia: 3.82" (97 mm)          Thread Size: 1 3/8" - 12          Length: 9.44" (240 mm)  <b>Performance:</b> <math>\beta_{25\mu} = 2</math> <math>\beta_{50\mu} = 20</math>  <b>UPC Code:</b> 742330-01563</p>
	<p><b>Part Number:</b> P163567  <b>Description:</b> Hydraulic Spin-on, Duramax®  <b>Primary Appl.:</b> HYSTER #398886, Donaldson HMK04, Media #10  <b>Dimensions:</b> Outer Dia: 3.82" (97 mm)          Thread Size: 1 3/8" - 12          Length: 9.44" (240 mm)  <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math>  <b>UPC Code:</b> 742330-01565</p>
	<p><b>Part Number:</b> P163642  <b>Description:</b> Hydraulic DC ELEC in Oil Switch, 5 PSD  <b>Contents or Usage:</b> Donaldson HYDRAULIC ASSEMBLIES  <b>UPC Code:</b> 742330-01567</p>









	<p><b>Part Number:</b> P163681  <b>Description:</b> Head Assembly Hydraulic  <b>Primary Appl.:</b> DONALDSON HMK04 DURAMAX, NO INDICATOR  <b>Inlet Port:</b> 1" SAE O-RING  <b>Outlet Port:</b> 1" SAE O-RING  <b>Threaded Stud:</b> 1-3/8" - 12  <b>Bypass Valve:</b> 25  <b>UPC Code:</b> 742330-01568</p>
	<p><b>Part Number:</b> P163858  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> Donaldson HAK05 ASSEMBLY, Media #3  <b>Dimensions:</b> Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 16.00" (406 mm)  <b>Performance:</b> <math>\beta_{4\mu} = 2</math> <math>\beta_{12\mu} = 20</math> <math>\beta_{16\mu} = 75</math>  <b>UPC Code:</b> 742330-01570</p>
	<p><b>Part Number:</b> P163859  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> Donaldson HAK05/HDK06 ASSBLY, Media #5  <b>Dimensions:</b> Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 5.00" (127 mm)  <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{17\mu} = 75</math>  <b>UPC Code:</b> 742330-01571</p>
	<p><b>Part Number:</b> P163862  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> Donaldson HAK05/HDK06 ASSBLY, Media #5  <b>Dimensions:</b> Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 16.00" (406 mm)  <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{17\mu} = 75</math>  <b>UPC Code:</b> 742330-01574</p>
	<p><b>Part Number:</b> P163903  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> SCHROEDER K-3, SYNTEQ Media #4  <b>Dimensions:</b> Outer Dia: 3.85" (98 mm)          Inner Dia: 1.61" (41 mm)          Length: 9.02" (229 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math>  <b>UPC Code:</b> 742330-01575</p>
	<p><b>Part Number:</b> P163910  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> SCHROEDER K-10 &amp; K-25, SYNTEQ Media #9  <b>Dimensions:</b> Outer Dia: 3.85" (98 mm)          Inner Dia: 1.61" (41 mm)          Length: 9.02" (229 mm)  <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>  <b>UPC Code:</b> 742330-01576</p>
	<p><b>Part Number:</b> P163945  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> Donaldson HFK08 ASSEMBLY  <b>Dimensions:</b> Outer Dia: 6.00" (152 mm)          Inner Dia: 3.41" (87 mm)          Length: 18.00" (457 mm)  <b>Performance:</b> <math>\beta_{149\mu} = 2</math>  <b>UPC Code:</b> 742330-01577</p>
	<p><b>Part Number:</b> P163947  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> Donaldson HFK08 ASSEMBLY, Media #5  <b>Dimensions:</b> Outer Dia: 6.00" (152 mm)          Inner Dia: 3.41" (87 mm)          Length: 18.00" (457 mm)  <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{17\mu} = 75</math>  <b>UPC Code:</b> 742330-01578</p>

	<p><b>Part Number:</b> P164056  <b>Description:</b> Hydraulic Spin-on, Duramax®  <b>Primary Appl.:</b> Donaldson HMK04 ASSEMBLY, SYNTEQ Media #6, Viton Version  <b>Dimensions:</b> Outer Dia: 3.82" (97 mm)          Thread Size: 1 3/8" - 12          Length: 9.44" (240 mm)  <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{10\mu} = 20</math> <math>\beta_{13\mu} = 75</math>  <b>UPC Code:</b> 742330-01579</p>
	<p><b>Part Number:</b> P164059  <b>Description:</b> Hydraulic Spin-on, Duramax®  <b>Primary Appl.:</b> Donaldson HMK04 ASSEMBLY, SYNTEQ Media #16, Viton Version  <b>Dimensions:</b> Outer Dia: 3.82" (97 mm)          Thread Size: 1 3/8" - 12          Length: 9.44" (240 mm)  <b>Performance:</b> <math>\beta_{15\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <math>\beta_{37\mu} = 75</math>  <b>UPC Code:</b> 742330-01580</p>
	<p><b>Part Number:</b> P164164  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PALL HC9600FUS4H, SYNTEQ Media #4  <b>Dimensions:</b> Outer Dia: 3.10" (79 mm)          Inner Dia: 1.71" (43 mm)          Length: 4.45" (113 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math>  <b>UPC Code:</b> 742330-01581</p>
	<p><b>Part Number:</b> P164166  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PALL HC9600FUS8H, Donaldson HPK03/HPK04 ASSY, SYNTEQ Media #4  <b>Dimensions:</b> Outer Dia: 3.10" (79 mm)          Inner Dia: 1.71" (43 mm)          Length: 8.03" (204 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math>  <b>UPC Code:</b> 742330-01582</p>
	<p><b>Part Number:</b> P164168  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PALL HC9600FUS13H, SYNTEQ Media #4  <b>Dimensions:</b> Outer Dia: 3.10" (79 mm)          Inner Dia: 1.71" (43 mm)          Length: 12.76" (324 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math>  <b>UPC Code:</b> 742330-01583</p>
	<p><b>Part Number:</b> P164170  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PALL HC9600FUS16H, Donaldson HPK04 ASSY, SYNTEQ Media #4  <b>Dimensions:</b> Outer Dia: 3.10" (79 mm)          Inner Dia: 1.71" (43 mm)          Length: 16.67" (423 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math>  <b>UPC Code:</b> 742330-01584</p>
	<p><b>Part Number:</b> P164172  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PALL HC9600FUT4H, SYNTEQ Media #9  <b>Dimensions:</b> Outer Dia: 3.10" (79 mm)          Inner Dia: 1.71" (43 mm)          Length: 4.45" (113 mm)  <b>Performance:</b> <math>\beta_{7\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>  <b>UPC Code:</b> 742330-01585</p>
	<p><b>Part Number:</b> P164174  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PALL HC9600FUT8H, Donaldson HPK03/HPK04 ASSY, SYNTEQ Media #9  <b>Dimensions:</b> Outer Dia: 3.10" (79 mm)          Inner Dia: 1.71" (43 mm)          Length: 8.20" (208 mm)  <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>  <b>UPC Code:</b> 742330-01586</p>









	<p><b>Part Number:</b> P164176  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PALL HC9600FUT13H, SYNTEQ Media #9  <b>Dimensions:</b> Outer Dia: 3.10" (79 mm)          Inner Dia: 1.71" (43 mm)          Length: 12.93" (328 mm)  <b>Performance:</b> <math>\beta_{7\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>  <b>UPC Code:</b> 742330-01587</p>
	<p><b>Part Number:</b> P164178  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PALL HC9600FUT16H, PUROLATOR 9313214, DCI HPK04, SYNTEQ Media #9  <b>Dimensions:</b> Outer Dia: 3.10" (79 mm)          Inner Dia: 1.71" (43 mm)          Length: 16.84" (428 mm)  <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>  <b>UPC Code:</b> 742330-01588</p>
	<p><b>Part Number:</b> P164200  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> CAT 9M-9740, 2M-3943, 1M-9156, SYNTEQ Media, Standard-P559740-HYD CART  <b>Dimensions:</b> Outer Dia: 4.00" (102 mm)          Inner Dia: 2.30" (58 mm)          Length: 9.25" (235 mm)  <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{16\mu} = 75</math>  <b>UPC Code:</b> 742330-01591</p>
	<p><b>Part Number:</b> P164203  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> CAT 4J-0816, SYNTEQ Media, Standard-P550816-LUBE CARTRIDGE  <b>Dimensions:</b> Outer Dia: 3.34" (85 mm)          Inner Dia: 1.86" (47 mm)          Length: 9.00" (229 mm)  <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{16\mu} = 75</math>  <b>UPC Code:</b> 742330-01592</p>
	<p><b>Part Number:</b> P164205  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> CAT 4J-6064, 4J-0806, 2J-1560, SYNTEQ Media #4, Standard-P556064  <b>Dimensions:</b> Outer Dia: 5.07" (129 mm)          Inner Dia: 3.34" (85 mm)          Length: 9.00" (229 mm)  <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{16\mu} = 75</math>  <b>UPC Code:</b> 742330-01593</p>
	<p><b>Part Number:</b> P164207  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> CAT 7J-0670, SYNTEQ Media, Standard-P556700  <b>Dimensions:</b> Outer Dia: 6.84" (174 mm)          Inner Dia: 4.23" (107 mm)          Length: 9.00" (229 mm)  <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{16\mu} = 75</math>  <b>UPC Code:</b> 742330-01594</p>
	<p><b>Part Number:</b> P164215  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PALL HC8300FUS8H, SYNTEQ Media #6  <b>Dimensions:</b> Outer Dia: 6.02" (153 mm)          Inner Dia: 4.12" (105 mm)          Length: 8.13" (206 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math>  <b>UPC Code:</b> 742330-01595</p>
	<p><b>Part Number:</b> P164217  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PALL HC8300FUT8H, SYNTEQ Media #9  <b>Dimensions:</b> Outer Dia: 6.02" (153 mm)          Inner Dia: 4.12" (105 mm)          Length: 8.13" (206 mm)  <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>  <b>UPC Code:</b> 742330-01596</p>










	<p><b>Part Number:</b> P164223 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9400FUS13H, SYNTEQ Media #4 <b>Dimensions:</b> Outer Dia: 3.75" (95 mm) Inner Dia: 2.21" (56 mm) Length: 12.76" (324 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> <b>UPC Code:</b> 742330-01597</p>
	<p><b>Part Number:</b> P164225 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9400FUT13H, SYNTEQ Media #9 <b>Dimensions:</b> Outer Dia: 3.75" (95 mm) Inner Dia: 2.21" (56 mm) Length: 12.76" (324 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math> <b>UPC Code:</b> 742330-01598</p>
	<p><b>Part Number:</b> P164227 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9400FUS26H, Donaldson HPK05 ASSY, SYNTEQ Media #6 <b>Dimensions:</b> Outer Dia: 3.75" (95 mm) Inner Dia: 2.21" (56 mm) Length: 25.53" (648 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> <b>UPC Code:</b> 742330-01599</p>
	<p><b>Part Number:</b> P164229 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9400FUT26H, Donaldson HPK05 ASSY, SYNTEQ Media #9 <b>Dimensions:</b> Outer Dia: 3.75" (95 mm) Inner Dia: 2.21" (56 mm) Length: 25.53" (648 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math> <b>UPC Code:</b> 742330-01600</p>
	<p><b>Part Number:</b> P164241 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> CAT 9J-0750, 9J-5461, GMC 25012355, SYNTEQ Media #4 <b>Dimensions:</b> Outer Dia: 5.07" (129 mm) Inner Dia: 3.34" (85 mm) Length: 11.00" (279 mm) <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{16\mu} = 75</math> <b>UPC Code:</b> 742330-01601</p>
	<p><b>Part Number:</b> P164266 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson HHK05 ASSEMBLY, Media #5 <b>Dimensions:</b> Outer Dia: 4.38" (111 mm) Inner Dia: 2.44" (62 mm) Length: 16.00" (406 mm) <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{17\mu} = 75</math> <b>UPC Code:</b> 742330-01602</p>
	<p><b>Part Number:</b> P164270 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> IHC 940241C2 <b>Dimensions:</b> Outer Dia: 7.44" (189 mm) Inner Dia: 4.85" (123 mm) Length: 18.00" (457 mm) <b>Performance:</b> <math>\beta_{15\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <math>\beta_{35\mu} = 75</math> <b>UPC Code:</b> 742330-01603</p>
	<p><b>Part Number:</b> P164277 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> HYSTER 320006, SYNTEQ Media #6 <b>Dimensions:</b> Outer Dia: 4.00" (102 mm) Inner Dia: 1.56" (40 mm) Length: 14.81" (376 mm) <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{10\mu} = 20</math> <math>\beta_{13\mu} = 75</math> <b>UPC Code:</b> 742330-01604</p>
	<p><b>Part Number:</b> P164315 <b>Description:</b> Hydraulic 50 PSID Visual Indicator <b>Contents or Usage:</b> Donaldson HYDRAULIC ASSEMBLIES <b>UPC Code:</b> 742330-01605</p>

	<p><b>Part Number:</b> P164334 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson HYD ASSBLY KIT, includes P160616 <b>Dimensions:</b> Outer Dia: 4.38" (111 mm) Inner Dia: 2.44" (62 mm) Length: 16.00" (406 mm) <b>UPC Code:</b> 742330-01606</p>
	<p><b>Part Number:</b> P164341 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> NEW HOLLAND 776528 <b>Dimensions:</b> Outer Dia: 4.38" (111 mm) Inner Dia: 2.44" (62 mm) Length: 8.00" (203 mm) <b>Performance:</b> <math>\beta_{15\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <math>\beta_{35\mu} = 75</math> <b>UPC Code:</b> 742330-01607</p>
	<p><b>Part Number:</b> P164348 <b>Description:</b> Hydraulic Spin-on <b>Primary Appl.:</b> IR 35327824, CHARLYNN 5604, DCI HBK04 ASSY, Media #25 <b>Dimensions:</b> Outer Dia: 3.69" (94 mm) Thread Size: 1 1/4" - 12 Length: 5.37" (136 mm) <b>Performance:</b> <math>\beta_{25\mu} = 2</math> <math>\beta_{35\mu} = 20</math> <math>\beta_{50\mu} = 75</math> <b>UPC Code:</b> 742330-01608</p>
	<p><b>Part Number:</b> P164351 <b>Description:</b> Hydraulic Spin-on <b>Primary Appl.:</b> GARNER DENVER 2109648, Donaldson HBK04 ASSY, Media #10 <b>Dimensions:</b> Outer Dia: 3.69" (94 mm) Thread Size: 1 1/4" - 12 Length: 8.69" (221 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{15\mu} = 20</math> <math>\beta_{25\mu} = 75</math> <b>UPC Code:</b> 742330-01609</p>
	<p><b>Part Number:</b> P164352 <b>Description:</b> Hydraulic Spin-on <b>Primary Appl.:</b> IR 35296920, Donaldson HBK04 ASSEMBLY, Media #25 <b>Dimensions:</b> Outer Dia: 3.69" (94 mm) Thread Size: 1 1/4" - 12 Length: 8.69" (221 mm) <b>Performance:</b> <math>\beta_{25\mu} = 2</math> <math>\beta_{35\mu} = 20</math> <math>\beta_{50\mu} = 75</math> <b>UPC Code:</b> 742330-01610</p>
	<p><b>Part Number:</b> P164364 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9600FUS4Z, SYNTEQ Media #4 <b>Dimensions:</b> Outer Dia: 3.10" (79 mm) Inner Dia: 1.71" (43 mm) Length: 4.45" (113 mm) <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{16\mu} = 75</math> <b>UPC Code:</b> 742330-01611</p>
	<p><b>Part Number:</b> P164365 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9600FUS8Z, Donaldson HPK03 ASSY, SYNTEQ Media #4, Viton Version <b>Dimensions:</b> Outer Dia: 3.10" (79 mm) Inner Dia: 1.71" (43 mm) Length: 8.03" (204 mm) <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{16\mu} = 75</math> <b>UPC Code:</b> 742330-01612</p>
	<p><b>Part Number:</b> P164367 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9600FUS16Z, Donaldson HPK04 ASSY, Media #4 <b>Dimensions:</b> Outer Dia: 3.10" (79 mm) Inner Dia: 1.71" (43 mm) Length: 16.67" (423 mm) <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{16\mu} = 75</math> <b>UPC Code:</b> 742330-01613</p>



















	<p><b>Part Number:</b> P164375  <b>Description:</b> Hydraulic Spin-on, Duramax®  <b>Primary Appl.:</b> CLARK 6630977, Donaldson HMK04 ASSY, SYNTEQ Media #6  <b>Dimensions:</b> Outer Dia: 3.82" (97 mm)          Thread Size: 1 3/8" - 12          Length: 5.97" (152 mm)  <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{16\mu} = 75</math>  <b>UPC Code:</b> 742330-01617</p>
	<p><b>Part Number:</b> P164378  <b>Description:</b> Hydraulic Spin-on, Duramax®  <b>Primary Appl.:</b> ADVANCE 496209, KOEHRING 853531244 (DCI HMK04), SYNTEQ Media #6  <b>Dimensions:</b> Outer Dia: 3.82" (97 mm)          Thread Size: 1 3/8" - 12          Length: 9.44" (240 mm)  <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{16\mu} = 75</math>  <b>UPC Code:</b> 742330-01618</p>
	<p><b>Part Number:</b> P164381  <b>Description:</b> Hydraulic Spin-on, Duramax®  <b>Primary Appl.:</b> CASE X724693, Donaldson HMK04, SYNTEQ Media #9  <b>Dimensions:</b> Outer Dia: 3.82" (97 mm)          Thread Size: 1 3/8" - 12          Length: 5.97" (152 mm)  <b>Performance:</b> <math>\beta_{7\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>  <b>UPC Code:</b> 742330-01619</p>
	<p><b>Part Number:</b> P164384  <b>Description:</b> Hydraulic Spin-on, Duramax®  <b>Primary Appl.:</b> CASE N9025, CAT 9T-5916, DEERE AH114973, SYNTEQ Media #9  <b>Dimensions:</b> Outer Dia: 3.82" (97 mm)          Thread Size: 1 3/8" - 12          Length: 9.44" (240 mm)  <b>Performance:</b> <math>\beta_{7\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>  <b>UPC Code:</b> 742330-01620</p>
	<p><b>Part Number:</b> P164405  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> Donaldson HFK08 ASSBLY, SYNTEQ Media #9  <b>Dimensions:</b> Outer Dia: 6.00" (152 mm)          Inner Dia: 3.41" (87 mm)          Length: 18.00" (457 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 75</math>  <b>UPC Code:</b> 742330-01621</p>
	<p><b>Part Number:</b> P164413  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> Donaldson HEK11 HYD ASSY, SYNTEQ Media #16  <b>Dimensions:</b> Outer Dia: 7.44" (189 mm)          Inner Dia: 4.85" (123 mm)          Length: 22.00" (559 mm)  <b>Performance:</b> <math>\beta_{15\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <math>\beta_{37\mu} = 75</math>  <b>UPC Code:</b> 742330-01622</p>
	<p><b>Part Number:</b> P164493  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> Donaldson HHK05 ASSEMBLY, SYNTEQ Media #16  <b>Dimensions:</b> Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 8.00" (203 mm)  <b>Performance:</b> <math>\beta_{15\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <math>\beta_{37\mu} = 75</math>  <b>UPC Code:</b> 742330-01627</p>
	<p><b>Part Number:</b> P164495  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> Donaldson HHK05 ASSEMBLY, SYNTEQ Media #6  <b>Dimensions:</b> Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 16.00" (406 mm)  <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{10\mu} = 20</math> <math>\beta_{13\mu} = 75</math>  <b>UPC Code:</b> 742330-01628</p>

	<p><b>Part Number:</b> P164556  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PARKER 922625  <b>Dimensions:</b> Outer Dia: 2.44" (62 mm)          Inner Dia: 1.00" (25 mm)          Length: 5.00" (127 mm)  <b>Performance:</b> <math>\beta_{15\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <math>\beta_{35\mu} = 75</math>  <b>UPC Code:</b> 742330-01629</p>
	<p><b>Part Number:</b> P164561  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PALL HC9400FUS39H, SYNTEQ Media #6  <b>Dimensions:</b> Outer Dia: 3.75" (95 mm)          Inner Dia: 2.18" (55 mm)          Length: 38.52" (978 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math>  <b>UPC Code:</b> 742330-01630</p>
	<p><b>Part Number:</b> P164563  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PALL HC9400FUT39H, SYNTEQ Media #9  <b>Dimensions:</b> Outer Dia: 3.75" (95 mm)          Inner Dia: 2.18" (55 mm)          Length: 38.52" (978 mm)  <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>  <b>UPC Code:</b> 742330-01632</p>
	<p><b>Part Number:</b> P164565  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PALL HC8300FUS39H, SYNTEQ Media #4  <b>Dimensions:</b> Outer Dia: 6.02" (153 mm)          Inner Dia: 4.16" (106 mm)          Length: 38.62" (981 mm)  <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{16\mu} = 75</math>  <b>UPC Code:</b> 742330-01634</p>
	<p><b>Part Number:</b> P164574  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PALL HC8300FUN8H, SYNTEQ Media #2  <b>Dimensions:</b> Outer Dia: 6.02" (153 mm)          Inner Dia: 4.12" (105 mm)          Length: 8.13" (206 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math>  <b>UPC Code:</b> 742330-01635</p>
	<p><b>Part Number:</b> P164580  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PALL HC8300FUN8Z, PARKER 927862, SYNTEQ Media #2  <b>Dimensions:</b> Outer Dia: 6.02" (153 mm)          Inner Dia: 4.12" (105 mm)          Length: 8.13" (206 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math>  <b>UPC Code:</b> 742330-01636</p>
	<p><b>Part Number:</b> P164583  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PALL HC9400FUN13H, SYNTEQ Media #2  <b>Dimensions:</b> Outer Dia: 3.75" (95 mm)          Inner Dia: 2.21" (56 mm)          Length: 12.76" (324 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math>  <b>UPC Code:</b> 742330-01637</p>
	<p><b>Part Number:</b> P164585  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PALL HC9400FUN26H, Donaldson HPK05 ASSY, SYNTEQ Media #2  <b>Dimensions:</b> Outer Dia: 3.75" (95 mm)          Inner Dia: 2.21" (56 mm)          Length: 25.53" (648 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math>  <b>UPC Code:</b> 742330-01638</p>























	<p><b>Part Number:</b> P164587 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9400FUN39H, SYNTEQ Media #2 <b>Dimensions:</b> Outer Dia: 3.75" (95 mm) Inner Dia: 2.18" (55 mm) Length: 38.52" (978 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math> <b>UPC Code:</b> 742330-01639</p>
	<p><b>Part Number:</b> P164592 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9600FUN4H, SYNTEQ Media #2 <b>Dimensions:</b> Outer Dia: 3.10" (79 mm) Inner Dia: 1.71" (43 mm) Length: 4.45" (113 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math> <b>UPC Code:</b> 742330-01643</p>
	<p><b>Part Number:</b> P164594 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9600FUN8H, Donaldson HPK03 ASSY, SYNTEQ Media #2 <b>Dimensions:</b> Outer Dia: 3.10" (79 mm) Inner Dia: 1.71" (43 mm) Length: 8.03" (204 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math> <b>UPC Code:</b> 742330-01644</p>
	<p><b>Part Number:</b> P164596 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9600FUN13H, SYNTEQ Media #2 <b>Dimensions:</b> Outer Dia: 3.10" (79 mm) Inner Dia: 1.71" (43 mm) Length: 12.76" (324 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math> <b>UPC Code:</b> 742330-01645</p>
	<p><b>Part Number:</b> P164598 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9600FUN16H, Donaldson HPK04 ASSY, SYNTEQ Media #2 <b>Dimensions:</b> Outer Dia: 3.10" (79 mm) Inner Dia: 1.71" (43 mm) Length: 16.67" (423 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math> <b>UPC Code:</b> 742330-01646</p>
	<p><b>Part Number:</b> P164601 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9600FUN8Z, Donaldson HPK04 ASSY, SYNTEQ Media #2, Viton Version <b>Dimensions:</b> Outer Dia: 3.10" (79 mm) Inner Dia: 1.71" (43 mm) Length: 8.03" (204 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math> <b>UPC Code:</b> 742330-01648</p>
	<p><b>Part Number:</b> P164603 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9600FKN16Z, SYNTEQ Media #2 <b>Dimensions:</b> Outer Dia: 3.10" (79 mm) Inner Dia: 1.71" (43 mm) Length: 16.67" (423 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math> <b>UPC Code:</b> 742330-01650</p>
	<p><b>Part Number:</b> P164697 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> DEERE AT78046, GROVE 7437800011, DCI HAK05/HKD06, SYNTEQ Media #4 <b>Dimensions:</b> Outer Dia: 4.38" (111 mm) Inner Dia: 2.44" (62 mm) Length: 16.00" (406 mm) <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{16\mu} = 75</math> <b>UPC Code:</b> 742330-01651</p>









	<p><b>Part Number:</b> P164699 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson HAK05 &amp; HDK06 ASSEMBLY, SYNTEQ Media #9 <b>Dimensions:</b> Outer Dia: 4.38" (111 mm) Inner Dia: 2.44" (62 mm) Length: 16.00" (406 mm) <b>Performance:</b> <math>\beta_{7\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math> <b>UPC Code:</b> 742330-01652</p>
	<p><b>Part Number:</b> P164701 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson HFK08 ASSEMBLY, SYNTEQ Media #4 <b>Dimensions:</b> Outer Dia: 6.00" (152 mm) Inner Dia: 3.41" (87 mm) Length: 18.00" (457 mm) <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{16\mu} = 75</math> <b>UPC Code:</b> 742330-01653</p>
	<p><b>Part Number:</b> P164703 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson HFK08 ASSEMBLY, SYNTEQ Media #9 <b>Dimensions:</b> Outer Dia: 6.00" (152 mm) Inner Dia: 3.41" (87 mm) Length: 18.00" (457 mm) <b>Performance:</b> <math>\beta_{7\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math> <b>UPC Code:</b> 742330-01654</p>
	<p><b>Part Number:</b> P164707 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> GROVE #7437000168, Donaldson HEK11 ASSY, SYNTEQ Media #9 <b>Dimensions:</b> Outer Dia: 7.44" (189 mm) Inner Dia: 4.85" (123 mm) Length: 22.00" (559 mm) <b>Performance:</b> <math>\beta_{7\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math> <b>UPC Code:</b> 742330-01655</p>
	<p><b>Part Number:</b> P164810 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> SCHROEDER JS-7, SYNTEQ Media #4 <b>Dimensions:</b> Outer Dia: 3.53" (90 mm) Inner Dia: 1.61" (41 mm) Length: 9.02" (229 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> <b>UPC Code:</b> 742330-01656</p>
	<p><b>Part Number:</b> P164812 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> SCHROEDER J10 OR J25, SYNTEQ Media #9 <b>Dimensions:</b> Outer Dia: 3.53" (90 mm) Inner Dia: 1.61" (41 mm) Length: 9.02" (229 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math> <b>UPC Code:</b> 742330-01657</p>
	<p><b>Part Number:</b> P164814 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> SCHROEDER AS-7, A-3, SYNTEQ Media #4 <b>Dimensions:</b> Outer Dia: 2.99" (76 mm) Inner Dia: 1.04" (26 mm) Length: 4.75" (121 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> <b>UPC Code:</b> 742330-01658</p>
	<p><b>Part Number:</b> P164816 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> SCHROEDER A10 OR A25, SYNTEQ Media #9 <b>Dimensions:</b> Outer Dia: 2.99" (76 mm) Inner Dia: 1.04" (26 mm) Length: 4.75" (121 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math> <b>UPC Code:</b> 742330-01659</p>




	<p><b>Part Number:</b> P164851 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC8400FUS8H, SYNTEQ Media #4 <b>Dimensions:</b> Outer Dia: 6.02" (153 mm) Inner Dia: 3.28" (83 mm) Length: 8.13" (206 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> <b>UPC Code:</b> 742330-01660</p>
	<p><b>Part Number:</b> P164852 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC8400FUS16H, HARNISCHFEGER 1046Z493, SYNTEQ Media #4 <b>Dimensions:</b> Outer Dia: 6.02" (153 mm) Inner Dia: 3.28" (83 mm) Length: 16.77" (426 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> <b>UPC Code:</b> 742330-01661</p>
	<p><b>Part Number:</b> P164853 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC8400FUS26H, SYNTEQ Media #4 <b>Dimensions:</b> Outer Dia: 6.02" (153 mm) Inner Dia: 3.28" (83 mm) Length: 25.62" (651 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> <b>UPC Code:</b> 742330-01662</p>
	<p><b>Part Number:</b> P164884 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson HHK05 ASSBLY, Media #5 <b>Dimensions:</b> Outer Dia: 4.38" (111 mm) Inner Dia: 2.44" (62 mm) Length: 13.00" (330 mm) <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{17\mu} = 75</math> <b>UPC Code:</b> 742330-01663</p>
	<p><b>Part Number:</b> P164904 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> JOHN DEERE AR94510, SYNTEQ Media #9 <b>Dimensions:</b> Outer Dia: 4.61" (117 mm) Inner Dia: 2.19" (56 mm) Length: 7.79" (198 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math> <b>UPC Code:</b> 742330-01665</p>
	<p><b>Part Number:</b> P164906 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> JOHN DEERE AR98098, SYNTEQ Media #4, OPTIONAL GASKET P179322 <b>Dimensions:</b> Outer Dia: 4.61" (117 mm) Inner Dia: 2.19" (56 mm) Length: 7.79" (198 mm) <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{16\mu} = 75</math> <b>UPC Code:</b> 742330-01666</p>
	<p><b>Part Number:</b> P164917 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC8500FUS8H, SYNTEQ Media #4 <b>Dimensions:</b> Outer Dia: 3.76" (96 mm) Inner Dia: 1.72" (44 mm) Length: 8.05" (204 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> <b>UPC Code:</b> 742330-01667</p>
	<p><b>Part Number:</b> P164919 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC8500FUS13H, SYNTEQ Media #4 <b>Dimensions:</b> Outer Dia: 3.76" (96 mm) Inner Dia: 1.72" (44 mm) Length: 12.80" (325 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> <b>UPC Code:</b> 742330-01668</p>









	<p><b>Part Number:</b> P164921 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC8500FUS26H, SYNTEQ Media #4 <b>Dimensions:</b> Outer Dia: 3.76" (96 mm) Inner Dia: 1.72" (44 mm) Length: 25.57" (649 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> <b>UPC Code:</b> 742330-01669</p>
	<p><b>Part Number:</b> P164992 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PARKER 901536, SYNTEQ Media #9 <b>Dimensions:</b> Outer Dia: 2.73" (69 mm) Inner Dia: 1.68" (43 mm) Length: 6.56" (167 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math> <b>Relief Valve:</b> None <b>UPC Code:</b> 742330-01671</p>
	<p><b>Part Number:</b> P164996 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PARKER 924732, 924734, SYNTEQ Media #9 <b>Dimensions:</b> Outer Dia: 2.73" (69 mm) Inner Dia: 1.68" (43 mm) Length: 8.69" (221 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math> <b>UPC Code:</b> 742330-01672</p>
	<p><b>Part Number:</b> P165006 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9020FUS4H, Donaldson HPK02 ASSY, SYNTEQ Media #4 <b>Dimensions:</b> Outer Dia: 1.77" (45 mm) Inner Dia: 1.00" (25 mm) Length: 4.31" (109 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> <b>UPC Code:</b> 742330-01673</p>
	<p><b>Part Number:</b> P165015 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9020FUS8H, Donaldson HPK02 ASSY, SYNTEQ Media #4 <b>Dimensions:</b> Outer Dia: 1.77" (45 mm) Inner Dia: 1.00" (25 mm) Length: 7.94" (202 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> <b>UPC Code:</b> 742330-01674</p>
	<p><b>Part Number:</b> P165041 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9020FUN4H, Donaldson HPK02 ASSY, SYNTEQ Media #2 <b>Dimensions:</b> Outer Dia: 1.77" (45 mm) Inner Dia: 1.00" (25 mm) Length: 4.31" (109 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math> <b>UPC Code:</b> 742330-01675</p>
	<p><b>Part Number:</b> P165043 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9020FUN8H, Donaldson HPK02 ASSY, SYNTEQ Media #2 <b>Dimensions:</b> Outer Dia: 1.77" (45 mm) Inner Dia: 1.00" (25 mm) Length: 7.94" (202 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math> <b>UPC Code:</b> 742330-01676</p>
	<p><b>Part Number:</b> P165106 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PARKER 924489, SYNTEQ Media #4 <b>Dimensions:</b> Outer Dia: 2.73" (69 mm) Inner Dia: 1.68" (43 mm) Length: 6.56" (167 mm) <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{16\mu} = 75</math> <b>Relief Valve:</b> None <b>UPC Code:</b> 742330-01678</p>

	<p>Part Number: <b>P165108</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PARKER 924731, 924733, SYNTEQ Media #2          Dimensions: Outer Dia: 2.73" (69 mm)          Inner Dia: 1.68" (43 mm)          Length: 8.69" (221 mm)</p> <p>Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math>          Relief Valve: None          UPC Code: 742330-01679</p>
	<p>Part Number: <b>P165110</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PARKER 922955, 901856, SYNTEQ Media #20          Dimensions: Outer Dia: 2.73" (69 mm)          Inner Dia: 1.68" (43 mm)          Length: 3.56" (90 mm)</p> <p>Performance: <math>\beta_{20\mu} = 2</math> <math>\beta_{33\mu} = 20</math> <math>\beta_{40\mu} = 75</math>          Relief Valve: None          UPC Code: 742330-01680</p>
	<p>Part Number: <b>P165112</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PARKER 922792, 901535, SYNTEQ Media #20          Dimensions: Outer Dia: 2.73" (69 mm)          Inner Dia: 1.68" (43 mm)          Length: 6.56" (167 mm)</p> <p>Performance: <math>\beta_{20\mu} = 2</math> <math>\beta_{35\mu} = 20</math>          UPC Code: 742330-01681</p>
	<p>Part Number: <b>P165114</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PARKER 924735, 924730, SYNTEQ Media #20          Dimensions: Outer Dia: 2.73" (69 mm)          Inner Dia: 1.68" (43 mm)          Length: 8.69" (221 mm)</p> <p>Performance: <math>\beta_{20\mu} = 2</math> <math>\beta_{35\mu} = 20</math>          UPC Code: 742330-01682</p>
	<p>Part Number: <b>P165136</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PALL HC9020FUT4H, Donaldson HPK02 ASSY, SYNTEQ Media #9          Dimensions: Outer Dia: 1.77" (45 mm)          Inner Dia: 1.00" (25 mm)          Length: 4.31" (109 mm)</p> <p>Performance: <math>\beta_{7\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>          UPC Code: 742330-01683</p>
	<p>Part Number: <b>P165138</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PALL HC9020FUT8H, Donaldson HPK02 ASSY, SYNTEQ Media #9          Dimensions: Outer Dia: 1.77" (45 mm)          Inner Dia: 1.00" (25 mm)          Length: 7.94" (202 mm)</p> <p>Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math>          UPC Code: 742330-01684</p>
	<p>Part Number: <b>P165142</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PALL HC8400FUN16H, SYNTEQ Media #2          Dimensions: Outer Dia: 6.02" (153 mm)          Inner Dia: 3.28" (83 mm)          Length: 16.77" (426 mm)</p> <p>Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math>          UPC Code: 742330-01686</p>
	<p>Part Number: <b>P165144</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PALL HC8400FUN26H, SYNTEQ Media #2          Dimensions: Outer Dia: 6.02" (153 mm)          Inner Dia: 3.28" (83 mm)          Length: 25.62" (651 mm)</p> <p>Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math>          UPC Code: 742330-01687</p>









	<p>Part Number: <b>P165149</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PALL HC8400FUT8H, SYNTEQ Media #9          Dimensions: Outer Dia: 6.02" (153 mm)          Inner Dia: 3.28" (83 mm)          Length: 8.13" (206 mm)</p> <p>Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>          UPC Code: 742330-01689</p>
	<p>Part Number: <b>P165151</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PALL HC8400FUT16H, SYNTEQ Media #9          Dimensions: Outer Dia: 6.02" (153 mm)          Inner Dia: 3.28" (83 mm)          Length: 16.77" (426 mm)</p> <p>Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>          UPC Code: 742330-01690</p>
	<p>Part Number: <b>P165158</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PALL HC8500FUN8H, SYNTEQ Media #2          Dimensions: Outer Dia: 3.76" (96 mm)          Inner Dia: 1.72" (44 mm)          Length: 8.05" (204 mm)</p> <p>Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math>          UPC Code: 742330-01693</p>
	<p>Part Number: <b>P165160</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PALL HC8500FUN13H, SYNTEQ Media #2          Dimensions: Outer Dia: 3.76" (96 mm)          Inner Dia: 1.72" (44 mm)          Length: 12.80" (325 mm)</p> <p>Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math>          UPC Code: 742330-01694</p>
	<p>Part Number: <b>P165162</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PALL HC8500FUN26H, SYNTEQ Media #2          Dimensions: Outer Dia: 3.76" (96 mm)          Inner Dia: 1.72" (44 mm)          Length: 25.57" (649 mm)</p> <p>Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math>          UPC Code: 742330-01695</p>
	<p>Part Number: <b>P165166</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PALL HC8500FUN13H, SYNTEQ Media #9          Dimensions: Outer Dia: 3.76" (96 mm)          Inner Dia: 1.72" (44 mm)          Length: 12.80" (325 mm)</p> <p>Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>          UPC Code: 742330-01697</p>
	<p>Part Number: <b>P165168</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PALL HC8500FUN26H, SYNTEQ Media #9          Dimensions: Outer Dia: 3.76" (96 mm)          Inner Dia: 1.72" (44 mm)          Length: 25.57" (649 mm)</p> <p>Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>          UPC Code: 742330-01698</p>
	<p>Part Number: <b>P165171</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: CLARK 2515079, SYNTEQ Media #10          Dimensions: Outer Dia: 6.00" (152 mm)          Inner Dia: 3.41" (87 mm)          Length: 18.00" (457 mm)</p> <p>Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math>          UPC Code: 742330-01699</p>










	<p>Part Number: <b>P165194</b>          Description: <b>Hydraulic 50 PSID DC ELEC in Oil Switch</b>          Contents or Usage: Donaldson HYDRAULIC ASSEMBLIES          UPC Code: 742330-01701</p>
---	--

	<p><b>Part Number:</b> P165231  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> JOHN DEERE RE11889, SYNTEQ Media #4  <b>Dimensions:</b> Outer Dia: 4.61" (117 mm)          Inner Dia: 2.19" (56 mm)          Length: 5.29" (134 mm)  <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{16\mu} = 75</math>  <b>UPC Code:</b> 742330-01702</p>
	<p><b>Part Number:</b> P165233  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> JOHN DEERE AR99661, SYNTEQ Media #9  <b>Dimensions:</b> Outer Dia: 5.51" (140 mm)          Inner Dia: 2.63" (67 mm)          Length: 7.83" (199 mm)  <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>  <b>UPC Code:</b> 742330-01703</p>
	<p><b>Part Number:</b> P165238  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> CAT 4T-3131, SYNTEQ Media #6  <b>Dimensions:</b> Outer Dia: 4.00" (102 mm)          Inner Dia: 2.30" (58 mm)          Length: 9.25" (235 mm)  <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{10\mu} = 20</math> <math>\beta_{13\mu} = 75</math>  <b>UPC Code:</b> 742330-01705</p>
	<p><b>Part Number:</b> P165239  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> CAT 4T-3132, SYNTEQ Media #6  <b>Dimensions:</b> Outer Dia: 5.07" (129 mm)          Inner Dia: 3.34" (85 mm)          Length: 9.00" (229 mm)  <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{10\mu} = 20</math> <math>\beta_{13\mu} = 75</math>  <b>UPC Code:</b> 742330-01706</p>
	<p><b>Part Number:</b> P165240  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> CAT 4T-3133, SYNTEQ Media #6  <b>Dimensions:</b> Outer Dia: 6.84" (174 mm)          Inner Dia: 4.23" (107 mm)          Length: 9.00" (229 mm)  <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{10\mu} = 20</math> <math>\beta_{13\mu} = 75</math>  <b>UPC Code:</b> 742330-01707</p>
	<p><b>Part Number:</b> P165243  <b>Description:</b> Hydraulic Spin-on  <b>Primary Appl.:</b> CHAMPION 10924, CASE D59062, Media #10  <b>Dimensions:</b> Outer Dia: 3.88" (99 mm)          Thread Size: 1 5/16" - 12          Length: 5.75" (146 mm)  <b>Performance:</b> <math>\beta_{10\mu} = 2</math>  <b>UPC Code:</b> 742330-01709</p>
	<p><b>Part Number:</b> P165248  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> INGERSOLL RAND #39123211  <b>Dimensions:</b> Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 8.00" (203 mm)  <b>Performance:</b> <math>\beta_{15\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <math>\beta_{35\mu} = 75</math>  <b>UPC Code:</b> 742330-01713</p>
	<p><b>Part Number:</b> P165249  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> INGERSOLL RAND #39123229, 39123237  <b>Dimensions:</b> Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 16.00" (406 mm)  <b>Performance:</b> <math>\beta_{15\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <math>\beta_{35\mu} = 75</math>  <b>UPC Code:</b> 742330-01714</p>
	<p><b>Part Number:</b> P165251  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> TIMBERJACK 841153100, Media #10  <b>Dimensions:</b> Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 8.00" (203 mm)  <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math>  <b>UPC Code:</b> 742330-01716</p>

	<p><b>Part Number:</b> P165314  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> GENERAL HIGH PERF CARTRIDGE, SYNTEQ Media #9  <b>Dimensions:</b> Outer Dia: 4.50" (114 mm)          Inner Dia: 2.24" (57 mm)          Length: 9.53" (242 mm)  <b>Performance:</b> <math>\beta_{7\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>  <b>UPC Code:</b> 742330-01718</p>
	<p><b>Part Number:</b> P165319  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> Donaldson HPK03.HPK04 ASSEMBLIES, Media #20  <b>Dimensions:</b> Outer Dia: 3.10" (79 mm)          Inner Dia: 1.71" (43 mm)          Length: 8.03" (204 mm)  <b>Performance:</b> <math>\beta_{20\mu} = 2</math> <math>\beta_{35\mu} = 20</math>  <b>UPC Code:</b> 742330-01719</p>
	<p><b>Part Number:</b> P165332  <b>Description:</b> Hydraulic Spin-on, Duramax®  <b>Primary Appl.:</b> Donaldson HMK04 ASSEMBLY, SYNTEQ Media #2  <b>Dimensions:</b> Outer Dia: 3.82" (97 mm)          Thread Size: 1 3/8" - 12          Length: 9.44" (240 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math>  <b>UPC Code:</b> 742330-01721</p>
	<p><b>Part Number:</b> P165335  <b>Description:</b> Hydraulic Spin-on, Duramax®  <b>Primary Appl.:</b> Donaldson HMK04 ASSY, SYNTEQ Media #20  <b>Dimensions:</b> Outer Dia: 3.82" (97 mm)          Thread Size: 1 3/8" - 12          Length: 5.97" (152 mm)  <b>Performance:</b> <math>\beta_{20\mu} = 2</math> <math>\beta_{35\mu} = 20</math>  <b>UPC Code:</b> 742330-01722</p>
	<p><b>Part Number:</b> P165338  <b>Description:</b> Hydraulic Spin-on, Duramax®  <b>Primary Appl.:</b> Donaldson HMK04 ASSEMBLY, SYNTEQ Media #20  <b>Dimensions:</b> Outer Dia: 3.82" (97 mm)          Thread Size: 1 3/8" - 12          Length: 9.44" (240 mm)  <b>Performance:</b> <math>\beta_{20\mu} = 2</math> <math>\beta_{35\mu} = 20</math>  <b>UPC Code:</b> 742330-01723</p>
	<p><b>Part Number:</b> P165354  <b>Description:</b> Hydraulic Spin-on, Duramax®  <b>Primary Appl.:</b> Donaldson HMK04 ASSEMBLY, SYNTEQ Media #2  <b>Dimensions:</b> Outer Dia: 3.82" (97 mm)          Thread Size: 1 3/8" - 12          Length: 5.97" (152 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math>  <b>UPC Code:</b> 742330-01724</p>
	<p><b>Part Number:</b> P165378  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> GROVE, HARNISHFEGER, Donaldson HAK05, SYNTEQ Media #9  <b>Dimensions:</b> Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 13.00" (330 mm)  <b>Performance:</b> <math>\beta_{7\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>  <b>UPC Code:</b> 742330-01725</p>
	<p><b>Part Number:</b> P165434  <b>Description:</b> Head Assembly Hydraulic  <b>Primary Appl.:</b> DONALDSON HMK04 DURAMAX, NO INDICATOR  <b>Inlet Port:</b> 3/4" SAE O-RING  <b>Outlet Port:</b> 3/4" SAE O-RING  <b>Threaded Stud:</b> 1-3/8" - 12  <b>Bypass Valve:</b> None  <b>UPC Code:</b> 742330-01726</p>




















	<p><b>Part Number:</b> P165449  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> Donaldson HEK11 ASSEMBLY, SYNTEQ Media #6  <b>Dimensions:</b> Outer Dia: 7.44" (189 mm)          Inner Dia: 4.85" (123 mm)          Length: 22.00" (559 mm)  <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{10\mu} = 20</math> <math>\beta_{13\mu} = 75</math>  <b>UPC Code:</b> 742330-01727</p>
	<p><b>Part Number:</b> P165507  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> WHITE FARM 312799847, MF 1070232M1, SYNTEQ Media #9  <b>Dimensions:</b> Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 13.00" (330 mm)  <b>Performance:</b> <math>\beta_{7\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>  <b>UPC Code:</b> 742330-01730</p>
	<p><b>Part Number:</b> P165537  <b>Description:</b> Head Assembly Hydraulic  <b>Primary Appl.:</b> DONALDSON HMK04 DURAMAX, ELECTRICAL INDICATOR  <b>Inlet Port:</b> 1" SAE O-RING  <b>Outlet Port:</b> 1" SAE O-RING  <b>Threaded Stud:</b> 1-3/8" - 12  <b>Bypass Valve:</b> 25  <b>UPC Code:</b> 742330-01731</p>
	<p><b>Part Number:</b> P165569  <b>Description:</b> Hydraulic Spin-on, Duramax®  <b>Primary Appl.:</b> CAT, CLARK, IHC, HYSTER, DCI HMK05 &amp; HMK25 ASSY, SYNTEQ Media #9  <b>Dimensions:</b> Outer Dia: 4.77" (121 mm)          Thread Size: 1 3/4" - 12          Length: 11.63" (295 mm)  <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>  <b>UPC Code:</b> 742330-01732</p>
	<p><b>Part Number:</b> P165584  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PALL HC9650FUN8H, SYNTEQ Media #2  <b>Dimensions:</b> Outer Dia: 3.10" (79 mm)          Inner Dia: 1.71" (43 mm)          Length: 8.37" (213 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math>  <b>UPC Code:</b> 742330-01733</p>
	<p><b>Part Number:</b> P165585  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PALL HC9650FUS8H, SYNTEQ Media #4  <b>Dimensions:</b> Outer Dia: 3.10" (79 mm)          Inner Dia: 1.71" (43 mm)          Length: 8.37" (213 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math>  <b>UPC Code:</b> 742330-01734</p>
	<p><b>Part Number:</b> P165586  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PALL HC9650FUT8H, SYNTEQ Media #9  <b>Dimensions:</b> Outer Dia: 3.10" (79 mm)          Inner Dia: 1.71" (43 mm)          Length: 8.37" (213 mm)  <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>  <b>UPC Code:</b> 742330-01735</p>
	<p><b>Part Number:</b> P165587  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PALLHC9650FUN16H, SYNTEQ Media #2  <b>Dimensions:</b> Outer Dia: 3.10" (79 mm)          Inner Dia: 1.71" (43 mm)          Length: 16.67" (423 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math>  <b>UPC Code:</b> 742330-01736</p>








	<p><b>Part Number:</b> P165588  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PALL HC9650FUS16H, SYNTEQ Media #4  <b>Dimensions:</b> Outer Dia: 3.10" (79 mm)          Inner Dia: 1.71" (43 mm)          Length: 16.67" (423 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math>  <b>UPC Code:</b> 742330-01737</p>
	<p><b>Part Number:</b> P165589  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PALL HC9650FUT16H, SYNTEQ Media #9  <b>Dimensions:</b> Outer Dia: 3.10" (79 mm)          Inner Dia: 1.71" (43 mm)          Length: 16.67" (423 mm)  <b>Performance:</b> <math>\beta_{7\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>  <b>UPC Code:</b> 742330-01738</p>
	<p><b>Part Number:</b> P165626  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> Donaldson HAK05 ASSEMBLY, SYNTEQ Media #2  <b>Dimensions:</b> Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 8.00" (203 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math>  <b>UPC Code:</b> 742330-01739</p>
	<p><b>Part Number:</b> P165628  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> Donaldson HAK05 &amp; HDK06 ASSEMBLY, SYNTEQ Media #2  <b>Dimensions:</b> Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 16.00" (406 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math>  <b>UPC Code:</b> 742330-01740</p>
	<p><b>Part Number:</b> P165633  <b>Description:</b> Hydraulic Reverse Flow Bypass Valve Assembly  <b>Contents or Usage:</b> Donaldson HPK04 ASSEMBLIES  <b>UPC Code:</b> 742330-01741</p>
	<p><b>Part Number:</b> P165659  <b>Description:</b> Hydraulic Spin-on, Duramax®  <b>Primary Appl.:</b> CASE N9086, Donaldson HMK05, HMK25 ASSEMBLY, SYNTEQ Media #4  <b>Dimensions:</b> Outer Dia: 4.77" (121 mm)          Thread Size: 1 3/4" - 12          Length: 11.63" (295 mm)  <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{16\mu} = 75</math>  <b>UPC Code:</b> 742330-01742</p>
	<p><b>Part Number:</b> P165672  <b>Description:</b> Hydraulic Spin-on, Duramax®  <b>Primary Appl.:</b> LEROI 438931, Donaldson HMK05 &amp; HMK25 ASSY, SYNTEQ Media #20  <b>Dimensions:</b> Outer Dia: 4.77" (121 mm)          Thread Size: 1 3/4" - 12          Length: 11.63" (295 mm)  <b>Performance:</b> <math>\beta_{20\mu} = 2</math> <math>\beta_{35\mu} = 20</math>  <b>UPC Code:</b> 742330-01743</p>
	<p><b>Part Number:</b> P165675  <b>Description:</b> Hydraulic Spin-on, Duramax®  <b>Primary Appl.:</b> Donaldson HMK05 &amp; HMK25 ASSEMBLY, SYNTEQ Media #2  <b>Dimensions:</b> Outer Dia: 4.77" (121 mm)          Thread Size: 1 3/4" - 12          Length: 11.63" (295 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math>  <b>UPC Code:</b> 742330-01744</p>
	<p><b>Part Number:</b> P165705  <b>Description:</b> Hydraulic Spin-on, Duramax®  <b>Primary Appl.:</b> CHAMPION 37104, CLARK 965899, DCI HMK05, HMK25, Media #10  <b>Dimensions:</b> Outer Dia: 4.77" (121 mm)          Thread Size: 1 3/4" - 12          Length: 11.63" (295 mm)  <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math>  <b>UPC Code:</b> 742330-01745</p>






























	<p><b>Part Number:</b> P165744 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> WABCO PB4545, Media #5 <b>Dimensions:</b> Outer Dia: 5.07" (129 mm) Inner Dia: 3.34" (85 mm) Length: 18.50" (470 mm) <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{17\mu} = 75</math> <b>UPC Code:</b> 742330-01746</p>
	<p><b>Part Number:</b> P165762 <b>Description:</b> Hydraulic Spin-on <b>Primary Appl.:</b> PALL HC7500SKN8H, Donaldson HBK05 ASSY, SYNTEQ Media #2 <b>Dimensions:</b> Outer Dia: 5.08" (129 mm) Thread Size: 1 1/2" - 16 Length: 10.66" (271 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math> <b>UPC Code:</b> 742330-01747</p>
	<p><b>Part Number:</b> P165778 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> KOEHRING #4313259 <b>Dimensions:</b> Outer Dia: 6.00" (152 mm) Inner Dia: 4.08" (104 mm) Length: 18.00" (457 mm) <b>Performance:</b> <math>\beta_{149\mu} = 2</math> <b>UPC Code:</b> 742330-01748</p>
	<p><b>Part Number:</b> P165786 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PARKER 922787(x2) &amp; 926849 Connector <b>Dimensions:</b> Outer Dia: 5.62" (143 mm) Inner Dia: 3.72" (94 mm) Length: 24.19" (614 mm) <b>Performance:</b> <math>\beta_{20\mu} = 2</math> <math>\beta_{35\mu} = 20</math> <b>UPC Code:</b> 742330-01749</p>
	<p><b>Part Number:</b> P165789 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson HAK05 ASSEMBLY, SYNTEQ Media #6 <b>Dimensions:</b> Outer Dia: 4.38" (111 mm) Inner Dia: 2.44" (62 mm) Length: 16.00" (406 mm) <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{10\mu} = 20</math> <math>\beta_{13\mu} = 75</math> <b>UPC Code:</b> 742330-01750</p>
	<p><b>Part Number:</b> P165875 <b>Description:</b> Hydraulic Spin-on <b>Primary Appl.:</b> PALL HC7500SUS4H, Donaldson HBK05 ASSY, SYNTEQ Media #4 <b>Dimensions:</b> Outer Dia: 5.08" (129 mm) Thread Size: 1 1/2" - 16 Length: 6.66" (169 mm) <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{16\mu} = 75</math> <b>UPC Code:</b> 742330-01751</p>
	<p><b>Part Number:</b> P165876 <b>Description:</b> Hydraulic Spin-on <b>Primary Appl.:</b> PALL HC7500SUS8H, HC7500SUK8H, DCI HBK05 ASSY, SYNTEQ Media #4 <b>Dimensions:</b> Outer Dia: 5.08" (129 mm) Thread Size: 1 1/2" - 16 Length: 10.66" (271 mm) <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{16\mu} = 75</math> <b>UPC Code:</b> 742330-01752</p>
	<p><b>Part Number:</b> P165877 <b>Description:</b> Hydraulic Spin-on <b>Primary Appl.:</b> PALL HC7500SUT4H, ZINGA SE-25, DCI HBK05 ASSY, SYNTEQ Media #9 <b>Dimensions:</b> Outer Dia: 5.08" (129 mm) Thread Size: 1 1/2" - 16 Length: 6.66" (169 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math> <b>UPC Code:</b> 742330-01753</p>









	<p><b>Part Number:</b> P165878 <b>Description:</b> Hydraulic Spin-on <b>Primary Appl.:</b> PALL HC7500SUT8H, Donaldson HBK05 ASSY, SYNTEQ Media #9 <b>Dimensions:</b> Outer Dia: 5.08" (129 mm) Thread Size: 1 1/2" - 16 Length: 10.66" (271 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math> <b>UPC Code:</b> 742330-01754</p>
	<p><b>Part Number:</b> P165879 <b>Description:</b> Hydraulic Spin-on <b>Primary Appl.:</b> PALL HC7500SUK4H, Donaldson HBK05 ASSY, SYNTEQ Media #20 <b>Dimensions:</b> Outer Dia: 5.08" (129 mm) Thread Size: 1 1/2" - 16 Length: 6.66" (169 mm) <b>Performance:</b> <math>\beta_{20\mu} = 2</math> <math>\beta_{35\mu} = 20</math> <b>UPC Code:</b> 742330-01755</p>
	<p><b>Part Number:</b> P165880 <b>Description:</b> Hydraulic Spin-on <b>Primary Appl.:</b> PALL HC7500SUK8H, Donaldson HBK05 ASSY, SYNTEQ Media #20 <b>Dimensions:</b> Outer Dia: 5.08" (129 mm) Thread Size: 1 1/2" - 16 Length: 10.66" (271 mm) <b>Performance:</b> <math>\beta_{20\mu} = 2</math> <math>\beta_{35\mu} = 20</math> <b>UPC Code:</b> 742330-01756</p>
	<p><b>Part Number:</b> P165973 <b>Description:</b> Head Assembly Hydraulic <b>Primary Appl.:</b> DONALDSON HMK05 DURAMAX, VISUAL INDICATOR BOTH SIDES <b>Inlet Port:</b> 1-1/4" SAE O-RING <b>Outlet Port:</b> 1-1/4" SAE O-RING <b>Threaded Stud:</b> 1-3/4" - 12 <b>Bypass Valve:</b> 25 <b>UPC Code:</b> 742330-01757</p>
	<p><b>Part Number:</b> P166086 <b>Description:</b> Head Assembly Hydraulic <b>Primary Appl.:</b> DONALDSON HMK04 DURAMAX, VISUAL INDICATOR BOTH SIDES <b>Inlet Port:</b> 1" NPT <b>Outlet Port:</b> 1" NPT <b>Threaded Stud:</b> 1-3/8" - 12 <b>Bypass Valve:</b> 25 <b>UPC Code:</b> 742330-01760</p>
	<p><b>Part Number:</b> P166088 <b>Description:</b> Head Assembly Hydraulic <b>Primary Appl.:</b> DONALDSON HMK04 DURAMAX, VISUAL INDICATOR BOTH SIDES <b>Inlet Port:</b> 1" SAE O-RING <b>Outlet Port:</b> 1" SAE O-RING <b>Threaded Stud:</b> 1-3/8" - 12 <b>Bypass Valve:</b> 25 <b>UPC Code:</b> 742330-01761</p>
	<p><b>Part Number:</b> P166134 <b>Description:</b> Hydraulic Block Assembly <b>Contents or Usage:</b> Donaldson HPK ASSEMBLIES <b>UPC Code:</b> 742330-01762</p>
	<p><b>Part Number:</b> P166135 <b>Description:</b> Hydraulic/Transmission Cartridge <b>Primary Appl.:</b> DET. DIESEL, GMC #23018853, 23049374 (CLEAN UP), SYNTEQ Media #2 <b>Dimensions:</b> Outer Dia: 3.75" (95 mm) Inner Dia: 2.18" (55 mm) Length: 16.68" (424 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math> <b>UPC Code:</b> 742330-01763</p>
	<p><b>Part Number:</b> P166136 <b>Description:</b> Hydraulic/Transmission Cartridge <b>Primary Appl.:</b> DETROIT DIESEL, GMC #23018852, SYNTEQ Media #4 <b>Dimensions:</b> Outer Dia: 3.75" (95 mm) Inner Dia: 2.18" (55 mm) Length: 16.68" (424 mm) <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{16\mu} = 75</math> <b>UPC Code:</b> 742330-01764</p>

	<p><b>Part Number:</b> P166167  <b>Description:</b> Hydraulic/Transmission Cartridge  <b>Primary Appl.:</b> DDA #5574978, 2-53, 3-53 ENGINES, SYNTEQ Media, P550147-Lube Cartridge  <b>Dimensions:</b> Outer Dia: 4.3" (109 mm)          Inner Dia: 1.4" (36 mm)          Length: 5.80" (147 mm)  <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{16\mu} = 75</math>  <b>Relief Valve:</b> None  <b>UPC Code:</b> 742330-01765</p>
	<p><b>Part Number:</b> P166204  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PARKER 908649, Media #20  <b>Dimensions:</b> Outer Dia: 5.62" (143 mm)          Inner Dia: 3.72" (94 mm)          Length: 12.00" (305 mm)  <b>Performance:</b> <math>\beta_{20\mu} = 2</math> <math>\beta_{35\mu} = 20</math>  <b>UPC Code:</b> 742330-01766</p>
	<p><b>Part Number:</b> P166246  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> IR 35330133, Media #25. Contains P166267 element, P160016 oring  <b>Dimensions:</b> Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 16.00" (406 mm)  <b>UPC Code:</b> 742330-01767</p>
	<p><b>Part Number:</b> P166254  <b>Description:</b> Hydraulic/Transmission Cartridge  <b>Primary Appl.:</b> DBA, GMC #23018850 (CLEANUP), SYNTEQ Media #2  <b>Dimensions:</b> Outer Dia: 3.10" (79 mm)          Inner Dia: 1.71" (43 mm)          Length: 12.76" (324 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math>  <b>UPC Code:</b> 742330-01768</p>
	<p><b>Part Number:</b> P166255  <b>Description:</b> Hydraulic/Transmission Cartridge  <b>Primary Appl.:</b> DBA, GMC #23018851, SYNTEQ Media #4  <b>Dimensions:</b> Outer Dia: 3.10" (79 mm)          Inner Dia: 1.71" (43 mm)          Length: 12.76" (324 mm)  <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{16\mu} = 75</math>  <b>UPC Code:</b> 742330-01769</p>
	<p><b>Part Number:</b> P166298  <b>Description:</b> Hydraulic 50 PSID AC/DC ELEC Indicator Assembly  <b>Contents or Usage:</b> Donaldson HYDRAULIC ASSEMBLIES  <b>UPC Code:</b> 742330-01770</p>
	<p><b>Part Number:</b> P166374  <b>Description:</b> O-Ring, Liquid Filter  <b>Contents or Usage:</b> SUPPLIED WITH P550951  <b>UPC Code:</b> 742330-01772</p>
	<p><b>Part Number:</b> P166375  <b>Description:</b> Hydraulic/Transmission Cartridge  <b>Primary Appl.:</b> GM 53, 71, 92 SERIES, DD 5573014, SYNTEQ Media, P550132-Lube Cartridge  <b>Dimensions:</b> Outer Dia: 4.30" (109 mm)          Inner Dia: 1.4" (36 mm)          Length: 8.90" (226 mm)  <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>  <b>UPC Code:</b> 742330-01773</p>
	<p><b>Part Number:</b> P166376  <b>Description:</b> Hydraulic/Transmission Cartridge  <b>Primary Appl.:</b> DBA #557498, GMC TRANSMISSIONS, SYNTEQ Media, P550951=Cellulose Version  <b>Dimensions:</b> Outer Dia: 4.30" (109 mm)          Inner Dia: 1.4" (36 mm)          Length: 8.90" (226 mm)  <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{16\mu} = 75</math>  <b>UPC Code:</b> 742330-01774</p>

	<p><b>Part Number:</b> P166387  <b>Description:</b> Head Assembly Hydraulic  <b>Primary Appl.:</b> DONALDSON HMK04 DURAMAX, VISUAL INDICATOR LEFT SIDE  <b>Inlet Port:</b> 3/4" SAE O-RING  <b>Outlet Port:</b> 3/4" SAE O-RING  <b>Threaded Stud:</b> 1-3/8" - 12  <b>Bypass Valve:</b> 25  <b>UPC Code:</b> 742330-01775</p>
	<p><b>Part Number:</b> P166416  <b>Description:</b> Head Assembly Hydraulic  <b>Primary Appl.:</b> DONALDSON HMK04 DURAMAX, VISUAL INDICATOR LEFT SIDE  <b>Inlet Port:</b> 1" NPT  <b>Outlet Port:</b> 1" NPT  <b>Threaded Stud:</b> 1-3/8" - 12  <b>Bypass Valve:</b> 25  <b>UPC Code:</b> 742330-01776</p>
	<p><b>Part Number:</b> P166418  <b>Description:</b> Head Assembly Hydraulic  <b>Primary Appl.:</b> DONALDSON HBK05, NO INDICATOR  <b>Inlet Port:</b> 1-1/4" NPT  <b>Outlet Port:</b> 1-1/4" NPT  <b>Threaded Stud:</b> 1 1/2" - 16  <b>Bypass Valve:</b> 25  <b>UPC Code:</b> 742330-01777</p>
	<p><b>Part Number:</b> P166439  <b>Description:</b> Head Assembly Hydraulic  <b>Primary Appl.:</b> DONALDSON HBK05, NO INDICATOR  <b>Inlet Port:</b> 1-1/4" SAE O-RING  <b>Outlet Port:</b> 1-1/4" SAE O-RING  <b>Threaded Stud:</b> 1 1/2" - 16  <b>Bypass Valve:</b> 25  <b>UPC Code:</b> 742330-01778</p>
	<p><b>Part Number:</b> P166446  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> KOEHRING 7055098, 4313252, 301955098, SYNTEQ Media #4  <b>Dimensions:</b> Outer Dia: 6.50" (165 mm)          Inner Dia: 3.54" (90 mm)          Length: 15.12" (384 mm)  <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{16\mu} = 75</math>  <b>UPC Code:</b> 742330-01779</p>
	<p><b>Part Number:</b> P166460  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> Donaldson HAK05 ASSEMBLY, SYNTEQ Media #4  <b>Dimensions:</b> Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 8.00" (203 mm)  <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{16\mu} = 75</math>  <b>UPC Code:</b> 742330-01780</p>
	<p><b>Part Number:</b> P166461  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> Donaldson HAK05 ASSEMBLY, SYNTEQ Media #9  <b>Dimensions:</b> Outer Dia: 4.38" (111 mm)          Inner Dia: 2.44" (62 mm)          Length: 8.00" (203 mm)  <b>Performance:</b> <math>\beta_{7\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>  <b>UPC Code:</b> 742330-01781</p>
	<p><b>Part Number:</b> P166462  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> Donaldson HFK08 ASSEMBLY, SYNTEQ Media #2  <b>Dimensions:</b> Outer Dia: 6.00" (152 mm)          Inner Dia: 3.41" (87 mm)          Length: 18.00" (457 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math>  <b>UPC Code:</b> 742330-01782</p>









	<p><b>Part Number:</b> P166474 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> KÖEHRING 288B1984, SYNTEQ Media #4 <b>Dimensions:</b> Outer Dia: 6.50" (165 mm) Inner Dia: 3.00" (76 mm) Length: 18.50" (470 mm) <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{16\mu} = 75</math> <b>UPC Code:</b> 742330-01784</p>
	<p><b>Part Number:</b> P166481 <b>Description:</b> Lube Cartridge Full Flow <b>Primary Appl.:</b> CAT 5S-0485, SYNTEQ Media, P550485-Standard lube <b>Dimensions:</b> Outer Dia: 5.07" (129 mm) Inner Dia: 3.34" (85 mm) Length: 9.00" (229 mm) <b>UPC Code:</b> 742330-01785</p>
	<p><b>Part Number:</b> P166482 <b>Description:</b> Lube Cartridge Full Flow <b>Primary Appl.:</b> CAT 5S-0484, 4W-4840, SYNTEQ Media, P550484-Standard lube <b>Dimensions:</b> Outer Dia: 4.00" (102 mm) Inner Dia: 1.56" (40 mm) Length: 9.25" (235 mm) <b>UPC Code:</b> 742330-01786</p>
	<p><b>Part Number:</b> P166483 <b>Description:</b> Lube Cartridge Full Flow <b>Primary Appl.:</b> CUMMINS 158139, SYNTEQ Media, P550516-Standard lube <b>Dimensions:</b> Outer Dia: 5.00" (127 mm) Inner Dia: 1.52" (39 mm) Length: 9.62" (244 mm) <b>UPC Code:</b> 742330-01787</p>
	<p><b>Part Number:</b> P166508 <b>Description:</b> Lube Spin-on Full Flow <b>Primary Appl.:</b> CAT 8N-9580, 9N-5570, SYNTEQ Media, P555570-Standard Lube <b>Dimensions:</b> Outer Dia: 3.73" (95 mm) Thread Size: 1 1/8" - 16 Length: 5.37" (136 mm) <b>UPC Code:</b> 742330-01788</p>
	<p><b>Part Number:</b> P166549 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> TROJAN 2092442, Media #10 <b>Dimensions:</b> Outer Dia: 5.07" (129 mm) Inner Dia: 3.35" (85 mm) Length: 9.00" (229 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> <b>UPC Code:</b> 742330-01790</p>
	<p><b>Part Number:</b> P166564 <b>Description:</b> Lube Spin-on Full Flow <b>Primary Appl.:</b> GM CAR &amp; TRUCK, SYNTEQ Media, P550035-Standard Lube <b>Dimensions:</b> Outer Dia: 3.73" (95 mm) Thread Size: 13/16" - 16 Length: 5.37" (136 mm) <b>UPC Code:</b> 742330-01791</p>
	<p><b>Part Number:</b> P166597 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson HAK05 ASSEMBLY, SYNTEQ Media #20 <b>Dimensions:</b> Outer Dia: 4.38" (111 mm) Inner Dia: 2.44" (62 mm) Length: 16.00" (406 mm) <b>Performance:</b> <math>\beta_{20\mu} = 2</math> <math>\beta_{35\mu} = 20</math> <b>UPC Code:</b> 742330-01792</p>
	<p><b>Part Number:</b> P166603 <b>Description:</b> Hydraulic Visual Indicator Kit <b>Contents or Usage:</b> Donaldson HYDRAULIC ASSEMBLIES <b>UPC Code:</b> 742330-01793</p>



	<p><b>Part Number:</b> P166659 <b>Description:</b> Head Assembly Hydraulic <b>Primary Appl.:</b> DONALDSON HBK04, VISUAL INDICATOR BOTH SIDES <b>Inlet Port:</b> 1" NPT <b>Outlet Port:</b> 1" NPT <b>Threaded Stud:</b> 1-1/4" - 12 <b>Bypass Valve:</b> 25 <b>UPC Code:</b> 742330-01794</p>
	<p><b>Part Number:</b> P166660 <b>Description:</b> Head Assembly Hydraulic <b>Primary Appl.:</b> DONALDSON HBK04, VISUAL INDICATOR BOTH SIDES <b>Inlet Port:</b> 1" SAE O-RING <b>Outlet Port:</b> 1" SAE O-RING <b>Threaded Stud:</b> 1-1/4" - 12 <b>Bypass Valve:</b> 25 <b>UPC Code:</b> 742330-01795</p>
	<p><b>Part Number:</b> P166661 <b>Description:</b> Head Assembly Hydraulic <b>Primary Appl.:</b> DONALDSON HBK04, VISUAL INDICATOR BOTH SIDES <b>Inlet Port:</b> 1" NPT <b>Outlet Port:</b> 1" NPT <b>Threaded Stud:</b> 1 1/4" - 12 <b>Bypass Valve:</b> 5 <b>UPC Code:</b></p>
	<p><b>Part Number:</b> P166663 <b>Description:</b> Head Assembly Hydraulic <b>Primary Appl.:</b> DONALDSON HMK05 DURAMAX, VISUAL INDICATOR BOTH SIDES <b>Inlet Port:</b> 1-1/4" SAE O-RING <b>Outlet Port:</b> 1-1/4" SAE O-RING <b>Threaded Stud:</b> 1-3/4" - 12 <b>Bypass Valve:</b> None <b>UPC Code:</b> 742330-01797</p>
	<p><b>Part Number:</b> P166664 <b>Description:</b> Head Assembly Hydraulic <b>Primary Appl.:</b> DONALDSON HMK04 DURAMAX, VISUAL INDICATOR BOTH SIDES <b>Inlet Port:</b> 1" SAE O-RING <b>Outlet Port:</b> 1" SAE O-RING <b>Threaded Stud:</b> 1-3/8" - 12 <b>Bypass Valve:</b> None <b>UPC Code:</b> 742330-01798</p>
	<p><b>Part Number:</b> P166665 <b>Description:</b> Head Assembly Hydraulic <b>Primary Appl.:</b> DONALDSON HMK05, NO INDICATOR <b>Inlet Port:</b> 1-1/4" NPT <b>Outlet Port:</b> 1-1/4" NPT <b>Threaded Stud:</b> 1-1/2" - 16 <b>Bypass Valve:</b> 5 <b>UPC Code:</b> 742330-01799</p>
	<p><b>Part Number:</b> P166792 <b>Description:</b> Hydraulic/Transmission Cartridge <b>Primary Appl.:</b> DDA 557498-Clean-up, SYNTEQ Media #2, Contains P166844 element w/o-ring <b>Dimensions:</b> Outer Dia: 4.30" (109 mm) Inner Dia: 1.40" (36 mm) Length: 9.00" (229 mm) <b>UPC Code:</b> 742330-01801</p>
	<p><b>Part Number:</b> P166862 <b>Description:</b> Head Assembly Hydraulic <b>Primary Appl.:</b> DONALDSON HMK04 DURAMAX, ELECTRICAL INDICATOR <b>Inlet Port:</b> 1" SAE O-RING <b>Outlet Port:</b> 1" SAE O-RING <b>Threaded Stud:</b> 1-3/8" - 12 <b>Bypass Valve:</b> 50 <b>UPC Code:</b> 742330-01802</p>
	<p><b>Part Number:</b> P166902 <b>Description:</b> Head Assembly Hydraulic <b>Primary Appl.:</b> DONALDSON HMK04 DURAMAX, ELECTRICAL INDICATOR <b>Inlet Port:</b> 1" SAE O-RING <b>Outlet Port:</b> 1" SAE O-RING <b>Threaded Stud:</b> 1-3/8" - 12 <b>Bypass Valve:</b> None <b>UPC Code:</b> 742330-01803</p>

	<p>Part Number: <b>P167162</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: PALL HC7500SUN4H, Donaldson HBK05 ASSY, SYNTEQ Media #2 Dimensions: Outer Dia: 5.08" (129 mm) Thread Size: 1 1/2" - 16 Length: 6.66" (169 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math> UPC Code: 742330-01804</p>
	<p>Part Number: <b>P167180</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: PALL HC9021FUP4Z, DCI HPK02 ASSY, SYNTEQ Media Dimensions: Outer Dia: 1.75" (44 mm) Inner Dia: 1.00" (25 mm) Length: 4.44" (113 mm) Performance: <math>\beta_{3\mu} = 75</math> UPC Code: 742330-01805</p>
	<p>Part Number: <b>P167181</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: PALL HC9021FUT4Z, DCI HPK02 ASSY, SYNTEQ Media Dimensions: Outer Dia: 1.75" (44 mm) Inner Dia: 1.00" (25 mm) Length: 4.44" (113 mm) Performance: <math>\beta_{25\mu} = 75</math> UPC Code: 742330-01806</p>
	<p>Part Number: <b>P167182</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: PALL HC9021FUP8Z, DCI HPK02 ASSEMBLY, SYNTEQ Media Dimensions: Outer Dia: 1.75" (44 mm) Inner Dia: 1.00" (25 mm) Length: 8.12" (206 mm) Performance: <math>\beta_{3\mu} = 75</math> UPC Code: 742330-01807</p>
	<p>Part Number: <b>P167183</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: PALL HC9021FUT8Z, DCI HPK02 ASSY, SYNTEQ Media Dimensions: Outer Dia: 1.75" (44 mm) Inner Dia: 1.00" (25 mm) Length: 8.12" (206 mm) Performance: <math>\beta_{25\mu} = 75</math> UPC Code: 742330-01808</p>
	<p>Part Number: <b>P167184</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: PALL HC9601FUP4Z, HC9601FUP4H, SYNTEQ Media Dimensions: Outer Dia: 3.12" (79 mm) Inner Dia: 1.70" (43 mm) Length: 4.55" (116 mm) Performance: <math>\beta_{3\mu} = 75</math> UPC Code: 742330-01809</p>
	<p>Part Number: <b>P167185</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: PALL HC9601FUP8H, SYNTEQ Media Dimensions: Outer Dia: 3.12" (79 mm) Inner Dia: 1.70" (43 mm) Length: 8.20" (208 mm) Performance: <math>\beta_{3\mu} = 75</math> UPC Code: 742330-01810</p>
	<p>Part Number: <b>P167186</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: PALL HC9601FUT8H, Donaldson HPK04 ASSEMBLY, SYNTEQ Media Dimensions: Outer Dia: 3.12" (79 mm) Inner Dia: 1.70" (43 mm) Length: 8.20" (208 mm) UPC Code: 742330-01811</p>









	<p>Part Number: <b>P167187</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: PALL HC9601FUP16H, Donaldson HYDRAULIC ASSEMBLY, SYNTEQ Media Dimensions: Outer Dia: 3.12" (79 mm) Inner Dia: 1.70" (43 mm) Length: 16.81" (427 mm) Performance: <math>\beta_{3\mu} = 75</math> UPC Code: 742330-01812</p>
	<p>Part Number: <b>P167188</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: PALL HC9601FUT16H, Donaldson HYDRAULIC ASSEMBLY, SYNTEQ Media Dimensions: Outer Dia: 3.12" (79 mm) Inner Dia: 1.70" (43 mm) Length: 16.81" (427 mm) Performance: <math>\beta_{25\mu} = 75</math> UPC Code: 742330-01813</p>
	<p>Part Number: <b>P167201</b> Description: <b>Head Assembly Hydraulic</b> Primary Appl.: DONALDSON HMK04 DURAMAX, NO INDICATOR Inlet Port: 1" SAE O-RING Outlet Port: 1" SAE O-RING Threaded Stud: 1-3/8" - 12 Bypass Valve: 50 UPC Code: 742330-01814</p>
	<p>Part Number: <b>P167268</b> Description: <b>Hydraulic Filter Seal</b> Contents or Usage: Donaldson HYDRAULIC ASSEMBLIES UPC Code: 742330-01816</p>
	<p>Part Number: <b>P167270</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: PALL HC9801FUP4Z, SYNTEQ Media Dimensions: Outer Dia: 2.00" (51 mm) Inner Dia: .94" (24 mm) Length: 4.56" (116 mm) Performance: <math>\beta_{3\mu} = 75</math> UPC Code: 742330-01817</p>
	<p>Part Number: <b>P167294</b> Description: <b>Head Assembly Hydraulic</b> Primary Appl.: DONALDSON HMK05 DURAMAX, VISUAL INDICATOR BOTH SIDES Inlet Port: 1-1/4" NPT Outlet Port: 1-1/4" NPT Threaded Stud: 1-3/4" - 12 Bypass Valve: 25 UPC Code: 742330-01818</p>
	<p>Part Number: <b>P167296</b> Description: <b>Head Assembly Hydraulic</b> Primary Appl.: DONALDSON HMK25 DURAMAX, VISUAL INDICATOR BOTH SIDES Inlet Port: 1-1/2" 4-BOLT FLANGE Outlet Port: 1-1/2" 4-BOLT FLANGE Threaded Stud: 1-3/4" - 12 Bypass Valve: 25 UPC Code: 742330-01819</p>
	<p>Part Number: <b>P167297</b> Description: <b>Head Assembly Hydraulic</b> Primary Appl.: DONALDSON HMK25 DURAMAX, VISUAL INDICATOR BOTH SIDES Inlet Port: 1-1/2" SAE O-RING Outlet Port: 1-1/2" SAE O-RING Threaded Stud: 1-3/4" - 12 Bypass Valve: 25 UPC Code: 742330-01820</p>
	<p>Part Number: <b>P167324</b> Description: <b>Hydraulic Element Coupler</b> Contents or Usage: Donaldson HYDRAULIC ASSEMBLY UPC Code: 742330-01824</p>




















	<b>Part Number:</b> P167410 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> SCHROEDER K10, KK10 HYD APPL, Media #10 <b>Dimensions:</b> Outer Dia: 3.84" (98 mm) Inner Dia: 1.61" (41 mm) Length: 9.02" (229 mm) <b>Performance:</b> $\beta_{10\mu} = 2$ $\beta_{21\mu} = 20$ $\beta_{25\mu} = 75$ <b>UPC Code:</b> 742330-01827
	<b>Part Number:</b> P167411 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9601FUP13H, Donaldson HYDRAULIC ASSEMBLY, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 3.12" (79 mm) Inner Dia: 1.70" (43 mm) Length: 12.95" (329 mm) <b>Performance:</b> $\beta_{3\mu} = 75$ <b>UPC Code:</b> 742330-01828
	<b>Part Number:</b> P167412 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9601FUT13H, Donaldson HYDRAULIC ASSEMBLY, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 3.12" (79 mm) Inner Dia: 1.70" (43 mm) Length: 12.95" (329 mm) <b>Performance:</b> $\beta_{25\mu} = 75$ <b>UPC Code:</b> 742330-01829
	<b>Part Number:</b> P167413 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9801FUT4H, Donaldson HYDRAULIC ASSEMBLY, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 2.00" (51 mm) Inner Dia: .94" (24 mm) Length: 4.56" (116 mm) <b>Performance:</b> $\beta_{25\mu} = 75$ <b>UPC Code:</b> 742330-01830
	<b>Part Number:</b> P167414 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9801FUP8H, Donaldson HYDRAULIC ASSEMBLY, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 2.00" (51 mm) Inner Dia: .94" (24 mm) Length: 8.23" (209 mm) <b>Performance:</b> $\beta_{3\mu} = 75$ <b>UPC Code:</b> 742330-01831
	<b>Part Number:</b> P167415 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9801FUT8H, Donaldson HYDRAULIC ASSEMBLY, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 2.00" (51 mm) Inner Dia: .94" (24 mm) Length: 8.23" (209 mm) <b>Performance:</b> $\beta_{25\mu} = 75$ <b>UPC Code:</b> 742330-01832
	<b>Part Number:</b> P167417 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9801FUT13Z, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 2.00" (51 mm) Inner Dia: .94" (24 mm) Length: 12.87" (327 mm) <b>Performance:</b> $\beta_{25\mu} = 75$ <b>UPC Code:</b> 742330-01834
	<b>Part Number:</b> P167425 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> SCHROEDER K25 HYD APPL, Media #25 <b>Dimensions:</b> Outer Dia: 3.84" (98 mm) Inner Dia: 1.61" (41 mm) Length: 9.02" (229 mm) <b>Performance:</b> $\beta_{20\mu} = 2$ $\beta_{35\mu} = 20$ <b>UPC Code:</b> 742330-01835

	<b>Part Number:</b> P167473 <b>Description:</b> Head Assembly Hydraulic <b>Primary Appl.:</b> DONALDSON HMK04 DURAMAX, NO INDICATOR <b>Inlet Port:</b> 3/4" SAE O-RING <b>Outlet Port:</b> 3/4" SAE O-RING <b>Threaded Stud:</b> 1-3/8" - 12 <b>Bypass Valve:</b> 25 <b>UPC Code:</b> 742330-01836
	<b>Part Number:</b> P167514 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> SCHROEDER K-3, Media #3 <b>Dimensions:</b> Outer Dia: 3.84" (98 mm) Inner Dia: 1.61" (41 mm) Length: 9.02" (229 mm) <b>Performance:</b> $\beta_{4\mu} = 2$ $\beta_{12\mu} = 20$ $\beta_{16\mu} = 75$ <b>UPC Code:</b> 742330-01837
	<b>Part Number:</b> P167516 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> SCHROEDER J-10, Media #10 <b>Dimensions:</b> Outer Dia: 3.53" (90 mm) Inner Dia: 1.61" (41 mm) Length: 9.02" (229 mm) <b>Performance:</b> $\beta_{10\mu} = 2$ $\beta_{21\mu} = 20$ $\beta_{25\mu} = 75$ <b>UPC Code:</b> 742330-01838
	<b>Part Number:</b> P167518 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> SCHROEDER J-3, Media #3 <b>Dimensions:</b> Outer Dia: 3.53" (90 mm) Inner Dia: 1.61" (41 mm) Length: 9.02" (229 mm) <b>Performance:</b> $\beta_{4\mu} = 2$ $\beta_{12\mu} = 20$ $\beta_{16\mu} = 75$ <b>UPC Code:</b> 742330-01839
	<b>Part Number:</b> P167520 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> SCHROEDER A-3, Media #3 <b>Dimensions:</b> Outer Dia: 3.00" (76 mm) Inner Dia: 1.04" (26 mm) Length: 4.75" (121 mm) <b>Performance:</b> $\beta_{4\mu} = 2$ $\beta_{12\mu} = 20$ $\beta_{16\mu} = 75$ <b>UPC Code:</b> 742330-01840
	<b>Part Number:</b> P167522 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> SCHROEDER A-10, Media #10 <b>Dimensions:</b> Outer Dia: 3.00" (76 mm) Inner Dia: 1.04" (26 mm) Length: 4.75" (121 mm) <b>Performance:</b> $\beta_{10\mu} = 2$ $\beta_{21\mu} = 20$ $\beta_{25\mu} = 75$ <b>UPC Code:</b> 742330-01841
	<b>Part Number:</b> P167529 <b>Description:</b> Head Assembly Hydraulic <b>Primary Appl.:</b> DONALDSON HMK04 DURAMAX, 3 PORTED HEAD <b>Inlet Port:</b> 3/4" SAE O-RING <b>Outlet Port:</b> 3/4" SAE O-RING <b>Threaded Stud:</b> 1-3/8" - 12 <b>Bypass Valve:</b> 50 <b>UPC Code:</b> 742330-01842
Shape  Cross Section	<b>Part Number:</b> P167574 <b>Description:</b> Gasket <b>Compound:</b> <b>Dimensions:</b> Outer Dia: 8.97" (228 mm) Inner Dia: 8.47" (215 mm) Thickness: .25" (6 mm) <b>Primary Appl.:</b> 500, 750 BYPASS HOUSINGS BEVELED X SECTION, OPTIONAL ON P550500, P550750, P550751 <b>UPC Code:</b> 742330-01843



















	<b>Part Number:</b> P167575 <b>Description:</b> Gasket <b>Compound:</b> <b>Dimensions:</b> Outer Dia: 8.55" (217 mm) Inner Dia: 8.00" (203 mm) Thickness: .27" (7 mm) <b>Primary Appl:</b> 500, 750 BYPASS HOUSINGS SQUARE X SECTION, OPTIONAL ON P550500, P550750, P550751 <b>UPC Code:</b> 742330-01844
	<b>Part Number:</b> P167576 <b>Description:</b> O-Ring, Cover Gasket <b>Compound:</b> <b>Dimensions:</b> Outer Dia: 8.53" (217 mm) Inner Dia: 7.98" (203 mm) Thickness: .27" (7 mm) <b>Primary Appl:</b> 500, 750 BYPASS HOUSINGS ROUND X SECTION, OPTIONAL ON P550500, P550750, P550751 <b>UPC Code:</b> 742330-01845
	<b>Part Number:</b> P167577 <b>Description:</b> O-Ring, Cover Gasket <b>Compound:</b> <b>Dimensions:</b> Outer Dia: 9.03" (229 mm) Inner Dia: 8.48" (215 mm) Thickness: .27" (7 mm) <b>Primary Appl:</b> SUPPLIED WITH P552311 <b>UPC Code:</b> 742330-01846
	<b>Part Number:</b> P167578 <b>Description:</b> Washer, Gasket <b>Compound:</b> <b>Dimensions:</b> Outer Dia: 1.06" Inner Dia: .61" Thickness: .19" <b>Primary Appl:</b> 750 SERIES, MODEL C T-HANDLE HOLD-DOWN WASHER <b>UPC Code:</b> 742330-01847
	<b>Part Number:</b> P167579 <b>Description:</b> O-Ring <b>Compound:</b> <b>Dimensions:</b> Outer Dia: 1.13" (29 mm) Inner Dia: .88" (22 mm) Thickness: .12" (3 mm) <b>Primary Appl:</b> FOR CUMMINS HOLD-DOWN, #116029, USED ON 500 & 750 <b>UPC Code:</b> 742330-01848
	<b>Part Number:</b> P167580 <b>Description:</b> Hydraulic Visual Indicator, 50 PSI <b>Contents or Usage:</b> FOR Donaldson HBK & HMK SERIES <b>UPC Code:</b> 742330-01849
	<b>Part Number:</b> P167590 <b>Description:</b> Hydraulic Spin-on, Duramax® <b>Primary Appl:</b> Donaldson HMK04 ASSEMBLY, SYNTEQ Media #1 <b>Dimensions:</b> Outer Dia: 3.82" (97 mm) Thread Size: 1 3/8" - 12 Length: 9.44" (240 mm) <b>Performance:</b> $\beta_{3\mu} = 75$ <b>UPC Code:</b> 742330-01850
	<b>Part Number:</b> P167619 <b>Description:</b> Head Assembly Hydraulic <b>Primary Appl:</b> DONALDSON HMK05 DURAMAX, NO INDICATOR <b>Inlet Port:</b> 1-1/4" SAE O-RING <b>Outlet Port:</b> 1-1/4" SAE O-RING <b>Threaded Stud:</b> 1-3/4" - 12 <b>Bypass Valve:</b> 25 <b>UPC Code:</b> 742330-01851
	<b>Part Number:</b> P167621 <b>Description:</b> Head Assembly Hydraulic <b>Primary Appl:</b> DONALDSON HMK05 DURAMAX, ELECTRICAL INDICATOR <b>Inlet Port:</b> 1-1/4" NPT <b>Outlet Port:</b> 1-1/4" NPT <b>Threaded Stud:</b> 1-3/4" - 12 <b>Bypass Valve:</b> 25 <b>UPC Code:</b> 742330-01852

	<b>Part Number:</b> P167686 <b>Description:</b> Gasket, Liquid Filter <b>Compound:</b> Compressed Fiber <b>Dimensions:</b> Outer Dia: 5.13" (130 mm) Inner Dia: 4.62" Thickness: .62" (16 mm) <b>Primary Appl:</b> PACKAGED GASKET WITH P550132 <b>UPC Code:</b> 742330-01854
	<b>Part Number:</b> P167687 <b>Description:</b> Gasket, Liquid Filter <b>Compound:</b> <b>Dimensions:</b> Outer Dia: 5.01" (127 mm) Inner Dia: 4.79" Thickness: .12" (3 mm) <b>Primary Appl:</b> PACKAGED WITH P166375, P166376 <b>UPC Code:</b> 742330-01855
	<b>Part Number:</b> P167766 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl:</b> CLARK 233333, Contains P167801 Element & O-rings <b>Dimensions:</b> Outer Dia: 5.93" (151 mm) Inner Dia: 2.16" (55 mm) Length: 17.00" (432 mm) <b>UPC Code:</b> 742330-01856
	<b>Part Number:</b> P167796 <b>Description:</b> Hydraulic Spin-on <b>Primary Appl:</b> Donaldson HBK05 ASSEMBLY, SYNTEQ Media, Viton Version <b>Dimensions:</b> Outer Dia: 5.06" (129 mm) Thread Size: 1 1/2" - 16 Length: 10.66" (271 mm) <b>Performance:</b> $\beta_{2\mu} = 75$ <b>UPC Code:</b> 742330-01857
	<b>Part Number:</b> P167821 <b>Description:</b> Gasket, Liquid Filter <b>Compound:</b> <b>Dimensions:</b> Outer Dia: 5.00" (127 mm) Inner Dia: 4.75" Thickness: .12" (3 mm) <b>Primary Appl:</b> RACOR FFWS, USED WITH P552020, P552040 <b>UPC Code:</b> 742330-01858
	<b>Part Number:</b> P167822 <b>Description:</b> Gasket, Liquid Filter <b>Compound:</b> <b>Dimensions:</b> Outer Dia: .75" (19 mm) Inner Dia: .55" Thickness: .11" (3 mm) <b>Primary Appl:</b> RACOR FFWS, USED WITH P552020, P552040 <b>UPC Code:</b> 742330-01859
	<b>Part Number:</b> P167823 <b>Description:</b> O-Ring <b>Compound:</b> <b>Dimensions:</b> Outer Dia: .62" Inner Dia: .47" Thickness: .08" <b>Primary Appl:</b> SUPPLIED WITH P552020 <b>UPC Code:</b> 742330-01860
	<b>Part Number:</b> P167829 <b>Description:</b> Hydraulic Spin-on <b>Primary Appl:</b> ALLISON AT500, MT600 TRANSMISSION #23042062, SYNTEQ Media #2 <b>Dimensions:</b> Outer Dia: 3.72" (94 mm) Thread Size: 1 1/2" - 16 Length: 5.82" (148 mm) <b>Performance:</b> $\beta_{1\mu} = 2$ $\beta_{3\mu} = 20$ $\beta_{5\mu} = 75$ <b>UPC Code:</b> 742330-01861
	<b>Part Number:</b> P167830 <b>Description:</b> Hydraulic Spin-on <b>Primary Appl:</b> JOY 01228337-0020, SYNTEQ Media #9 <b>Dimensions:</b> Outer Dia: 3.75" (95 mm) Thread Size: 1 1/2" - 16 Length: 5.82" (148 mm) <b>Performance:</b> $\beta_{9\mu} = 2$ $\beta_{19\mu} = 20$ $\beta_{25\mu} = 75$ <b>UPC Code:</b> 742330-01862









	<p>Part Number: <b>P167832</b>          Description: <b>Hydraulic Spin-on</b>          Primary Appl.: PALL HC7500SUP8H, Donaldson HBK05 ASSY, SYNTEQ Media #1          Dimensions: Outer Dia: 5.08" (129 mm)          Thread Size: 1 1/2" - 16          Length: 10.66" (271 mm)          Performance: <math>\beta_{3\mu} = 75</math>          UPC Code: 742330-01863</p>
	<p>Part Number: <b>P167835</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PALL HC8300FUP16H, SYNTEQ Media #1          Dimensions: Outer Dia: 6.02" (153 mm)          Inner Dia: 4.17" (106 mm)          Length: 16.77" (426 mm)          Performance: <math>\beta_{3\mu} = 75</math>          UPC Code: 742330-01865</p>
	<p>Part Number: <b>P167836</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PALL HC8300FUP39H, SYNTEQ Media #1          Dimensions: Outer Dia: 6.02" (153 mm)          Inner Dia: 4.12" (105 mm)          Length: 38.62" (981 mm)          Performance: <math>\beta_{3\mu} = 75</math>          UPC Code: 742330-01866</p>
	<p>Part Number: <b>P167838</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PALL HC9020FUP8H, Donaldson HPK02 ASSY, SYNTEQ Media #1          Dimensions: Outer Dia: 1.77" (45 mm)          Inner Dia: 1.00" (25 mm)          Length: 7.94" (202 mm)          Performance: <math>\beta_{3\mu} = 75</math>          UPC Code: 742330-01867</p>
	<p>Part Number: <b>P167841</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PALL HC9400FUP26H, Donaldson HPK05 ASSY, SYNTEQ Media #1          Dimensions: Outer Dia: 3.75" (95 mm)          Inner Dia: 2.21" (56 mm)          Length: 25.53" (648 mm)          Performance: <math>\beta_{3\mu} = 75</math>          UPC Code: 742330-01868</p>
	<p>Part Number: <b>P167842</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PALL HC9600FUP8H, Donaldson HPK03 ASSY, SYNTEQ Media #1          Dimensions: Outer Dia: 3.10" (79 mm)          Inner Dia: 1.68" (43 mm)          Length: 8.03" (204 mm)          Performance: <math>\beta_{3\mu} = 75</math>          UPC Code: 742330-01869</p>
	<p>Part Number: <b>P167843</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PALL HC9601FUT4H, PARKER 927169, SYNTEQ Media          Dimensions: Outer Dia: 3.15" (80 mm)          Inner Dia: 1.72" (44 mm)          Length: 4.61" (117 mm)          UPC Code: 742330-01870</p>
	<p>Part Number: <b>P167847</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: JOHN DEERE AT67960, SYNTEQ Media #9          Dimensions: Outer Dia: 2.90" (74 mm)          Inner Dia: 1.13" (29 mm)          Length: 7.39" (188 mm)          Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>          UPC Code: 742330-01871</p>




	<p>Part Number: <b>P167848</b>          Description: <b>Head Assembly Hydraulic</b>          Primary Appl.: DONALDSON LPS04, NO INDICATOR          Inlet Port: 3/4" NPT          Outlet Port: 3/4" NPT          Threaded Stud: 1" - 12          Bypass Valve: 25          UPC Code: 742330-01872</p>
	<p>Part Number: <b>P167849</b>          Description: <b>Head Assembly Hydraulic</b>          Primary Appl.: DONALDSON LPS05, NO INDICATOR          Inlet Port: 1-1/4" NPT          Outlet Port: 1-1/4" NPT          Threaded Stud: 1-1/2" - 16          Bypass Valve: 25          UPC Code: 742330-01873</p>
	<p>Part Number: <b>P167886</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PALL HC8900FDN13H, Media #2          Dimensions: Outer Dia: 3.75" (95 mm)          Inner Dia: 2.21" (56 mm)          Length: 12.76" (324 mm)          Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math>          UPC Code: 742330-01875</p>
	<p>Part Number: <b>P167888</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PALL HC8900FUS13H, SYNTEQ Media #4          Dimensions: Outer Dia: 3.75" (95 mm)          Inner Dia: 2.21" (56 mm)          Length: 12.76" (324 mm)          Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math>          UPC Code: 742330-01877</p>
	<p>Part Number: <b>P167889</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PALL HC8900FUT8H, SYNTEQ Media #9          Dimensions: Outer Dia: 3.75" (95 mm)          Inner Dia: 2.21" (56 mm)          Length: 8.01" (203 mm)          Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>          UPC Code: 742330-01878</p>
	<p>Part Number: <b>P167890</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PALL HC8900FUT13H, SYNTEQ Media #9          Dimensions: Outer Dia: 3.75" (95 mm)          Inner Dia: 2.21" (56 mm)          Length: 12.76" (324 mm)          Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>          UPC Code: 742330-01879</p>
	<p>Part Number: <b>P167891</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PALL HC8900FUT16H, SYNTEQ Media #9          Dimensions: Outer Dia: 3.75" (95 mm)          Inner Dia: 2.21" (56 mm)          Length: 16.68" (424 mm)          Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>          UPC Code: 742330-01880</p>
	<p>Part Number: <b>P167942</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PALL HC8900FDN16H, SYNTEQ Media #2          Dimensions: Outer Dia: 3.75" (95 mm)          Inner Dia: 2.21" (56 mm)          Length: 16.68" (424 mm)          Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math>          UPC Code: 742330-01881</p>
	<p>Part Number: <b>P167943</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PALL HC8900FUS16H, SYNTEQ Media #4          Dimensions: Outer Dia: 3.75" (95 mm)          Inner Dia: 2.21" (56 mm)          Length: 16.68" (424 mm)          Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math>          UPC Code: 742330-01882</p>

	<b>Part Number:</b> P167944 <b>Description:</b> Hydraulic Spin-on <b>Primary Appl.:</b> Donaldson HBK05 ASSEMBLY, SYNTEQ Media #6, Viton Version <b>Dimensions:</b> Outer Dia: 4.87" (124 mm) Thread Size: 1 1/2" - 16 Length: 6.66" (169 mm) <b>Performance:</b> $\beta_{5\mu} = 2$ $\beta_{10\mu} = 20$ $\beta_{13\mu} = 75$ <b>UPC Code:</b> 742330-01883
	<b>Part Number:</b> P167945 <b>Description:</b> Hydraulic Spin-on <b>Primary Appl.:</b> Donaldson HBK05 ASSEMBLY, SYNTEQ Media #6, Viton Version <b>Dimensions:</b> Outer Dia: 4.78" (121 mm) Thread Size: 1 1/2" - 16 Length: 10.66" (271 mm) <b>Performance:</b> $\beta_{5\mu} = 2$ $\beta_{10\mu} = 20$ $\beta_{13\mu} = 75$ <b>UPC Code:</b> 742330-01884
	<b>Part Number:</b> P169012 <b>Description:</b> Hydraulic Strainer <b>Primary Appl.:</b> Donaldson HYDRAULIC ASSEMBLY <b>Dimensions:</b> Outer Dia: 2.63" (67 mm) Thread Size: 1/2" NPT Length: 3.10" (79 mm) <b>Performance:</b> $\beta_{10\mu} = 2$ $\beta_{15\mu} = 20$ $\beta_{25\mu} = 75$ <b>Relief Valve:</b> 15 - 20 <b>UPC Code:</b> 742330-01886
	<b>Part Number:</b> P169013 <b>Description:</b> Hydraulic Strainer <b>Primary Appl.:</b> Donaldson HYDRAULIC ASSEMBLY <b>Dimensions:</b> Outer Dia: 2.63" (67 mm) Thread Size: 3/4" NPT Length: 3.55" (90 mm) <b>Performance:</b> $\beta_{10\mu} = 2$ $\beta_{15\mu} = 20$ $\beta_{25\mu} = 75$ <b>Relief Valve:</b> 15 - 20 <b>UPC Code:</b> 742330-01887
	<b>Part Number:</b> P169014 <b>Description:</b> Hydraulic Strainer <b>Primary Appl.:</b> SCHROEDER SS-1-100 <b>Dimensions:</b> Outer Dia: 2.63" (67 mm) Thread Size: 1" NPT Length: 5.35" (136 mm) <b>Performance:</b> $\beta_{2\mu} = 2$ $\beta_{3\mu} = 20$ $\beta_{5\mu} = 75$ <b>UPC Code:</b> 742330-01888
	<b>Part Number:</b> P169015 <b>Description:</b> Hydraulic Strainer <b>Primary Appl.:</b> SCHROEDER SS-1.25-100 <b>Dimensions:</b> Outer Dia: 3.38" (86 mm) Thread Size: 1-1/4" NPT Length: 6.85" (174 mm) <b>Performance:</b> $\beta_{2\mu} = 2$ $\beta_{3\mu} = 20$ $\beta_{5\mu} = 75$ <b>UPC Code:</b> 742330-01889
	<b>Part Number:</b> P169016 <b>Description:</b> Hydraulic Strainer <b>Primary Appl.:</b> SCHROEDER SS-1.50-100 <b>Dimensions:</b> Outer Dia: 3.38" (86 mm) Thread Size: 1-1/2" NPT Length: 8.01" (203 mm) <b>Performance:</b> $\beta_{2\mu} = 2$ $\beta_{3\mu} = 20$ $\beta_{5\mu} = 75$ <b>UPC Code:</b> 742330-01890
	<b>Part Number:</b> P169017 <b>Description:</b> Hydraulic Strainer <b>Primary Appl.:</b> Donaldson HYDRAULIC ASSEMBLY <b>Dimensions:</b> Outer Dia: 3.94" (100 mm) Thread Size: 1 1/2" NPT Length: 9.85" (250 mm) <b>Performance:</b> $\beta_{2\mu} = 2$ $\beta_{3\mu} = 20$ $\beta_{5\mu} = 75$ <b>UPC Code:</b> 742330-01891

	<b>Part Number:</b> P169018 <b>Description:</b> Hydraulic Strainer <b>Primary Appl.:</b> SCHROEDER SS-2-100 <b>Dimensions:</b> Outer Dia: 3.94" (100 mm) Thread Size: 2" NPT Length: 9.85" (250 mm) <b>Performance:</b> $\beta_{2\mu} = 2$ $\beta_{3\mu} = 20$ $\beta_{5\mu} = 75$ <b>UPC Code:</b> 742330-01892
	<b>Part Number:</b> P169019 <b>Description:</b> Hydraulic Strainer <b>Primary Appl.:</b> Donaldson HYDRAULIC ASSEMBLY <b>Dimensions:</b> Outer Dia: 5.12" (130 mm) Thread Size: 2 1/2" NPT Length: 10.10" (257 mm) <b>Performance:</b> $\beta_{2\mu} = 2$ $\beta_{3\mu} = 20$ $\beta_{5\mu} = 75$ <b>UPC Code:</b> 742330-01893
	<b>Part Number:</b> P169020 <b>Description:</b> Hydraulic Strainer <b>Primary Appl.:</b> SCHROEDER SS-3-100 <b>Dimensions:</b> Outer Dia: 5.12" (130 mm) Thread Size: 3" NPT Length: 11.78" (299 mm) <b>Performance:</b> $\beta_{2\mu} = 2$ $\beta_{3\mu} = 20$ $\beta_{5\mu} = 75$ <b>UPC Code:</b> 742330-01894
	<b>Part Number:</b> P169071 <b>Description:</b> Lube Spin-on Full Flow <b>Primary Appl.:</b> HIGH EFFICIENCY VERSION OF P550008, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 3.67" (93 mm) Thread Size: 3/4" - 16 Length: 5.32" (135 mm) <b>Relief Valve:</b> 8 - 11 <b>UPC Code:</b> 742330-01897
	<b>Part Number:</b> P169077 <b>Description:</b> Hydraulic Spin-on <b>Primary Appl.:</b> Case 1329214C1, SYNTEQ Media #4. Contains P169135 element with o-rings <b>Dimensions:</b> Outer Dia: 5.08" (129 mm) Thread Size: 1 1/2" - 16 Length: 10.66" (271 mm) <b>UPC Code:</b> 742330-01898
	<b>Part Number:</b> P169078 <b>Description:</b> Hydraulic Spin-on <b>Primary Appl.:</b> JOHN DEERE AM102723, Media #10 <b>Dimensions:</b> Outer Dia: 3.82" (97 mm) Thread Size: 1 3/8" - 12 Length: 4.47" (114 mm) <b>Performance:</b> $\beta_{10\mu} = 2$ $\beta_{21\mu} = 20$ $\beta_{25\mu} = 75$ <b>UPC Code:</b> 742330-01899
	<b>Part Number:</b> P169079 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> JOHN DEERE AT67957, SYNTEQ Media #9 <b>Dimensions:</b> Outer Dia: 2.90" (74 mm) Inner Dia: 1.12" (28 mm) Length: 3.62" (92 mm) <b>Performance:</b> $\beta_{10\mu} = 2$ $\beta_{17\mu} = 20$ $\beta_{22\mu} = 75$ <b>UPC Code:</b> 742330-01900
	<b>Part Number:</b> P169081 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Case A176593, SYNTEQ Media #4 <b>Dimensions:</b> Outer Dia: 4.5" (114 mm) Inner Dia: 2.26" (57 mm) Length: 7.18" (182 mm) <b>Performance:</b> $\beta_{5\mu} = 2$ $\beta_{13\mu} = 20$ $\beta_{16\mu} = 75$ <b>Relief Valve:</b> None <b>UPC Code:</b> 742330-01901



	<p><b>Part Number:</b> P169083 <b>Description:</b> Hydraulic Spin-on IR 39138433, Media #10 <b>Primary Appl.:</b> IR 39138433, Media #10 <b>Dimensions:</b> Outer Dia: 3.69" (94 mm) Thread Size: 1 1/4" - 12 Length: 8.76" (222 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{15\mu} = 20</math> <math>\beta_{25\mu} = 75</math> <b>Relief Valve:</b> 15 - 20 <b>UPC Code:</b> 742330-01903</p>
	<p><b>Part Number:</b> P169084 <b>Description:</b> Hydraulic Spin-on Case A176594, SYNTEQ Media #4, Contains two P169136 elements w/gasket <b>Primary Appl.:</b> Case A176594, SYNTEQ Media #4, Contains two P169136 elements w/gasket <b>Dimensions:</b> Outer Dia: 5.08" (129 mm) Thread Size: 1 1/2" - 15 Length: 10.66" (271 mm) <b>UPC Code:</b> 742330-01904</p>
	<p><b>Part Number:</b> P169091 <b>Description:</b> Fuel Spin-on Secondary DET. DIESEL, GM 6438840, SYNTEQ Media, P556916-Standard fuel spin-on <b>Primary Appl.:</b> DET. DIESEL, GM 6438840, SYNTEQ Media, P556916-Standard fuel spin-on <b>Dimensions:</b> Outer Dia: 3.67" (93 mm) Thread Size: 13/16" - 12 Length: 6.89" (175 mm) <b>UPC Code:</b> 742330-01907</p>
	<p><b>Part Number:</b> P169093 <b>Description:</b> Fuel Spin-on Primary CUMMINS 138627, SYNTEQ Media, P550104-Standard fuel, P555011-FFWS w/bowl, P558020-FFWS W/drain <b>Primary Appl.:</b> CUMMINS 138627, SYNTEQ Media, P550104-Standard fuel, P555011-FFWS w/bowl, P558020-FFWS W/drain <b>Dimensions:</b> Outer Dia: 3.70" (94 mm) Thread Size: 1" - 14 Length: 4.16" (106 mm) <b>UPC Code:</b> 742330-01909</p>
	<p><b>Part Number:</b> P169096 <b>Description:</b> Fuel Spin-on Primary CAT 6L-7440, 1P-2299, 8L-9740, SYNTEQ Media, P557440-Standard fuel, P555003-FFWS, P558030-FFWS W/DRAIN <b>Primary Appl.:</b> CAT 6L-7440, 1P-2299, 8L-9740, SYNTEQ Media, P557440-Standard fuel, P555003-FFWS, P558030-FFWS W/DRAIN <b>Dimensions:</b> Outer Dia: 3.67" (93 mm) Thread Size: 1" - 14 Length: 6.95" (177 mm) <b>UPC Code:</b> 742330-01912</p>
	<p><b>Part Number:</b> P169309 <b>Description:</b> Head Assembly Hydraulic DONALDSON HMK04 DURAMAX, NO INDICATOR <b>Primary Appl.:</b> DONALDSON HMK04 DURAMAX, NO INDICATOR <b>Inlet Port:</b> 1" NPT <b>Outlet Port:</b> 1" NPT <b>Threaded Stud:</b> 1-3/8" - 12 <b>Bypass Valve:</b> 25 <b>UPC Code:</b> 742330-01916</p>
	<p><b>Part Number:</b> P169310 <b>Description:</b> Head Assembly Hydraulic DONALDSON HMK04 DURAMAX, VISUAL INDICATOR LEFT SIDE <b>Primary Appl.:</b> DONALDSON HMK04 DURAMAX, VISUAL INDICATOR LEFT SIDE <b>Inlet Port:</b> 3/4" NPT <b>Outlet Port:</b> 3/4" NPT <b>Threaded Stud:</b> 1-3/8" - 12 <b>Bypass Valve:</b> 25 <b>UPC Code:</b> 742330-01917</p>
	<p><b>Part Number:</b> P169317 <b>Description:</b> Head Assembly Hydraulic DONALDSON HMK04 DURAMAX, NO INDICATOR <b>Primary Appl.:</b> DONALDSON HMK04 DURAMAX, NO INDICATOR <b>Inlet Port:</b> 3/4" NPT <b>Outlet Port:</b> 3/4" NPT <b>Threaded Stud:</b> 1-3/8" - 12 <b>Bypass Valve:</b> 25 <b>UPC Code:</b> 742330-01918</p>

	<p><b>Part Number:</b> P169320 <b>Description:</b> Head Assembly Hydraulic DONALDSON HMK04 DURAMAX, VISUAL INDICATOR LEFT SIDE <b>Primary Appl.:</b> DONALDSON HMK04 DURAMAX, VISUAL INDICATOR LEFT SIDE <b>Inlet Port:</b> 3/4" SAE O-RING <b>Outlet Port:</b> 3/4" SAE O-RING <b>Threaded Stud:</b> 1-3/8" - 12 <b>Bypass Valve:</b> None <b>UPC Code:</b> 742330-01919</p>
	<p><b>Part Number:</b> P169341 <b>Description:</b> Hydraulic Cartridge SCHROEDER KS-1, SYNTEQ Media #1 <b>Primary Appl.:</b> SCHROEDER KS-1, SYNTEQ Media #1 <b>Dimensions:</b> Outer Dia: 3.85" (98 mm) Inner Dia: 1.61" (41 mm) Length: 9.02" (229 mm) <b>Performance:</b> <math>\beta_{3\mu} = 75</math> <b>UPC Code:</b> 742330-01920</p>
	<p><b>Part Number:</b> P169344 <b>Description:</b> Hydraulic Cartridge SCHROEDER KS3, SYNTEQ Media #2 <b>Primary Appl.:</b> SCHROEDER KS3, SYNTEQ Media #2 <b>Dimensions:</b> Outer Dia: 3.85" (98 mm) Inner Dia: 1.61" (41 mm) Length: 9.02" (229 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math> <b>UPC Code:</b> 742330-01921</p>
	<p><b>Part Number:</b> P169392 <b>Description:</b> Hydraulic Spin-on PALL HC7400SUP8H, HC7400SUN8H, SYNTEQ Media #2 <b>Primary Appl.:</b> PALL HC7400SUP8H, HC7400SUN8H, SYNTEQ Media #2 <b>Dimensions:</b> Outer Dia: 3.72" (94 mm) Thread Size: 1 1/2" - 16 Length: 8.02" (204 mm) <b>Performance:</b> <math>\beta_{3\mu} = 75</math> <b>UPC Code:</b> 742330-01922</p>
	<p><b>Part Number:</b> P169393 <b>Description:</b> Hydraulic Spin-on PALL HC7400SUT8H, HC7400SUS8H, HC7400SUK8H, SYNTEQ Media #9 <b>Primary Appl.:</b> PALL HC7400SUT8H, HC7400SUS8H, HC7400SUK8H, SYNTEQ Media #9 <b>Dimensions:</b> Outer Dia: 3.75" (95 mm) Thread Size: 1 1/2" - 16 Length: 8.02" (204 mm) <b>Performance:</b> <math>\beta_{10\mu} = 75</math> <b>UPC Code:</b> 742330-01923</p>
	<p><b>Part Number:</b> P169400 <b>Description:</b> Hydraulic Cartridge Donaldson HYDRAULIC ASSEMBLY, Media #25 <b>Primary Appl.:</b> Donaldson HYDRAULIC ASSEMBLY, Media #25 <b>Dimensions:</b> Outer Dia: 3.68" (93 mm) Inner Dia: 1.75" (44 mm) Length: 9.25" (235 mm) <b>Performance:</b> <math>\beta_{20\mu} = 2</math> <math>\beta_{35\mu} = 20</math> <b>UPC Code:</b> 742330-01924</p>
	<p><b>Part Number:</b> P169424 <b>Description:</b> Hydraulic Cartridge PALL HC9651FUP8H, SYNTEQ Media <b>Primary Appl.:</b> PALL HC9651FUP8H, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 3.12" (79 mm) Inner Dia: 1.70" (43 mm) Length: 8.20" (208 mm) <b>Performance:</b> <math>\beta_{3\mu} = 75</math> <b>UPC Code:</b> 742330-01925</p>
	<p><b>Part Number:</b> P169425 <b>Description:</b> Hydraulic Cartridge PALL HC9651FUP16H, SYNTEQ Media <b>Primary Appl.:</b> PALL HC9651FUP16H, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 3.12" (79 mm) Inner Dia: 1.70" (43 mm) Length: 17.06" (433 mm) <b>Performance:</b> <math>\beta_{3\mu} = 75</math> <b>UPC Code:</b> 742330-01926</p>






























	<p><b>Part Number:</b> P169426 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9651FUT8H, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 3.12" (79 mm) Inner Dia: 1.70" (43 mm) Length: 8.20" (208 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> <b>UPC Code:</b> 742330-01927</p>
	<p><b>Part Number:</b> P169429 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9020FUP4H, Donaldson HPK02 ASSY, SYNTEQ Media #1 <b>Dimensions:</b> Outer Dia: 1.77" (45 mm) Inner Dia: 1.00" (25 mm) Length: 4.31" (109 mm) <b>Performance:</b> <math>\beta_{3\mu} = 75</math> <b>UPC Code:</b> 742330-01929</p>
	<p><b>Part Number:</b> P169430 <b>Description:</b> Hydraulic Spin-on <b>Primary Appl.:</b> PALL HC7500SUP4H, Donaldson HBK05 ASSY, SYNTEQ Media #1 <b>Dimensions:</b> Outer Dia: 5.08" (129 mm) Thread Size: 1 1/2" - 16 Length: 6.66" (169 mm) <b>Performance:</b> <math>\beta_{3\mu} = 75</math> <b>UPC Code:</b> 742330-01930</p>
	<p><b>Part Number:</b> P169431 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9600FUP4H, SYNTEQ Media #1 <b>Dimensions:</b> Outer Dia: 3.10" (79 mm) Inner Dia: 1.68" (43 mm) Length: 4.45" (113 mm) <b>Performance:</b> <math>\beta_{3\mu} = 75</math> <b>UPC Code:</b> 742330-01931</p>
	<p><b>Part Number:</b> P169432 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9600FUP13H, SYNTEQ Media #1 <b>Dimensions:</b> Outer Dia: 3.10" (79 mm) Inner Dia: 1.68" (43 mm) Length: 12.76" (324 mm) <b>Performance:</b> <math>\beta_{3\mu} = 75</math> <b>UPC Code:</b> 742330-01932</p>
	<p><b>Part Number:</b> P169433 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9600FUP16H, Donaldson HPK04 ASSY, SYNTEQ Media #1 <b>Dimensions:</b> Outer Dia: 3.10" (79 mm) Inner Dia: 1.68" (43 mm) Length: 16.67" (423 mm) <b>Performance:</b> <math>\beta_{3\mu} = 75</math> <b>UPC Code:</b> 742330-01933</p>
	<p><b>Part Number:</b> P169434 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9400FUP13H, SYNTEQ Media #1 <b>Dimensions:</b> Outer Dia: 3.75" (95 mm) Inner Dia: 2.21" (56 mm) Length: 12.76" (324 mm) <b>Performance:</b> <math>\beta_{3\mu} = 75</math> <b>UPC Code:</b> 742330-01934</p>
	<p><b>Part Number:</b> P169435 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9650FUP8H, SYNTEQ Media #1 <b>Dimensions:</b> Outer Dia: 3.10" (79 mm) Inner Dia: 1.68" (43 mm) Length: 8.03" (204 mm) <b>Performance:</b> <math>\beta_{3\mu} = 75</math> <b>UPC Code:</b> 742330-01935</p>









	<p><b>Part Number:</b> P169436 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9650FUP16H, SYNTEQ Media #1 <b>Dimensions:</b> Outer Dia: 3.10" (79 mm) Inner Dia: 1.68" (43 mm) Length: 16.67" (423 mm) <b>Performance:</b> <math>\beta_{3\mu} = 75</math> <b>UPC Code:</b> 742330-01936</p>
	<p><b>Part Number:</b> P169437 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC8400FUP8H, SYNTEQ Media #1 <b>Dimensions:</b> Outer Dia: 6.02" (153 mm) Inner Dia: 3.28" (83 mm) Length: 8.13" (206 mm) <b>Performance:</b> <math>\beta_{3\mu} = 75</math> <b>UPC Code:</b> 742330-01937</p>
	<p><b>Part Number:</b> P169438 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC8400FUP16H, SYNTEQ Media #1 <b>Dimensions:</b> Outer Dia: 6.02" (153 mm) Inner Dia: 3.28" (83 mm) Length: 16.77" (426 mm) <b>Performance:</b> <math>\beta_{3\mu} = 75</math> <b>UPC Code:</b> 742330-01938</p>
	<p><b>Part Number:</b> P169443 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> SCHROEDER JS-1, SYNTEQ Media #1 <b>Dimensions:</b> Outer Dia: 3.53" (90 mm) Inner Dia: 1.61" (41 mm) Length: 9.02" (229 mm) <b>Performance:</b> <math>\beta_{3\mu} = 75</math> <b>UPC Code:</b> 742330-01943</p>
	<p><b>Part Number:</b> P169444 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> SCHROEDER JS-3, SYNTEQ Media #2 <b>Dimensions:</b> Outer Dia: 3.53" (90 mm) Inner Dia: 1.61" (41 mm) Length: 9.02" (229 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math> <b>UPC Code:</b> 742330-01944</p>
	<p><b>Part Number:</b> P169446 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9800FUN4H, SYNTEQ Media #2 <b>Dimensions:</b> Outer Dia: 1.99" (50 mm) Inner Dia: .96" (24 mm) Length: 4.31" (109 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math> <b>UPC Code:</b> 742330-01946</p>
	<p><b>Part Number:</b> P169448 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9800FUP8H, SYNTEQ Media #1 <b>Dimensions:</b> Outer Dia: 1.99" (50 mm) Inner Dia: .96" (24 mm) Length: 7.94" (202 mm) <b>Performance:</b> <math>\beta_{3\mu} = 75</math> <b>UPC Code:</b> 742330-01948</p>
	<p><b>Part Number:</b> P169449 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9800FUS8H, SYNTEQ Media #4 <b>Dimensions:</b> Outer Dia: 1.99" (50 mm) Inner Dia: .96" (24 mm) Length: 7.94" (202 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> <b>UPC Code:</b> 742330-01949</p>
	<p><b>Part Number:</b> P169450 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9800FUT8H, SYNTEQ Media #9 <b>Dimensions:</b> Outer Dia: 1.99" (50 mm) Inner Dia: .96" (24 mm) Length: 7.94" (202 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math> <b>UPC Code:</b> 742330-01950</p>




















	<p><b>Part Number:</b> P169451  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PALL HC9800FUP13H, SYNTEQ Media #1  <b>Dimensions:</b>          Outer Dia: 1.99" (50 mm)          Inner Dia: .96" (24 mm)          Length: 12.93" (328 mm)  <b>Performance:</b> <math>\beta_{3\mu} = 75</math>  <b>UPC Code:</b> 742330-01951</p>
	<p><b>Part Number:</b> P169452  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PALL HC9800FUP13H, SYNTEQ Media #2  <b>Dimensions:</b>          Outer Dia: 1.99" (50 mm)          Inner Dia: .96" (24 mm)          Length: 12.93" (328 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math>  <b>UPC Code:</b> 742330-01952</p>
	<p><b>Part Number:</b> P169477  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> SCHROEDER A-25, Media #25  <b>Dimensions:</b>          Outer Dia: 3.00" (76 mm)          Inner Dia: 1.04" (26 mm)          Length: 4.75" (121 mm)  <b>Performance:</b> <math>\beta_{25\mu} = 2</math> <math>\beta_{50\mu} = 20</math>  <b>UPC Code:</b> 742330-01955</p>
	<p><b>Part Number:</b> P169478  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> SCHROEDER J-25, Media #25  <b>Dimensions:</b>          Outer Dia: 3.53" (90 mm)          Inner Dia: 1.61" (41 mm)          Length: 9.02" (229 mm)  <b>Performance:</b> <math>\beta_{25\mu} = 2</math> <math>\beta_{50\mu} = 20</math>  <b>UPC Code:</b> 742330-01956</p>
	<p><b>Part Number:</b> P169544  <b>Description:</b> Head Assembly Hydraulic  <b>Contents or Usage:</b> DONALDSON LPS05, TOP MOUNTED VISUAL INDICATOR  <b>UPC Code:</b></p>
	<p><b>Part Number:</b> P169545  <b>Description:</b> Head Assembly Hydraulic  <b>Contents or Usage:</b> DONALDSON LPS05, TOP MOUNTED VISUAL INDICATOR  <b>UPC Code:</b></p>
	<p><b>Part Number:</b> P169553  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PARKER 924448, 924451, Media #25  <b>Dimensions:</b>          Outer Dia: 3.68" (93 mm)          Inner Dia: 1.75" (44 mm)          Length: 9.00" (229 mm)  <b>Performance:</b> <math>\beta_{25\mu} = 2</math> <math>\beta_{50\mu} = 20</math>  <b>UPC Code:</b> 742330-01957</p>
	<p><b>Part Number:</b> P169554  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PARKER 924449, Media #5  <b>Dimensions:</b>          Outer Dia: 3.68" (93 mm)          Inner Dia: 1.75" (44 mm)          Length: 9.00" (229 mm)  <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{17\mu} = 75</math>  <b>UPC Code:</b> 742330-01958</p>
	<p><b>Part Number:</b> P169555  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PARKER 924450, Media #10  <b>Dimensions:</b>          Outer Dia: 3.68" (93 mm)          Inner Dia: 1.75" (44 mm)          Length: 9.00" (229 mm)  <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math>  <b>UPC Code:</b> 742330-01959</p>


	<p><b>Part Number:</b> P169556  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PARKER 924452, SYNTEQ Media #2  <b>Dimensions:</b>          Outer Dia: 3.68" (93 mm)          Inner Dia: 1.75" (44 mm)          Length: 9.00" (229 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math>  <b>UPC Code:</b> 742330-01960</p>
	<p><b>Part Number:</b> P169557  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PARKER 924453, SYNTEQ Media #4  <b>Dimensions:</b>          Outer Dia: 3.68" (93 mm)          Inner Dia: 1.75" (44 mm)          Length: 9.00" (229 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math>  <b>UPC Code:</b> 742330-01961</p>
	<p><b>Part Number:</b> P169558  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PARKER 924790, 924793, Media #25  <b>Dimensions:</b>          Outer Dia: 3.68" (93 mm)          Inner Dia: 1.75" (44 mm)          Length: 18.31" (465 mm)  <b>Performance:</b> <math>\beta_{25\mu} = 2</math> <math>\beta_{50\mu} = 20</math>  <b>UPC Code:</b> 742330-01962</p>
	<p><b>Part Number:</b> P169559  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PARKER 924791, Media #5  <b>Dimensions:</b>          Outer Dia: 3.68" (93 mm)          Inner Dia: 1.75" (44 mm)          Length: 18.31" (465 mm)  <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{17\mu} = 75</math>  <b>UPC Code:</b> 742330-01963</p>
	<p><b>Part Number:</b> P169560  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PARKER 924792, Media #10  <b>Dimensions:</b>          Outer Dia: 3.68" (93 mm)          Inner Dia: 1.75" (44 mm)          Length: 18.31" (465 mm)  <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math>  <b>UPC Code:</b> 742330-01964</p>
	<p><b>Part Number:</b> P169561  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PARKER 924794, SYNTEQ Media #2  <b>Dimensions:</b>          Outer Dia: 3.68" (93 mm)          Inner Dia: 1.75" (44 mm)          Length: 18.31" (465 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math>  <b>UPC Code:</b> 742330-01965</p>
	<p><b>Part Number:</b> P169562  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PARKER 924795, SYNTEQ Media #4  <b>Dimensions:</b>          Outer Dia: 3.68" (93 mm)          Inner Dia: 1.75" (44 mm)          Length: 18.31" (465 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math>  <b>UPC Code:</b> 742330-01966</p>
	<p><b>Part Number:</b> P169755  <b>Description:</b> Head Assembly Hydraulic  <b>Primary Appl.:</b> DONALDSON HBK04, VISUAL INDICATOR LEFT SIDE  <b>Inlet Port:</b> 3/4" NPT  <b>Outlet Port:</b> 3/4" NPT  <b>Threaded Stud:</b> 1-1/4" - 12  <b>Bypass Valve:</b> 25  <b>UPC Code:</b> 742330-01967</p>
	<p><b>Part Number:</b> P169757  <b>Description:</b> Head Assembly Hydraulic  <b>Primary Appl.:</b> DONALDSON HBK04, NO INDICATOR  <b>Inlet Port:</b> 3/4" NPT  <b>Outlet Port:</b> 3/4" NPT  <b>Threaded Stud:</b> 1-1/4" - 12  <b>Bypass Valve:</b> 25  <b>UPC Code:</b> 742330-01968</p>


	<p>Part Number: <b>P169797</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PALL HC9800FUT4H, SYNTEQ Media #9          Dimensions: Outer Dia: 1.99" (50 mm)          Inner Dia: .96" (24 mm)          Length: 4.31" (109 mm)          Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>          UPC Code: 742330-01969</p>
	<p>Part Number: <b>P169798</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PALL HC9800FUN8H, SYNTEQ Media #2          Dimensions: Outer Dia: 1.99" (50 mm)          Inner Dia: .96" (24 mm)          Length: 7.94" (202 mm)          Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math>          UPC Code: 742330-01970</p>
<p>Shape </p> <p><b>Cross Section</b> </p>	<p>Part Number: <b>P169982</b>          Description: <b>Gasket</b>          Compound:          Dimensions: Outer Dia: 3.55" (90 mm)          Inner Dia: 3.18" (81 mm)          Thickness: .30" (8 mm)          Primary Appl.: DETROIT DIESEL MAINTENANCE KIT          OPTIONAL GASKET          UPC Code: 742330-01972</p>
	<p>Part Number: <b>P169984</b>          Description: <b>Head Assembly Hydraulic</b>          Primary Appl.: DONALDSON HMK25 DURAMAX, VISUAL INDICATOR BOTH SIDES          Inlet Port: 1-1/2" 4-BOLT FLANGE          Outlet Port: 1-1/2" 4-BOLT FLANGE          Threaded Stud: 1-3/4" - 12          Bypass Valve: None          UPC Code: 742330-01973</p>
	<p>Part Number: <b>P169985</b>          Description: <b>Head Assembly Hydraulic</b>          Primary Appl.: DONALDSON HMK25 DURAMAX, VISUAL INDICATOR LEFT SIDE          Inlet Port: 1-1/2" NPT          Outlet Port: 1-1/2" NPT          Threaded Stud: 1-3/4" - 12          Bypass Valve: 25          UPC Code: 742330-01974</p>
	<p>Part Number: <b>P170061</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PARKER 987141, 924467, SYNTEQ Media #4          Dimensions: Outer Dia: 5.62" (143 mm)          Inner Dia: 3.72" (94 mm)          Length: 12.00" (305 mm)          Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math>          UPC Code: 742330-01976</p>
	<p>Part Number: <b>P170062</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PARKER 987121, SYNTEQ Media #2          Dimensions: Outer Dia: 5.62" (143 mm)          Inner Dia: 3.72" (94 mm)          Length: 12.00" (305 mm)          Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math>          UPC Code: 742330-01977</p>
	<p>Part Number: <b>P170063</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PARKER 908648, SYNTEQ Media #9          Dimensions: Outer Dia: 5.62" (143 mm)          Inner Dia: 3.72" (94 mm)          Length: 12.00" (305 mm)          Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>          UPC Code: 742330-01978</p>


	<p>Part Number: <b>P170065</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PARKER 922625, SYNTEQ Media #20          Dimensions: Outer Dia: 2.44" (62 mm)          Inner Dia: 1.02" (26 mm)          Length: 5.00" (127 mm)          UPC Code: 742330-01979</p>
	<p>Part Number: <b>P170066</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PARKER 922624, SYNTEQ Media #9          Dimensions: Outer Dia: 2.44" (62 mm)          Inner Dia: 1.02" (26 mm)          Length: 5.00" (127 mm)          Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>          UPC Code: 742330-01980</p>
	<p>Part Number: <b>P170068</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PARKER 922623, 922622, SYNTEQ Media #4          Dimensions: Outer Dia: 2.44" (62 mm)          Inner Dia: 1.02" (26 mm)          Length: 5.00" (127 mm)          Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math>          UPC Code: 742330-01981</p>
	<p>Part Number: <b>P170069</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PARKER 922621, SYNTEQ Media #2          Dimensions: Outer Dia: 2.44" (62 mm)          Inner Dia: 1.02" (26 mm)          Length: 5.00" (127 mm)          Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math>          UPC Code: 742330-01982</p>
	<p>Part Number: <b>P170072</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PARKER 925834, SYNTEQ Media #20          Dimensions: Outer Dia: 2.44" (62 mm)          Inner Dia: 1.02" (26 mm)          Length: 9.25" (235 mm)          Performance: <math>\beta_{20\mu} = 2</math> <math>\beta_{30\mu} = 20</math>          Relief Valve: None          UPC Code: 742330-01983</p>
	<p>Part Number: <b>P170073</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PARKER 925835, SYNTEQ Media #9          Dimensions: Outer Dia: 2.44" (62 mm)          Inner Dia: 1.02" (26 mm)          Length: 9.25" (235 mm)          Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>          UPC Code: 742330-01984</p>
	<p>Part Number: <b>P170084</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PARKER 925836, 925837, SYNTEQ Media #4          Dimensions: Outer Dia: 2.44" (62 mm)          Inner Dia: 1.02" (26 mm)          Length: 9.25" (235 mm)          Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math>          UPC Code: 742330-01985</p>
	<p>Part Number: <b>P170085</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: PARKER 925838, SYNTEQ Media #2          Dimensions: Outer Dia: 2.44" (62 mm)          Inner Dia: 1.02" (26 mm)          Length: 9.25" (235 mm)          Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math>          UPC Code: 742330-01986</p>



	<p><b>Part Number:</b> P170089  <b>Description:</b> Hydraulic Spin-on, Duramax®  <b>Primary Appl.:</b> Donaldson HMK03 ASSEMBLY, Media #10  <b>Dimensions:</b> Outer Dia: 3.13" (80 mm)          Thread Size: 2" - 12          Length: 9.52" (242 mm)  <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math>  <b>UPC Code:</b> 742330-01988</p>
	<p><b>Part Number:</b> P170090  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PARKER 926372, 926325, SYNTEQ Media #4  <b>Dimensions:</b> Outer Dia: 4.42" (112 mm)          Inner Dia: 1.66" (42 mm)          Length: 9.00" (229 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math>  <b>UPC Code:</b> 742330-01989</p>
	<p><b>Part Number:</b> P170092  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PARKER 926326, SYNTEQ Media #9  <b>Dimensions:</b> Outer Dia: 4.42" (112 mm)          Inner Dia: 1.66" (42 mm)          Length: 9.00" (229 mm)  <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>  <b>UPC Code:</b> 742330-01990</p>
	<p><b>Part Number:</b> P170094  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PARKER 926327, SYNTEQ Media #20  <b>Dimensions:</b> Outer Dia: 4.42" (112 mm)          Inner Dia: 1.66" (42 mm)          Length: 9.00" (229 mm)  <b>Performance:</b> <math>\beta_{20\mu} = 2</math> <math>\beta_{35\mu} = 20</math>  <b>UPC Code:</b> 742330-01991</p>
	<p><b>Part Number:</b> P170095  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PARKER 907234, SYNTEQ Media #20  <b>Dimensions:</b> Outer Dia: 3.60" (91 mm)          Inner Dia: 1.91" (49 mm)          Length: 7.40" (188 mm)  <b>Performance:</b> <math>\beta_{20\mu} = 2</math> <math>\beta_{35\mu} = 20</math>  <b>UPC Code:</b> 742330-01992</p>
	<p><b>Part Number:</b> P170096  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PARKER 907234, SYNTEQ Media #9  <b>Dimensions:</b> Outer Dia: 3.60" (91 mm)          Inner Dia: 1.91" (49 mm)          Length: 7.40" (188 mm)  <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>  <b>UPC Code:</b> 742330-01993</p>
	<p><b>Part Number:</b> P170098  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PARKER 924588, 983061, SYNTEQ Media #4  <b>Dimensions:</b> Outer Dia: 3.60" (91 mm)          Inner Dia: 1.91" (49 mm)          Length: 7.40" (188 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math>  <b>UPC Code:</b> 742330-01994</p>
	<p><b>Part Number:</b> P170099  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PARKER 976191, SYNTEQ Media #2  <b>Dimensions:</b> Outer Dia: 3.60" (91 mm)          Inner Dia: 1.91" (49 mm)          Length: 7.40" (188 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math>  <b>UPC Code:</b> 742330-01995</p>
	<p><b>Part Number:</b> P170102  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> HILCO PL-718-26, SYNTEQ Media #2  <b>Dimensions:</b> Outer Dia: 6.00" (152 mm)          Inner Dia: 2.60" (66 mm)          Length: 18.00" (457 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math>  <b>UPC Code:</b> 742330-01996</p>


	<p><b>Part Number:</b> P170306  <b>Description:</b> Hydraulic Spin-on, Duramax®  <b>Primary Appl.:</b> Donaldson HMK03 ASSEMBLY, SYNTEQ Media  <b>Dimensions:</b> Outer Dia: 3.13" (80 mm)          Thread Size: 2" - 12          Length: 5.52" (140 mm)  <b>Performance:</b> <math>\beta_{3\mu} = 75</math>  <b>UPC Code:</b> 742330-01998</p>
	<p><b>Part Number:</b> P170307  <b>Description:</b> Hydraulic Spin-on, Duramax®  <b>Primary Appl.:</b> Donaldson HMK03 ASSEMBLY, SYNTEQ Media  <b>Dimensions:</b> Outer Dia: 3.13" (80 mm)          Thread Size: 2" - 12          Length: 9.52" (242 mm)  <b>Performance:</b> <math>\beta_{3\mu} = 75</math>  <b>UPC Code:</b> 742330-01999</p>
	<p><b>Part Number:</b> P170308  <b>Description:</b> Hydraulic Spin-on, Duramax®  <b>Primary Appl.:</b> Donaldson HMK03 ASSEMBLY, SYNTEQ Media #2  <b>Dimensions:</b> Outer Dia: 3.13" (80 mm)          Thread Size: 2" - 12          Length: 5.52" (140 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math>  <b>UPC Code:</b> 742330-02000</p>
	<p><b>Part Number:</b> P170309  <b>Description:</b> Hydraulic Spin-on, Duramax®  <b>Primary Appl.:</b> Donaldson HMK03 ASSEMBLY, SYNTEQ Media #2  <b>Dimensions:</b> Outer Dia: 3.13" (80 mm)          Thread Size: 2" - 12          Length: 9.52" (242 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math>  <b>UPC Code:</b> 742330-02001</p>
	<p><b>Part Number:</b> P170310  <b>Description:</b> Hydraulic Spin-on, Duramax®  <b>Primary Appl.:</b> Donaldson HMK03 ASSEMBLY, SYNTEQ Media #4  <b>Dimensions:</b> Outer Dia: 3.13" (80 mm)          Thread Size: 2" - 12          Length: 5.52" (140 mm)  <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{16\mu} = 75</math>  <b>UPC Code:</b> 742330-02002</p>
	<p><b>Part Number:</b> P170311  <b>Description:</b> Hydraulic Spin-on, Duramax®  <b>Primary Appl.:</b> Donaldson HMK03 ASSEMBLY, SYNTEQ Media #4  <b>Dimensions:</b> Outer Dia: 3.13" (80 mm)          Thread Size: 2" - 12          Length: 5.52" (140 mm)  <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{16\mu} = 75</math>  <b>UPC Code:</b> 742330-02003</p>
	<p><b>Part Number:</b> P170312  <b>Description:</b> Hydraulic Spin-on, Duramax®  <b>Primary Appl.:</b> Donaldson HMK03 ASSEMBLY, SYNTEQ Media #9  <b>Dimensions:</b> Outer Dia: 3.13" (80 mm)          Thread Size: 2" - 12          Length: 5.52" (140 mm)  <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>  <b>UPC Code:</b> 742330-02004</p>
	<p><b>Part Number:</b> P170313  <b>Description:</b> Hydraulic Spin-on, Duramax®  <b>Primary Appl.:</b> Donaldson HMK03 ASSEMBLY, SYNTEQ Media  <b>Dimensions:</b> Outer Dia: 3.13" (80 mm)          Thread Size: 2" - 12          Length: 9.52" (242 mm)  <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>  <b>UPC Code:</b> 742330-02005</p>


	<p>Part Number: <b>P170327</b> Description: <b>Head Assembly Hydraulic</b> Primary Appl.: DONALDSON HMK03 DURAMAX, INDICATORS OPTIONAL Inlet Port: 3/4" SAE O-RING Outlet Port: 3/4" SAE O-RING Threaded Stud: 2" - 12 Bypass Valve: None UPC Code: 742330-02007</p>
---	--


	<p>Part Number: <b>P170480</b> Description: <b>Hydraulic Spin-on, Duramax®</b> Primary Appl.: Donaldson HMK03 ASSEMBLY, Media #10 Dimensions: Outer Dia: 3.13" (80 mm) Thread Size: 2" - 12 Length: 5.52" (140 mm) Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-02010</p>
---	---


	<p>Part Number: <b>P170481</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: PALL HC8800FDN16H, SYNTEQ Media #2 Dimensions: Outer Dia: 3.39" (86 mm) Inner Dia: 1.96" (50 mm) Length: 16.67" (423 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math> UPC Code: 742330-02011</p>
---	--


<p>Shape </p> <p>Cross Section </p>	<p>Part Number: <b>P170492</b> Description: <b>Gasket, Liquid Filter</b> Compound: Dimensions: Outer Dia: .57" (14 mm) Inner Dia: .36" (9 mm) Thickness: .10" (3 mm) Primary Appl.: OPTIONAL LIQUID FILTER KIT GASKET UPC Code: 742330-02012</p>
---	--


	<p>Part Number: <b>P170586</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: HYCON 0060D003BHHC, SYNTEQ Media Dimensions: Outer Dia: 1.85" (47 mm) Inner Dia: .87" (22 mm) Length: 3.31" (84 mm) Performance: <math>\beta_{3\mu} = 75</math> UPC Code: 742330-02013</p>
---	--


	<p>Part Number: <b>P170587</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: HYCON 0060D010BHHC, SYNTEQ Media Dimensions: Outer Dia: 1.85" (47 mm) Inner Dia: .87" (22 mm) Length: 3.31" (84 mm) Performance: <math>\beta_{10\mu} = 75</math> UPC Code: 742330-02014</p>
---	---


	<p>Part Number: <b>P170588</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: HYCON 0110D003BHHC, SYNTEQ Media Dimensions: Outer Dia: 1.85" (47 mm) Inner Dia: .87" (22 mm) Length: 6.02" (153 mm) Performance: <math>\beta_{5\mu} = 75</math> UPC Code: 742330-02015</p>
---	---


	<p>Part Number: <b>P170589</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: HYCON 0110D010BHHC, SYNTEQ Media Dimensions: Outer Dia: 1.85" (47 mm) Inner Dia: .87" (22 mm) Length: 6.02" (153 mm) Performance: <math>\beta_{10\mu} = 75</math> UPC Code: 742330-02016</p>
---	--


	<p>Part Number: <b>P170590</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: HYCON 0160D003BHHC, SYNTEQ Media Dimensions: Outer Dia: 2.72" (69 mm) Inner Dia: 1.34" (34 mm) Length: 4.53" (115 mm) Performance: <math>\beta_{5\mu} = 75</math> UPC Code: 742330-02017</p>
---	--


	<p>Part Number: <b>P170591</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: HYCON 0160D010BHHC, SYNTEQ Media Dimensions: Outer Dia: 2.72" (69 mm) Inner Dia: 1.34" (34 mm) Length: 4.53" (115 mm) Performance: <math>\beta_{10\mu} = 75</math> UPC Code: 742330-02018</p>
---	---


	<p>Part Number: <b>P170592</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: HYCON 0240D003BHHC, SYNTEQ Media Dimensions: Outer Dia: 2.72" (69 mm) Inner Dia: 1.34" (34 mm) Length: 6.85" (174 mm) Performance: <math>\beta_{5\mu} = 75</math> UPC Code: 742330-02019</p>
---	--


	<p>Part Number: <b>P170593</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: HYCON 0240D010BHHC, SYNTEQ Media Dimensions: Outer Dia: 2.72" (69 mm) Inner Dia: 1.34" (34 mm) Length: 6.85" (174 mm) Performance: <math>\beta_{10\mu} = 75</math> UPC Code: 742330-02020</p>
--	---

	<p>Part Number: <b>P170594</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: HYCON 0330D003BHHC, SYNTEQ Media Dimensions: Outer Dia: 3.56" (90 mm) Inner Dia: 1.89" (48 mm) Length: 6.42" (163 mm) Performance: <math>\beta_{5\mu} = 75</math> UPC Code: 742330-02021</p>
---	--

	<p>Part Number: <b>P170595</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: HYCON 0330D010BHHC, SYNTEQ Media Dimensions: Outer Dia: 3.56" (90 mm) Inner Dia: 1.89" (48 mm) Length: 6.42" (163 mm) Performance: <math>\beta_{10\mu} = 75</math> UPC Code: 742330-02022</p>
---	---

	<p>Part Number: <b>P170596</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: HYCON 0660D003BHHC, SYNTEQ Media Dimensions: Outer Dia: 3.56" (90 mm) Inner Dia: 1.89" (48 mm) Length: 12.96" (329 mm) Performance: <math>\beta_{5\mu} = 75</math> UPC Code: 742330-02023</p>
---	---









	<p>Part Number: <b>P170597</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: HYCON 0660D010BHHC, SYNTEQ Media Dimensions: Outer Dia: 3.56" (90 mm) Inner Dia: 1.90" (48 mm) Length: 12.96" (329 mm) Performance: <math>\beta_{10\mu} = 75</math> UPC Code: 742330-02024</p>
---	--

	<p>Part Number: <b>P170598</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: HYCON 0030D005BN, SYNTEQ Media Dimensions: Outer Dia: 1.38" (35 mm) Inner Dia: .48" (12 mm) Length: 3.70" (94 mm) Performance: <math>\beta_{5\mu} = 75</math> UPC Code: 742330-02025</p>
---	--




























	<p><b>Part Number:</b> P170599 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> HYCON 0030D010BN, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 1.38" (35 mm) Inner Dia: .48" (12 mm) Length: 3.70" (94 mm) <b>Performance:</b> <math>\beta_{10\mu} = 75</math> <b>UPC Code:</b> 742330-02026</p>
	<p><b>Part Number:</b> P170600 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> HYCON 0060D005BNHC, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 1.85" (47 mm) Inner Dia: .87" (22 mm) Length: 3.31" (84 mm) <b>Performance:</b> <math>\beta_{5\mu} = 75</math> <b>UPC Code:</b> 742330-02027</p>
	<p><b>Part Number:</b> P170601 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> HYCON 0060D010BNHC, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 1.85" (47 mm) Inner Dia: .87" (22 mm) Length: 3.31" (84 mm) <b>Performance:</b> <math>\beta_{10\mu} = 75</math> <b>UPC Code:</b> 742330-02028</p>
	<p><b>Part Number:</b> P170602 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> HYCON 0110D005BNHC, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 1.85" (47 mm) Inner Dia: .87" (22 mm) Length: 6.02" (153 mm) <b>Performance:</b> <math>\beta_{10\mu} = 75</math> <b>UPC Code:</b> 742330-02029</p>
	<p><b>Part Number:</b> P170604 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> HYCON 0110D010BNHC, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 1.85" (47 mm) Inner Dia: .87" (22 mm) Length: 6.02" (153 mm) <b>Performance:</b> <math>\beta_{10\mu} = 75</math> <b>UPC Code:</b> 742330-02030</p>
	<p><b>Part Number:</b> P170605 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> HYCON 0160D005BNHC, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 2.72" (69 mm) Inner Dia: 1.34" (34 mm) Length: 4.53" (115 mm) <b>Performance:</b> <math>\beta_{10\mu} = 75</math> <b>UPC Code:</b> 742330-02031</p>
	<p><b>Part Number:</b> P170606 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> HYCON 0160D010BNHC, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 2.72" (69 mm) Inner Dia: 1.34" (34 mm) Length: 4.53" (115 mm) <b>Performance:</b> <math>\beta_{10\mu} = 75</math> <b>UPC Code:</b> 742330-02032</p>
	<p><b>Part Number:</b> P170607 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> HYCON 0240D005BNHC, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 2.72" (69 mm) Inner Dia: 1.34" (34 mm) Length: 6.81" (173 mm) <b>Performance:</b> <math>\beta_{10\mu} = 75</math> <b>UPC Code:</b> 742330-02033</p>
	<p><b>Part Number:</b> P170608 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> HYCON 0240D010BNHC, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 2.72" (69 mm) Inner Dia: 1.34" (34 mm) Length: 6.81" (173 mm) <b>Performance:</b> <math>\beta_{10\mu} = 75</math> <b>UPC Code:</b> 742330-02034</p>









	<p><b>Part Number:</b> P170609 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> HYCON 0330D005BNHC, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 3.56" (90 mm) Inner Dia: 1.89" (48 mm) Length: 6.42" (163 mm) <b>Performance:</b> <math>\beta_{10\mu} = 75</math> <b>UPC Code:</b> 742330-02035</p>
	<p><b>Part Number:</b> P170610 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> HYCON 0330D010BNHC, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 3.56" (90 mm) Inner Dia: 1.89" (48 mm) Length: 6.42" (163 mm) <b>Performance:</b> <math>\beta_{120\mu} = 75</math> <b>UPC Code:</b> 742330-02036</p>
	<p><b>Part Number:</b> P170611 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> HYCON 0660D005BNHC, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 3.56" (90 mm) Inner Dia: 1.89" (48 mm) Length: 12.96" (329 mm) <b>Performance:</b> <math>\beta_{5\mu} = 75</math> <b>UPC Code:</b> 742330-02037</p>
	<p><b>Part Number:</b> P170612 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> HYCON 0660D010BNHC, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 3.56" (90 mm) Inner Dia: 1.89" (48 mm) Length: 12.96" (329 mm) <b>Performance:</b> <math>\beta_{3\mu} = 75</math> <b>UPC Code:</b> 742330-02038</p>
	<p><b>Part Number:</b> P170613 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> HYCON 0060R010BNHC, STAUFF RE014G10B, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 2.03" (52 mm) Inner Dia: .87" (22 mm) Length: 4.06" (103 mm) <b>Performance:</b> <math>\beta_{3\mu} = 75</math> <b>Relief Valve:</b> 43 <b>UPC Code:</b> 742330-02039</p>
	<p><b>Part Number:</b> P170614 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> HYCON 0110R010BNHC, STAUFF RE030G10B, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 2.03" (52 mm) Inner Dia: .87" (22 mm) Length: 6.71" (170 mm) <b>Performance:</b> <math>\beta_{3\mu} = 75</math> <b>Relief Valve:</b> 43 <b>UPC Code:</b> 742330-02040</p>
	<p><b>Part Number:</b> P170615 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> HYCON 0160R010BNHC, STAUFF RE045G10B, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 2.87" (73 mm) Inner Dia: 1.34" (34 mm) Length: 5.67" (144 mm) <b>Performance:</b> <math>\beta_{5\mu} = 75</math> <b>Relief Valve:</b> 43 <b>UPC Code:</b> 742330-02041</p>
	<p><b>Part Number:</b> P170617 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> HYCON 0240R010BNHC, STAUFF RE070G10B, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 2.87" (73 mm) Inner Dia: 1.34" (34 mm) Length: 8.00" (203 mm) <b>Performance:</b> <math>\beta_{20\mu} = 75</math> <b>Relief Valve:</b> 43 <b>UPC Code:</b> 742330-02042</p>





































	<b>Part Number:</b> P170618 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> HYCON 0330R010BNHC, STAUFF RE090G10B, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 3.72" (94 mm) Inner Dia: 1.89" (48 mm) Length: 7.68" (195 mm) <b>Performance:</b> $\beta_{10\mu} = 75$ <b>Relief Valve:</b> 43 <b>UPC Code:</b> 742330-02043
	<b>Part Number:</b> P170619 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> HYCON 0660R010BNHC, STAUFF RE160G10B, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 4.49" (114 mm) Inner Dia: 2.68" (68 mm) Length: 13.09" (332 mm) <b>Performance:</b> $\beta_{16\mu} = 2$ $\beta_{35\mu} = 20$ $\beta_{47\mu} = 75$ <b>Relief Valve:</b> 43 <b>UPC Code:</b> 742330-02044
	<b>Part Number:</b> P170620 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> HYCON 1300R010BNHC, STAUFF RE300G10B, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 5.63" (143 mm) Inner Dia: 3.78" (96 mm) Length: 18.99" (482 mm) <b>Performance:</b> $\beta_{20\mu} = 75$ <b>Relief Valve:</b> 43 <b>UPC Code:</b> 742330-02045
	<b>Part Number:</b> P170737 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> ALLISON TRANS 23040988, PALL HC8200FDN8H, SYNTEQ Media #2 <b>Dimensions:</b> Outer Dia: 3.09" (79 mm) Inner Dia: 1.52" (39 mm) Length: 8.03" (204 mm) <b>Performance:</b> $\beta_{2\mu} = 2$ $\beta_{3\mu} = 20$ $\beta_{5\mu} = 75$ <b>UPC Code:</b> 742330-02046
	<b>Part Number:</b> P170773 <b>Description:</b> Head Assembly Hydraulic <b>Primary Appl.:</b> DONALDSON HMK03 DURAMAX, INDICATORS OTIONAL <b>Inlet Port:</b> 3/4" SAE O-RING <b>Outlet Port:</b> 3/4" SAE O-RING <b>Threaded Stud:</b> 2" - 12 <b>Bypass Valve:</b> 50 <b>UPC Code:</b> 742330-02048
	<b>Part Number:</b> P170885 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> HYCON 0950R005BNHC, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 5.63" (143 mm) Inner Dia: 3.78" (96 mm) Length: 14.30" (363 mm) <b>Performance:</b> $\beta_{20\mu} = 2$ $\beta_{30\mu} = 20$ $\beta_{40\mu} = 75$ <b>Relief Valve:</b> 43 <b>UPC Code:</b> 742330-02049
	<b>Part Number:</b> P170886 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> HYCON 1300R003BNHC, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 5.63" (143 mm) Inner Dia: 3.78" (96 mm) Length: 18.99" (482 mm) <b>Performance:</b> $\beta_{10\mu} = 75$ <b>Relief Valve:</b> 43 <b>UPC Code:</b> 742330-02050
	<del> <b>Part Number:</b> P170887  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> HYCON 2600R003BNHC, SYNTEQ Media  <b>Dimensions:</b> Outer Dia: 5.63" (143 mm)            Inner Dia: 3.78" (96 mm)            Length: 36.26" (921 mm)  <b>Relief Valve:</b> 43  <b>UPC Code:</b> 742330-02051         </del>






















































	<b>Part Number:</b> P170888 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> HYCON 0660R003BNHC, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 4.49" (114 mm) Inner Dia: 2.68" (68 mm) Length: 13.09" (332 mm) <b>Relief Valve:</b> 43 <b>UPC Code:</b> 742330-02052
	<b>Part Number:</b> P170889 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> HYCON 0160R005BNHC, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 4.49" (114 mm) Inner Dia: 1.34" (34 mm) Length: 5.67" (144 mm) <b>Performance:</b> $\beta_{10\mu} = 2$ $\beta_{20\mu} = 20$ $\beta_{45\mu} = 75$ <b>Relief Valve:</b> 43 <b>UPC Code:</b> 742330-02053
	<b>Part Number:</b> P170890 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> HYCON 1300R020BNHC, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 5.63" (143 mm) Inner Dia: 3.78" (96 mm) Length: 18.99" (482 mm) <b>Relief Valve:</b> 43 <b>UPC Code:</b> 742330-02054
	<b>Part Number:</b> P170891 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> HYCON 0950R010BNHC, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 5.63" (143 mm) Inner Dia: 3.78" (96 mm) Length: 14.30" (363 mm) <b>Relief Valve:</b> 43 <b>UPC Code:</b> 742330-02055
	<b>Part Number:</b> P170894 <b>Description:</b> Gasket, Liquid Filter <b>Contents or Usage:</b> L SHAPE CROSS SECTION SEAL <b>UPC Code:</b> 742330-02056
	<b>Part Number:</b> P170906 <b>Description:</b> Hydraulic Spin-on, Duramax® <b>Primary Appl.:</b> Donaldson HYD ASSY, Donaldson HMK05, SYNTEQ Media #1 <b>Dimensions:</b> Outer Dia: 4.77" (121 mm) Thread Size: 1 3/4" - 12 Length: 11.63" (295 mm) <b>Performance:</b> $\beta_{3\mu} = 75$ <b>UPC Code:</b> 742330-02057
	<b>Part Number:</b> P170949 <b>Description:</b> Hydraulic Spin-on, Duramax® <b>Primary Appl.:</b> CASE IH 1971728C1, MAGNUM AG TRACTORS, SYNTEQ Media #4 <b>Dimensions:</b> Outer Dia: 4.77" (121 mm) Thread Size: 1 3/4" - 12 Length: 14.24" (362 mm) <b>Performance:</b> $\beta_{4\mu} = 2$ $\beta_{12\mu} = 20$ $\beta_{15\mu} = 75$ <b>UPC Code:</b> 742330-02058
	<b>Part Number:</b> P170950 <b>Description:</b> Hydraulic Spin-on, Duramax® <b>Primary Appl.:</b> John DEERE AH128449, 90 SERIES COMBINES, SYNTEQ Media #9 <b>Dimensions:</b> Outer Dia: 3.82" (97 mm) Thread Size: 1 3/8" - 12 Length: 9.44" (240 mm) <b>Performance:</b> $\beta_{7\mu} = 2$ $\beta_{17\mu} = 20$ $\beta_{22\mu} = 75$ <b>UPC Code:</b> 742330-02059

	<b>Part Number:</b> P171037 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC9901FUT26H, HYCON H9901/S6-010BH, HPK05 <b>Dimensions:</b> Outer Dia: 3.80" (97 mm) Inner Dia: 2.19" (56 mm) Length: 25.90" (658 mm) <b>Performance:</b> $\beta_{149\mu} = 75$ <b>UPC Code:</b> 742330-02060
	<b>Part Number:</b> P171045 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC8310FKS39H, HC8310FDS39H, HC8310FDS39Z, SYNTEQ Media #6 <b>Dimensions:</b> Outer Dia: 6.00" (152 mm) Inner Dia: 4.12" (105 mm) Length: 35.68" (906 mm) <b>Performance:</b> $\beta_{5\mu} = 2$ $\beta_{13\mu} = 20$ $\beta_{16\mu} = 75$ <b>UPC Code:</b> 742330-02061
	<b>Part Number:</b> P171046 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC8310FKT39H, HC8300FDT39H, SYNTEQ Media #9 <b>Dimensions:</b> Outer Dia: 6.00" (152 mm) Inner Dia: 4.12" (105 mm) Length: 35.68" (906 mm) <b>Performance:</b> $\beta_{10\mu} = 2$ $\beta_{17\mu} = 20$ $\beta_{22\mu} = 75$ <b>UPC Code:</b> 742330-02062
	<b>Part Number:</b> P171047 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC8310FKN39H, HC8300FDN39H, SYNTEQ Media #2 <b>Dimensions:</b> Outer Dia: 6.00" (152 mm) Inner Dia: 4.12" (105 mm) Length: 35.68" (906 mm) <b>Performance:</b> $\beta_{2\mu} = 2$ $\beta_{3\mu} = 20$ $\beta_{5\mu} = 75$ <b>UPC Code:</b> 742330-02063
	<b>Part Number:</b> P171048 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC8310FKP39H, HC8300FDP39H, SYNTEQ Media #2 <b>Dimensions:</b> Outer Dia: 6.00" (152 mm) Inner Dia: 4.12" (105 mm) Length: 35.68" (906 mm) <b>Performance:</b> $\beta_{3\mu} = 75$ <b>UPC Code:</b> 742330-02064
	<b>Part Number:</b> P171053 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC8310FKS16H, HC8300FDS16H, SYNTEQ Media #6 <b>Dimensions:</b> Outer Dia: 6.00" (152 mm) Inner Dia: 4.12" (105 mm) Length: 13.83" (351 mm) <b>Performance:</b> $\beta_{2\mu} = 2$ $\beta_{7\mu} = 20$ $\beta_{10\mu} = 75$ <b>UPC Code:</b> 742330-02067
	<b>Part Number:</b> P171054 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC8310FKT16H, HC8300FDT16H, SYNTEQ Media #9 <b>Dimensions:</b> Outer Dia: 6.00" (152 mm) Inner Dia: 4.12" (105 mm) Length: 13.83" (351 mm) <b>Performance:</b> $\beta_{10\mu} = 2$ $\beta_{17\mu} = 20$ $\beta_{22\mu} = 75$ <b>UPC Code:</b> 742330-02068
	<b>Part Number:</b> P171055 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC8310FKN16H, HC8300FDN16H, SYNTEQ Media #2 <b>Dimensions:</b> Outer Dia: 6.00" (152 mm) Inner Dia: 4.12" (105 mm) Length: 13.83" (351 mm) <b>Performance:</b> $\beta_{2\mu} = 2$ $\beta_{3\mu} = 20$ $\beta_{5\mu} = 75$ <b>UPC Code:</b> 742330-02069


	<b>Part Number:</b> P171056 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC8310FKP16H, HC8300FDP16H, SYNTEQ Media #6 <b>Dimensions:</b> Outer Dia: 6.00" (152 mm) Inner Dia: 4.12" (105 mm) Length: 13.83" (351 mm) <b>Performance:</b> $\beta_{3\mu} = 75$ <b>UPC Code:</b> 742330-02070
	<b>Part Number:</b> P171087 <b>Description:</b> Hydraulic Electrical Indicator, D.C., 40 PSID <b>Contents or Usage:</b> Donaldson HBK & HMK04, HMK05, HMK25 SERIES <b>UPC Code:</b> 742330-02072
	<b>Part Number:</b> P171149 <b>Description:</b> Gasket, Liquid Filter <b>Compound:</b> NBR COMPOUND 65 DURO <b>Dimensions:</b> Outer Dia: 2.72" (69 mm) Inner Dia: 2.47" (63 mm) <b>Primary Appl.:</b> SUPPLIED WITH P550214 <b>UPC Code:</b> 742330-02074
	<b>Part Number:</b> P171150 <b>Description:</b> Gasket, Liquid Filter <b>Compound:</b> NBR COMPOUND 85 DURO <b>Dimensions:</b> Outer Dia: 4.19" (106 mm) Inner Dia: 3.79" (96 mm) <b>Primary Appl.:</b> SUPPLIED WITH P550203 <b>UPC Code:</b> 742330-02075
	<b>Part Number:</b> P171153 <b>Description:</b> Gasket, Liquid Filter <b>Compound:</b> DURO 90 COMPOUND MUST BE <b>Dimensions:</b> Outer Dia: 4.74" (120 mm) Inner Dia: 4.33" (110 mm) <b>Primary Appl.:</b> SUPPLIED WITH P550117, P550096 <b>UPC Code:</b> 742330-02076
	<b>Part Number:</b> P171154 <b>Description:</b> Gasket, Liquid Filter <b>Compound:</b> NBR COMPOUND 85 DURO <b>Dimensions:</b> Outer Dia: 5.12" (130 mm) Inner Dia: 4.38" (111 mm) <b>Primary Appl.:</b> SUPPLIED WITH P550117 <b>UPC Code:</b> 742330-02077
	<b>Part Number:</b> P171155 <b>Description:</b> Gasket, Liquid Filter <b>Compound:</b> NBR COMPOUND 50 DURO <b>Dimensions:</b> Outer Dia: 3.19" (81 mm) Inner Dia: 2.69" (68 mm) <b>Primary Appl.:</b> SUPPLIED WITH P550197 <b>UPC Code:</b> 742330-02078
	<b>Part Number:</b> P171156 <b>Description:</b> Gasket, Liquid Filter <b>Compound:</b> ASTM D-2000 4 BC A14E14E3 <b>Dimensions:</b> Outer Dia: 4.92" (125 mm) Inner Dia: 4.40" (112 mm) <b>Primary Appl.:</b> SUPPLIED WITH P551475 <b>UPC Code:</b> 742330-02079









 	<b>Part Number: P171157</b> <b>Description: Gasket, Liquid Filter</b> Compound: NBR COMPOUND 85 DURO Dimensions: Outer Dia: 4.00" (102 mm) Inner Dia: 3.77" (96 mm)  Primary Appl: SUPPLIED WITH P550141 UPC Code: 742330-02080
 	<b>Part Number: P171158</b> <b>Description: Gasket, Liquid Filter</b> Compound: NBR 90 DUR COMPOUND Dimensions: Outer Dia: 5.38" (137 mm) Inner Dia: 5.06" (129 mm)  Primary Appl: SUPPLIED WITH P558462 UPC Code: 742330-02081
 	<b>Part Number: P171160</b> <b>Description: Gasket, Liquid Filter</b> Compound: 70 DURO NITRILE Dimensions: Outer Dia: 5.97" (152 mm) Inner Dia: 5.37" Thickness: .52" Primary Appl: SUPPLIED WITH P550125 UPC Code: 742330-02083
 	<b>Part Number: P171161</b> <b>Description: Gasket, Liquid Filter</b> Compound: NBR COMPOUND 85 DURO Dimensions: Outer Dia: 2.94" (75 mm) Inner Dia: .16" (4 mm)  Primary Appl: PACKAGED WITH P550052 UPC Code: 742330-02084
 	<b>Part Number: P171162</b> <b>Description: Gasket, Liquid Filter</b> Compound: NBR COMPOUND 85 DURO Dimensions: Outer Dia: 3.69" (94 mm) Inner Dia: 3.44" (87 mm)  Primary Appl: SUPPLIED WITH P550540, P553261 UPC Code: 742330-02085
 	<b>Part Number: P171163</b> <b>Description: Gasket, Liquid Filter</b> Dimensions: Outer Dia: 6.00" (152 mm) Inner Dia: 5.38" (137 mm)  Primary Appl: SUPPLIED WITH P551014 UPC Code: 742330-02086
 	<b>Part Number: P171164</b> <b>Description: Gasket, Liquid Filter</b> Compound: NBR COMPOUND 85 DURO Dimensions: Outer Dia: 4.50" (114 mm) Inner Dia: 4.3" (109 mm)  Primary Appl: SUPPLIED WITH P550484 UPC Code: 742330-02087
 	<b>Part Number: P171165</b> <b>Description: Gasket, Liquid Filter</b> Compound: NBR COMPOUND 85 DURO Dimensions: Outer Dia: 4.50" (114 mm) Inner Dia: 4.25" (108 mm)  Primary Appl: SUPPLIED WITH P553335 UPC Code: 742330-02088
 	<b>Part Number: P171166</b> <b>Description: Gasket, Liquid Filter</b> Compound: BUNA-N 90 DURO Dimensions: Outer Dia: 5.69" (145 mm) Inner Dia: 5.47" (139 mm)  Primary Appl: SUPPLIED WITH P550613 UPC Code: 742330-02089

 	<b>Part Number: P171167</b> <b>Description: Gasket, Liquid Filter</b> Compound: NBR COMPOUND 85 DURO Dimensions: Outer Dia: 3.87" (98 mm) Inner Dia: 3.69" (94 mm)  Primary Appl: SUPPLIED WITH P550186 UPC Code: 742330-02090
 	<b>Part Number: P171168</b> <b>Description: Gasket, Liquid Filter</b> Dimensions: Outer Dia: 4.06" (103 mm) Inner Dia: 3.5" (89 mm)  Primary Appl: SUPPLIED WITH P553261 UPC Code: 742330-02091
 	<b>Part Number: P171169</b> <b>Description: Gasket, Liquid Filter</b> Compound: NBR COMPOUND 85 DURO Dimensions: Outer Dia: 3.15" (80 mm) Inner Dia: 2.9" (74 mm)  Primary Appl: P550860 PACKAGED GASKET, OPTIONAL GASKET FOR P550060 UPC Code: 742330-02092
 	<b>Part Number: P171170</b> <b>Description: Gasket, Liquid Filter</b> Compound: NBR COMPOUND 85 DURO Dimensions: Outer Dia: 3.11" (79 mm) Inner Dia: 2.97" (75 mm)  Primary Appl: SUPPLIED WITH P550183 UPC Code: 742330-02093
 	<b>Part Number: P171171</b> <b>Description: Gasket, Liquid Filter</b> Compound: NBR COMPOUND 85 DURO Dimensions: Outer Dia: 5.05" (128 mm) Inner Dia: 4.81" (122 mm)  Primary Appl: SUPPLIED WITH P556004, P550171, P550174 UPC Code: 742330-02094
 	<b>Part Number: P171172</b> <b>Description: Gasket, Liquid Filter</b> Compound: NBR COMPOUND 85 DURO Dimensions: Outer Dia: 5.20" (132 mm) Inner Dia: 4.84" (123 mm)  Primary Appl: SUPPLIED WITH P556004, P550172, P550174 UPC Code: 742330-02095
 	<b>Part Number: P171173</b> <b>Description: Gasket, Liquid Filter</b> Compound: ARMSTRONG TN-9004 COMP GA Dimensions: Outer Dia: .87" (22 mm) Inner Dia: .50" (13 mm)  Primary Appl: SUPPLIED WITH P550199 UPC Code: 742330-02096
 	<b>Part Number: P171174</b> <b>Description: Gasket, Liquid Filter</b> Compound: HARD FIBER ASTM D-170 Dimensions: Outer Dia: .75" (19 mm) Inner Dia: .44" (11 mm)  Primary Appl: SUPPLIED WITH P550540 UPC Code: 742330-02097


















 Shape  Cross Section 	<b>Part Number: P171175</b> <b>Description: Gasket, Liquid Filter</b> <b>Compound: BUNA-N 80 DUROMETER</b> <b>Dimensions: Outer Dia: 6.92" (176 mm)</b> <b>Inner Dia: 6.45" (164 mm)</b> <b>Primary Appl: SUPPLIED WITH P550043</b> <b>UPC Code: 742330-02098</b>	 Shape  Cross Section 	<b>Part Number: P171185</b> <b>Description: Gasket, Liquid Filter</b> <b>Compound: NBR COMPOUND 85 DURO</b> <b>Dimensions: Outer Dia: 4.25" (108 mm)</b> <b>Inner Dia: .21" (5 mm)</b> <b>Primary Appl: SUPPLIED WITH P550092</b> <b>UPC Code: 742330-02108</b>
 Shape  Cross Section 	<b>Part Number: P171176</b> <b>Description: Gasket, Liquid Filter</b> <b>Compound: 80 DURO NEOPRENE</b> <b>Dimensions: Outer Dia: 6.56" (167 mm)</b> <b>Inner Dia: 6.06" (154 mm)</b> <b>Primary Appl: SUPPLIED WITH P550043</b> <b>UPC Code: 742330-02099</b>	 Shape  Cross Section 	<b>Part Number: P171186</b> <b>Description: Gasket, Liquid Filter</b> <b>Compound: BUNA-N 70 DURO</b> <b>Dimensions: Outer Dia: 4.35" (85 mm)</b> <b>Inner Dia: 2.62" (67 mm)</b> <b>Primary Appl: SUPPLIED WITH P556245</b> <b>UPC Code: 742330-02109</b>
 Shape  Cross Section 	<b>Part Number: P171177</b> <b>Description: Gasket, Liquid Filter</b> <b>Compound: STEEL COATED RUBBER INSERT</b> <b>Dimensions: Outer Dia: .76" (19 mm)</b> <b>Inner Dia: .43" (11 mm)</b> <b>Primary Appl: SUPPLIED WITH P550096</b> <b>UPC Code: 742330-02100</b>	 Shape  Cross Section 	<b>Part Number: P171188</b> <b>Description: Gasket, Liquid Filter</b> <b>Compound:</b> <b>Dimensions: Outer Dia: 4.69" (119 mm)</b> <b>Inner Dia: 4.00" (102 mm)</b> <b>Thickness: .06" (2 mm)</b> <b>Primary Appl: SUPPLIED WITH P557424, P550179</b> <b>UPC Code: 742330-02110</b>
 Shape  Cross Section 	<b>Part Number: P171178</b> <b>Description: Gasket, Liquid Filter</b> <b>Compound: NBR COMPOUND 70 DURO</b> <b>Dimensions: Outer Dia: 5.85" (149 mm)</b> <b>Inner Dia: 5.38" (137 mm)</b> <b>Primary Appl: SUPPLIED WITH P550087</b> <b>UPC Code: 742330-02101</b>	 Shape  Cross Section 	<b>Part Number: P171190</b> <b>Description: Gasket, Liquid Filter</b> <b>Compound: NBR COMPOUND 70 DURO</b> <b>Dimensions: Outer Dia: .76" (19 mm)</b> <b>Inner Dia: .55" (14 mm)</b> <b>Primary Appl: SUPPLIED WITH P556245</b> <b>UPC Code: 742330-02112</b>
 Shape  Cross Section 	<b>Part Number: P171179</b> <b>Description: Gasket, Liquid Filter</b> <b>Compound: NBR COMPOUND 65 DURO</b> <b>Dimensions: Outer Dia: 1.19" (30 mm)</b> <b>Inner Dia: .94" (24 mm)</b> <b>Primary Appl: SUPPLIED WITH P559100</b> <b>UPC Code: 742330-02102</b>	 Shape  Cross Section 	<b>Part Number: P171191</b> <b>Description: Gasket, Liquid Filter</b> <b>Compound: BUNA-N 70 DURO</b> <b>Dimensions: Outer Dia: 3.15" (80 mm)</b> <b>Inner Dia: .12" (3 mm)</b> <b>Primary Appl: SUPPLIED WITH P556245</b> <b>UPC Code: 742330-02113</b>
 Shape  Cross Section 	<b>Part Number: P171180</b> <b>Description: Gasket, Liquid Filter</b> <b>Compound: ARMSTRONG TN-9004 COMP</b> <b>Dimensions: Outer Dia: 4.70" (119 mm)</b> <b>Inner Dia: 4.25" (108 mm)</b> <b>Primary Appl: SUPPLIED WITH P550092</b> <b>UPC Code: 742330-02103</b>	 Shape  Cross Section 	<b>Part Number: P171192</b> <b>Description: Gasket, Liquid Filter</b> <b>Compound: BUNA-N COMPOUND CLASS #1</b> <b>Dimensions: Outer Dia: 3.94" (100 mm)</b> <b>Inner Dia: .16" (4 mm)</b> <b>Primary Appl: SUPPLIED WITH P550185</b> <b>UPC Code: 742330-02114</b>
 Shape  Cross Section 	<b>Part Number: P171181</b> <b>Description: Gasket, Liquid Filter</b> <b>Compound: NBR COMPOUND 70 DURO</b> <b>Dimensions: Outer Dia: 3.35" (85 mm)</b> <b>Inner Dia: 3.10" (79 mm)</b> <b>Primary Appl: SUPPLIED WITH P550183</b> <b>UPC Code: 742330-02104</b>	 Shape  Cross Section 	<b>Part Number: P171194</b> <b>Description: Gasket, Liquid Filter</b> <b>Compound: NBR COMPOUND 60 DURO</b> <b>Dimensions: Outer Dia: 1.25" (32 mm)</b> <b>Inner Dia: .72" (18 mm)</b> <b>Primary Appl: SUPPLIED WITH P550096</b> <b>UPC Code: 742330-02116</b>
 Shape  Cross Section 	<b>Part Number: P171183</b> <b>Description: Gasket, Liquid Filter</b> <b>Compound: NBR COMPOUND 70 DURO</b> <b>Dimensions: Outer Dia: 1.20" (30 mm)</b> <b>Inner Dia: .92" (23 mm)</b> <b>Primary Appl: SUPPLIED WITH P551127</b> <b>UPC Code: 742330-02106</b>	 Shape  Cross Section 	<b>Part Number: P171195</b> <b>Description: Gasket, Liquid Filter</b> <b>Compound: NBR COMPOUND 60 DURO</b> <b>Dimensions: Outer Dia: 4.41" (112 mm)</b> <b>Inner Dia: .16" (4 mm)</b> <b>Primary Appl: SUPPLIED WITH P550203</b> <b>UPC Code: 742330-02117</b>
 Shape  Cross Section 	<b>Part Number: P171184</b> <b>Description: Gasket, Liquid Filter</b> <b>Compound: NBR COMPOUND 60 DURO</b> <b>Dimensions: Outer Dia: 5.09" (129 mm)</b> <b>Inner Dia: 4.71" (120 mm)</b> <b>Primary Appl: OPTIONAL WITH LPS05 SERIES</b> <b>UPC Code: 742330-02107</b>	 Representative photo 	<b>Part Number: P171207</b> <b>Description: Head Assembly Hydraulic</b> <b>Primary Appl: DONALDSON LPS04, NO INDICATOR</b> <b>Inlet Port: 3/4" NPT</b> <b>Outlet Port: 3/4" NPT</b> <b>Threaded Stud: 1" - 12</b> <b>Bypass Valve: 5</b> <b>UPC Code: 742330-02118</b>





	<b>Part Number:</b> P171208 <b>Description:</b> Head Assembly Hydraulic <b>Primary Appl.:</b> DONALDSON LPS05, NO INDICATOR <b>Inlet Port:</b> 1-1/4" NPT <b>Outlet Port:</b> 1-1/4" NPT <b>Threaded Stud:</b> 1-1/2" - 16 <b>Bypass Valve:</b> 5 <b>UPC Code:</b> 742330-02119
<b>Shape</b>  <b>Cross Section</b> 	<b>Part Number:</b> P171221 <b>Description:</b> O-Ring <b>Compound:</b> Nitrile <b>Dimensions:</b> Outer Dia: 7.50" (190 mm) Inner Dia: 7.05" (179 mm) Thickness: .22" (6 mm) <b>Primary Appl:</b> HITACHI, USED WITH P551334 <b>UPC Code:</b> 742330-08823
	<b>Part Number:</b> P171239 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PARKER 924456 <b>Dimensions:</b> Outer Dia: 3.68" (93 mm) Inner Dia: 1.75" (44 mm) Length: 9.00" (229 mm) <b>Performance:</b> $\beta_{74\mu} = 2$ <b>UPC Code:</b> 742330-02120
	<b>Part Number:</b> P171240 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PARKER 924798 <b>Dimensions:</b> Outer Dia: 3.68" (93 mm) Inner Dia: 1.75" (44 mm) Length: 18.31" (465 mm) <b>Performance:</b> $\beta_{74\mu} = 2$ <b>UPC Code:</b> 742330-02121
	<b>Part Number:</b> P171241 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PARKER 909303 <b>Dimensions:</b> Outer Dia: 5.62" (143 mm) Inner Dia: 3.72" (94 mm) Length: 12.00" (305 mm) <b>Performance:</b> $\beta_{74\mu} = 2$ <b>UPC Code:</b> 742330-02122
	<b>Part Number:</b> P171243 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PARKER 909309 <b>Dimensions:</b> Outer Dia: 5.62" (143 mm) Inner Dia: 3.72" (94 mm) Length: 12.00" (305 mm) <b>Performance:</b> $\beta_{149\mu} = 2$ <b>UPC Code:</b> 742330-02124
	<b>Part Number:</b> P171244 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PARKER 922972 <b>Dimensions:</b> Outer Dia: 2.84" (72 mm) Inner Dia: 2.44" (62 mm) Length: 6.50" (165 mm) <b>Performance:</b> $\beta_{149\mu} = 75$ <b>UPC Code:</b> 742330-02125
	<b>Part Number:</b> P171245 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PARKER 922973 <b>Dimensions:</b> Outer Dia: 2.84" (72 mm) Inner Dia: 2.44" (62 mm) Length: 6.50" (165 mm) <b>Performance:</b> $\beta_{149\mu} = 75$ <b>UPC Code:</b> 742330-02126
	<b>Part Number:</b> P171246 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PARKER 923007 <b>Dimensions:</b> Outer Dia: 2.94" (75 mm) Inner Dia: 2.44" (62 mm) Length: 8.62" (219 mm) <b>Performance:</b> $\beta_{149\mu} = 75$ <b>UPC Code:</b> 742330-02127

	<b>Part Number:</b> P171248 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PARKER 924739 <b>Dimensions:</b> Outer Dia: 2.73" (69 mm) Inner Dia: 1.68" (43 mm) Length: 8.69" (221 mm) <b>Performance:</b> $\beta_{74\mu} = 2$ <b>UPC Code:</b> 742330-02129
	<b>Part Number:</b> P171273 <b>Description:</b> Hydraulic Spin-on, Duramax® <b>Primary Appl.:</b> Donaldson HMK05/HMK25 HYD ASSY, SYNTEQ Media #1 Viton Version <b>Dimensions:</b> Outer Dia: 4.77" (121 mm) Thread Size: 1 3/4" - 12 Length: 11.63" (295 mm) <b>Performance:</b> $\beta_{3\mu} = 75$ <b>UPC Code:</b> 742330-02130
	<b>Part Number:</b> P171274 <b>Description:</b> Hydraulic Spin-on, Duramax® <b>Primary Appl.:</b> Donaldson HMK05/HMK25 HYD ASSY, SYNTEQ Media #2, Viton Version <b>Dimensions:</b> Outer Dia: 4.77" (121 mm) Thread Size: 1 3/4" - 12 Length: 11.63" (295 mm) <b>Performance:</b> $\beta_{2\mu} = 2$ $\beta_{3\mu} = 20$ $\beta_{5\mu} = 75$ <b>UPC Code:</b> 742330-02131
	<b>Part Number:</b> P171275 <b>Description:</b> Hydraulic Spin-on, Duramax® <b>Primary Appl.:</b> Donaldson HMK05/HMK25 HYD ASSY, SYNTEQ Media #4 Viton Version <b>Dimensions:</b> Outer Dia: 4.77" (121 mm) Thread Size: 1 3/4" - 12 Length: 11.63" (295 mm) <b>Performance:</b> $\beta_{5\mu} = 2$ $\beta_{13\mu} = 20$ $\beta_{16\mu} = 75$ <b>UPC Code:</b> 742330-02132
	<b>Part Number:</b> P171276 <b>Description:</b> Hydraulic Spin-on, Duramax® <b>Primary Appl.:</b> Donaldson HMK05/HMK25 HYD ASSY, SYNTEQ Media #7 Viton Version <b>Dimensions:</b> Outer Dia: 4.77" (121 mm) Thread Size: 1 3/4" - 12 Length: 11.63" (295 mm) <b>Performance:</b> $\beta_{10\mu} = 2$ $\beta_{17\mu} = 20$ $\beta_{22\mu} = 75$ <b>UPC Code:</b> 742330-02133
	<b>Part Number:</b> P171279 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson HEK11 HYD ASSBLY, SYNTEQ #20 Media <b>Dimensions:</b> Outer Dia: 7.44" (189 mm) Inner Dia: 4.85" (123 mm) Length: 22.00" (559 mm) <b>Performance:</b> $\beta_{20\mu} = 2$ $\beta_{35\mu} = 20$ <b>UPC Code:</b> 742330-02134
	<b>Part Number:</b> P171298 <b>Description:</b> Hydraulic Spin-on, Duramax® <b>Primary Appl.:</b> KAWASAKI WHL LDR 65 & 115, 3098170080, SYNTEQ Media #9 <b>Dimensions:</b> Outer Dia: 3.81" (97 mm) Thread Size: 1 3/8" - 12 Length: 9.44" (240 mm) <b>Performance:</b> $\beta_{7\mu} = 2$ $\beta_{17\mu} = 20$ $\beta_{22\mu} = 75$ <b>UPC Code:</b> 742330-02135
	<b>Part Number:</b> P171310 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> SCHROEDER C3, CS3, D3, SYNTEQ Media #2 <b>Dimensions:</b> Outer Dia: 2.69" (68 mm) Inner Dia: 1.01" (26 mm) Length: 4.56" (116 mm) <b>Performance:</b> $\beta_{2\mu} = 2$ $\beta_{3\mu} = 20$ $\beta_{5\mu} = 75$ <b>UPC Code:</b> 742330-02137












	<p>Part Number: <b>P171311</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: SCHROEDER C10, D10, CS7, SYNTEQ Media #4 Dimensions: Outer Dia: 2.69" (68 mm) Inner Dia: 1.01" (26 mm) Length: 4.56" (116 mm) Performance: <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{16\mu} = 75</math> UPC Code: 742330-02138</p>		<p>Part Number: <b>P171368</b> Description: <b>Heater Hose-Silicone</b> Primary Appl.: LOW PRESSURE COOLANT/HEATER CONNECTIONS Dimensions: Inner Dia: .75" (19 mm) Length: 300.00" (7620 mm) UPC Code: 742330-02148</p>
	<p>Part Number: <b>P171312</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: SCHROEDER C25, D25, SYNTEQ Media #9 Dimensions: Outer Dia: 2.69" (68 mm) Inner Dia: 1.01" (26 mm) Length: 4.56" (116 mm) Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math> UPC Code: 742330-02139</p>		<p>Part Number: <b>P171369</b> Description: <b>Heater Hose-Silicone</b> Primary Appl.: LOW PRESSURE COOLANT/HEATER CONNECTIONS Dimensions: Inner Dia: 1.00" (25 mm) Length: 300.00" (7620 mm) UPC Code: 742330-02149</p>
	<p>Part Number: <b>P171314</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: SCHROEDER CC3, DD3, CCS3, SYNTEQ Media #2 Dimensions: Outer Dia: 2.69" (68 mm) Inner Dia: 1.01" (26 mm) Length: 9.31" (236 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math> UPC Code: 742330-02141</p>		<p>Part Number: <b>P171370</b> Description: <b>Heater Hose-Silicone</b> Primary Appl.: LOW PRESSURE COOLANT/HEATER CONNECTIONS Dimensions: Inner Dia: 1.25" (32 mm) Length: 300.00" (7620 mm) UPC Code: 742330-02150</p>
	<p>Part Number: <b>P171315</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: SCHROEDER CC10, DD10, CCS7, SYNTEQ Media #4 Dimensions: Outer Dia: 2.69" (68 mm) Inner Dia: 1.01" (26 mm) Length: 9.31" (236 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> UPC Code: 742330-02142</p>		<p>Part Number: <b>P171371</b> Description: <b>Coolant Hose, 3-ply/Silicone</b> Primary Appl.: HVY DUTY COOLANT/HEATER CONNECTIONS Dimensions: Inner Dia: .63" (16 mm) Length: 36.00" (914 mm) UPC Code: 742330-02151</p>
	<p>Part Number: <b>P171316</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: SCHROEDER CC25, DD25, SYNTEQ Media #9 Dimensions: Outer Dia: 2.69" (68 mm) Inner Dia: 1.01" (26 mm) Length: 9.31" (236 mm) Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math> UPC Code: 742330-02143</p>		<p>Part Number: <b>P171372</b> Description: <b>Coolant Hose, 3-ply/Silicone</b> Primary Appl.: HVY DUTY COOLANT/HEATER CONNECTIONS Dimensions: Inner Dia: .75" (19 mm) Length: 36.00" (914 mm) UPC Code: 742330-02152</p>
	<p>Part Number: <b>P171365</b> Description: <b>Heater Hose-Silicone</b> Primary Appl.: LOW PRESSURE COOLANT/HEATER CONNECTIONS Dimensions: Inner Dia: 2.75" (70 mm) Length: 300.00" (7620 mm) UPC Code: 742330-02145</p>		<p>Part Number: <b>P171373</b> Description: <b>Coolant Hose, 3-ply/Silicone</b> Primary Appl.: HVY DUTY COOLANT/HEATER CONNECTIONS Dimensions: Inner Dia: .88" (22 mm) Length: 36.00" (914 mm) UPC Code: 742330-02153</p>
	<p>Part Number: <b>P171366</b> Description: <b>Heater Hose-Silicone</b> Primary Appl.: LOW PRESSURE COOLANT/HEATER CONNECTIONS Dimensions: Inner Dia: .50" (13 mm) Length: 300.00" (7620 mm) UPC Code: 742330-02146</p>		<p>Part Number: <b>P171374</b> Description: <b>Coolant Hose, 3-ply/Silicone</b> Primary Appl.: HVY DUTY COOLANT/HEATER CONNECTIONS Dimensions: Inner Dia: 1.00" (25 mm) Length: 36.00" (914 mm) UPC Code: 742330-02154</p>
	<p>Part Number: <b>P171367</b> Description: <b>Heater Hose-Silicone</b> Primary Appl.: LOW PRESSURE COOLANT/HEATER CONNECTIONS Dimensions: Inner Dia: .63" (16 mm) Length: 300.00" (7620 mm) UPC Code: 742330-02147</p>		<p>Part Number: <b>P171375</b> Description: <b>Coolant Hose, 3-ply/Silicone</b> Primary Appl.: HVY DUTY COOLANT/HEATER CONNECTIONS Dimensions: Inner Dia: 1.13" (29 mm) Length: 36.00" (914 mm) UPC Code: 742330-02155</p>
			<p>Part Number: <b>P171376</b> Description: <b>Coolant Hose, 3-ply/Silicone</b> Primary Appl.: HVY DUTY COOLANT/HEATER CONNECTIONS Dimensions: Inner Dia: 1.25" (32 mm) Length: 36.00" (914 mm) UPC Code: 742330-02156</p>



 R	Part Number: <b>P171377</b> Description: <b>Coolant Hose, 3-ply/Silicone</b> Primary Appl.: HVY DUTY COOLANT/HEATER CONNECTIONS Dimensions: Inner Dia: 1.38" (35 mm) Length: 36.00" (914 mm) UPC Code: 742330-02157
 R	Part Number: <b>P171378</b> Description: <b>Coolant Hose, 3-ply/Silicone</b> Primary Appl.: HVY DUTY COOLANT/HEATER CONNECTIONS Dimensions: Inner Dia: 1.50" (38 mm) Length: 36.00" (914 mm) UPC Code: 742330-02158
 R	Part Number: <b>P171379</b> Description: <b>Coolant Hose, 3-ply/Silicone</b> Primary Appl.: HVY DUTY COOLANT/HEATER CONNECTIONS Dimensions: Inner Dia: 1.63" (41 mm) Length: 36.00" (914 mm) UPC Code: 742330-02159
 R	Part Number: <b>P171380</b> Description: <b>Coolant Hose, 3-ply/Silicone</b> Primary Appl.: HVY DUTY COOLANT/HEATER CONNECTIONS Dimensions: Inner Dia: 1.75" (44 mm) Length: 36.00" (914 mm) UPC Code: 742330-02160
 R	Part Number: <b>P171381</b> Description: <b>Coolant Hose, 3-ply/Silicone</b> Primary Appl.: HVY DUTY COOLANT/HEATER CONNECTIONS Dimensions: Inner Dia: 2.00" (51 mm) Length: 36.00" (914 mm) UPC Code: 742330-02161
 R	Part Number: <b>P171382</b> Description: <b>Coolant Hose, 3-ply/Silicone</b> Primary Appl.: HVY DUTY COOLANT/HEATER CONNECTIONS Dimensions: Inner Dia: 2.25" (57 mm) Length: 36.00" (914 mm) UPC Code: 742330-02162
 R	Part Number: <b>P171383</b> Description: <b>Coolant Hose, 3-ply/Silicone</b> Primary Appl.: HVY DUTY COOLANT/HEATER CONNECTIONS Dimensions: Inner Dia: 2.38" (60 mm) Length: 36.00" (914 mm) UPC Code: 742330-02163
 R	Part Number: <b>P171384</b> Description: <b>Coolant Hose, 3-ply/Silicone</b> Primary Appl.: HVY DUTY COOLANT/HEATER CONNECTIONS Dimensions: Inner Dia: 2.50" (64 mm) Length: 36.00" (914 mm) UPC Code: 742330-02164
 R	Part Number: <b>P171385</b> Description: <b>Coolant Hose, 3-ply/Silicone</b> Primary Appl.: HVY DUTY COOLANT/HEATER CONNECTIONS Dimensions: Inner Dia: 2.63" (67 mm) Length: 36.00" (914 mm) UPC Code: 742330-02165

 R	Part Number: <b>P171386</b> Description: <b>Coolant Hose, 3-ply/Silicone</b> Primary Appl.: HVY DUTY COOLANT/HEATER CONNECTIONS Dimensions: Inner Dia: 2.75" (70 mm) Length: 36.00" (914 mm) UPC Code: 742330-02166
 R	Part Number: <b>P171387</b> Description: <b>Coolant Hose, 3-ply/Silicone</b> Primary Appl.: HVY DUTY COOLANT/HEATER CONNECTIONS Dimensions: Inner Dia: 3.00" (76 mm) Length: 36.00" (914 mm) UPC Code: 742330-02167
 R	Part Number: <b>P171388</b> Description: <b>Coolant Hose, 3-ply/Silicone</b> Primary Appl.: HVY DUTY COOLANT/HEATER CONNECTIONS Dimensions: Inner Dia: 3.50" (89 mm) Length: 36.00" (914 mm) UPC Code: 742330-02168
 R	Part Number: <b>P171389</b> Description: <b>Coolant Hose, 3-ply/Silicone</b> Primary Appl.: HVY DUTY COOLANT/HEATER CONNECTIONS Dimensions: Inner Dia: 4.00" (102 mm) Length: 36.00" (914 mm) UPC Code: 742330-02169
 R	Part Number: <b>P171390</b> Description: <b>Coolant Hose, 4-ply/Silicone</b> Primary Appl.: HVY DUTY COOLANT/HEATER CONNECTIONS Dimensions: Inner Dia: 1.00" (25 mm) Length: 36.00" (914 mm) UPC Code: 742330-02170
 R	Part Number: <b>P171391</b> Description: <b>Coolant Hose, 4-ply/Silicone</b> Primary Appl.: HVY DUTY COOLANT/HEATER CONNECTIONS Dimensions: Inner Dia: 1.50" (38 mm) Length: 36.00" (914 mm) UPC Code: 742330-02171
 R	Part Number: <b>P171392</b> Description: <b>Coolant Hose, 4-ply/Silicone</b> Primary Appl.: HVY DUTY COOLANT/HEATER CONNECTIONS Dimensions: Inner Dia: 2.00" (51 mm) Length: 36.00" (914 mm) UPC Code: 742330-02172
 R	Part Number: <b>P171393</b> Description: <b>Coolant Hose, 4-ply/Silicone</b> Primary Appl.: HVY DUTY COOLANT/HEATER CONNECTIONS Dimensions: Inner Dia: 2.25" (57 mm) Length: 36.00" (914 mm) UPC Code: 742330-02173
 R	Part Number: <b>P171394</b> Description: <b>Coolant Hose, 4-ply/Silicone</b> Primary Appl.: HVY DUTY COOLANT/HEATER CONNECTIONS Dimensions: Inner Dia: 2.50" (64 mm) Length: 36.00" (914 mm) UPC Code: 742330-02174

	<p>Part Number: <b>P171395</b> Description: <b>Coolant Hose, 4-ply/Silicone</b> Primary Appl.: HVY DUTY COOLANT/HEATER CONNECTIONS Dimensions: Inner Dia: 2.75" (70 mm) Length: 36.00" (914 mm) UPC Code: 742330-02175</p>
	<p>Part Number: <b>P171412</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: PARKER 924589, 982131, SYNTEQ Media #6 Dimensions: Outer Dia: 3.60" (91 mm) Inner Dia: 1.91" (49 mm) Length: 15.30" (389 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> UPC Code: 742330-02178</p>
	<p>Part Number: <b>P171413</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: PARKER 976211, SYNTEQ Media #2 Dimensions: Outer Dia: 3.60" (91 mm) Inner Dia: 1.91" (49 mm) Length: 15.30" (389 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math> UPC Code: 742330-02179</p>
	<p>Part Number: <b>P171424</b> Description: <b>Engine Liquid Test Kit</b> Primary Appl.: COOLANTEYE – FLUSHING T AND CLEAR WINDOW, IN-LINE COOLANT SYSTEM DIAGNOSTIC TOOL CONNECTS TO 5/8" AND 3/4" HOSE UPC Code: 742330-02180</p>
	<p>Part Number: <b>P171454</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: HARNISCHEFFGER 45Z459 Dimensions: Outer Dia: 4.39" (112 mm) Inner Dia: 2.22" (56 mm) Length: 14.47" (368 mm) Performance: <math>\beta_{15\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <math>\beta_{35\mu} = 75</math> UPC Code: 742330-02183</p>
<p>Shape </p> <p>Cross Section </p>	<p>Part Number: <b>P171465</b> Description: <b>O-Ring</b> Dimensions: Outer Dia: 7.90" (201 mm) Inner Dia: 7.48" (190 mm) Thickness: .21" (5 mm) Primary Appl.: HITACHI, KOBELCO, USED WITH P551333 UPC Code: 742330-08822</p>
	<p>Part Number: <b>P171503</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FBO CR30/1, Donaldson FHK/FSK Dimensions: Outer Dia: 2.05" (52 mm) Inner Dia: 1.00" (25 mm) Length: 2.64" (67 mm) Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-08369</p>
	<p>Part Number: <b>P171504</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FBO CR30/3, Donaldson FHK/FSK Dimensions: Outer Dia: 2.05" (52 mm) Inner Dia: 1.00" (25 mm) Length: 2.64" (67 mm) Performance: <math>\beta_{30\mu} = 2</math> UPC Code: 742330-08370</p>
	<p>Part Number: <b>P171524</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FHK/FSK ASSY, Wire Mesh Dimensions: Outer Dia: 2.76" (70 mm) Inner Dia: 1.14" (29 mm) Length: 3.23" (82 mm) Performance: <math>\beta_{90\mu} = 2</math> UPC Code: 742330-02187</p>

	<p>Part Number: <b>P171525</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FHK/FSK ASSY, SYNTEQ Media Dimensions: Outer Dia: 2.76" (70 mm) Inner Dia: 1.14" (29 mm) Length: 3.23" (82 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> UPC Code: 742330-02188</p>
	<p>Part Number: <b>P171526</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FHK/FSK ASSY, SYNTEQ Media Dimensions: Outer Dia: 2.76" (70 mm) Inner Dia: 1.14" (29 mm) Length: 3.23" (82 mm) Performance: <math>\beta_{9\mu} = 2</math> <math>\beta_{19\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-02189</p>
	<p>Part Number: <b>P171527</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FHK/FSK ASSY, FBO CR60/1 Dimensions: Outer Dia: 2.76" (70 mm) Inner Dia: 1.14" (29 mm) Length: 3.23" (82 mm) Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-08371</p>
	<p>Part Number: <b>P171528</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FHK/FSK ASSY, FBO CR60/3 Dimensions: Outer Dia: 2.76" (70 mm) Inner Dia: 1.14" (29 mm) Length: 3.23" (82 mm) Performance: <math>\beta_{30\mu} = 2</math> UPC Code: 742330-08372</p>
	<p>Part Number: <b>P171529</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FHK/FSK ASSY, Cellulose Dimensions: Outer Dia: 2.76" (70 mm) Inner Dia: 1.14" (29 mm) Length: 3.23" (82 mm) Performance: <math>\beta_{60\mu} = 2</math> UPC Code: 742330-02190</p>
	<p>Part Number: <b>P171530</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FHK/FSK ASSY, Wire Mesh Dimensions: Outer Dia: 2.76" (70 mm) Inner Dia: 1.14" (29 mm) Length: 5.04" (128 mm) Performance: <math>\beta_{90\mu} = 2</math> UPC Code: 742330-02191</p>
	<p>Part Number: <b>P171531</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FHK/FSK ASSY, SYNTEQ Media Dimensions: Outer Dia: 2.76" (70 mm) Inner Dia: 1.14" (29 mm) Length: 5.04" (128 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> UPC Code: 742330-02192</p>
	<p>Part Number: <b>P171532</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FHK/FSK ASSY, SYNTEQ Media Dimensions: Outer Dia: 2.76" (70 mm) Inner Dia: 1.14" (29 mm) Length: 5.04" (128 mm) Performance: <math>\beta_{9\mu} = 2</math> <math>\beta_{19\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-02194</p>
	<p>Part Number: <b>P171533</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FHK/FSK ASSY, FBO CR100/1, Cellulose Dimensions: Outer Dia: 2.76" (70 mm) Inner Dia: 1.14" (29 mm) Length: 5.04" (128 mm) Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-08373</p>

	<p>Part Number: <b>P171534</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: Donaldson FHK/FSK ASSY, Cellulose          Dimensions: Outer Dia: 2.76" (70 mm)          Inner Dia: 1.14" (29 mm)          Length: 5.04" (128 mm)          Performance: <math>\beta_{30\mu} = 2</math>          UPC Code: 742330-02195</p>		<p>Part Number: <b>P171552</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: FBO CR250/3          Dimensions: Outer Dia: 5.51" (140 mm)          Inner Dia: 2.05" (52 mm)          Length: 5.35" (136 mm)          Performance: <math>\beta_{30\mu} = 2</math>          UPC Code: 742330-08378</p>
	<p>Part Number: <b>P171535</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: Donaldson FHK/FSK ASSY, WIRE MESH          Dimensions: Outer Dia: 2.76" (70 mm)          Inner Dia: 1.14" (29 mm)          Length: 5.04" (128 mm)          Performance: <math>\beta_{60\mu} = 2</math>          UPC Code: 742330-02196</p>		<p>Part Number: <b>P171554</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: Donaldson FIK ASSY          Dimensions: Outer Dia: 5.51" (140 mm)          Inner Dia: 2.05" (52 mm)          Length: 7.99" (203 mm)          Performance: <math>\beta_{90\mu} = 2</math>          UPC Code: 742330-02201</p>
	<p>Part Number: <b>P171536</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: Donaldson FHK ASSY, WIRE MESH          Dimensions: Outer Dia: 3.74" (95 mm)          Inner Dia: 1.61" (41 mm)          Length: 7.99" (203 mm)          Performance: <math>\beta_{90\mu} = 2</math>          UPC Code: 742330-02197</p>		<p>Part Number: <b>P171555</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: Donaldson FIK ASSY          Dimensions: Outer Dia: 5.51" (140 mm)          Inner Dia: 2.05" (52 mm)          Length: 7.99" (203 mm)          Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math>          UPC Code: 742330-02202</p>
	<p>Part Number: <b>P171537</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: Donaldson FHK ASSY, SYNTEQ Media          Dimensions: Outer Dia: 3.74" (95 mm)          Inner Dia: 1.61" (41 mm)          Length: 7.99" (203 mm)          Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math>          UPC Code: 742330-02198</p>		<p>Part Number: <b>P171556</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: Donaldson FIK ASSY          Dimensions: Outer Dia: 5.51" (140 mm)          Inner Dia: 2.05" (52 mm)          Length: 7.99" (203 mm)          Performance: <math>\beta_{9\mu} = 2</math> <math>\beta_{19\mu} = 20</math> <math>\beta_{25\mu} = 75</math>          UPC Code: 742330-02203</p>
	<p>Part Number: <b>P171538</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: Donaldson FHK ASSY, SYNTEQ Media          Dimensions: Outer Dia: 3.74" (95 mm)          Inner Dia: 1.61" (41 mm)          Length: 7.99" (203 mm)          Performance: <math>\beta_{9\mu} = 2</math> <math>\beta_{19\mu} = 20</math> <math>\beta_{25\mu} = 75</math>          UPC Code: 742330-02199</p>		<p>Part Number: <b>P171557</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: Donaldson FIK ASSY, FBO CR325/1          Dimensions: Outer Dia: 5.51" (140 mm)          Inner Dia: 2.05" (52 mm)          Length: 7.99" (203 mm)          Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math>          UPC Code: 742330-08379</p>
	<p>Part Number: <b>P171539</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: Donaldson FHK ASSY, FBO CR180/1, Cellulose          Dimensions: Outer Dia: 3.74" (95 mm)          Inner Dia: 1.61" (41 mm)          Length: 7.99" (203 mm)          Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math>          UPC Code: 742330-08375</p>		<p>Part Number: <b>P171558</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: Donaldson FIK ASSY, FBO CR325/3          Dimensions: Outer Dia: 5.51" (140 mm)          Inner Dia: 2.05" (52 mm)          Length: 7.99" (203 mm)          Performance: <math>\beta_{30\mu} = 2</math>          UPC Code: 742330-08380</p>
	<p>Part Number: <b>P171540</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: Donaldson FHK ASSY, FBO CR180/3, Cellulose          Dimensions: Outer Dia: 3.74" (95 mm)          Inner Dia: 1.61" (41 mm)          Length: 7.99" (203 mm)          Performance: <math>\beta_{30\mu} = 2</math>          UPC Code: 742330-08376</p>		<p>Part Number: <b>P171559</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: Donaldson FHK, FIK ASSY          Dimensions: Outer Dia: 5.51" (140 mm)          Inner Dia: 2.05" (52 mm)          Length: 7.99" (203 mm)          Performance: <math>\beta_{60\mu} = 2</math>          UPC Code: 742330-02204</p>
	<p>Part Number: <b>P171541</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: Donaldson FHK ASSY, WIRE MESH          Dimensions: Outer Dia: 3.74" (95 mm)          Inner Dia: 1.61" (41 mm)          Length: 7.99" (203 mm)          Performance: <math>\beta_{60\mu} = 2</math>          UPC Code: 742330-02200</p>		<p>Part Number: <b>P171560</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: Donaldson FHK, FIK ASSY          Dimensions: Outer Dia: 5.51" (140 mm)          Inner Dia: 2.56" (65 mm)          Length: 7.99" (203 mm)          Performance: <math>\beta_{90\mu} = 2</math>          UPC Code: 742330-02205</p>
	<p>Part Number: <b>P171551</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: FBO CR250/1          Dimensions: Outer Dia: 5.51" (140 mm)          Inner Dia: 2.05" (52 mm)          Length: 5.35" (136 mm)          Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math>          UPC Code: 742330-08377</p>		<p>Part Number: <b>P171561</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: Donaldson FHK, FIK ASSY          Dimensions: Outer Dia: 5.51" (140 mm)          Inner Dia: 2.56" (65 mm)          Length: 7.99" (203 mm)          Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math>          UPC Code: 742330-02206</p>



























	<p>Part Number: <b>P171562</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FHK, FIK ASSY Dimensions: Outer Dia: 5.51" (140 mm) Inner Dia: 2.56" (65 mm) Length: 7.99" (203 mm) Performance: <math>\beta_{9\mu} = 2</math> <math>\beta_{19\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-02207</p>
	<p>Part Number: <b>P171563</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FHK, FIK ASSY, FBO CR330/1 Dimensions: Outer Dia: 5.51" (140 mm) Inner Dia: 2.56" (65 mm) Length: 7.99" (203 mm) Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-08381</p>
	<p>Part Number: <b>P171564</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FHK, FIK ASSY, FBO CR330/3 Dimensions: Outer Dia: 5.51" (140 mm) Inner Dia: 2.56" (65 mm) Length: 7.99" (203 mm) Performance: <math>\beta_{30\mu} = 2</math> UPC Code: 742330-08382</p>
	<p>Part Number: <b>P171565</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FHK, FIK ASSY, INTANK RETURN ASSY S Dimensions: Outer Dia: 5.51" (140 mm) Inner Dia: 2.56" (65 mm) Length: 7.99" (203 mm) Performance: <math>\beta_{60\mu} = 2</math> UPC Code: 742330-02208</p>
	<p>Part Number: <b>P171566</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FHK ASSY Dimensions: Outer Dia: 5.51" (140 mm) Inner Dia: 2.56" (66 mm) Length: 7.99" (203 mm) UPC Code: 742330-02209</p>
	<p>Part Number: <b>P171567</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FHK ASSY Dimensions: Outer Dia: 5.51" (140 mm) Inner Dia: 2.56" (65 mm) Length: 7.99" (203 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> UPC Code: 742330-02210</p>
	<p>Part Number: <b>P171568</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FHK ASSY Dimensions: Outer Dia: 5.51" (140 mm) Inner Dia: 2.56" (65 mm) Length: 7.99" (203 mm) Performance: <math>\beta_{9\mu} = 2</math> <math>\beta_{19\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-02211</p>
	<p>Part Number: <b>P171569</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FHK ASSY Dimensions: Outer Dia: 5.51" (140 mm) Inner Dia: 2.56" (65 mm) Length: 7.99" (203 mm) Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-02212</p>
	<p>Part Number: <b>P171570</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FHK ASSY Dimensions: Outer Dia: 5.51" (140 mm) Inner Dia: 2.56" (65 mm) Length: 7.99" (203 mm) Performance: <math>\beta_{20\mu} = 2</math> <math>\beta_{35\mu} = 20</math> UPC Code: 742330-02213</p>
	<p>Part Number: <b>P171571</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FHK ASSY Dimensions: Outer Dia: 5.51" (140 mm) Inner Dia: 2.56" (65 mm) Length: 7.99" (203 mm) Performance: <math>\beta_{60\mu} = 2</math> UPC Code: 742330-02214</p>
	<p>Part Number: <b>P171572</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FIK ASSY Dimensions: Outer Dia: 5.51" (140 mm) Inner Dia: 2.56" (65 mm) Length: 9.84" (250 mm) Performance: <math>\beta_{90\mu} = 2</math> UPC Code: 742330-02215</p>
	<p>Part Number: <b>P171573</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FIK ASSY Dimensions: Outer Dia: 5.51" (140 mm) Inner Dia: 2.56" (65 mm) Length: 9.84" (250 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> UPC Code: 742330-02216</p>
	<p>Part Number: <b>P171574</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FIK ASSY Dimensions: Outer Dia: 5.51" (140 mm) Inner Dia: 2.56" (65 mm) Length: 9.84" (250 mm) Performance: <math>\beta_{9\mu} = 2</math> <math>\beta_{19\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-02217</p>
	<p>Part Number: <b>P171575</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FIK ASSY, FBO CR600/1 Dimensions: Outer Dia: 5.51" (140 mm) Inner Dia: 2.56" (65 mm) Length: 9.84" (250 mm) Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-08383</p>
	<p>Part Number: <b>P171576</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FIK ASSY, FBO CR600/3 Dimensions: Outer Dia: 5.51" (140 mm) Inner Dia: 2.56" (65 mm) Length: 9.84" (250 mm) Performance: <math>\beta_{30\mu} = 2</math> UPC Code: 742330-08384</p>
	<p>Part Number: <b>P171577</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FIK ASSY Dimensions: Outer Dia: 5.51" (140 mm) Inner Dia: 2.56" (65 mm) Length: 9.84" (250 mm) UPC Code: 742330-02218</p>
	<p>Part Number: <b>P171578</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FIK ASSY Dimensions: Outer Dia: 5.51" (140 mm) Inner Dia: 2.58" (66 mm) Length: 15.74" (400 mm) Performance: <math>\beta_{90\mu} = 2</math> UPC Code: 742330-02219</p>





















	<p>Part Number: <b>P171579</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FIK ASSY Dimensions: Outer Dia: 5.51" (140 mm) Inner Dia: 2.58" (66 mm) Length: 15.74" (400 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> UPC Code: 742330-02220</p>
	<p>Part Number: <b>P171580</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FIK ASSY Dimensions: Outer Dia: 5.51" (140 mm) Inner Dia: 2.58" (66 mm) Length: 15.74" (400 mm) Performance: <math>\beta_{9\mu} = 2</math> <math>\beta_{19\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-02221</p>
	<p>Part Number: <b>P171581</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FIK ASSY, FBO CR800/1 Dimensions: Outer Dia: 5.51" (140 mm) Inner Dia: 2.58" (66 mm) Length: 15.74" (400 mm) Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-08385</p>
	<p>Part Number: <b>P171582</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FIK ASSY, FBO CR800/3 Dimensions: Outer Dia: 5.51" (140 mm) Inner Dia: 2.56" (65 mm) Length: 15.74" (400 mm) Performance: <math>\beta_{30\mu} = 2</math> UPC Code: 742330-08386</p>
	<p>Part Number: <b>P171583</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FIK ASSY Dimensions: Outer Dia: 5.51" (140 mm) Inner Dia: 2.56" (65 mm) Length: 15.74" (400 mm) Performance: <math>\beta_{60\mu} = 2</math> UPC Code: 742330-02222</p>
	<p>Part Number: <b>P171646</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FBO C25/1 Dimensions: Outer Dia: 2.05" (52 mm) Inner Dia: 1.02" (26 mm) Length: 2.76" (70 mm) Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-08387</p>
	<p>Part Number: <b>P171653</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FBO C40/1 Dimensions: Outer Dia: 2.76" (70 mm) Inner Dia: 1.38" (35 mm) Length: 3.35" (85 mm) Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-08388</p>
	<p>Part Number: <b>P171660</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FBO C100/1 Dimensions: Outer Dia: 2.76" (70 mm) Inner Dia: 1.38" (35 mm) Length: 5.12" (130 mm) Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-08389</p>
	<p>Part Number: <b>P171667</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FBO C250/1 Dimensions: Outer Dia: 3.94" (100 mm) Inner Dia: 2.05" (52 mm) Length: 8.27" (210 mm) Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-08390</p>

	<p>Part Number: <b>P171674</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FBO C630/1 Dimensions: Outer Dia: 5.39" (137 mm) Inner Dia: 2.99" (76 mm) Length: 9.84" (250 mm) Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-08391</p>
	<p>Part Number: <b>P171681</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FBO C200/1 Dimensions: Outer Dia: 3.94" (100 mm) Inner Dia: 2.05" (52 mm) Length: 4.72" (120 mm) Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-08392</p>
	<p>Part Number: <b>P171701</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: MP PRODUCTS HP037.1A06A, FBO CM140/01, SYNTEQ Media Dimensions: Outer Dia: 1.69" (43 mm) Inner Dia: 89" (23 mm) Length: 3.54" (90 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math> UPC Code: 742330-02223</p>
	<p>Part Number: <b>P171702</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: MP PRODUCTS HP037.1A10A, FBO CM140/02, SYNTEQ Media Dimensions: Outer Dia: 1.69" (43 mm) Inner Dia: 89" (23 mm) Length: 3.54" (90 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> UPC Code: 742330-02224</p>
	<p>Part Number: <b>P171703</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: MP PRODUCTS HP037.1A25A, FBO CM180/01, SYNTEQ Media Dimensions: Outer Dia: 1.69" (43 mm) Inner Dia: 89" (23 mm) Length: 3.54" (90 mm) Performance: <math>\beta_{9\mu} = 2</math> <math>\beta_{19\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-02225</p>
	<p>Part Number: <b>P171707</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: MP PRODUCTS HP037.2A06A, FBO CM180/01, SYNTEQ Media Dimensions: Outer Dia: 1.69" (43 mm) Inner Dia: 89" (23 mm) Length: 6.92" (176 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math> UPC Code: 742330-02226</p>
	<p>Part Number: <b>P171708</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: MP PRODUCTS HP037.2A10A, FBO CM180/02, SYNTEQ Media Dimensions: Outer Dia: 1.69" (43 mm) Inner Dia: 89" (23 mm) Length: 6.92" (176 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> UPC Code: 742330-02227</p>
	<p>Part Number: <b>P171709</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: MP PRODUCTS HP037.2A25A, FBO CM180/03, SYNTEQ Media Dimensions: Outer Dia: 1.69" (43 mm) Inner Dia: 89" (23 mm) Length: 6.92" (176 mm) Performance: <math>\beta_{9\mu} = 2</math> <math>\beta_{19\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-02228</p>









	<p><b>Part Number:</b> P171713  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> MP PRODUCTS HP065.1A06NA, FBO CM230/01, SYNTEQ Media  <b>Dimensions:</b> Outer Dia: 1.81" (46 mm)          Inner Dia: 1.02" (26 mm)          Length: 3.42" (87 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math>  <b>UPC Code:</b> 742330-02229</p>
	<p><b>Part Number:</b> P171714  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> MP PRODUCTS HP065.1A10NA, FBO CM230/02, SYNTEQ Media  <b>Dimensions:</b> Outer Dia: 1.81" (46 mm)          Inner Dia: 1.02" (26 mm)          Length: 3.42" (87 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math>  <b>UPC Code:</b> 742330-02230</p>
	<p><b>Part Number:</b> P171715  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> MP PRODUCTS HP065.1A25NA, FBO CM230/03, SYNTEQ Media  <b>Dimensions:</b> Outer Dia: 1.81" (46 mm)          Inner Dia: 1.02" (26 mm)          Length: 3.42" (87 mm)  <b>Performance:</b> <math>\beta_{9\mu} = 2</math> <math>\beta_{19\mu} = 20</math> <math>\beta_{25\mu} = 75</math>  <b>UPC Code:</b> 742330-02231</p>
	<p><b>Part Number:</b> P171734  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> MP PRODUCTS HP135.1A03NA, FBO 452.51, SYNTEQ Media  <b>Dimensions:</b> Outer Dia: 2.13" (54 mm)          Inner Dia: 1.08" (27 mm)          Length: 4.80" (122 mm)  <b>Performance:</b> <math>\beta_{3\mu} = 75</math>  <b>UPC Code:</b> 742330-02232</p>
	<p><b>Part Number:</b> P171735  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> MP PRODUCTS HP135.1A10NA, FBO 452.52, SYNTEQ Media  <b>Dimensions:</b> Outer Dia: 2.13" (54 mm)          Inner Dia: 1.08" (27 mm)          Length: 4.80" (122 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math>  <b>UPC Code:</b> 742330-02233</p>
	<p><b>Part Number:</b> P171736  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> MP PRODUCTS HP135.1A25NA, FBO 452.53, SYNTEQ Media  <b>Dimensions:</b> Outer Dia: 2.13" (54 mm)          Inner Dia: 1.08" (27 mm)          Length: 4.80" (122 mm)  <b>Performance:</b> <math>\beta_{9\mu} = 2</math> <math>\beta_{19\mu} = 20</math> <math>\beta_{25\mu} = 75</math>  <b>UPC Code:</b> 742330-02234</p>
	<p><b>Part Number:</b> P171737  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> MP PRODUCTS HP135.2A03NA, FBO 453.51, SYNTEQ Media  <b>Dimensions:</b> Outer Dia: 2.13" (54 mm)          Inner Dia: 1.08" (27 mm)          Length: 9.05" (230 mm)  <b>Performance:</b> <math>\beta_{3\mu} = 75</math>  <b>UPC Code:</b> 742330-02235</p>
	<p><b>Part Number:</b> P171738  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> MP PRODUCTS HP135.2A10NA, FBO 453.52, SYNTEQ Media  <b>Dimensions:</b> Outer Dia: 2.13" (54 mm)          Inner Dia: 1.08" (27 mm)          Length: 9.05" (230 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math>  <b>UPC Code:</b> 742330-02236</p>
	<p><b>Part Number:</b> P171739  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> MP PRODUCTS HP135.2A25NA, FBO 453.53, SYNTEQ Media  <b>Dimensions:</b> Outer Dia: 2.13" (54 mm)          Inner Dia: 1.08" (27 mm)          Length: 9.05" (230 mm)  <b>Performance:</b> <math>\beta_{9\mu} = 2</math> <math>\beta_{19\mu} = 20</math> <math>\beta_{25\mu} = 75</math>  <b>UPC Code:</b> 742330-02237</p>
	<p><b>Part Number:</b> P171742  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> FBO 45453  <b>Dimensions:</b> Outer Dia: 3.07" (78 mm)          Inner Dia: 1.59" (40 mm)          Length: 5.51" (140 mm)  <b>Performance:</b> <math>\beta_{9\mu} = 2</math> <math>\beta_{19\mu} = 20</math> <math>\beta_{25\mu} = 75</math>  <b>UPC Code:</b> 742330-02238</p>
	<p><b>Part Number:</b> P171743  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> MP PRODUCTS HP320.2A03NA, FBO 455.51, SYNTEQ Media  <b>Dimensions:</b> Outer Dia: 3.07" (78 mm)          Inner Dia: 1.59" (40 mm)          Length: 9.44" (240 mm)  <b>Performance:</b> <math>\beta_{3\mu} = 75</math>  <b>UPC Code:</b> 742330-02239</p>
	<p><b>Part Number:</b> P171744  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> MP PRODUCTS HP320.2A10NA, FBO 455.52, SYNTEQ Media  <b>Dimensions:</b> Outer Dia: 3.07" (78 mm)          Inner Dia: 1.59" (40 mm)          Length: 9.44" (240 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math>  <b>UPC Code:</b> 742330-02240</p>
	<p><b>Part Number:</b> P171745  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> MP PRODUCTS HP320.2A25NA, FBO 455.53, SYNTEQ Media  <b>Dimensions:</b> Outer Dia: 3.07" (78 mm)          Inner Dia: 1.59" (40 mm)          Length: 9.44" (240 mm)  <b>Performance:</b> <math>\beta_{9\mu} = 2</math> <math>\beta_{19\mu} = 20</math> <math>\beta_{25\mu} = 75</math>  <b>UPC Code:</b> 742330-02241</p>
	<p><b>Part Number:</b> P171746  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> MP PRODUCTS HP320.3A03NA, FBO 456.51, SYNTEQ Media  <b>Dimensions:</b> Outer Dia: 3.07" (78 mm)          Inner Dia: 1.59" (40 mm)          Length: 14.96" (380 mm)  <b>Performance:</b> <math>\beta_{3\mu} = 75</math>  <b>UPC Code:</b> 742330-02242</p>
	<p><b>Part Number:</b> P171747  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> MP PRODUCTS HP320.3A10NA, FBO 456.52, SYNTEQ Media  <b>Dimensions:</b> Outer Dia: 3.07" (78 mm)          Inner Dia: 1.59" (40 mm)          Length: 14.96" (380 mm)  <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math>  <b>UPC Code:</b> 742330-02243</p>
	<p><b>Part Number:</b> P171748  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> MP PRODUCTS HP320.3A25NA, FBO 456.53, SYNTEQ Media  <b>Dimensions:</b> Outer Dia: 3.07" (78 mm)          Inner Dia: 1.59" (40 mm)          Length: 14.96" (380 mm)  <b>Performance:</b> <math>\beta_{9\mu} = 2</math> <math>\beta_{19\mu} = 20</math> <math>\beta_{25\mu} = 75</math>  <b>UPC Code:</b> 742330-02244</p>



	<p>Part Number: <b>P171773</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: F80 filter housing LC5/02 Dimensions: Outer Dia: 1.12" (28 mm) Inner Dia: .61" (15 mm) Length: 2.75" (70 mm) Performance: <math>\beta_{149\mu} = 75</math> UPC Code: 742330-08785</p>
	<p>Part Number: <b>P171787</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FRK ASSY, FAIREY ARLON ST2120 Dimensions: Outer Dia: 2.82" (72 mm) Inner Dia: 1.77" (45 mm) Length: 4.17" (106 mm) Performance: <math>\beta_{90\mu} = 2</math> UPC Code: 742330-02245</p>
	<p>Part Number: <b>P171788</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FRK ASSY, FAIREY ARLON ST3120 Dimensions: Outer Dia: 2.82" (72 mm) Inner Dia: 1.77" (45 mm) Length: 5.91" (150 mm) Performance: <math>\beta_{90\mu} = 2</math> UPC Code: 742330-02246</p>
	<p>Part Number: <b>P171789</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FRK ASSY, FAIREY ARLON ST3D120 Dimensions: Outer Dia: 2.82" (72 mm) Inner Dia: 1.77" (45 mm) Length: 7.87" (200 mm) Performance: <math>\beta_{90\mu} = 2</math> UPC Code: 742330-02247</p>
	<p>Part Number: <b>P171790</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FRK ASSY, FAIREY ARLON ST3E120 Dimensions: Outer Dia: 2.82" (72 mm) Inner Dia: 1.77" (45 mm) Length: 11.81" (300 mm) Performance: <math>\beta_{90\mu} = 2</math> UPC Code: 742330-02248</p>
<del></del>	<p><del>Part Number: <b>P171791</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FRK ASSY, FAIREY ARLON ST4120 Dimensions: Outer Dia: 4.17" (106 mm) Inner Dia: 2.52" (64 mm) Length: 7.48" (190 mm) Performance: <math>\beta_{90\mu} = 2</math> UPC Code: 742330-02249</del></p>
	<p>Part Number: <b>P171792</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FRK ASSY, FAIREY ARLON ST5120 Dimensions: Outer Dia: 4.17" (106 mm) Inner Dia: 2.52" (64 mm) Length: 10.24" (260 mm) Performance: <math>\beta_{90\mu} = 2</math> UPC Code: 742330-02250</p>
	<p>Part Number: <b>P171793</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FRK ASSY, FAIREY ARLON ST5A120 Dimensions: Outer Dia: 4.17" (106 mm) Inner Dia: 2.52" (64 mm) Length: 18.31" (465 mm) Performance: <math>\beta_{90\mu} = 2</math> UPC Code: 742330-02251</p>

	<p>Part Number: <b>P171794</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FRK ASSY, FAIREY ARLON ST260 Dimensions: Outer Dia: 2.82" (72 mm) Inner Dia: 1.77" (45 mm) Length: 4.17" (106 mm) Performance: <math>\beta_{60\mu} = 2</math> UPC Code: 742330-02252</p>
	<p>Part Number: <b>P171795</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FRK ASSY, FAIREY ARLON ST360 Dimensions: Outer Dia: 2.82" (72 mm) Inner Dia: 1.77" (45 mm) Length: 5.91" (150 mm) Performance: <math>\beta_{60\mu} = 2</math> UPC Code: 742330-02253</p>
<del></del>	<p><del>Part Number: <b>P171796</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FRK ASSY, FAIREY ARLON ST3D60 Dimensions: Outer Dia: 2.82" (72 mm) Inner Dia: 1.77" (45 mm) Length: 7.87" (200 mm) Performance: <math>\beta_{60\mu} = 2</math> UPC Code: 742330-02254</del></p>
<del></del>	<p><del>Part Number: <b>P171797</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FRK ASSY, FAIREY ARLON ST3E60 Dimensions: Outer Dia: 2.82" (72 mm) Inner Dia: 1.77" (45 mm) Length: 11.81" (300 mm) Performance: <math>\beta_{60\mu} = 2</math> UPC Code: 742330-02255</del></p>
	<p>Part Number: <b>P171798</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FRK ASSY, FAIREY ARLON ST460 Dimensions: Outer Dia: 4.17" (106 mm) Inner Dia: 2.52" (64 mm) Length: 7.48" (190 mm) Performance: <math>\beta_{60\mu} = 2</math> UPC Code: 742330-02256</p>
	<p>Part Number: <b>P171799</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FRK ASSY, FAIREY ARLON ST560 Dimensions: Outer Dia: 4.17" (106 mm) Inner Dia: 2.52" (64 mm) Length: 10.24" (260 mm) Performance: <math>\beta_{60\mu} = 2</math> UPC Code: 742330-02257</p>
	<p>Part Number: <b>P171800</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FRK ASSY, FAIREY ARLON ST5A60 Dimensions: Outer Dia: 4.17" (106 mm) Inner Dia: 2.52" (64 mm) Length: 18.31" (465 mm) Performance: <math>\beta_{60\mu} = 2</math> UPC Code: 742330-02258</p>
	<p>Part Number: <b>P171801</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FAIREY ARLON TX210 Dimensions: Outer Dia: 2.82" (72 mm) Inner Dia: 1.77" (45 mm) Length: 4.17" (106 mm) Performance: <math>\beta_{25\mu} = 2</math> <math>\beta_{50\mu} = 20</math> UPC Code: 742330-02259</p>
	<p>Part Number: <b>P171802</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FRK ASSY, FAIREY ARLON TX310 Dimensions: Outer Dia: 2.82" (72 mm) Inner Dia: 1.77" (45 mm) Length: 5.91" (150 mm) Performance: <math>\beta_{25\mu} = 2</math> <math>\beta_{50\mu} = 20</math> UPC Code: 742330-02260</p>









	<p><b>Part Number:</b> P171803 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson FRK ASSY, FAIREY ARLON TX3D10 <b>Dimensions:</b> Outer Dia: 2.82" (72 mm) Inner Dia: 1.77" (45 mm) Length: 7.87" (200 mm) <b>Performance:</b> <math>\beta_{25\mu} = 2</math> <math>\beta_{50\mu} = 20</math> <b>UPC Code:</b> 742330-02261</p>
	<p><b>Part Number:</b> P171804 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson FRK ASSY, FAIREY ARLON TX3E10 <b>Dimensions:</b> Outer Dia: 2.82" (72 mm) Inner Dia: 1.77" (45 mm) Length: 11.81" (300 mm) <b>Performance:</b> <math>\beta_{25\mu} = 2</math> <math>\beta_{50\mu} = 20</math> <b>UPC Code:</b> 742330-02262</p>
	<p><b>Part Number:</b> P171805 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson FRK ASSY, FAIREY ARLON TXX410 <b>Dimensions:</b> Outer Dia: 4.17" (106 mm) Inner Dia: 2.52" (64 mm) Length: 7.48" (190 mm) <b>Performance:</b> <math>\beta_{25\mu} = 2</math> <math>\beta_{50\mu} = 20</math> <b>UPC Code:</b> 742330-02263</p>
	<p><b>Part Number:</b> P171806 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson FRK ASSY, FAIREY ARLON TXX510 <b>Dimensions:</b> Outer Dia: 4.17" (106 mm) Inner Dia: 2.52" (64 mm) Length: 10.24" (260 mm) <b>Performance:</b> <math>\beta_{25\mu} = 2</math> <math>\beta_{50\mu} = 20</math> <b>UPC Code:</b> 742330-02264</p>
	<p><b>Part Number:</b> P171807 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson FRK ASSY, FAIREY ARLON TXX5A10 <b>Dimensions:</b> Outer Dia: 4.17" (106 mm) Inner Dia: 2.52" (64 mm) Length: 18.31" (465 mm) <b>Performance:</b> <math>\beta_{25\mu} = 2</math> <math>\beta_{50\mu} = 20</math> <b>UPC Code:</b> 742330-02265</p>
	<p><b>Part Number:</b> P171808 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson FRK ASSY, FAIREY ARLON TX2-10 <b>Dimensions:</b> Outer Dia: 2.82" (72 mm) Inner Dia: 1.77" (45 mm) Length: 4.17" (106 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> <b>UPC Code:</b> 742330-02266</p>
	<p><b>Part Number:</b> P171809 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson FRK ASSY, FAIREY ARLON TX3-10 <b>Dimensions:</b> Outer Dia: 2.82" (72 mm) Inner Dia: 1.77" (45 mm) Length: 5.91" (150 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> <b>UPC Code:</b> 742330-02267</p>
	<p><b>Part Number:</b> P171810 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson FRK ASSY, FAIREY ARLON TX3D-10 <b>Dimensions:</b> Outer Dia: 2.82" (72 mm) Inner Dia: 1.77" (45 mm) Length: 7.87" (200 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> <b>UPC Code:</b> 742330-02268</p>

	<p><b>Part Number:</b> P171811 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson FRK ASSY, FAIREY ARLON TX3E-10 <b>Dimensions:</b> Outer Dia: 2.82" (72 mm) Inner Dia: 1.77" (45 mm) Length: 11.81" (300 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> <b>UPC Code:</b> 742330-02269</p>
	<p><b>Part Number:</b> P171812 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson FRK ASSY, FAIREY ARLON TXX4-10 <b>Dimensions:</b> Outer Dia: 4.17" (106 mm) Inner Dia: 2.52" (64 mm) Length: 7.48" (190 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> <b>UPC Code:</b> 742330-02270</p>
	<p><b>Part Number:</b> P171813 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson FRK ASSY, FAIREY ARLON TXX5-10 <b>Dimensions:</b> Outer Dia: 4.17" (106 mm) Inner Dia: 2.52" (64 mm) Length: 10.24" (260 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> <b>UPC Code:</b> 742330-02271</p>
	<p><b>Part Number:</b> P171814 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson FRK ASSY, FAIREY ARLON TXX5A-10 <b>Dimensions:</b> Outer Dia: 4.17" (106 mm) Inner Dia: 2.52" (64 mm) Length: 18.30" (465 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> <b>UPC Code:</b> 742330-02272</p>
	<p><b>Part Number:</b> P171815 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson FRK ASSY, FAIREY ARLON TXW2-CC25, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 2.82" (72 mm) Inner Dia: 1.77" (45 mm) Length: 4.17" (106 mm) <b>Performance:</b> <math>\beta_{9\mu} = 2</math> <math>\beta_{19\mu} = 20</math> <math>\beta_{25\mu} = 75</math> <b>UPC Code:</b> 742330-02273</p>
	<p><b>Part Number:</b> P171816 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson FRK ASSY, FAIREY ARLON TXW3-CC25, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 2.82" (72 mm) Inner Dia: 1.77" (45 mm) Length: 5.91" (150 mm) <b>Performance:</b> <math>\beta_{9\mu} = 2</math> <math>\beta_{19\mu} = 20</math> <math>\beta_{25\mu} = 75</math> <b>UPC Code:</b> 742330-02274</p>
	<p><b>Part Number:</b> P171817 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson FRK ASSY, FAIREY ARLON TXW3D-CC25, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 2.82" (72 mm) Inner Dia: 1.77" (45 mm) Length: 7.87" (200 mm) <b>Performance:</b> <math>\beta_{9\mu} = 2</math> <math>\beta_{19\mu} = 20</math> <math>\beta_{25\mu} = 75</math> <b>UPC Code:</b> 742330-02275</p>
	<p><b>Part Number:</b> P171818 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson FRK ASSY, FAIREY ARLON TXW3K-CC25, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 2.82" (72 mm) Inner Dia: 1.77" (45 mm) Length: 11.81" (300 mm) <b>Performance:</b> <math>\beta_{9\mu} = 2</math> <math>\beta_{19\mu} = 20</math> <math>\beta_{25\mu} = 75</math> <b>UPC Code:</b> 742330-02276</p>

















	<p>Part Number: <b>P171819</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FRK ASSY, FAIREY ARLON TXW4-CC25, SYNTEQ Media Dimensions: Outer Dia: 4.17" (106 mm) Inner Dia: 2.52" (64 mm) Length: 7.48" (190 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{19\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-02277</p>
	<p>Part Number: <b>P171820</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FRK ASSY, FAIREY ARLON TXW5-CC25, SYNTEQ Media Dimensions: Outer Dia: 4.17" (106 mm) Inner Dia: 2.52" (64 mm) Length: 10.24" (260 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{19\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-02278</p>
	<p>Part Number: <b>P171821</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FRK ASSY, FAIREY ARLON TXW5A-CC25, SYNTEQ Media Dimensions: Outer Dia: 4.17" (106 mm) Inner Dia: 2.52" (64 mm) Length: 18.30" (465 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{19\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-02279</p>
	<p>Part Number: <b>P171822</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FRK ASSY, FAIREY ARLON TXW2-CC10, SYNTEQ Media Dimensions: Outer Dia: 2.82" (72 mm) Inner Dia: 1.77" (45 mm) Length: 4.17" (106 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> UPC Code: 742330-02280</p>
	<p>Part Number: <b>P171823</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FRK ASSY, FAIREY ARLON TXW3-CC10, SYNTEQ Media Dimensions: Outer Dia: 2.82" (72 mm) Inner Dia: 1.77" (45 mm) Length: 5.91" (150 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> UPC Code: 742330-02281</p>
	<p>Part Number: <b>P171824</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FRK ASSY, FAIREY ARLON TXW3D-CC10, SYNTEQ Media Dimensions: Outer Dia: 2.82" (72 mm) Inner Dia: 1.77" (45 mm) Length: 7.87" (200 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> UPC Code: 742330-02282</p>
	<p>Part Number: <b>P171825</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FRK ASSY, FAIREY ARLON TXW3E-CC10, SYNTEQ Media Dimensions: Outer Dia: 2.82" (72 mm) Inner Dia: 1.77" (45 mm) Length: 11.81" (300 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> UPC Code: 742330-02283</p>
	<p>Part Number: <b>P171826</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FRK ASSY, FAIREY ARLON TXW4-CC10, SYNTEQ Media Dimensions: Outer Dia: 4.17" (106 mm) Inner Dia: 2.52" (64 mm) Length: 7.48" (190 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> UPC Code: 742330-02284</p>


	<p>Part Number: <b>P171827</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FRK ASSY, FAIREY ARLON TXW5-CC10, SYNTEQ Media Dimensions: Outer Dia: 4.17" (106 mm) Inner Dia: 2.52" (64 mm) Length: 10.24" (260 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> UPC Code: 742330-02285</p>
	<p>Part Number: <b>P171828</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FRK ASSY, FAIREY ARLON TXW5A-CC10, SYNTEQ Media Dimensions: Outer Dia: 4.17" (106 mm) Inner Dia: 2.52" (64 mm) Length: 18.30" (465 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> UPC Code: 742330-02286</p>
<del></del>	<p><del>Part Number: <b>P171830</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FRK ASSY Dimensions: Outer Dia: 1.69" (43 mm) Inner Dia: .87" (22 mm) Length: 6.38" (162 mm) Performance: <math>\beta_{90\mu} = 2</math> UPC Code: 742330-02287</del></p>
	<p>Part Number: <b>P171831</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FSK ASSY Dimensions: Outer Dia: 2.76" (70 mm) Inner Dia: 1.57" (40 mm) Length: 8.27" (210 mm) Performance: <math>\beta_{90\mu} = 2</math> UPC Code: 742330-02288</p>
<del></del>	<p><del>Part Number: <b>P171833</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FSK ASSY Dimensions: Outer Dia: 1.69" (43 mm) Inner Dia: .87" (22 mm) Length: 6.38" (162 mm) Performance: <math>\beta_{60\mu} = 2</math> UPC Code: 742330-02289</del></p>
	<p>Part Number: <b>P171834</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: INTANK RETURN ASSY'S Dimensions: Outer Dia: 2.76" (70 mm) Inner Dia: 1.57" (40 mm) Length: 8.27" (210 mm) Performance: <math>\beta_{60\mu} = 2</math> UPC Code: 742330-02290</p>
	<p>Part Number: <b>P171836</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FSK ASSY Dimensions: Outer Dia: 1.69" (43 mm) Inner Dia: .87" (22 mm) Length: 6.38" (162 mm) Performance: <math>\beta_{20\mu} = 2</math> <math>\beta_{35\mu} = 20</math> UPC Code: 742330-02291</p>
	<p>Part Number: <b>P171837</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson FSK ASSY Dimensions: Outer Dia: 2.76" (70 mm) Inner Dia: 1.57" (40 mm) Length: 8.27" (210 mm) Performance: <math>\beta_{20\mu} = 2</math> <math>\beta_{35\mu} = 20</math> UPC Code: 742330-02292</p>




	<p>Part Number: <b>P171839</b>          Description: Hydraulic Cartridge          Primary Appl.: Donaldson FSK ASSY          Dimensions: Outer Dia: 1.69" (43 mm)          Inner Dia: .87" (22 mm)          Length: 3.38" (86 mm)          Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math>          UPC Code: 742330-02293</p>
	<p>Part Number: <b>P171840</b>          Description: Hydraulic Cartridge          Primary Appl.: Donaldson FSK ASSY          Dimensions: Outer Dia: 2.76" (70 mm)          Inner Dia: 1.57" (40 mm)          Length: 8.27" (210 mm)          Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math>          UPC Code: 742330-02294</p>
	<p>Part Number: <b>P171842</b>          Description: Hydraulic Cartridge          Primary Appl.: Donaldson FSK ASSY          Dimensions: Outer Dia: 1.69" (43 mm)          Inner Dia: .87" (22 mm)          Length: 6.38" (162 mm)          Performance: <math>\beta_{9\mu} = 2</math> <math>\beta_{19\mu} = 20</math> <math>\beta_{25\mu} = 75</math>          UPC Code: 742330-02295</p>
	<p>Part Number: <b>P171845</b>          Description: Hydraulic Cartridge          Primary Appl.: Donaldson FSK ASSY          Dimensions: Outer Dia: 1.69" (43 mm)          Inner Dia: .87" (22 mm)          Length: 6.38" (162 mm)          Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math>          UPC Code: 742330-02296</p>
	<p>Part Number: <b>P171846</b>          Description: Hydraulic Cartridge          Primary Appl.: Donaldson FSK ASSY          Dimensions: Outer Dia: 2.76" (70 mm)          Inner Dia: 1.57" (40 mm)          Length: 8.27" (210 mm)          Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math>          UPC Code: 742330-02297</p>
	<p>Part Number: <b>P171848</b>          Description: Hydraulic Filler Cap          Contents or Usage: FBO TC0301          UPC Code: 742330-02299</p>
	<p>Part Number: <b>P171855</b>          Description: Hydraulic Filler Cap          Contents or Usage: FBO TC0501          UPC Code: 742330-02300</p>
	<p>Part Number: <b>P171856</b>          Description: Hydraulic Filler Cap          Contents or Usage: FBO TC0501/1          UPC Code: 742330-02301</p>
	<p>Part Number: <b>P171859</b>          Description: Hydraulic Filler Cap          Contents or Usage: FBO TC0501/2          UPC Code: 742330-02302</p>


	<p>Part Number: <b>P171913</b>          Description: Hydraulic Level Gauge          Contents or Usage: FBO LV076/10          UPC Code: 742330-02303</p>
	<p>Part Number: <b>P171918</b>          Description: Hydraulic Level Gauge          Contents or Usage: FBO LV0127/12          UPC Code: 742330-02304</p>
	<p>Part Number: <b>P171920</b>          Description: Hydraulic Level Gauge          Contents or Usage: FBO LV0T127/12          UPC Code: 742330-02305</p>
<del></del>	<p><del>Part Number: <b>P171921</b>          Description: Hydraulic Level Gauge          Contents or Usage: FBO LV0524/12          UPC Code: 742330-02306</del></p>
	<p>Part Number: <b>P171922</b>          Description: Hydraulic Level Gauge          Contents or Usage: FBO LV0T254/12          UPC Code: 742330-02307</p>
	<p>Part Number: <b>P171945</b>          Description: Hydraulic Visual Indicator +5 BAR          Contents or Usage: INTANK ASSEMBLIES          UPC Code: 742330-02308</p>
	<p>Part Number: <b>P171947</b>          Description: Hydraulic Electrical Indicator, 5 BAR N.O.          Contents or Usage: INTANK ASSY'S          UPC Code: 742330-02309</p>
	<p>Part Number: <b>P171953</b>          Description: Pressure Gauge -1 to +6 BAR          Contents or Usage: INTANK ASSEMBLIES          UPC Code: 742330-02310</p>
<del></del>	<p><del>Part Number: <b>P171954</b>          Description: Vaccum Gauge -1 to 2 bar          Contents or Usage: INTANK ASSEMBLIES          UPC Code: 742330-02311</del></p>
	<p>Part Number: <b>P171956</b>          Description: Pressure Gauge -1 to +6 BAR          Contents or Usage: INTANK ASSEMBLIES          UPC Code: 742330-02312</p>
	<p>Part Number: <b>P171958</b>          Description: Hydraulic Visual Indicator +1.2 BAR          Contents or Usage: INTANK ASSEMBLIES          UPC Code: 742330-02313</p>
<del></del>	<p><del>Part Number: <b>P171959</b>          Description: Hydraulic Visual Indicator -3 BAR          Contents or Usage: INTANK ASSY'S          UPC Code: 742330-02314</del></p>





	<p>Part Number: <b>P171966</b> Description: <b>Hydraulic Electrical Indicator, 1.2 BAR N.O.</b> Contents or Usage: INTANK ASSEMBLIES UPC Code: 742330-02315</p>
---	---


	<p>Part Number: <b>P171967</b> Description: <b>Hydraulic Electrical Indicator, 3 BAR N.O.</b> Contents or Usage: INTANK ASSEMBLIES UPC Code: 742330-02316</p>
--	---


	<p>Part Number: <b>P172460</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FAIREY ARLON TXX6A-10 Dimensions: Outer Dia: 4.96" (126 mm) Inner Dia: 3.62" (92 mm) Length: 8.31" (211 mm) Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-02317</p>
---	--


	<p>Part Number: <b>P172461</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FAIREY ARLON TXX6A-CC10, SYNTEQ Media Dimensions: Outer Dia: 4.96" (126 mm) Inner Dia: 3.62" (92 mm) Length: 8.31" (211 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> UPC Code: 742330-02318</p>
---	--


	<p>Part Number: <b>P172462</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FAIREY ARLON TXX6A-CC25, SYNTEQ Media Dimensions: Outer Dia: 4.96" (126 mm) Inner Dia: 3.62" (92 mm) Length: 8.31" (211 mm) Performance: <math>\beta_{9\mu} = 2</math> <math>\beta_{19\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-02319</p>
---	---


	<p>Part Number: <b>P172463</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FAIREY ARLON TXX8A-10 Dimensions: Outer Dia: 4.96" (126 mm) Inner Dia: 3.62" (92 mm) Length: 11.42" (290 mm) Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-02320</p>
---	---


	<p>Part Number: <b>P172464</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FAIREY ARLON TXX8A-CC10, SYNTEQ Media Dimensions: Outer Dia: 4.96" (126 mm) Inner Dia: 3.62" (92 mm) Length: 11.42" (290 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> UPC Code: 742330-02321</p>
---	---


	<p>Part Number: <b>P172465</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FAIREY ARLON TXX8A-CC25, SYNTEQ Media Dimensions: Outer Dia: 4.96" (126 mm) Inner Dia: 3.62" (92 mm) Length: 11.42" (290 mm) Performance: <math>\beta_{9\mu} = 2</math> <math>\beta_{19\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-02322</p>
---	--


	<p>Part Number: <b>P172466</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FAIREY ARLON TXX8C-10 Dimensions: Outer Dia: 4.96" (126 mm) Inner Dia: 3.62" (92 mm) Length: 18.90" (480 mm) Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-02323</p>
---	---


	<p>Part Number: <b>P172467</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FAIREY ARLON TXXW8C-CC10, SYNTEQ Media Dimensions: Outer Dia: 4.96" (126 mm) Inner Dia: 3.62" (92 mm) Length: 18.90" (480 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> UPC Code: 742330-02324</p>
---	--


	<p>Part Number: <b>P172468</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FAIREY ARLON TXXW8C-CC25, SYNTEQ Media Dimensions: Outer Dia: 4.96" (126 mm) Inner Dia: 3.62" (92 mm) Length: 18.90" (480 mm) Performance: <math>\beta_{9\mu} = 2</math> <math>\beta_{19\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-02325</p>
---	---


	<p>Part Number: <b>P172969</b> Description: <b>Filter Wrench</b> Contents or Usage: SPIDER TYPE, 2-3/8" TO 4-3/4" (61MM TO 121MM) UPC Code: 742330-02327</p>
---	--


	<p>Part Number: <b>P172970</b> Description: <b>Filter Wrench</b> Contents or Usage: NYLON STRAP, FITS UP TO 6" DIA (152MM) UPC Code: 742330-02328</p>
--	---



















	<p>Part Number: <b>P172971</b> Description: <b>Filter Wrench</b> Contents or Usage: BAND TYPE, FOR FILTERS 4" TO 4-3/8" DIA (102MM-111MM) UPC Code: 742330-02329</p>
---	--

	<p>Part Number: <b>P172972</b> Description: <b>Filter Wrench</b> Contents or Usage: ADJUSTABLE BAND TYPE, FOR FILTERS 2-3/4" TO 4-1/4" (70MM-108MM) UPC Code: 742330-02330</p>
---	--

	<p>Part Number: <b>P172973</b> Description: <b>Filter Wrench</b> Contents or Usage: 1/2" SQ. DRIVE BAND, FOR FILTERS 4-1/8" TO 4-5/8" DIA (104MM-118MM) UPC Code: 742330-02331</p>
---	--











	<p>Part Number: <b>P172974</b> Description: <b>Filter Wrench</b> Contents or Usage: 1/2" SQ. DRIVE BAND, FOR FILTERS 4-5/8" TO 5-1/8" DIA (118MM - 131MM) UPC Code: 742330-02332</p>
---	--

	<p>Part Number: <b>P172975</b> Description: <b>Filter Wrench</b> Contents or Usage: 1/2" SQ. DRIVE BAND, FOR FILTERS 5-1/8" TO 5-5/8" DIA (131MM-141MM) UPC Code: 742330-02333</p>
---	--









	<p>Part Number: <b>P173027</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FAIREY ARLON 270Z1FFA, SYNTEQ Media Dimensions: Outer Dia: 2.87" (73 mm) Inner Dia: 1.26" (32 mm) Length: 3.90" (99 mm) Performance: <math>\beta_{3\mu} = 75</math> UPC Code: 742330-02334</p>		<p>Part Number: <b>P173036</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FAIREY ARLON 370L101A, SYNTEQ Media Dimensions: Outer Dia: 3.66" (93 mm) Inner Dia: 1.89" (48 mm) Length: 3.90" (99 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math> UPC Code: 742330-02343</p>
	<p>Part Number: <b>P173028</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FAIREY ARLON 270Z101A, SYNTEQ Media Dimensions: Outer Dia: 2.87" (73 mm) Inner Dia: 1.26" (32 mm) Length: 3.90" (99 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math> UPC Code: 742330-02335</p>		<p>Part Number: <b>P173037</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FAIREY ARLON 370L105A, SYNTEQ Media Dimensions: Outer Dia: 3.66" (93 mm) Inner Dia: 1.89" (48 mm) Length: 3.90" (99 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> UPC Code: 742330-02344</p>
	<p>Part Number: <b>P173029</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FAIREY ARLON 270Z105A, SYNTEQ Media Dimensions: Outer Dia: 2.87" (73 mm) Inner Dia: 1.26" (32 mm) Length: 3.90" (99 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> UPC Code: 742330-02336</p>		<p>Part Number: <b>P173038</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FAIREY ARLON 370L110A, SYNTEQ Media Dimensions: Outer Dia: 3.66" (93 mm) Inner Dia: 1.89" (48 mm) Length: 3.90" (99 mm) Performance: <math>\beta_{9\mu} = 2</math> <math>\beta_{19\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-02345</p>
	<p>Part Number: <b>P173030</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FAIREY ARLON 270Z110A, SYNTEQ Media Dimensions: Outer Dia: 2.87" (73 mm) Inner Dia: 1.26" (32 mm) Length: 3.90" (99 mm) Performance: <math>\beta_{9\mu} = 2</math> <math>\beta_{19\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-02337</p>		<p>Part Number: <b>P173039</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FAIREY ARLON 370Z2FFA, SYNTEQ Media Dimensions: Outer Dia: 3.66" (93 mm) Inner Dia: 1.89" (48 mm) Length: 7.87" (200 mm) Performance: <math>\beta_{3\mu} = 75</math> UPC Code: 742330-02346</p>
	<p>Part Number: <b>P173031</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FAIREY ARLON 270Z2FFA, SYNTEQ Media Dimensions: Outer Dia: 2.87" (73 mm) Inner Dia: 1.26" (32 mm) Length: 9.13" (232 mm) Performance: <math>\beta_{3\mu} = 75</math> UPC Code: 742330-02338</p>		<p>Part Number: <b>P173040</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FAIREY ARLON 370L201A, SYNTEQ Media Dimensions: Outer Dia: 3.66" (93 mm) Inner Dia: 1.89" (48 mm) Length: 7.87" (200 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math> UPC Code: 742330-02347</p>
	<p>Part Number: <b>P173032</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FAIREY ARLON 270L201A, SYNTEQ Media Dimensions: Outer Dia: 2.87" (73 mm) Inner Dia: 1.26" (32 mm) Length: 9.13" (232 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math> UPC Code: 742330-02339</p>		<p>Part Number: <b>P173041</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FAIREY ARLON 370L205A, SYNTEQ Media Dimensions: Outer Dia: 3.66" (93 mm) Inner Dia: 1.89" (48 mm) Length: 7.87" (200 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> UPC Code: 742330-02348</p>
	<p>Part Number: <b>P173033</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FAIREY ARLON 270L205A, SYNTEQ Media Dimensions: Outer Dia: 2.87" (73 mm) Inner Dia: 1.26" (32 mm) Length: 9.13" (232 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> UPC Code: 742330-02340</p>		<p>Part Number: <b>P173042</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FAIREY ARLON 370L210A, SYNTEQ Media Dimensions: Outer Dia: 3.66" (93 mm) Inner Dia: 1.89" (48 mm) Length: 7.87" (200 mm) Performance: <math>\beta_{9\mu} = 2</math> <math>\beta_{19\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-02349</p>
	<p>Part Number: <b>P173034</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FAIREY ARLON 270L210A, SYNTEQ Media Dimensions: Outer Dia: 2.87" (73 mm) Inner Dia: 1.26" (32 mm) Length: 9.13" (232 mm) Performance: <math>\beta_{9\mu} = 2</math> <math>\beta_{19\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-02341</p>		<p>Part Number: <b>P173043</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FAIREY ARLON 370Z3FFA, SYNTEQ Media Dimensions: Outer Dia: 3.66" (93 mm) Inner Dia: 1.89" (48 mm) Length: 12.60" (320 mm) Performance: <math>\beta_{3\mu} = 75</math> UPC Code: 742330-02350</p>
	<p>Part Number: <b>P173035</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FAIREY ARLON 370ZAFFA, SYNTEQ Media Dimensions: Outer Dia: 3.36" (85 mm) Inner Dia: 1.90" (48 mm) Length: 3.90" (99 mm) Performance: <math>\beta_{3\mu} = 75</math> UPC Code: 742330-02342</p>		<p>Part Number: <b>P173044</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FAIREY ARLON 370L301A, SYNTEQ Media Dimensions: Outer Dia: 3.66" (93 mm) Inner Dia: 1.89" (48 mm) Length: 12.60" (320 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math> UPC Code: 742330-02351</p>












	<p><b>Part Number:</b> P173045 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> FAIREY ARLON 370L305A, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 3.66" (93 mm) Inner Dia: 1.89" (48 mm) Length: 12.60" (320 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> <b>UPC Code:</b> 742330-02352</p>
	<p><b>Part Number:</b> P173046 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> FAIREY ARLON 370L310A, SYNTEQ Media <b>Dimensions:</b> Outer Dia: 3.66" (93 mm) Inner Dia: 1.89" (48 mm) Length: 12.60" (320 mm) <b>Performance:</b> <math>\beta_{9\mu} = 2</math> <math>\beta_{19\mu} = 20</math> <math>\beta_{25\mu} = 75</math> <b>UPC Code:</b> 742330-02353</p>
<del></del>	<del> <p><b>Part Number:</b> P173051 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> FAIREY ARLON ST6A120 <b>Dimensions:</b> Outer Dia: 4.96" (126 mm) Inner Dia: 3.26" (83 mm) Length: 8.31" (211 mm) <b>Performance:</b> <math>\beta_{90\mu} = 2</math> <b>UPC Code:</b> 742330-02354</p> </del>
	<p><b>Part Number:</b> P173052 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> FAIREY ARLON TXX6A10 <b>Dimensions:</b> Outer Dia: 4.96" (126 mm) Inner Dia: 3.26" (83 mm) Length: 8.31" (211 mm) <b>Performance:</b> <math>\beta_{25\mu} = 2</math> <math>\beta_{50\mu} = 20</math> <b>UPC Code:</b> 742330-02355</p>
	<p><b>Part Number:</b> P173053 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> FAIREY ARLON ST6A60 <b>Dimensions:</b> Outer Dia: 4.96" (126 mm) Inner Dia: 3.26" (83 mm) Length: 8.31" (211 mm) <b>Performance:</b> <math>\beta_{60\mu} = 2</math> <b>UPC Code:</b> 742330-02356</p>
	<p><b>Part Number:</b> P173055 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> FAIREY ARLON TXX8A10 <b>Dimensions:</b> Outer Dia: 4.96" (126 mm) Inner Dia: 3.26" (83 mm) Length: 11.42" (290 mm) <b>Performance:</b> <math>\beta_{25\mu} = 2</math> <math>\beta_{50\mu} = 20</math> <b>UPC Code:</b> 742330-02358</p>
	<p><b>Part Number:</b> P173057 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> FAIREY ARLON ST8C120 <b>Dimensions:</b> Outer Dia: 4.96" (126 mm) Inner Dia: 3.26" (83 mm) Length: 18.90" (480 mm) <b>Performance:</b> <math>\beta_{90\mu} = 2</math> <b>UPC Code:</b> 742330-02360</p>
	<p><b>Part Number:</b> P173058 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> FAIREY ARLON MB8C <b>Dimensions:</b> Outer Dia: 4.96" (126 mm) Inner Dia: 3.26" (83 mm) Length: 18.90" (480 mm) <b>Performance:</b> <math>\beta_{25\mu} = 2</math> <math>\beta_{50\mu} = 20</math> <b>UPC Code:</b> 742330-02361</p>
<del></del>	<del> <p><b>Part Number:</b> P173059 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> FAIREY ARLON ST8C60 <b>Dimensions:</b> Outer Dia: 4.96" (126 mm) Inner Dia: 3.26" (83 mm) Length: 18.90" (480 mm) <b>Performance:</b> <math>\beta_{60\mu} = 2</math> <b>UPC Code:</b> 742330-02362</p> </del>



















	<p><b>Part Number:</b> P173081 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> O &amp; K 1717467 <b>Dimensions:</b> Outer Dia: 6.00" (152 mm) Inner Dia: 3.94" (100 mm) Length: 25.40" (645 mm) <b>UPC Code:</b> 742330-10769</p>
	<p><b>Part Number:</b> P173104 <b>Description:</b> Hydraulic Electrical Indicator, 1.2 BAR N.C. <b>Contents or Usage:</b> INTANK ASSEMBLIES <b>UPC Code:</b> 742330-02363</p>
<del></del>	<del> <p><b>Part Number:</b> P173105 <b>Description:</b> Hydraulic Electrical Indicator, 3 BAR N.C. <b>Contents or Usage:</b> INTANK ASSEMBLIES <b>UPC Code:</b> 742330-02364</p> </del>
	<p><b>Part Number:</b> P173207 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> HITACHI 4227353, JOHN DEERE TH101885, TH111010, <b>Dimensions:</b> Outer Dia: 4.41" (112 mm) Inner Dia: 2.72" (69 mm) Length: 17.24" (438 mm) <b>Performance:</b> <math>\beta_{149\mu} = 75</math> <b>UPC Code:</b> 742330-10676</p>
	<p><b>Part Number:</b> P173238 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> HITACHI 4207841 <b>Dimensions:</b> Outer Dia: 2.01" (51 mm) Inner Dia: .91" (23 mm) Length: 5.73" (146 mm) <b>Performance:</b> <math>\beta_{149\mu} = 75</math> <b>UPC Code:</b> 742330-10677</p>
	<p><b>Part Number:</b> P173481 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> LIEBHERR7367204 <b>Dimensions:</b> Outer Dia: 3.27" (83 mm) Inner Dia: 1.57" (40 mm) Length: 7.72" (196 mm) <b>UPC Code:</b> 742330-10399</p>
	<p><b>Part Number:</b> P173482 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> LIEBHERR 7366869 <b>Dimensions:</b> Outer Dia: 5.98" (152 mm) Inner Dia: 3.54" (90 mm) Length: 32.83" (834 mm) <b>UPC Code:</b> 742330-10400</p>
	<p><b>Part Number:</b> P173483 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> LIEBHERR 7211198 <b>Dimensions:</b> Outer Dia: 5.98" (152 mm) Inner Dia: 3.35" (85 mm) Length: 16.34" (415 mm) <b>UPC Code:</b> 742330-10401</p>
	<p><b>Part Number:</b> P173484 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> LIEBHERR 7366101 <b>Dimensions:</b> Outer Dia: 5.98" (152 mm) Inner Dia: 3.35" (85 mm) Length: 24.57" (624 mm) <b>UPC Code:</b> 742330-10402</p>
	<p><b>Part Number:</b> P173485 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> CATERPILLAR, DEMAG <b>Dimensions:</b> Outer Dia: 4.65" (118 mm) Inner Dia: 2.32" (59 mm) Length: 6.50" (165 mm) <b>UPC Code:</b> 742330-10403</p>



	<p>Part Number: <b>P173486</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: ARGO P3062051 Dimensions: Outer Dia: 2.32" (59 mm) Inner Dia: 1.04" (26 mm) Length: 7.87" (200 mm) UPC Code: 742330-10404</p>
	<p>Part Number: <b>P173487</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: ARGO P2113221 Dimensions: Outer Dia: 4.33" (110 mm) Inner Dia: 2.87" (73 mm) Length: 12.83" (324 mm) UPC Code: 742330-10405</p>
	<p>Part Number: <b>P173488</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: ARGO P2093301 Dimensions: Outer Dia: 3.50" (89 mm) Inner Dia: 1.97" (50 mm) Length: 12.99" (330 mm) UPC Code: 742330-10406</p>
	<p>Part Number: <b>P173489</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: ARGO P2092301 Dimensions: Outer Dia: 3.27" (83 mm) Inner Dia: 1.97" (50 mm) Length: 8.94" (227 mm) UPC Code: 742330-10407</p>
	<p>Part Number: <b>P173490</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: LIEBHERR 7360470 Dimensions: Outer Dia: 3.94" (100 mm) Inner Dia: 2.48" (63 mm) Length: 18.27" (464 mm) UPC Code: 742330-10408</p>
	<p>Part Number: <b>P173491</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: LIEBHERR 7002501 Dimensions: Outer Dia: 3.94" (100 mm) Inner Dia: 2.48" (63 mm) Length: 13.50" (343 mm) UPC Code: 742330-10409</p>
	<p>Part Number: <b>P173521</b> Description: <b>Hydraulic Spin-on, Duramax®</b> Primary Appl.: JOHN DEERE RE38965 Dimensions: Outer Dia: 4.77" (121 mm) Thread Size: 1 3/4" - 12 Length: 11.63" (295 mm) Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math> UPC Code: 742330-08417</p>
	<p>Part Number: <b>P173543</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: COMMERCIAL FILTER 9053-5009 Dimensions: Outer Dia: 6.00" (152 mm) Inner Dia: 2.60" (66 mm) Length: 18.00" (457 mm) Performance: <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{16\mu} = 75</math> UPC Code: 742330-02365</p>









	<p>Part Number: <b>P173544</b> Description: <b>Hydraulic Breather Adapter</b> Contents or Usage: THREADED ADAPTER FOR HYDRAULIC ASSY UPC Code: 742330-02366</p>
	<p>Part Number: <b>P173545</b> Description: <b>Hydraulic Breather Adapter</b> Contents or Usage: THREADED ADAPTER FOR HYD ASSEMBLY UPC Code: 742330-02367</p>
	<p>Part Number: <b>P173573</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: Donaldson HFK08 ASSEMBLY, Media No 44 Dimensions: Outer Dia: 6.00" (152 mm) Inner Dia: 3.41" (87 mm) Length: 18.00" (457 mm) Performance: <math>\beta_{44\mu} = 2</math> UPC Code: 742330-02368</p>
	<p>Part Number: <b>P173578</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: KATO TRACKED CRANE Dimensions: Outer Dia: 3.10" (79 mm) Inner Dia: 1.71" (43 mm) Length: 4.22" (107 mm) UPC Code: 742330-02369</p>
	<p>Part Number: <b>P173579</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: VICKERS 361739, 941054 Dimensions: Outer Dia: 2.44" (62 mm) Inner Dia: 1.53" (39 mm) Length: 3.69" (94 mm) Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{20\mu} = 20</math> <math>\beta_{40\mu} = 75</math> UPC Code: 742330-02370</p>
	<p>Part Number: <b>P173580</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: VICKERS 361990, 941052 Dimensions: Outer Dia: 2.44" (62 mm) Inner Dia: 1.53" (39 mm) Length: 3.69" (94 mm) Performance: <math>\beta_{10\mu} = 2</math> UPC Code: 742330-02371</p>
	<p>Part Number: <b>P173581</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: VICKERS 361740, 941056 Dimensions: Outer Dia: 4.00" (102 mm) Inner Dia: 2.90" (74 mm) Length: 6.25" (159 mm) Performance: <math>\beta_{149\mu} = 75</math> UPC Code: 742330-02372</p>
	<p>Part Number: <b>P173582</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: VICKERS 361740, 941058 Dimensions: Outer Dia: 4.00" (102 mm) Inner Dia: 2.90" (74 mm) Length: 6.25" (159 mm) UPC Code: 742330-02373</p>
	<p>Part Number: <b>P173583</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: VICKERS 361992, 941060 Dimensions: Outer Dia: 4.00" (102 mm) Inner Dia: 2.90" (74 mm) Length: 6.25" (159 mm) Performance: <math>\beta_{30\mu} = 2</math> UPC Code: 742330-02374</p>











	<p>Part Number: <b>P173584</b>            Description: <b>Hydraulic Cartridge</b>            Primary Appl.: VICKERS 361741, 941062            Dimensions: Outer Dia: 4.00" (102 mm)            Inner Dia: 2.90" (74 mm)            Length: 6.25" (159 mm)</p> <p>UPC Code: 742330-02375</p>		<p>Part Number: <b>P173614</b>            Description: <b>Hydraulic Cartridge</b>            Primary Appl.: PARKER 909291, ROSAEN 51/52 CF25W            Dimensions: Outer Dia: 4.25" (108 mm)            Inner Dia: 3.12" (79 mm)            Length: 9.50" (241 mm)</p> <p>UPC Code: 742330-02404</p>
	<p>Part Number: <b>P173585</b>            Description: <b>Hydraulic Cartridge</b>            Primary Appl.: VICKERS 378991, 941064            Dimensions: Outer Dia: 5.50" (140 mm)            Inner Dia: 4.03" (102 mm)            Length: 8.63" (219 mm)</p> <p>UPC Code: 742330-02376</p>		<p>Part Number: <b>P173615</b>            Description: <b>Hydraulic Cartridge</b>            Primary Appl.: PARKER 909299, ROSAEN 51/52 CF149W            Dimensions: Outer Dia: 4.25" (108 mm)            Inner Dia: 3.12" (79 mm)            Length: 9.50" (241 mm)</p> <p>UPC Code: 742330-02405</p>
	<p>Part Number: <b>P173591</b>            Description: <b>Hydraulic Cartridge</b>            Primary Appl.: PARKER 901473, ROSAEN 3-S-10C            Dimensions: Outer Dia: 1.66" (42 mm)            Inner Dia: .69" (18 mm)            Length: 1.88" (48 mm)</p> <p>UPC Code: 742330-02382</p>		<p>Part Number: <b>P173617</b>            Description: <b>Hydraulic Cartridge</b>            Primary Appl.: PARKER 908643, ROSAEN 51/52 RF20C            Dimensions: Outer Dia: 4.25" (108 mm)            Inner Dia: 3.12" (79 mm)            Length: 9.50" (241 mm)</p> <p>UPC Code: 742330-02407</p>
	<p>Part Number: <b>P173592</b>            Description: <b>Hydraulic Cartridge</b>            Primary Appl.: PARKER 1485, ROSAEN 5-S-149W            Dimensions: Outer Dia: 2.84" (72 mm)            Inner Dia: 2.90" (74 mm)            Length: 2.25" (57 mm)</p> <p>UPC Code: 742330-02383</p>		<p>Part Number: <b>P173618</b>            Description: <b>Hydraulic Cartridge</b>            Primary Appl.: PARKER 908642            Dimensions: Outer Dia: 4.25" (108 mm)            Inner Dia: 3.12" (79 mm)            Length: 9.50" (241 mm)</p> <p>UPC Code: 742330-02408</p>
	<p>Part Number: <b>P173596</b>            Description: <b>Hydraulic Cartridge</b>            Primary Appl.: PARKER 901493, ROSAEN 10-S-20C            Dimensions: Outer Dia: 2.75" (70 mm)            Inner Dia: 1.69" (43 mm)            Length: 2.25" (57 mm)</p> <p>UPC Code: 742330-02387</p>		<p>Part Number: <b>P173621</b>            Description: <b>Hydraulic Cartridge</b>            Primary Appl.: PARKER 927097, ROSAEN 10-T-74W            Dimensions: Outer Dia: 2.56" (65 mm)            Inner Dia: 1.88" (48 mm)            Length: 2.00" (51 mm)</p> <p>UPC Code: 742330-02411</p>
	<p>Part Number: <b>P173597</b>            Description: <b>Hydraulic Cartridge</b>            Primary Appl.: PARKER 901494, ROSAEN 10-S-10C            Dimensions: Outer Dia: 2.75" (70 mm)            Inner Dia: 1.69" (43 mm)            Length: 2.25" (57 mm)</p> <p>UPC Code: 742330-02388</p>		<p>Part Number: <b>P173622</b>            Description: <b>Hydraulic Cartridge</b>            Primary Appl.: PARKER 922955, ROSAEN 20-IL, IH-40A            Dimensions: Outer Dia: 2.75" (70 mm)            Inner Dia: 1.69" (43 mm)            Length: 3.50" (89 mm)</p> <p>Performance: <math>\beta_{40\mu} = 2</math></p> <p>UPC Code: 742330-02412</p>
	<p>Part Number: <b>P173600</b>            Description: <b>Hydraulic Cartridge</b>            Primary Appl.: PARKER 922933, 1507, ROSAEN 10-S-74W            Dimensions: Outer Dia: 2.84" (72 mm)            Inner Dia: 2.44" (62 mm)            Length: 2.25" (57 mm)</p> <p>UPC Code: 742330-02391</p>		<p>Part Number: <b>P173623</b>            Description: <b>Hydraulic Cartridge</b>            Primary Appl.: PARKER 901825, 922992, ROSAEN 33-T-149W, 20IL, IH-149W            Dimensions: Outer Dia: 2.84" (72 mm)            Inner Dia: 2.44" (62 mm)            Length: 3.50" (89 mm)</p> <p>UPC Code: 742330-02413</p>
	<p>Part Number: <b>P173610</b>            Description: <b>Hydraulic Cartridge</b>            Primary Appl.: PARKER 927093, 1747, ROSAEN 150-S-74W            Dimensions: Outer Dia: 5.50" (140 mm)            Inner Dia: 4.81" (122 mm)            Length: 9.00" (229 mm)</p> <p>Performance: <math>\beta_{25\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <math>\beta_{45\mu} = 75</math></p> <p>UPC Code: 742330-02401</p>		<p>Part Number: <b>P173625</b>            Description: <b>Hydraulic Cartridge</b>            Primary Appl.: PARKER 927106, ROSAEN 65-T-74W            Dimensions: Outer Dia: 5.00" (127 mm)            Inner Dia: 4.50" (114 mm)            Length: 4.62" (117 mm)</p> <p>UPC Code: 742330-02415</p>
	<p>Part Number: <b>P173613</b>            Description: <b>Hydraulic Cartridge</b>            Primary Appl.: PARKER 909293, ROSAEN 51/52 CF74W            Dimensions: Outer Dia: 4.25" (108 mm)            Inner Dia: 3.12" (79 mm)            Length: 9.50" (241 mm)</p> <p>UPC Code: 742330-02403</p>		<p>Part Number: <b>P173689</b>            Description: <b>Hydraulic Spin-on, Duramax®</b>            Primary Appl.: CASE IH D149921            Dimensions: Outer Dia: 4.77" (121 mm)            Thread Size: 1 3/8" - 12            Length: 11.63" (295 mm)</p> <p>Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math></p> <p>UPC Code: 742330-08393</p>




	<p><b>Part Number:</b> P173702 <b>Description:</b> Hydraulic Spin-on, Duramax® <b>Primary Appl.:</b> Ag Chem Equipment 714122 <b>Dimensions:</b> Outer Dia: 3.13" (80 mm) Thread Size: 2" - 12 Length: 9.52" (242 mm) <b>Performance:</b> <math>\beta_{4\mu} = 2</math> <math>\beta_{12\mu} = 20</math> <math>\beta_{15\mu} = 75</math> <b>UPC Code:</b> 742330-08757</p>
	<p><b>Part Number:</b> P173736 <b>Description:</b> Hydraulic Spin-on, Duramax® <b>Primary Appl.:</b> SAUER SUNDSTRAND 9700810 <b>Dimensions:</b> Outer Dia: 3.82" (97 mm) Thread Size: 1 3/8" - 12 Length: 5.97" (152 mm) <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{16\mu} = 75</math> <b>UPC Code:</b> 742330-02421</p>
	<p><b>Part Number:</b> P173737 <b>Description:</b> Hydraulic Spin-on, Duramax® <b>Primary Appl.:</b> SAUER SUNDSTRAND 8700068 <b>Dimensions:</b> Outer Dia: 3.82" (97 mm) Thread Size: 1 3/8" - 12 Length: 9.44" (240 mm) <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{16\mu} = 75</math> <b>UPC Code:</b> 742330-02422</p>
	<p><b>Part Number:</b> P173738 <b>Description:</b> Hydraulic Spin-on <b>Primary Appl.:</b> CLARK 2792962, 2782050, 6" WITH 50 PSID IN BAFFLE BYPASS VALVE <b>Dimensions:</b> Outer Dia: 3.82" (97 mm) Thread Size: 7/8" - 14 Length: 5.97" (152 mm) <b>Performance:</b> <math>\beta_{7\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math> <b>Relief Valve:</b> 50 <b>UPC Code:</b> 742330-02423</p>
	<p><b>Part Number:</b> P173739 <b>Description:</b> Hydraulic Spin-on <b>Primary Appl.:</b> CLARK 2799807, 4.5" LONG WITH 50 PSID IN BYPASS VALVE <b>Dimensions:</b> Outer Dia: 3.82" (97 mm) Thread Size: 7/8" - 14 Length: 3.93" (100 mm) <b>Performance:</b> <math>\beta_{7\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math> <b>Relief Valve:</b> 50 <b>UPC Code:</b> 742330-02424</p>
	<p><b>Part Number:</b> P173760 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> HYCON 0660R010P <b>Dimensions:</b> Outer Dia: 4.49" (114 mm) Inner Dia: 2.68" (68 mm) Length: 13.09" (332 mm) <b>Relief Valve:</b> 43 <b>UPC Code:</b> 742330-02426</p>
	<p><b>Part Number:</b> P173780 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> SCHROEDER KM150, JM150 <b>Dimensions:</b> Outer Dia: 3.53" (90 mm) Inner Dia: 1.61" (41 mm) Length: 9.02" (229 mm) <b>Performance:</b> <math>\beta_{149\mu} = 2</math> <b>UPC Code:</b> 742330-02427</p>
	<p><b>Part Number:</b> P173781 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> SCHROEDER KM60, JM60 <b>Dimensions:</b> Outer Dia: 3.53" (90 mm) Inner Dia: 1.61" (41 mm) Length: 9.02" (229 mm) <b>Performance:</b> <math>\beta_{74\mu} = 2</math> <b>UPC Code:</b> 742330-02428</p>










	<p><b>Part Number:</b> P173893 <b>Description:</b> Hydraulic Indicator, 40 PSID Electric, 3 Wire DC <b>Contents or Usage:</b> Donaldson HMK04, HMK05, HMK25 ASSEMBLIES <b>UPC Code:</b> 742330-02429</p>
	<p><b>Part Number:</b> P173910 <b>Description:</b> Hydraulic Strainer <b>Primary Appl.:</b> SUCTION W/RELIEF VALVE <b>Dimensions:</b> Outer Dia: 2.63" (67 mm) Thread Size: 3/4" - 14 Length: 3.55" (90 mm) <b>Performance:</b> <math>\beta_{25\mu} = 2</math> <math>\beta_{40\mu} = 20</math> <b>Relief Valve:</b> 3 <b>UPC Code:</b> 742330-02431</p>
	<p><b>Part Number:</b> P173911 <b>Description:</b> Hydraulic Strainer <b>Primary Appl.:</b> SUCTION W/RELIEF VALVE <b>Dimensions:</b> Outer Dia: 2.63" (67 mm) Thread Size: 1" - NPT Length: 5.35" (136 mm) <b>Relief Valve:</b> 3 <b>UPC Code:</b> 742330-02432</p>
	<p><b>Part Number:</b> P173912 <b>Description:</b> Hydraulic Strainer <b>Primary Appl.:</b> SUCTION W/RELIEF VALVE <b>Dimensions:</b> Outer Dia: 3.38" (86 mm) Thread Size: 1-1/4" NPT Length: 6.85" (174 mm) <b>Relief Valve:</b> 3 <b>UPC Code:</b> 742330-02433</p>
	<p><b>Part Number:</b> P173913 <b>Description:</b> Hydraulic Strainer <b>Primary Appl.:</b> SUCTION W/RELIEF VALVE <b>Dimensions:</b> Outer Dia: 3.38" (86 mm) Thread Size: 1-1/2" NPT Length: 8.01" (203 mm) <b>Relief Valve:</b> 3 <b>UPC Code:</b> 742330-02434</p>
	<p><b>Part Number:</b> P173914 <b>Description:</b> Hydraulic Strainer <b>Primary Appl.:</b> SUCTION W/RELIEF VALVE <b>Dimensions:</b> Outer Dia: 3.94" (100 mm) Thread Size: 1 1/2" - NPT Length: 9.85" (250 mm) <b>Relief Valve:</b> 3 <b>UPC Code:</b> 742330-02435</p>
	<p><b>Part Number:</b> P173915 <b>Description:</b> Hydraulic Strainer <b>Primary Appl.:</b> SUCTION W/RELIEF VALVE <b>Dimensions:</b> Outer Dia: 3.94" (100 mm) Thread Size: 2" - NPT Length: 9.85" (250 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{10\mu} = 20</math> <math>\beta_{20\mu} = 75</math> <b>Relief Valve:</b> 3 <b>UPC Code:</b> 742330-02436</p>
	<p><b>Part Number:</b> P173916 <b>Description:</b> Hydraulic Strainer <b>Primary Appl.:</b> SUCTION W/RELIEF VALVE <b>Dimensions:</b> Outer Dia: 5.12" (130 mm) Thread Size: 1 1/2" - NPT Length: 10.10" (257 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{10\mu} = 20</math> <math>\beta_{20\mu} = 75</math> <b>Relief Valve:</b> 3 <b>UPC Code:</b> 742330-02437</p>



	<p>Part Number: <b>P173917</b> Description: <b>Hydraulic Strainer</b> Primary Appl.: SUCTION W/RELIEF VALVE Dimensions: Outer Dia: 5.12" (130 mm) Thread Size: 3" - NPT Length: 11.78" (299 mm)</p> <p>Performance: <math>\beta_{27\mu} = 2</math> <math>\beta_{35\mu} = 20</math> <math>\beta_{45\mu} = 75</math> Relief Valve: 3 UPC Code: 742330-02438</p>
	<p>Part Number: <b>P173929</b> Description: <b>Hydraulic Electrical Indicator, AC/DC, HIGH PRESS. 72 PSID</b></p> <p>Contents or Usage: USED ON HPK04 (REF. HPK042555 ) UPC Code: 742330-02439</p>
	<p>Part Number: <b>P173944</b> Description: <b>Hydraulic Electrical Indicator A.C.</b></p> <p>Contents or Usage: SPIN ON ASSY'S UPC Code: 742330-02441</p>
	<p>Part Number: <b>P173992</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: BOLIDEN ALLIS # 17-105-973-001, CRUSHER LUBE OIL FILTER</p> <p>Dimensions: Outer Dia: 6.00" (152 mm) Inner Dia: 3.34" (85 mm) Length: 14.38" (365 mm)</p> <p>Performance: <math>\beta_{20\mu} = 2</math> <math>\beta_{35\mu} = 20</math> UPC Code: 742330-08779</p>
	<p>Part Number: <b>P174243</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: SCHROEDER KK10</p> <p>Dimensions: Outer Dia: 3.85" (98 mm) Inner Dia: 1.61" (41 mm) Length: 18.25" (464 mm)</p> <p>Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-02443</p>
	<p>Part Number: <b>P174244</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: SCHROEDER KK25</p> <p>Dimensions: Outer Dia: 3.85" (98 mm) Inner Dia: 1.61" (41 mm) Length: 18.25" (464 mm)</p> <p>Performance: <math>\beta_{20\mu} = 2</math> <math>\beta_{35\mu} = 20</math> UPC Code: 742330-02444</p>
	<p>Part Number: <b>P174245</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: SCHROEDER KKS1</p> <p>Dimensions: Outer Dia: 3.85" (98 mm) Inner Dia: 1.61" (41 mm) Length: 18.25" (464 mm)</p> <p>Performance: <math>\beta_{3\mu} = 75</math> UPC Code: 742330-02445</p>
<del></del>	<p><del>Part Number: <b>P174246</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: SCHROEDER KKS16</del></p> <p>Dimensions: Outer Dia: 3.85" (98 mm) Inner Dia: 1.61" (41 mm) Length: 27.81" (706 mm)</p> <p>Performance: <math>\beta_{3\mu} = 75</math> UPC Code: 742330-02446</p>
	<p>Part Number: <b>P174247</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: SCHROEDER KKS3</p> <p>Dimensions: Outer Dia: 3.85" (98 mm) Inner Dia: 1.61" (41 mm) Length: 18.25" (464 mm)</p> <p>Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math> UPC Code: 742330-02447</p>










	<p>Part Number: <b>P174248</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: SCHROEDER KKS3</p> <p>Dimensions: Outer Dia: 3.85" (98 mm) Inner Dia: 1.61" (41 mm) Length: 27.81" (706 mm)</p> <p>Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math> UPC Code: 742330-02448</p>
	<p>Part Number: <b>P174249</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: SCHROEDER KKS7</p> <p>Dimensions: Outer Dia: 3.85" (98 mm) Inner Dia: 1.61" (41 mm) Length: 18.25" (464 mm)</p> <p>Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> UPC Code: 742330-02449</p>
	<p>Part Number: <b>P174250</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: SCHROEDER KKS7</p> <p>Dimensions: Outer Dia: 3.85" (98 mm) Inner Dia: 1.61" (41 mm) Length: 27.81" (706 mm)</p> <p>Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> UPC Code: 742330-02450</p>
	<p>Part Number: <b>P174260</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: SCHROEDER KKS15</p> <p>Dimensions: Outer Dia: 3.85" (98 mm) Inner Dia: 1.61" (41 mm) Length: 18.25" (464 mm)</p> <p>Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math> Relief Valve: None UPC Code: 742330-08744</p>
	<p>Part Number: <b>P174268</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: SCHROEDER KKS15</p> <p>Dimensions: Outer Dia: 3.85" (98 mm) Inner Dia: 1.61" (41 mm) Length: 27.81" (706 mm)</p> <p>Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math> Relief Valve: None UPC Code: 742330-08745</p>
	<p>Part Number: <b>P174290</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: PT1 PG-050-DH</p> <p>Dimensions: Outer Dia: 3.32" (84 mm) Inner Dia: 1.87" (47 mm) Length: 5.56" (141 mm)</p> <p>Performance: <math>\beta_{20\mu} = 2</math> <math>\beta_{35\mu} = 20</math> UPC Code: 742330-02451</p>
	<p>Part Number: <b>P174292</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: PT1 PG-050-HH</p> <p>Dimensions: Outer Dia: 3.32" (84 mm) Inner Dia: 1.87" (47 mm) Length: 5.56" (141 mm)</p> <p>Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math> UPC Code: 742330-02453</p>
	<p>Part Number: <b>P174293</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: PT1 PG-050-JH, PG-050-CH</p> <p>Dimensions: Outer Dia: 3.32" (84 mm) Inner Dia: 1.87" (47 mm) Length: 5.56" (141 mm)</p> <p>Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math> UPC Code: 742330-02454</p>
	<p>Part Number: <b>P174294</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: PT1 PG-080-DH</p> <p>Dimensions: Outer Dia: 3.32" (84 mm) Inner Dia: 1.87" (47 mm) Length: 10.12" (257 mm)</p> <p>Performance: <math>\beta_{20\mu} = 2</math> <math>\beta_{35\mu} = 20</math> UPC Code: 742330-02455</p>









	<b>Part Number:</b> P174295 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PTI PG-080-GH <b>Dimensions:</b> Outer Dia: 3.32" (84 mm) Inner Dia: 1.87" (47 mm) Length: 10.12" (257 mm) <b>Performance:</b> $\beta_{3\mu} = 75$ <b>UPC Code:</b> 742330-02456
	<b>Part Number:</b> P174296 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PTI PG-080-HH <b>Dimensions:</b> Outer Dia: 3.32" (84 mm) Inner Dia: 1.87" (47 mm) Length: 10.12" (257 mm) <b>Performance:</b> $\beta_{2\mu} = 2$ $\beta_{3\mu} = 20$ $\beta_{5\mu} = 75$ <b>UPC Code:</b> 742330-02457
	<b>Part Number:</b> P174297 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PTI PG-080-JH, PG-080-CH <b>Dimensions:</b> Outer Dia: 3.32" (84 mm) Inner Dia: 1.87" (47 mm) Length: 10.12" (257 mm) <b>Performance:</b> $\beta_{10\mu} = 2$ $\beta_{17\mu} = 20$ $\beta_{22\mu} = 75$ <b>UPC Code:</b> 742330-02458
	<b>Part Number:</b> P174298 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PTI PG-120-DH <b>Dimensions:</b> Outer Dia: 3.32" (84 mm) Inner Dia: 1.87" (47 mm) Length: 14.62" (371 mm) <b>Performance:</b> $\beta_{20\mu} = 2$ $\beta_{35\mu} = 20$ <b>UPC Code:</b> 742330-02459
	<b>Part Number:</b> P174299 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PTI PG-120-GH <b>Dimensions:</b> Outer Dia: 3.32" (84 mm) Inner Dia: 1.87" (47 mm) Length: 14.62" (371 mm) <b>Performance:</b> $\beta_{3\mu} = 75$ <b>UPC Code:</b> 742330-02460
	<b>Part Number:</b> P174300 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PTI PG-120-HH <b>Dimensions:</b> Outer Dia: 3.32" (84 mm) Inner Dia: 1.87" (47 mm) Length: 14.62" (371 mm) <b>Performance:</b> $\beta_{2\mu} = 2$ $\beta_{3\mu} = 20$ $\beta_{5\mu} = 75$ <b>UPC Code:</b> 742330-02461
	<b>Part Number:</b> P174301 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PTI PG-120-JH, PG-120-CH <b>Dimensions:</b> Outer Dia: 3.32" (84 mm) Inner Dia: 1.87" (47 mm) Length: 14.62" (371 mm) <b>Performance:</b> $\beta_{10\mu} = 2$ $\beta_{17\mu} = 20$ $\beta_{22\mu} = 75$ <b>UPC Code:</b> 742330-02462
	<b>Part Number:</b> P174396 <b>Description:</b> Hydraulic Electrical Indicator 50 PSID, 3 WIRE, AC/DC <b>Contents or Usage:</b> HMK03,HMK04,HMK05,HMK25,HBK04,HBK05 <b>UPC Code:</b> 742330-02463
	<b>Part Number:</b> P174486 <b>Description:</b> Vaccum Gauge <b>Contents or Usage:</b> Donaldson LPS04/LPS05 SERIES <b>UPC Code:</b> 742330-08122

<del></del>	<del> <b>Part Number:</b> P174523  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PALL HC8900FKP8H, HC8900FKP8Z  <b>Dimensions:</b> Outer Dia: 3.75" (95 mm)            Inner Dia: 2.21" (56 mm)            Length: 8.01" (202 mm)  <b>Performance:</b> <math>\beta_{3\mu} = 75</math>  <b>UPC Code:</b> 742330-02464         </del>
	<b>Part Number:</b> P174524 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC8900FKP13H, HC8900FKP13Z <b>Dimensions:</b> Outer Dia: 3.75" (95 mm) Inner Dia: 2.21" (56 mm) Length: 12.76" (324 mm) <b>Performance:</b> $\beta_{3\mu} = 75$ <b>UPC Code:</b> 742330-02465
	<b>Part Number:</b> P174525 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC8900FKP16H, HC8900FKP16Z <b>Dimensions:</b> Outer Dia: 3.75" (95 mm) Inner Dia: 2.21" (56 mm) Length: 16.68" (424 mm) <b>Performance:</b> $\beta_{3\mu} = 75$ <b>UPC Code:</b> 742330-02466
<del></del>	<del> <b>Part Number:</b> P174526  <b>Description:</b> Hydraulic Cartridge  <b>Primary Appl.:</b> PALL HC8900FKP8H  <b>Dimensions:</b> Outer Dia: 3.39" (86 mm)            Inner Dia: 1.96" (50 mm)            Length: 8.03" (204 mm)  <b>Performance:</b> <math>\beta_{3\mu} = 75</math>  <b>UPC Code:</b> 742330-02467         </del>
	<b>Part Number:</b> P174527 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC8800FKN8H <b>Dimensions:</b> Outer Dia: 3.39" (86 mm) Inner Dia: 1.96" (50 mm) Length: 8.03" (204 mm) <b>Performance:</b> $\beta_{2\mu} = 2$ $\beta_{3\mu} = 20$ $\beta_{5\mu} = 75$ <b>UPC Code:</b> 742330-02468
	<b>Part Number:</b> P174529 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC8800FKS8H <b>Dimensions:</b> Outer Dia: 3.39" (86 mm) Inner Dia: 1.96" (50 mm) Length: 8.03" (204 mm) <b>Performance:</b> $\beta_{2\mu} = 2$ $\beta_{7\mu} = 20$ $\beta_{10\mu} = 75$ <b>UPC Code:</b> 742330-02469
	<b>Part Number:</b> P174530 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC8800FKT8H <b>Dimensions:</b> Outer Dia: 3.39" (86 mm) Inner Dia: 1.96" (50 mm) Length: 8.03" (204 mm) <b>Performance:</b> $\beta_{10\mu} = 2$ $\beta_{17\mu} = 20$ $\beta_{22\mu} = 75$ <b>UPC Code:</b> 742330-02470
	<b>Part Number:</b> P174531 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC8800FKP13H <b>Dimensions:</b> Outer Dia: 3.39" (86 mm) Inner Dia: 1.96" (50 mm) Length: 12.76" (324 mm) <b>Performance:</b> $\beta_{3\mu} = 75$ <b>UPC Code:</b> 742330-02471
	<b>Part Number:</b> P174532 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC8800FKN13H <b>Dimensions:</b> Outer Dia: 3.39" (86 mm) Inner Dia: 1.96" (50 mm) Length: 12.76" (324 mm) <b>Performance:</b> $\beta_{2\mu} = 2$ $\beta_{3\mu} = 20$ $\beta_{5\mu} = 75$ <b>UPC Code:</b> 742330-02472





	<p><b>Part Number:</b> P174533 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC8800FKT13H <b>Dimensions:</b> Outer Dia: 3.39" (86 mm) Inner Dia: 1.96" (50 mm) Length: 12.76" (324 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> <b>UPC Code:</b> 742330-02473</p>
	<p><b>Part Number:</b> P174534 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC8800FKT13H <b>Dimensions:</b> Outer Dia: 3.39" (86 mm) Inner Dia: 1.96" (50 mm) Length: 12.76" (324 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math> <b>UPC Code:</b> 742330-02474</p>
	<p><b>Part Number:</b> P174535 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC8800FKP16H <b>Dimensions:</b> Outer Dia: 3.39" (86 mm) Inner Dia: 1.96" (50 mm) Length: 16.67" (423 mm) <b>Performance:</b> <math>\beta_{3\mu} = 75</math> <b>UPC Code:</b> 742330-02475</p>
	<p><b>Part Number:</b> P174536 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC8800FKS16H <b>Dimensions:</b> Outer Dia: 3.39" (86 mm) Inner Dia: 1.96" (50 mm) Length: 16.67" (423 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> <b>UPC Code:</b> 742330-02476</p>
	<p><b>Part Number:</b> P174537 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC8800FKT16H <b>Dimensions:</b> Outer Dia: 3.39" (86 mm) Inner Dia: 1.96" (50 mm) Length: 16.67" (423 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math> <b>UPC Code:</b> 742330-02477</p>
	<p><b>Part Number:</b> P174538 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC8200FKP8H <b>Dimensions:</b> Outer Dia: 3.38" (86 mm) Inner Dia: 1.53" (39 mm) Length: 8.03" (204 mm) <b>Performance:</b> <math>\beta_{3\mu} = 75</math> <b>UPC Code:</b> 742330-02478</p>
	<p><b>Part Number:</b> P174539 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC8200FKS8H <b>Dimensions:</b> Outer Dia: 3.38" (86 mm) Inner Dia: 1.53" (39 mm) Length: 8.03" (204 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> <b>UPC Code:</b> 742330-02479</p>
	<p><b>Part Number:</b> P174540 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC8200FKT8H <b>Dimensions:</b> Outer Dia: 3.38" (86 mm) Inner Dia: 1.53" (39 mm) Length: 8.03" (204 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math> <b>UPC Code:</b> 742330-02480</p>
	<p><b>Part Number:</b> P174544 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC8200FKT13H <b>Dimensions:</b> Outer Dia: 3.50" (89 mm) Inner Dia: 1.53" (39 mm) Length: 12.78" (325 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math> <b>UPC Code:</b> 742330-02484</p>










	<p><b>Part Number:</b> P174545 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC8200FKP16H <b>Dimensions:</b> Outer Dia: 3.50" (89 mm) Inner Dia: 1.53" (39 mm) Length: 16.68" (424 mm) <b>Performance:</b> <math>\beta_{3\mu} = 75</math> <b>UPC Code:</b> 742330-02485</p>
	<p><b>Part Number:</b> P174546 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC8200FKN16H <b>Dimensions:</b> Outer Dia: 3.50" (89 mm) Inner Dia: 1.53" (39 mm) Length: 16.68" (424 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math> <b>UPC Code:</b> 742330-02486</p>
	<p><b>Part Number:</b> P174547 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC8200FKS16H <b>Dimensions:</b> Outer Dia: 3.50" (89 mm) Inner Dia: 1.53" (39 mm) Length: 16.68" (424 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> <b>UPC Code:</b> 742330-02487</p>
	<p><b>Part Number:</b> P174548 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> PALL HC8200FKT16H <b>Dimensions:</b> Outer Dia: 3.50" (89 mm) Inner Dia: 1.53" (39 mm) Length: 16.68" (424 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math> <b>UPC Code:</b> 742330-02488</p>
	<p><b>Part Number:</b> P174552 <b>Description:</b> Hydraulic Spin-on, Duramax® <b>Primary Appl.:</b> NEW HOLLAND 9842392, JOHN DEERE M124541 <b>Dimensions:</b> Outer Dia: 3.82" (97 mm) Thread Size: 1 3/8" - 12 Length: 7.88" (200 mm) <b>Performance:</b> <math>\beta_{4\mu} = 2</math> <math>\beta_{12\mu} = 20</math> <math>\beta_{15\mu} = 75</math> <b>UPC Code:</b> 742330-02489</p>
	<p><del><b>Part Number:</b> P174559 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> FAIREY ARLON 290Z175A <b>Dimensions:</b> Outer Dia: 2.87" (73 mm) Inner Dia: 1.26" (32 mm) Length: 3.90" (99 mm) <b>Performance:</b> <math>\beta_{74\mu} = 2</math> <b>UPC Code:</b> 742330-02490</del></p>
	<p><del><b>Part Number:</b> P174560 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> FAIREY ARLON 290Z175A <b>Dimensions:</b> Outer Dia: 2.87" (73 mm) Inner Dia: 1.26" (32 mm) Length: 9.13" (232 mm) <b>Performance:</b> <math>\beta_{74\mu} = 2</math> <b>UPC Code:</b> 742330-02491</del></p>
	<p><del><b>Part Number:</b> P174561 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> FAIREY ARLON 290Z175A <b>Dimensions:</b> Outer Dia: 3.66" (93 mm) Inner Dia: 1.99" (48 mm) Length: 3.90" (99 mm) <b>Performance:</b> <math>\beta_{74\mu} = 2</math> <b>UPC Code:</b> 742330-02492</del></p>

	<p><b>Part Number:</b> P174562 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> FAIREY ARLON 390Z275A <b>Dimensions:</b> Outer Dia: 3.06" (93 mm) Inner Dia: 1.89" (48 mm) Length: 7.87" (200 mm) <b>Performance:</b> <math>\beta_{74\mu} = 2</math> <b>UPC Code:</b> 742330-02493</p>		<p><b>Part Number:</b> P174571 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> FAIREY ARLON TXW6A-CC3 <b>Dimensions:</b> Outer Dia: 4.96" (126 mm) Inner Dia: .41" (10 mm) Length: 8.31" (211 mm) <b>Performance:</b> <math>\beta_{3\mu} = 75</math> <b>UPC Code:</b> 742330-02502</p>
	<p><b>Part Number:</b> P174563 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> FAIREY ARLON 390Z375A <b>Dimensions:</b> Outer Dia: 3.66" (93 mm) Inner Dia: 1.89" (48 mm) Length: 12.60" (320 mm) <b>Performance:</b> <math>\beta_{74\mu} = 2</math> <b>UPC Code:</b> 742330-02494</p>		<p><b>Part Number:</b> P174572 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> FAIREY ARLON TXW8A-CC3 <b>Dimensions:</b> Outer Dia: 4.96" (126 mm) Inner Dia: .41" (10 mm) Length: 11.42" (290 mm) <b>Performance:</b> <math>\beta_{3\mu} = 75</math> <b>UPC Code:</b> 742330-02503</p>
	<p><b>Part Number:</b> P174564 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> FAIREY ARLON TXW2-CC3 <b>Dimensions:</b> Outer Dia: 2.82" (72 mm) Inner Dia: .32" (8 mm) Length: 4.17" (106 mm) <b>Performance:</b> <math>\beta_{3\mu} = 75</math> <b>UPC Code:</b> 742330-02495</p>		<p><b>Part Number:</b> P174573 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> FAIREY ARLON TXW8C-CC3 <b>Dimensions:</b> Outer Dia: 4.96" (126 mm) Inner Dia: .41" (10 mm) Length: 18.90" (480 mm) <b>Performance:</b> <math>\beta_{3\mu} = 75</math> <b>UPC Code:</b> 742330-02504</p>
	<p><b>Part Number:</b> P174565 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> FAIREY ARLON TXW3-CC3 <b>Dimensions:</b> Outer Dia: 2.82" (72 mm) Inner Dia: .32" (8 mm) Length: 5.91" (150 mm) <b>Performance:</b> <math>\beta_{3\mu} = 75</math> <b>UPC Code:</b> 742330-02496</p>		<p><b>Part Number:</b> P174610 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> ZINGA RE-409-10 <b>Dimensions:</b> Outer Dia: 3.94" (100 mm) Inner Dia: 1.95" (50 mm) Length: 9.11" (231 mm) <b>Performance:</b> <math>\beta_{27\mu} = 2</math> <math>\beta_{35\mu} = 20</math> <math>\beta_{45\mu} = 75</math> <b>UPC Code:</b> 742330-02505</p>
	<p><b>Part Number:</b> P174566 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> FAIREY ARLON TXW3D-CC3 <b>Dimensions:</b> Outer Dia: 2.82" (72 mm) Inner Dia: .32" (8 mm) Length: 7.87" (200 mm) <b>Performance:</b> <math>\beta_{3\mu} = 75</math> <b>UPC Code:</b> 742330-02497</p>		<p><b>Part Number:</b> P174611 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> ZINGA RE-409-25 <b>Dimensions:</b> Outer Dia: 3.94" (100 mm) Inner Dia: 1.95" (50 mm) Length: 9.11" (231 mm) <b>UPC Code:</b> 742330-02506</p>
	<p><b>Part Number:</b> P174567 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> FAIREY ARLON TXW3E-CC3 <b>Dimensions:</b> Outer Dia: 2.82" (72 mm) Inner Dia: .32" (8 mm) Length: 11.80" (300 mm) <b>Performance:</b> <math>\beta_{3\mu} = 75</math> <b>UPC Code:</b> 742330-02498</p>		<p><b>Part Number:</b> P174622 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> SCHROEDER KS1V <b>Dimensions:</b> Outer Dia: 3.85" (98 mm) Inner Dia: 1.61" (41 mm) Length: 9.02" (229 mm) <b>Performance:</b> <math>\beta_{3\mu} = 75</math> <b>UPC Code:</b> 742330-08129</p>
	<p><b>Part Number:</b> P174568 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> FAIREY ARLON TXW4-CC3 <b>Dimensions:</b> Outer Dia: 4.17" (106 mm) Inner Dia: .41" (10 mm) Length: 7.48" (190 mm) <b>Performance:</b> <math>\beta_{3\mu} = 75</math> <b>UPC Code:</b> 742330-02499</p>		<p><b>Part Number:</b> P174623 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> SCHROEDER KS3V <b>Dimensions:</b> Outer Dia: 3.85" (98 mm) Inner Dia: 1.61" (41 mm) Length: 9.02" (229 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math> <b>UPC Code:</b> 742330-08130</p>
	<p><b>Part Number:</b> P174569 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> FAIREY ARLON TXW5-CC3 <b>Dimensions:</b> Outer Dia: 4.18" (106 mm) Inner Dia: .41" (10 mm) Length: 10.29" (261 mm) <b>Performance:</b> <math>\beta_{3\mu} = 75</math> <b>UPC Code:</b> 742330-02500</p>		<p><b>Part Number:</b> P174624 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> SCHROEDER KS7V <b>Dimensions:</b> Outer Dia: 3.85" (98 mm) Inner Dia: 1.61" (41 mm) Length: 9.02" (229 mm) <b>Performance:</b> <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{16\mu} = 75</math> <b>UPC Code:</b> 742330-08131</p>
	<p><b>Part Number:</b> P174570 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> FAIREY ARLON TXW5A-CC3 <b>Dimensions:</b> Outer Dia: 4.17" (106 mm) Inner Dia: .41" (10 mm) Length: 18.31" (465 mm) <b>Performance:</b> <math>\beta_{3\mu} = 75</math> <b>UPC Code:</b> 742330-02501</p>		











	<p>Part Number: <b>P174675</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: CLARK 4202525 Dimensions: Outer Dia: 3.71" (94 mm) Thread Size: 2" - 16 Length: 5.97" (152 mm) Performance: <math>\beta_{7\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math> Relief Valve: 30 - 50 UPC Code: 742330-10628</p>		<p>Part Number: <b>P174773</b> Description: <b>Head Assembly Fuel</b> Primary Appl.: FOR P550958 SPIN ON FUEL FILTER Inlet Port: 3/8" NPT Outlet Port: 3/8" NPT Threaded Stud: 1 1/4" - 12 Bypass Valve: None UPC Code: 742330-08148</p>
	<p>Part Number: <b>P174749</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: PARKER 924455 Dimensions: Outer Dia: 3.68" (93 mm) Inner Dia: 1.75" (44 mm) Length: 9.00" (229 mm) Performance: <math>\beta_{44\mu} = 2</math> UPC Code: 742330-08135</p>		<p>Part Number: <b>P174774</b> Description: <b>Head Assembly Fuel</b> Primary Appl.: FOR P550959 FAMILY SPIN ON FUEL FILTER Inlet Port: 3/8" NPT Outlet Port: 3/8" NPT Threaded Stud: 1 1/16" - 16 Bypass Valve: None UPC Code: 742330-08149</p>
	<p>Part Number: <b>P174766</b> Description: <b>Head Assembly Coolant</b> Primary Appl.: FITS COOLANT FILTERS WITH 11/16"-16" THREADS. Mounting bracket is P174767 Inlet Port: 3/8" NPT Outlet Port: 3/8" NPT Threaded Stud: 11/16" - 16 Bypass Valve: None UPC Code: 742330-08159</p>		<p>Part Number: <b>P174775</b> Description: <b>Head Assembly Fuel</b> Primary Appl.: FOR P550248 SPIN ON FUEL FILTER Inlet Port: 1/4" NPT Outlet Port: 1/4" NPT Threaded Stud: M16 X 1.5 Bypass Valve: None UPC Code: 742330-08150</p>
	<p>Part Number: <b>P174767</b> Description: <b>Head Assembly Bracket</b> Contents or Usage: REMOTE MOUNT COOLANT HEAD, FOR P174766 UPC Code: 742330-08144</p>		<p>Part Number: <b>P174776</b> Description: <b>Head Assembly Lube</b> Primary Appl.: FOR P558615, P558616 SPIN ON LUBE FILTERS Inlet Port: 3/4" NPT Outlet Port: 3/4" NPT Threaded Stud: 1" - 16 Bypass Valve: None UPC Code: 742330-08151</p>
	<p>Part Number: <b>P174768</b> Description: <b>Head Assembly Fuel</b> Primary Appl.: FOR P550105 FAMILY SPIN ON FUEL FILTERS Inlet Port: 5/8" SAE O-RING Outlet Port: 5/8" SAE O-RING Threaded Stud: 1" - 14 Bypass Valve: None UPC Code: 742330-08160</p>		<p>Part Number: <b>P174777</b> Description: <b>Head Assembly Lube</b> Primary Appl.: FOR P550777 SPIN ON BY PASS FILTER Inlet Port: 3/8" NPT Outlet Port: 3/8" NPT Threaded Stud: 1 3/8" - 16 Bypass Valve: None UPC Code: 742330-08163</p>
	<p>Part Number: <b>P174769</b> Description: <b>Head Assembly Fuel</b> Primary Appl.: FOR P550105 FAMILY SPIN ON FUEL FILTERS Inlet Port: 1/2" NPT Outlet Port: 1/2" NPT Threaded Stud: 1" - 14 Bypass Valve: None UPC Code: 742330-08162</p>		<p>Part Number: <b>P174778</b> Description: <b>Adapter Kit</b> Contents or Usage: CONVERTS CUMMINS ENGINES MADE AFTER 1969 FROM, CARTRIDGE LUBE TO P551670 SPIN ON FILTER UPC Code: 742330-08152</p>
	<p>Part Number: <b>P174770</b> Description: <b>Head Assembly Fuel</b> Primary Appl.: FOR P550202 FAMILY SPIN ON FUEL FILTERS Inlet Port: 7/8"-14 Outlet Port: 7/8"-14 Threaded Stud: 1 1/4" - 12 Bypass Valve: None UPC Code: 742330-08145</p>		<p>Part Number: <b>P174779</b> Description: <b>Adapter Kit</b> Contents or Usage: CONVERTS DETROIT DIESEL ENGINES FROM CARTRIDGE, LUBE TO P551670 SPIN-ON FILTER UPC Code: 742330-08153</p>
	<p>Part Number: <b>P174771</b> Description: <b>Head Assembly Fuel</b> Primary Appl.: FOR P556915 FAMILY SPIN ON FUEL FILTERS Inlet Port: 3/8" NPT Outlet Port: 3/8" NPT Threaded Stud: 1" - 12 Bypass Valve: None UPC Code: 742330-08146</p>		<p>Part Number: <b>P174780</b> Description: <b>Head Assembly Lube</b> Primary Appl.: FOR P551670 FAMILY SPIN ON LUBE FILTERS Inlet Port: 1-1/4" NPT Outlet Port: 1-1/4" NPT Threaded Stud: 5/16" - 18 Bypass Valve: 40 psid UPC Code: 742330-08154</p>
	<p>Part Number: <b>P174772</b> Description: <b>Pressure Gauge, 25 psid</b> Contents or Usage: Donaldson LPS04/LPS05 SERIES UPC Code: 742330-08121</p>		<p>Part Number: <b>P174781</b> Description: <b>Head Assembly Lube</b> Primary Appl.: FOR P553000 SPIN ON LUBE FILTERS Inlet Port: 1-1/4" NPT Outlet Port: 1-1/4" NPT Threaded Stud: 2 1/4" - 12 Bypass Valve: None UPC Code: 742330-08155</p>









	<p>Part Number: <b>P174782</b> Description: <b>Head Assembly Lube</b> Primary Appl.: FOR P553000 SPIN ON LUBE FILTERS Inlet Port: 1" SAE O-RING Outlet Port: 1" SAE O-RING Threaded Stud: 2 1/4" - 12 Bypass Valve: None UPC Code: 742330-08156</p>
	<p>Part Number: <b>P174783</b> Description: <b>Head Assembly Lube</b> Primary Appl.: FOR P553000 SPIN ON LUBE FILTERS Inlet Port: 1-1/4" SAE O-RING Outlet Port: 1-1/4" SAE O-RING Threaded Stud: 2 1/4" - 12 Bypass Valve: None UPC Code: 742330-08157</p>
	<p>Part Number: <b>P174784</b> Description: <b>Head Assembly Transmission</b> Primary Appl.: FOR P550223 FAMILY SPIN ON TRANSMISSION FILTERS Inlet Port: 1" SAE O-RING Outlet Port: 1" SAE O-RING Threaded Stud: 1 5/16" - 12 Bypass Valve: 25 UPC Code: 742330-08158</p>
	<p>Part Number: <b>P174785</b> Description: <b>Head Assembly Fuel</b> Primary Appl.: FOR P556916 FAMILY SPIN ON FUEL FILTERS Inlet Port: 1/4" NPT Outlet Port: 1/4" NPT Threaded Stud: 13/16" - 12 Bypass Valve: None UPC Code: 742330-08147</p>
	<p>Part Number: <b>P174790</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: PALL HC6400FKN8H Dimensions: Outer Dia: 3.39" (86 mm) Inner Dia: 1.74" (44 mm) Length: 8.06" (205 mm) Performance: <math>\beta_{3\mu} = 75</math> UPC Code: 742330-08174</p>
	<p>Part Number: <b>P174791</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: PALL HC6400FKN13H Dimensions: Outer Dia: 3.39" (86 mm) Inner Dia: 1.74" (44 mm) Length: 12.86" (327 mm) Performance: <math>\beta_{3\mu} = 75</math> UPC Code: 742330-08175</p>
	<p>Part Number: <b>P174792</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: PALL HC6400FKN16H Dimensions: Outer Dia: 3.39" (86 mm) Inner Dia: 1.74" (44 mm) Length: 16.86" (428 mm) Performance: <math>\beta_{3\mu} = 75</math> UPC Code: 742330-08176</p>
	<p>Part Number: <b>P174793</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: PALL HC6400FKN26H Dimensions: Outer Dia: 3.39" (86 mm) Inner Dia: 1.74" (44 mm) Length: 25.66" (652 mm) Performance: <math>\beta_{3\mu} = 75</math> UPC Code: 742330-08177</p>
	<p>Part Number: <b>P174914</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: PARKER 932410 Dimensions: Outer Dia: 3.68" (93 mm) Inner Dia: 1.74" (44 mm) Length: 18.78" (477 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> UPC Code: 742330-08183</p>









	<p>Part Number: <b>P174915</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: PARKER 932409 Dimensions: Outer Dia: 3.68" (93 mm) Inner Dia: 1.74" (44 mm) Length: 9.09" (231 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> UPC Code: 742330-08184</p>
	<p>Part Number: <b>P174997</b> Description: <b>Gasket, Liquid Filter</b> Compound: Outer Dia: 5.51" (140 mm) Inner Dia: 5.21" (132 mm) Thickness: .13" (3 mm) Primary Appl.: OPTIONAL GASKET USED WITH P555603 UPC Code: 742330-10801</p>
	<p>Part Number: <b>P175798</b> Description: <b>Grommet</b> Contents or Usage: SUPPLIED WITH P550696 UPC Code: 742330-08418</p>
	<p>Part Number: <b>P176107</b> Description: <b>Hydraulic Spin-on, Duramax®</b> Primary Appl.: HMK03 FILTER ASSY'S Dimensions: Outer Dia: 3.11" (79 mm) Thread Size: 2" - 12 Length: 9.52" (242 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> Relief Valve: None UPC Code: 742330-10444</p>
	<p>Part Number: <b>P176136</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: PALL HC990AFUP13H Dimensions: Outer Dia: 3.79" (96 mm) Inner Dia: 2.20" (56 mm) Length: 12.74" (329 mm) Performance: <math>\beta_{74\mu} = 2</math> UPC Code: 742330-08722</p>
	<p>Part Number: <b>P176160</b> Description: <b>Fuel/Water Separator Cartridge</b> Primary Appl.: DAVCO 380 SERIES FUEL PRO FOR DET DIESEL ENGINES, includes o-rings, Standarf Version = P550969 Dimensions: Outer Dia: 3.82" (97 mm) Inner Dia: .68" (17 mm) Length: 6.77" (172 mm) UPC Code: 742330-08715</p>
	<p>Part Number: <b>P176202</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: HILCO PL718 Dimensions: Outer Dia: 6.00" (152 mm) Inner Dia: 3.19" (81 mm) Length: 18.00" (457 mm) Performance: <math>\beta_{2\mu} = 20</math> <math>\beta_{3\mu} = 75</math> Relief Valve: None UPC Code: 742330-08731</p>
	<p>Part Number: <b>P176203</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: HILCO PL718 Dimensions: Outer Dia: 6.00" (152 mm) Inner Dia: 3.19" (81 mm) Length: 18.00" (457 mm) Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math> Relief Valve: None UPC Code: 742330-08732</p>
	<p>Part Number: <b>P176204</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: HILCO PL718 Dimensions: Outer Dia: 6.00" (152 mm) Inner Dia: 3.19" (81 mm) Length: 18.00" (457 mm) Performance: <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{16\mu} = 75</math> Relief Valve: None UPC Code: 742330-08733</p>




















	<p><b>Part Number:</b> P176205 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> HILCO PL718 <b>Dimensions:</b> Outer Dia: 6.00" (152 mm) Inner Dia: 3.19" (81 mm) Length: 18.00" (457 mm) <b>Performance:</b> <math>\beta_{7\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math> <b>Relief Valve:</b> None <b>UPC Code:</b> 742330-08734</p>
	<p><b>Part Number:</b> P176207 <b>Description:</b> Hydraulic Spin-on, Duramax® <b>Primary Appl.:</b> NEW HOLLAND 9706161 <b>Dimensions:</b> Outer Dia: 4.77" (121 mm) Thread Size: 1 3/4" - 12 Length: 7.60" (193 mm) <b>Performance:</b> <math>\beta_{4\mu} = 2</math> <math>\beta_{12\mu} = 20</math> <math>\beta_{15\mu} = 75</math> <b>UPC Code:</b> 742330-08762</p>
	<p><b>Part Number:</b> P176208 <b>Description:</b> Hydraulic Spin-on, Duramax® <b>Primary Appl.:</b> CAT 9T-6636 <b>Dimensions:</b> Outer Dia: 4.77" (121 mm) Thread Size: 1 3/4" - 12 Length: 7.60" (193 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math> <b>UPC Code:</b> 742330-08763</p>
	<p><b>Part Number:</b> P176220 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson HAK05 ASSY <b>Dimensions:</b> Outer Dia: 4.39" (112 mm) Inner Dia: 2.44" (62 mm) Length: 8.00" (203 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> <b>Relief Valve:</b> None <b>UPC Code:</b> 742330-08739</p>
	<p><b>Part Number:</b> P176221 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson HAK05, HDK06 ASSY <b>Dimensions:</b> Outer Dia: 4.39" (112 mm) Inner Dia: 2.44" (62 mm) Length: 16.00" (406 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> <b>Relief Valve:</b> None <b>UPC Code:</b> 742330-08740</p>
	<p><b>Part Number:</b> P176222 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson HFK08 ASSY <b>Dimensions:</b> Outer Dia: 6.00" (152 mm) Inner Dia: 3.41" (87 mm) Length: 18.00" (457 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> <b>Relief Valve:</b> None <b>UPC Code:</b> 742330-08741</p>
	<p><b>Part Number:</b> P176223 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson HEK11 ASSY <b>Dimensions:</b> Outer Dia: 7.44" (189 mm) Inner Dia: 4.85" (123 mm) Length: 22.00" (559 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> <b>Relief Valve:</b> None <b>UPC Code:</b> 742330-08742</p>
	<p><b>Part Number:</b> P176323 <b>Description:</b> Hydraulic Spin-on <b>Primary Appl.:</b> SULLAIR 250025-524 <b>Dimensions:</b> Outer Dia: 3.66" (93 mm) Thread Size: .97" - 20 Length: 5.62" (143 mm) <b>Performance:</b> <math>\beta_{74\mu} = 2</math> <b>UPC Code:</b> 742330-08764</p>

















	<p><b>Part Number:</b> P176324 <b>Description:</b> Hydraulic Spin-on <b>Primary Appl.:</b> SULLAIR 250025-526 <b>Dimensions:</b> Outer Dia: 4.63" (118 mm) Thread Size: 1 1/4" - 11 Length: 6.27" (159 mm) <b>Performance:</b> <math>\beta_{74\mu} = 2</math> <b>UPC Code:</b> 742330-08765</p>
	<p><b>Part Number:</b> P176325 <b>Description:</b> Hydraulic Spin-on <b>Primary Appl.:</b> SULLAIR 250025-525 <b>Dimensions:</b> Outer Dia: 4.63" (118 mm) Thread Size: 1 1/4" - 11 Length: 11.27" (286 mm) <b>Performance:</b> <math>\beta_{74\mu} = 2</math> <b>UPC Code:</b> 742330-08766</p>
	<p><b>Part Number:</b> P176417 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> Donaldson HEK11 FILTER ASSY'S, # 2 MEDIA, REPLACES P165465 <b>Dimensions:</b> Outer Dia: 7.44" (189 mm) Inner Dia: 4.85" (123 mm) Length: 22.00" (559 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{3\mu} = 20</math> <math>\beta_{5\mu} = 75</math> <b>UPC Code:</b> 742330-08808</p>
	<p><b>Part Number:</b> P176431 <b>Description:</b> Oil Sampling Pump <b>Contents or Usage:</b> OIL ANALYSIS SAMPLING <b>UPC Code:</b> 742330-08816</p>
	<p><b>Part Number:</b> P176432 <b>Description:</b> Oil Sampling Valve <b>Contents or Usage:</b> OIL ANALYSIS SAMPLING <b>UPC Code:</b> 742330-08817</p>
	<p><b>Part Number:</b> P176433 <b>Description:</b> Oil Sampling Tubing <b>Contents or Usage:</b> OIL ANALYSIS SAMPLING <b>UPC Code:</b> 742330-08818</p>
	<p><b>Part Number:</b> P176565 <b>Description:</b> Hydraulic Spin-on, Duramax® <b>Primary Appl.:</b> Donaldson HMK04 ASSY'S <b>Dimensions:</b> Outer Dia: 3.82" (97 mm) Thread Size: 1 3/8" - 12 Length: 5.97" (152 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> <b>UPC Code:</b> 742330-08967</p>
	<p><b>Part Number:</b> P176566 <b>Description:</b> Hydraulic Spin-on, Duramax® <b>Primary Appl.:</b> Donaldson HMK04 ASSY'S <b>Dimensions:</b> Outer Dia: 3.82" (97 mm) Thread Size: 1 3/8" - 12 Length: 9.44" (240 mm) <b>Performance:</b> <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math> <b>UPC Code:</b> 742330-08968</p>

	<p>Part Number: <b>P176567</b>          Description: Hydraulic Spin-on, Duramax®          Primary Appl.: Donaldson HMK05, HMK25 ASSY'S          Dimensions: Outer Dia: 4.77" (121 mm)          Thread Size: 1 3/4" - 12          Length: 11.63" (295 mm)          Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math>          UPC Code: 742330-08969</p>
	<p>Part Number: <b>P176568</b>          Description: Head Assembly Hydraulic          Primary Appl.: DONALDSON HMK04 DURAMAX, ELECTRICAL INDICATOR          Inlet Port: 1" SAE O-RING          Outlet Port: 1" SAE O-RING          Threaded Stud: 1-3/8" - 12          Bypass Valve: 25          UPC Code:</p>
	<p>Part Number: <b>P176569</b>          Description: Head Assembly Hydraulic          Primary Appl.: DONALDSON HMK04 DURAMAX, ELECTRICAL INDICATOR          Inlet Port: 1" SAE O-RING          Outlet Port: 1" SAE O-RING          Threaded Stud: 1-3/8" - 12          Bypass Valve: 15          UPC Code:</p>
	<p>Part Number: <b>P176596</b>          Description: Hydraulic Cartridge          Primary Appl.: PALL HC8310FKS39H          Dimensions: Outer Dia: 6.00" (152 mm)          Inner Dia: 3.49" (89 mm)          Length: 37.80" (960 mm)          Performance: <math>\beta_{2\mu} = 2</math> <math>\beta_{7\mu} = 20</math> <math>\beta_{10\mu} = 75</math>          UPC Code: 742330-08979</p>
	<p>Part Number: <b>P177000</b>          Description: Hydraulic Cartridge          Primary Appl.: HYCON 0660D020BNHC          Dimensions: Outer Dia: 3.56" (90 mm)          Inner Dia: 1.89" (48 mm)          Length: 12.96" (329 mm)          UPC Code: 742330-10464</p>
	<p>Part Number: <b>P177001</b>          Description: Hydraulic Cartridge          Primary Appl.: HYCON 0110D020BNHC          Dimensions: Outer Dia: 1.85" (47 mm)          Inner Dia: .87" (22 mm)          Length: 6.02" (153 mm)          UPC Code: 742330-10465</p>
	<p>Part Number: <b>P177002</b>          Description: Hydraulic Cartridge          Primary Appl.: HYCON 0240D020BNHC          Dimensions: Outer Dia: 2.72" (69 mm)          Inner Dia: 1.34" (34 mm)          Length: 6.81" (173 mm)          UPC Code: 742330-10466</p>
	<p>Part Number: <b>P177003</b>          Description: Hydraulic Cartridge          Primary Appl.: HYCON 0330D020BNHC          Dimensions: Outer Dia: 3.56" (90 mm)          Inner Dia: 1.89" (48 mm)          Length: 6.42" (163 mm)          UPC Code: 742330-10467</p>









	<p>Part Number: <b>P177040</b>          Description: Hydraulic Cartridge Kit          Primary Appl.: Marathon 417-2125          UPC Code: 742330-10436</p>
	<p>Part Number: <b>P177047</b>          Description: Hydraulic Spin-on, Duramax®          Primary Appl.: JOHN DEERE T175002, #3 SYNTHETIC MEDIA, P164378 IS SAME BUT WITH #4 SYNTHETIC MEDIA          Dimensions: Outer Dia: 3.71" (94 mm)          Thread Size: 1 3/8" - 12          Length: 9.44" (240 mm)          UPC Code: 742330-10705</p>
	<p>Part Number: <b>P177049</b>          Description: Gasket, Liquid Filter          Compound: Outer Dia: 3.75" (95 mm)          Inner Dia: 1.83" (46 mm)          Primary Appl.: GRESEN 3277001, OPTIONAL WITH P553293          UPC Code: 742330-10758</p>
	<p>Part Number: <b>P177050</b>          Description: Gasket, Liquid Filter          Compound: Outer Dia: 2.11" (54 mm)          Inner Dia: 1.75" (44 mm)          Primary Appl.: GRESEN 3274001, 2 PACKAGED WITH P553293          UPC Code: 742330-10759</p>
	<p>Part Number: <b>P177051</b>          Description: Gasket          Compound: Rubber          Dimensions: Outer Dia: 4.74" (120 mm)          Inner Dia: 4.30" (109 mm)          Thickness: .25" (6 mm)          Primary Appl.: GRESEN 1576001, OPTIONAL WITH P553293          UPC Code: 742330-10757</p>
	<p>Part Number: <b>P178619</b>          Description: Hydraulic Spin-on, Duramax®          Primary Appl.: JOHN DEERE RE55801          Dimensions: Outer Dia: 3.71" (94 mm)          Thread Size: 1 3/8" - 12          Length: 4.47" (114 mm)          UPC Code: 742330-10780</p>
	<p>Part Number: <b>P179096</b>          Description: Transmission Cartridge Kit          Primary Appl.: ALLISON WORLD 3060 TRANSMISSION, # 29526898, KIT INCLUDES (2) 29509723 FILTERS PLUS SEALS          UPC Code: 742330-11128</p>
	<p>Part Number: <b>P179206</b>          Description: Transmission Cartridge Kit          Primary Appl.: ALLISON WORLD TRANSMISSION # 29526899, KIT INCLUDES (2) # 29501202 FILTERS PLUS SEAL KIT          UPC Code: 742330-11160</p>
	<p>Part Number: <b>P179322</b>          Description: Gasket          Compound: Nitrile          Dimensions: Outer Dia: 5.50" (140 mm)          Inner Dia: 5.25" (133 mm)          Thickness: .12" (3 mm)          Primary Appl.: OPTIONAL GASKET FOR P555603 &amp; P164906, 5.25" ID X 1/8" WIDE X 1/8" THICK          UPC Code: 742330-11171</p>









	<p><b>Part Number: P179354</b>  <b>Description: Gasket</b>          Compound:          Dimensions: Outer Dia: 5.00" (127 mm)          Inner Dia: 4.5" (114 mm)          Thickness: .31" (8 mm)          Primary Appl.: FOR USE WITH LPS05 AND HBK05 SERIES ELEMENTS, L SHAPE CROSS SECTION          UPC Code: 742330-11176</p>
	<p><b>Part Number: P181000</b>  <b>Description: Air Primary, Finned</b>          Primary Appl.: Donaldson FWA14 OR FWG14 CYCLOPAC A/C, P182000=Long Life Primary, P122529=UL Approved Primary, EON=EAF5000          Dimensions: Outer Dia: 11.09" (282 mm)          Inner Dia: 6.73" (171 mm)          Length: 12.00" (305 mm)          UPC Code: 742330-02507</p>
	<p><b>Part Number: P181001</b>  <b>Description: Air Primary, Finned</b>          Primary Appl.: Donaldson FWA16 OR FWG16 CYCLOPAC A/C, Long Life Primary=P182001, EON=EAF5001          Dimensions: Outer Dia: 12.09" (307 mm)          Inner Dia: 7.73" (196 mm)          Length: 14.00" (356 mm)          UPC Code: 742330-02508</p>
	<p><b>Part Number: P181002</b>  <b>Description: Air Primary</b>          Primary Appl.: Donaldson FHG16 CYCLOPAC A/C, Safety=P119372, Long Life Primary=P182002, EON=EAF5002          Dimensions: Outer Dia: 12.09" (307 mm)          Inner Dia: 7.73" (196 mm)          Length: 18.00" (457 mm)          UPC Code: 742330-02509</p>
	<p><b>Part Number: P181003</b>  <b>Description: Air Primary</b>          Primary Appl.: Donaldson EBA11 A/C, MACK, PACCAR, EON=EAF5003          Dimensions: Outer Dia: 8.84" (225 mm)          Inner Dia: 5.48" (139 mm)          Length: 22.00" (559 mm)          UPC Code: 742330-02510</p>
	<p><b>Part Number: P181004</b>  <b>Description: Air Primary</b>          Primary Appl.: Donaldson EBA15 A/C, COMBUSTION AIR MACK 57MD31          Dimensions: Outer Dia: 12.74" (324 mm)          Inner Dia: 8.38" (213 mm)          Length: 14.00" (356 mm)          UPC Code: 742330-02511</p>
	<p><b>Part Number: P181005</b>  <b>Description: Air Primary</b>          Primary Appl.: Donaldson EBA15 A/C, COOLING AIR MACK 57MD21          Dimensions: Outer Dia: 12.74" (324 mm)          Inner Dia: 8.38" (213 mm)          Length: 8.00" (203 mm)          UPC Code: 742330-02512</p>
	<p><b>Part Number: P181007</b>  <b>Description: Air Primary</b>          Primary Appl.: Donaldson EBA13 A/C, STANDARD, Long Life Primary=P182007          Dimensions: Outer Dia: 10.40" (264 mm)          Inner Dia: 6.04" (153 mm)          Length: 21.82" (554 mm)          UPC Code: 742330-02513</p>

















	<p><b>Part Number: P181008</b>  <b>Description: Air Primary</b>          Primary Appl.: Donaldson EBA15 AIR CLEANER, Long Life Primary=P182008          Dimensions: Outer Dia: 12.74" (324 mm)          Inner Dia: 8.38" (213 mm)          Length: 22.00" (559 mm)          UPC Code: 742330-02514</p>
	<p><b>Part Number: P181009</b>  <b>Description: Air Primary</b>          Primary Appl.: Donaldson EBA15 A/C, Long Life Primary=P182009          Dimensions: Outer Dia: 12.74" (324 mm)          Inner Dia: 8.38" (213 mm)          Length: 26.00" (660 mm)          UPC Code: 742330-02515</p>
	<p><b>Part Number: P181010</b>  <b>Description: Air Primary</b>          Primary Appl.: GMC PACCAR W/Donaldson FWG16 A/C          Dimensions: Outer Dia: 12.09" (307 mm)          Inner Dia: 7.73" (196 mm)          Length: 14.00" (356 mm)          UPC Code: 742330-02516</p>
	<p><b>Part Number: P181011</b>  <b>Description: Air Primary</b>          Primary Appl.: Donaldson EBA16 AIR CLEANER, Long Life Primary=P182011          Dimensions: Outer Dia: 13.84" (352 mm)          Inner Dia: 9.48" (241 mm)          Length: 26.00" (660 mm)          UPC Code: 742330-02517</p>
	<p><b>Part Number: P181012</b>  <b>Description: Air Primary</b>          Primary Appl.: Donaldson EBA16 A/C-STANDARD, GMC          Dimensions: Outer Dia: 13.83" (351 mm)          Inner Dia: 9.49" (241 mm)          Length: 19.00" (483 mm)          UPC Code: 742330-02518</p>
	<p><b>Part Number: P181013</b>  <b>Description: Air Primary, Finned</b>          Primary Appl.: FORD D0HZ9601F MOTORCRAFT F186, Safety=P524815          Dimensions: Outer Dia: 12.09" (307 mm)          Inner Dia: 7.73" (196 mm)          Length: 10.00" (254 mm)          UPC Code: 742330-02519</p>
	<p><b>Part Number: P181014</b>  <b>Description: Air Primary</b>          Primary Appl.: Donaldson EBA13 A/C, FORD D5HZ9601D          Dimensions: Outer Dia: 10.40" (264 mm)          Inner Dia: 6.04" (153 mm)          Length: 15.00" (381 mm)          UPC Code: 742330-02520</p>
	<p><b>Part Number: P181015</b>  <b>Description: Air Primary</b>          Primary Appl.: Donaldson EBB14 OR EGB14 A/C, IHC 476743C1, Long Life Primary=P182015          Dimensions: Outer Dia: 12.09" (307 mm)          Inner Dia: 7.73" (196 mm)          Length: 18.00" (457 mm)          UPC Code: 742330-02521</p>
	<p><b>Part Number: P181016</b>  <b>Description: Air Primary</b>          Primary Appl.: Donaldson EBA13 A/C, WHITE, FREIGHTLINER, Long Life Primary=P182016          Dimensions: Outer Dia: 10.40" (264 mm)          Inner Dia: 6.04" (153 mm)          Length: 26.00" (660 mm)          UPC Code: 742330-02522</p>



	<p>Part Number: <b>P181017</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson EBA11 A/C, Long Life Primary=P182017 Dimensions: Outer Dia: 8.84" (225 mm) Inner Dia: 5.48" (139 mm) Length: 28.00" (711 mm) UPC Code: 742330-02523</p>		<p>Part Number: <b>P181031</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson SBG16 DONACLONE A/C, Long Life Primary=P182031 Dimensions: Outer Dia: 13.83" (351 mm) Inner Dia: 9.49" (241 mm) Length: 14.00" (356 mm) UPC Code: 742330-02532</p>
	<p>Part Number: <b>P181018</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson EBB14 A/C, FORD D5HZ9601A Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.73" (196 mm) Length: 16.00" (406 mm) UPC Code: 742330-02524</p>		<p>Part Number: <b>P181032</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson SBG14 DONACLONE A/C, Long Life Primary=P182032 Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.73" (196 mm) Length: 10.00" (254 mm) UPC Code: 742330-02533</p>
	<p>Part Number: <b>P181019</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson EBB12 A/C, IHC 478974C1, EON=EAF5019 Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.04" (153 mm) Length: 11.90" (302 mm) UPC Code: 742330-02525</p>		<p>Part Number: <b>P181033</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson SBG12 DONACLONE, Long Life Primary=P182033 Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.96" (177 mm) Length: 9.00" (229 mm) UPC Code: 742330-02534</p>
	<p>Part Number: <b>P181021</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson EBB12 A/C, GMC 2009007, Long Life Primary=P182021 Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.04" (153 mm) Length: 10.00" (254 mm) UPC Code: 742330-02526</p>		<p>Part Number: <b>P181034</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson FHG12 CYCLOPAC A/C, Safety=P119374, Long Life Primary=P182034 Dimensions: Outer Dia: 9.21" (234 mm) Inner Dia: 4.85" (123 mm) Length: 13.00" (330 mm) UPC Code: 742330-02535</p>
	<p>Part Number: <b>P181023</b> Description: <b>Air Primary, Finned</b> Primary Appl.: FORD DOHZ9601A MOTORCRAFT FA573 Dimensions: Outer Dia: 11.09" (282 mm) Inner Dia: 6.73" (171 mm) Length: 16.00" (406 mm) UPC Code: 742330-02527</p>		<p>Part Number: <b>P181035</b> Description: <b>Air Primary, Finned</b> Primary Appl.: Donaldson FWA12 OR FWG12 CYCLOPAC A/C, Long Life Primary=P182035, Flame Retardant=P122525 Dimensions: Outer Dia: 9.21" (234 mm) Inner Dia: 4.85" (123 mm) Length: 10.00" (254 mm) UPC Code: 742330-02536</p>
	<p>Part Number: <b>P181024</b> Description: <b>Air Primary, Finned</b> Primary Appl.: MOTORCRAFT FA560, CAT 2N1990 Dimensions: Outer Dia: 9.21" (234 mm) Inner Dia: 4.85" (123 mm) Length: 8.00" (203 mm) UPC Code: 742330-02528</p>		<p>Part Number: <b>P181036</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson SBG16 DONACLONE, CAT 6L-3313, Long Life Primary=P182036 Dimensions: Outer Dia: 13.83" (351 mm) Inner Dia: 9.49" (241 mm) Length: 16.00" (406 mm) UPC Code: 742330-02537</p>
	<p>Part Number: <b>P181028</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson EBB12 OR EGB12 A/C, IHC 476741C1, Safety=P137640, Long Life Primary=P182028 Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.04" (153 mm) Length: 16.00" (406 mm) UPC Code: 742330-02530</p>		<p>Part Number: <b>P181037</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson SBG14 DONACLONE, Long Life Primary=P182037 Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.73" (196 mm) Length: 13.00" (330 mm) UPC Code: 742330-02538</p>
	<p>Part Number: <b>P181030</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson EBB14, 8.2L NAT&amp; 8.2L TURBO, FORD, GM, EON=EAF5030 Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.73" (196 mm) Length: 7.00" (178 mm) UPC Code: 742330-02531</p>		<p>Part Number: <b>P181038</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson SRG20/29 DONACLONE W/8" DIA. OUTLETS, Safety=P115070, Long Life Primary=P182028 Dimensions: Outer Dia: 17.58" (447 mm) Inner Dia: 11.07" (281 mm) Length: 23.06" (586 mm) UPC Code: 742330-02539</p>



	<p>Part Number: <b>P181039</b>          Description: <b>Air Primary</b>          Primary Appl.: Donaldson STG16 DONACLONE A/C, Safety=P114931, Long Life Primary=P182039          Dimensions: Outer Dia: 13.83" (351 mm)          Inner Dia: 9.49" (241 mm)          Length: 18.00" (457 mm)          UPC Code: 742330-02540</p>
	<p>Part Number: <b>P181040</b>          Description: <b>Air Primary</b>          Primary Appl.: Donaldson SRG20/29 Donaclone w/10" DIA. Outlets, Safety=P117781, Long Life Primary=P182040          Dimensions: Outer Dia: 17.58" (447 mm)          Inner Dia: 12.22" (310 mm)          Length: 23.03" (585 mm)          UPC Code: 742330-02541</p>
	<p>Part Number: <b>P181041</b>          Description: <b>Air Primary</b>          Primary Appl.: Donaldson STG14 DONACLONE A/C, Safety=P119370, Long Life Primary=P182041          Dimensions: Outer Dia: 12.09" (307 mm)          Inner Dia: 7.73" (196 mm)          Length: 16.00" (406 mm)          UPC Code: 742330-02542</p>
	<p>Part Number: <b>P181042</b>          Description: <b>Air Primary</b>          Primary Appl.: Donaldson STG16 DONACLONE, Safety=P128408, Long Life Primary=P182042          Dimensions: Outer Dia: 14.68" (373 mm)          Inner Dia: 10.34" (263 mm)          Length: 24.02" (610 mm)          UPC Code: 742330-02543</p>
	<p>Part Number: <b>P181043</b>          Description: <b>Air Primary</b>          Primary Appl.: Donaldson FVG14 CYCLOFLOW A/C, Safety=P124860, Long Life Primary=P182043          Dimensions: Outer Dia: 12.09" (307 mm)          Inner Dia: 7.73" (196 mm)          Length: 20.00" (508 mm)          UPC Code: 742330-02544</p>
	<p>Part Number: <b>P181044</b>          Description: <b>Air Primary</b>          Primary Appl.: Donaldson STG12 DONACLONE A/C, Safety=P119371, Long Life Primary=P182044          Dimensions: Outer Dia: 10.40" (264 mm)          Inner Dia: 6.04" (153 mm)          Length: 14.00" (356 mm)          UPC Code: 742330-02545</p>
	<p>Part Number: <b>P181045</b>          Description: <b>Air Primary, Finned</b>          Primary Appl.: Donaldson FWA10 OR FWG10 CYCLOPAC A/C, Long Life Primary=P182045          Dimensions: Outer Dia: 7.93" (201 mm)          Inner Dia: 4.57" (116 mm)          Length: 10.00" (254 mm)          UPC Code: 742330-02546</p>
	<p>Part Number: <b>P181046</b>          Description: <b>Air Primary</b>          Primary Appl.: Donaldson FHG14 CYCLOPAC A/C, Safety=P119373, Long Life Primary=P182046          Dimensions: Outer Dia: 11.09" (282 mm)          Inner Dia: 6.73" (171 mm)          Length: 16.00" (406 mm)          UPC Code: 742330-02547</p>









	<p>Part Number: <b>P181047</b>          Description: <b>Air Primary</b>          Primary Appl.: Donaldson FVG16 A/C, TEREX 9059569          Dimensions: Outer Dia: 13.83" (351 mm)          Inner Dia: 9.49" (241 mm)          Length: 22.03" (560 mm)          UPC Code: 742330-02548</p>
	<p>Part Number: <b>P181048</b>          Description: <b>Air Primary</b>          Primary Appl.: Donaldson SRG20 A/C, TEREX 9059570          Dimensions: Outer Dia: 17.58" (447 mm)          Inner Dia: 12.22" (310 mm)          Length: 19.03" (483 mm)          UPC Code: 742330-02549</p>
	<p>Part Number: <b>P181049</b>          Description: <b>Air Primary</b>          Primary Appl.: Donaldson FVG16 CYCLOFLOW A/C, Safety=P114664, Long Life Primary=P182049          Dimensions: Outer Dia: 12.74" (324 mm)          Inner Dia: 8.38" (213 mm)          Length: 24.03" (610 mm)          UPC Code: 742330-02550</p>
	<p>Part Number: <b>P181050</b>          Description: <b>Air Primary, Finned</b>          Primary Appl.: Donaldson FWA05 OR FWG05 CYCLOPAC A/C, FHG Safety=P120949, Long Life Primary=P182050, P122510=Flame Retardant          Dimensions: Outer Dia: 4.08" (104 mm)          Inner Dia: 2.49" (63 mm)          Length: 10.00" (254 mm)          UPC Code: 742330-02551</p>
	<p>Part Number: <b>P181052</b>          Description: <b>Air Primary, Finned</b>          Primary Appl.: Donaldson FWA06 OR FWG06 CYCLOPAC, Long Life Primary=P182052, P122514=Flame Retardant          Dimensions: Outer Dia: 5.25" (133 mm)          Inner Dia: 2.64" (67 mm)          Length: 11.00" (279 mm)          UPC Code: 742330-02552</p>
	<p>Part Number: <b>P181053</b>          Description: <b>Air Primary, Finned</b>          Primary Appl.: Donaldson FWD16 CYCLOPAC, DETROIT DIESEL          Dimensions: Outer Dia: 13.84" (352 mm)          Inner Dia: 9.47" (241 mm)          Length: 18.00" (457 mm)          UPC Code: 742330-02553</p>
	<p>Part Number: <b>P181054</b>          Description: <b>Air Primary, Finned</b>          Primary Appl.: Donaldson FWA08 OR FWG08 CYCLOPAC, Long Life Primary=P182054, P148968-High Pulsation Version          Dimensions: Outer Dia: 6.08" (154 mm)          Inner Dia: 3.49" (89 mm)          Length: 12.00" (305 mm)          UPC Code: 742330-02554</p>
	<p>Part Number: <b>P181055</b>          Description: <b>Air Primary</b>          Primary Appl.: Donaldson FVG16 A/C, WHITE, FREIGHTLINER, Safety=P138037          Dimensions: Outer Dia: 12.74" (324 mm)          Inner Dia: 8.38" (213 mm)          Length: 19.06" (484 mm)          UPC Code: 742330-02555</p>










	<p>Part Number: <b>P181056</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson EBB A/C, FRAM, IHC, WHITE, EON= EAF5056 Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.72" (196 mm) Length: 15.19" (386 mm) UPC Code: 742330-02556</p>		<p>Part Number: <b>P181064</b> Description: <b>Air Primary, Fined</b> Primary Appl.: Donaldson FHG10 CYCLOPAC, Safety=P119375, Long Life Primary=P182064 Dimensions: Outer Dia: 7.93" (201 mm) Inner Dia: 5.32" (135 mm) Length: 16.00" (406 mm) UPC Code: 742330-02564</p>
	<p>Part Number: <b>P181057</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson FWD16 OR FVG16, WHITE, FREIGHTLINER, Safety= P158050, EON= EAF5057 Dimensions: Outer Dia: 12.74" (324 mm) Inner Dia: 8.38" (213 mm) Length: 17.03" (433 mm) UPC Code: 742330-02557</p>		<p>Part Number: <b>P181065</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson EAD16 A/C, CUMMINS Dimensions: Outer Dia: 13.84" (352 mm) Inner Dia: 7.48" (190 mm) Length: 18.02" (458 mm) UPC Code: 742330-02565</p>
	<p>Part Number: <b>P181058</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson EBA16 A/C, PACCAR Dimensions: Outer Dia: 13.83" (351 mm) Inner Dia: 9.49" (241 mm) Length: 23.00" (584 mm) UPC Code: 742330-02558</p>		<p>Part Number: <b>P181066</b> Description: <b>Air Primary, Fined</b> Primary Appl.: Donaldson FWA16 A/C, PACCAR Dimensions: Outer Dia: 13.83" (351 mm) Inner Dia: 9.49" (241 mm) Length: 14.00" (356 mm) UPC Code: 742330-02566</p>
	<p>Part Number: <b>P181059</b> Description: <b>Air Primary, Fined</b> Primary Appl.: Donaldson FHG08 CYCLOPAC A/C, Safety=P112212, High Pulsation Primary=P148573 Dimensions: Outer Dia: 6.08" (154 mm) Inner Dia: 3.49" (89 mm) Length: 15.00" (381 mm) UPC Code: 742330-02559</p>		<p>Part Number: <b>P181068</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson SBG08 DONACLONE A/C, P122521-Flame Retardant Version , Long Life Primary=P182068 Dimensions: Outer Dia: 6.84" (174 mm) Inner Dia: 4.24" (108 mm) Length: 9.00" (229 mm) UPC Code: 742330-02568</p>
	<p>Part Number: <b>P181060</b> Description: <b>Air Primary, Fined</b> Primary Appl.: Donaldson FWD16 A/C, WHITE, FREIGHTLINER Dimensions: Outer Dia: 13.84" (352 mm) Inner Dia: 7.48" (190 mm) Length: 12.00" (305 mm) UPC Code: 742330-02560</p>		<p>Part Number: <b>P181070</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson FTG11 CYCLOPAC A/C, Safety=P124046, Long Life Primary=P182070 Dimensions: Outer Dia: 9.14" (232 mm) Inner Dia: 5.78" (147 mm) Length: 18.00" (457 mm) UPC Code: 742330-02569</p>
	<p>Part Number: <b>P181061</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson EBA16 A/C, GMC 717714 Dimensions: Outer Dia: 13.83" (351 mm) Inner Dia: 9.49" (241 mm) Length: 25.00" (635 mm) UPC Code: 742330-02561</p>		<p>Part Number: <b>P181071</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson SBG10 DONACLONE A/C, Long Life Primary=P182071 Dimensions: Outer Dia: 8.40" (213 mm) Inner Dia: 5.79" (147 mm) Length: 11.00" (279 mm) UPC Code: 742330-02570</p>
	<p>Part Number: <b>P181062</b> Description: <b>Air Primary, Fined</b> Primary Appl.: Donaldson FHG06 CYCLOPAC A/C, Safety=P119539, P148586=High Pulsation Primary Dimensions: Outer Dia: 5.25" (133 mm) Inner Dia: 3.26" (83 mm) Length: 15.00" (381 mm) UPC Code: 742330-02562</p>		<p>Part Number: <b>P181072</b> Description: <b>Air Primary, Fined</b> Primary Appl.: Donaldson FHG05 CYCLOPAC A/C, Safety=P120307, P148967=High Pulsation Version Dimensions: Outer Dia: 4.08" (104 mm) Inner Dia: 2.49" (63 mm) Length: 14.00" (356 mm) UPC Code: 742330-02571</p>
	<p>Part Number: <b>P181063</b> Description: <b>Air Primary, Fined</b> Primary Appl.: Donaldson FHG09 CYCLOPAC A/C, Safety=P119778, Long Life Primary=P182063 Dimensions: Outer Dia: 6.84" (174 mm) Inner Dia: 4.24" (108 mm) Length: 16.00" (406 mm) UPC Code: 742330-02563</p>		<p>Part Number: <b>P181073</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson FTG15 CYCLOPAC A/C, Safety=P127313 Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.73" (196 mm) Length: 19.00" (483 mm) UPC Code: 742330-02572</p>

	<p>Part Number: <b>P181074</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson EBA13 A/C, MACK 57MD29305 Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.96" (177 mm) Length: 11.00" (279 mm) UPC Code: 742330-02573</p>
	<p>Part Number: <b>P181075</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson EBA13 A/C, MACK 57MD29305P2 Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.04" (153 mm) Length: 14.00" (356 mm) UPC Code: 742330-02574</p>
	<p>Part Number: <b>P181076</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson EAD16 A/C, FORD D5HZ9601B Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.73" (196 mm) Length: 16.00" (406 mm) UPC Code: 742330-02575</p>
	<p>Part Number: <b>P181077</b> Description: <b>Air Primary, Finned</b> Primary Appl.: Donaldson FHG14 A/C, JOY, COLT Dimensions: Outer Dia: 11.09" (282 mm) Inner Dia: 6.73" (171 mm) Length: 15.00" (381 mm) UPC Code: 742330-02576</p>
	<p>Part Number: <b>P181078</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson FVG14 CYCLOFLOW A/C Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.73" (196 mm) Length: 23.00" (584 mm) UPC Code: 742330-02577</p>
	<p>Part Number: <b>P181079</b> Description: <b>Air Primary, Finned</b> Primary Appl.: Donaldson FHG16 A/C, JOY, COLT Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.73" (196 mm) Length: 18.00" (457 mm) UPC Code: 742330-02578</p>
	<p>Part Number: <b>P181080</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson FTG11 CYCLOPAC, NISSAN 16546-Z9004, Safety=P127315 Dimensions: Outer Dia: 9.14" (232 mm) Inner Dia: 5.78" (147 mm) Length: 13.00" (330 mm) UPC Code: 742330-02579</p>
	<p>Part Number: <b>P181082</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson FTG13 CYCLOPAC A/C, Safety=P138722 Dimensions: Outer Dia: 10.86" (276 mm) Inner Dia: 6.50" (165 mm) Length: 20.00" (508 mm) UPC Code: 742330-02580</p>
	<p>Part Number: <b>P181084</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson EAD11 A/C, MACK 57MD32 Dimensions: Outer Dia: 8.84" (225 mm) Inner Dia: 5.48" (139 mm) Length: 7.00" (178 mm) UPC Code: 742330-02581</p>

	<p>Part Number: <b>P181086</b> Description: <b>Air Primary</b> Primary Appl.: MANN &amp; HUMMEL C15165 Dimensions: Outer Dia: 5.83" (148 mm) Inner Dia: 2.83" (72 mm) Length: 12.80" (325 mm) UPC Code: 742330-02582</p>
	<p>Part Number: <b>P181087</b> Description: <b>Air Primary</b> Primary Appl.: MANN &amp; HUMMEL C23440 Dimensions: Outer Dia: 8.93" (227 mm) Inner Dia: 4.56" (116 mm) Length: 14.61" (371 mm) UPC Code: 742330-02583</p>
	<p>Part Number: <b>P181088</b> Description: <b>Air Primary</b> Primary Appl.: MANN &amp; HUMMEL C17225/3, Safety=P776694 Dimensions: Outer Dia: 6.47" (164 mm) Inner Dia: 3.41" (87 mm) Length: 13.38" (340 mm) UPC Code: 742330-02584</p>
	<p>Part Number: <b>P181089</b> Description: <b>Air Primary</b> Primary Appl.: MANN &amp; HUMMEL C15165/3, Safety=P777524 Dimensions: Outer Dia: 5.83" (148 mm) Inner Dia: 2.83" (72 mm) Length: 12.80" (325 mm) UPC Code: 742330-02585</p>
	<p>Part Number: <b>P181090</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson EGB10 A/C, TEREX 9059575 Dimensions: Outer Dia: 9.21" (234 mm) Inner Dia: 4.85" (123 mm) Length: 16.00" (406 mm) UPC Code: 742330-02586</p>
	<p>Part Number: <b>P181091</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson EGB12 A/C, JOHN DEERE AR70106 Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.04" (153 mm) Length: 20.00" (508 mm) UPC Code: 742330-02587</p>
	<p>Part Number: <b>P181092</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson EGB09 A/C, TEREX 9059577, Safety=P130772, Long Life Primary=P182091 Dimensions: Outer Dia: 7.63" (194 mm) Inner Dia: 4.29" (109 mm) Length: 16.00" (406 mm) UPC Code: 742330-02588</p>
	<p>Part Number: <b>P181093</b> Description: <b>Air Primary, Finned</b> Primary Appl.: Donaldson FHG08 A/C, MASSEY FERG 1096468M91, Safety=P124767 Dimensions: Outer Dia: 6.08" (154 mm) Inner Dia: 3.49" (89 mm) Length: 11.00" (279 mm) UPC Code: 742330-02589</p>
	<p>Part Number: <b>P181095</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson EBB16 A/C, VOLVO/WHITE 22005-3201 Dimensions: Outer Dia: 13.83" (351 mm) Inner Dia: 9.49" (241 mm) Length: 15.50" (394 mm) UPC Code: 742330-02590</p>











	<p>Part Number: <b>P181096</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson EBB15 A/C, VOLVO/WHITE 22005-3202 Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.73" (196 mm) Length: 15.00" (381 mm) UPC Code: 742330-02591</p>
	<p>Part Number: <b>P181097</b> Description: <b>Air Primary</b> Primary Appl.: UNITED 250D32S, GMC 2034764 Dimensions: Outer Dia: 8.84" (225 mm) Inner Dia: 5.48" (139 mm) Length: 27.50" (698 mm) UPC Code: 742330-02592</p>
	<p>Part Number: <b>P181098</b> Description: <b>Air Primary</b> Primary Appl.: UNITED 250D31S, GMC 2034763 Dimensions: Outer Dia: 8.84" (225 mm) Inner Dia: 5.48" (139 mm) Length: 21.60" (549 mm) UPC Code: 742330-02593</p>
	<p>Part Number: <b>P181099</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson EBB16, IHC, GMC, Long Life Primary-P182099 Dimensions: Outer Dia: 13.83" (351 mm) Inner Dia: 9.49" (241 mm) Length: 18.06" (459 mm) UPC Code: 742330-02594</p>
	<p>Part Number: <b>P181100</b> Description: <b>Air Primary</b> Primary Appl.: CUMMINS, FLEETGUARD AF263 Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.73" (196 mm) Length: 16.00" (406 mm) UPC Code: 742330-02595</p>
	<p>Part Number: <b>P181102</b> Description: <b>Air Primary</b> Primary Appl.: CAT 7M-9045, 7W-5316, SFTY=P521845 w/10 holes, SFTY=P158663 w/8 STUDS Dimensions: Outer Dia: 11.09" (282 mm) Inner Dia: 6.73" (171 mm) Length: 16.06" (408 mm) UPC Code: 742330-02596</p>
	<p>Part Number: <b>P181103</b> Description: <b>Air Primary</b> Primary Appl.: CAT 4M-8044, 7W-5389, SFTY=P533803 w/holes 9", SFTY=P158661 w/studs, SFTY=P158678 w/8 holes Dimensions: Outer Dia: 9.22" (234 mm) Inner Dia: 4.84" (123 mm) Length: 12.00" (305 mm) UPC Code: 742330-02597</p>
	<p>Part Number: <b>P181104</b> Description: <b>Air Primary</b> Primary Appl.: CAT 4M-9334, 7W-5317, SFTY=P158662 w/8 studs, SFTY=P158669 W/10 holes Dimensions: Outer Dia: 11.09" (282 mm) Inner Dia: 6.73" (171 mm) Length: 13.00" (330 mm) UPC Code: 742330-02598</p>



















	<p>Part Number: <b>P181105</b> Description: <b>Air Primary</b> Primary Appl.: CAT 4M-9378 Dimensions: Outer Dia: 8.40" (213 mm) Inner Dia: 4.04" (103 mm) Length: 10.00" (254 mm) UPC Code: 742330-02599</p>
	<p>Part Number: <b>P181106</b> Description: <b>Air Primary</b> Primary Appl.: CAT 4L-9852 Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.04" (153 mm) Length: 11.75" (298 mm) UPC Code: 742330-02600</p>
	<p>Part Number: <b>P181107</b> Description: <b>Air Primary</b> Primary Appl.: CAT 4L-9851 Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.04" (153 mm) Length: 7.75" (197 mm) UPC Code: 742330-02601</p>
	<p>Part Number: <b>P181108</b> Description: <b>Air Primary</b> Primary Appl.: CAT 4L-9853 Dimensions: Outer Dia: 13.83" (351 mm) Inner Dia: 9.49" (241 mm) Length: 11.75" (298 mm) UPC Code: 742330-02602</p>
	<p>Part Number: <b>P181109</b> Description: <b>Air Primary</b> Primary Appl.: CAT 5L-1203 Dimensions: Outer Dia: 13.83" (351 mm) Inner Dia: 9.49" (241 mm) Length: 17.75" (451 mm) UPC Code: 742330-02603</p>
	<p>Part Number: <b>P181113</b> Description: <b>Air Primary</b> Primary Appl.: CAT 4S-8833 Dimensions: Outer Dia: 12.74" (324 mm) Inner Dia: 8.38" (213 mm) Length: 9.31" (236 mm) UPC Code: 742330-02604</p>
	<p>Part Number: <b>P181114</b> Description: <b>Air Primary</b> Primary Appl.: CAT 4S-8837 Dimensions: Outer Dia: 12.74" (324 mm) Inner Dia: 8.38" (213 mm) Length: 14.04" (357 mm) UPC Code: 742330-02605</p>
	<p>Part Number: <b>P181115</b> Description: <b>Air Primary</b> Primary Appl.: CAT 5S-4282 Dimensions: Outer Dia: 13.83" (351 mm) Inner Dia: 9.49" (241 mm) Length: 15.68" (398 mm) UPC Code: 742330-02606</p>
	<p>Part Number: <b>P181118</b> Description: <b>Air Primary</b> Primary Appl.: CAT 1P-7716, 7W-5495, Safety=P158670 w/8 holes Dimensions: Outer Dia: 11.49" (292 mm) Inner Dia: 8.12" (206 mm) Length: 13.00" (330 mm) UPC Code: 742330-02607</p>































	<p>Part Number: <b>P181119</b> Description: <b>Air Primary</b> Primary Appl.: CAT 4N-0326 Dimensions: Outer Dia: 6.84" (174 mm) Inner Dia: 3.48" (88 mm) Length: 12.00" (305 mm) UPC Code: 742330-02608</p>
	<p>Part Number: <b>P181120</b> Description: <b>Air Primary</b> Primary Appl.: CAT 1P-8483, 7W-5313, SFTY-P158675 12", SFTY-P158677 15" both w/10 hls Dimensions: Outer Dia: 12.49" (317 mm) Inner Dia: 7.72" (196 mm) Length: 9.00" (229 mm) UPC Code: 742330-02609</p>
	<p>Part Number: <b>P181123</b> Description: <b>Air Primary</b> Primary Appl.: CAT 7N-1225 Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.04" (153 mm) Length: 9.00" (229 mm) UPC Code: 742330-02610</p>
	<p>Part Number: <b>P181124</b> Description: <b>Air Primary</b> Primary Appl.: CAT 1W-2516, 7W-5216, Safety=P158675 W/10 holes Dimensions: Outer Dia: 12.49" (317 mm) Inner Dia: 9.13" (232 mm) Length: 18.50" (470 mm) UPC Code: 742330-02611</p>
	<p>Part Number: <b>P181125</b> Description: <b>Air Primary</b> Primary Appl.: CAT 7N-9028, Safety=P527530 Dimensions: Outer Dia: 8.40" (213 mm) Inner Dia: 4.04" (103 mm) Length: 5.35" (136 mm) UPC Code: 742330-02612</p>
	<p>Part Number: <b>P181126</b> Description: <b>Air Primary</b> Primary Appl.: CAT 8N-6309, Safety=P523048, Primary, polyester wrap for high carbon Underground Mining=P521685 Dimensions: Outer Dia: 19.29" (490 mm) Inner Dia: 12.93" (328 mm) Length: 9.84" (250 mm) UPC Code: 742330-02613</p>
	<p>Part Number: <b>P181128</b> Description: <b>Air Primary</b> Primary Appl.: CAT 8M-3120 Dimensions: Outer Dia: 4.25" (108 mm) Inner Dia: 1.56" (40 mm) Length: 4.50" (114 mm) UPC Code: 742330-02614</p>
	<p>Part Number: <b>P181129</b> Description: <b>Air Primary</b> Primary Appl.: CAT 6P-6664 Dimensions: Outer Dia: 6.84" (174 mm) Inner Dia: 4.24" (108 mm) Length: 12.00" (305 mm) UPC Code: 742330-02615</p>

	<p>Part Number: <b>P181130</b> Description: <b>Air Primary</b> Primary Appl.: CAT 2V-0036 Dimensions: Outer Dia: 6.84" (174 mm) Inner Dia: 4.24" (108 mm) Length: 9.00" (229 mm) UPC Code: 742330-02616</p>
	<p>Part Number: <b>P181131</b> Description: <b>Air Primary</b> Primary Appl.: CAT 7G-8116 Dimensions: Outer Dia: 6.08" (154 mm) Inner Dia: 3.49" (89 mm) Length: 7.00" (178 mm) UPC Code: 742330-02617</p>
	<p>Part Number: <b>P181132</b> Description: <b>Air Primary</b> Primary Appl.: CAT 9G-1518 Dimensions: Outer Dia: 6.84" (174 mm) Inner Dia: 4.24" (108 mm) Length: 9.00" (229 mm) UPC Code: 742330-02618</p>
	<p>Part Number: <b>P181133</b> Description: <b>Air Primary</b> Primary Appl.: CAT 4L-8463 Dimensions: Outer Dia: 10.25" (260 mm) Inner Dia: 5.51" (140 mm) Length: 12.00" (305 mm) UPC Code: 742330-02619</p>
	<p>Part Number: <b>P181134</b> Description: <b>Air Primary</b> Primary Appl.: CAT 4L-8464 Dimensions: Outer Dia: 12.00" (305 mm) Inner Dia: 7.29" (185 mm) Length: 15.00" (381 mm) UPC Code: 742330-02620</p>
	<p>Part Number: <b>P181136</b> Description: <b>Air Primary</b> Primary Appl.: IHC 472099C1 Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.73" (196 mm) Length: 17.25" (438 mm) UPC Code: 742330-02621</p>
	<p>Part Number: <b>P181137</b> Description: <b>Air Primary</b> Primary Appl.: MERCEDES-BENZ 0010947904, KHD 422165059, Safety=P776697 Dimensions: Outer Dia: 9.49" (241 mm) Inner Dia: 5.19" (132 mm) Length: 19.00" (483 mm) UPC Code: 742330-02622</p>
	<p>Part Number: <b>P181139</b> Description: <b>Air Primary</b> Primary Appl.: KOMATSU, Safety=P159036 Dimensions: Outer Dia: 9.62" (244 mm) Inner Dia: 5.26" (134 mm) Length: 15.00" (381 mm) UPC Code: 742330-02623</p>
	<p>Part Number: <b>P181141</b> Description: <b>Air Primary</b> Primary Appl.: KOMATSU 600-181-9220, USE WITH SAFETY P159037 Dimensions: Outer Dia: 8.24" (209 mm) Inner Dia: 4.20" (107 mm) Length: 12.58" (320 mm) UPC Code: 742330-02624</p>









	<p>Part Number: <b>P181142</b> Description: <b>Air Primary</b> Primary Appl.: KOMATSU Dimensions: Outer Dia: 8.42" (214 mm) Inner Dia: 4.21" (107 mm) Length: 16.25" (413 mm) UPC Code: 742330-02625</p>		<p>Part Number: <b>P181185</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson LONG EBB16 A/C Dimensions: Outer Dia: 13.83" (351 mm) Inner Dia: 9.49" (241 mm) Length: 21.02" (534 mm) UPC Code: 742330-02635</p>
	<p>Part Number: <b>P181146</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson ECG11 AC, MACK, GMC Dimensions: Outer Dia: 8.84" (225 mm) Inner Dia: 5.48" (139 mm) Length: 28.00" (711 mm) UPC Code: 742330-02626</p>		<p>Part Number: <b>P181186</b> Description: <b>Air Primary</b> Primary Appl.: VORTOX VF160R, Donaldson Endurance Version EAF5102 Dimensions: Outer Dia: 12.74" (324 mm) Inner Dia: 8.38" (213 mm) Length: 26.00" (660 mm) UPC Code: 742330-02636</p>
	<p>Part Number: <b>P181147</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson EBB16 A/C, MACK Dimensions: Outer Dia: 13.84" (352 mm) Inner Dia: 7.48" (190 mm) Length: 22.06" (560 mm) UPC Code: 742330-02627</p>		<p>Part Number: <b>P181187</b> Description: <b>Air Primary</b> Primary Appl.: FORD E3TZ9601C, EON=EAF5187 Dimensions: Outer Dia: 11.68" (297 mm) Inner Dia: 8.11" (206 mm) Length: 5.00" (127 mm) UPC Code: 742330-02637</p>
	<p>Part Number: <b>P181149</b> Description: <b>Air Primary</b> Primary Appl.: BLUE BIRD BUS 2105773 Dimensions: Outer Dia: 9.21" (234 mm) Inner Dia: 4.85" (123 mm) Length: 8.00" (203 mm) UPC Code: 742330-02629</p>		<p>Part Number: <b>P181188</b> Description: <b>Air Primary</b> Primary Appl.: IHC 588213C1, EON=EAF5188 Dimensions: Outer Dia: 11.68" (297 mm) Inner Dia: 8.11" (206 mm) Length: 7.00" (178 mm) UPC Code: 742330-02638</p>
	<p>Part Number: <b>P181162</b> Description: <b>Air Primary</b> Primary Appl.: GMC 15506047 Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.04" (153 mm) Length: 10.00" (254 mm) UPC Code: 742330-02630</p>		<p>Part Number: <b>P181189</b> Description: <b>Air Primary</b> Primary Appl.: FORD E2HZ9601B Dimensions: Outer Dia: 13.84" (352 mm) Inner Dia: 7.48" (190 mm) Length: 10.00" (254 mm) UPC Code: 742330-02639</p>
	<p>Part Number: <b>P181163</b> Description: <b>Air Primary</b> Primary Appl.: JOHN DEERE AT65296 Dimensions: Outer Dia: 6.84" (174 mm) Inner Dia: 3.49" (89 mm) Length: 12.00" (305 mm) UPC Code: 742330-02631</p>		<p>Part Number: <b>P181191</b> Description: <b>Air Primary</b> Primary Appl.: MITSUBISHI ME033603, Safety=P522452 Dimensions: Outer Dia: 8.71" (221 mm) Inner Dia: 5.35" (136 mm) Length: 13.02" (331 mm) UPC Code: 742330-02640</p>
	<p>Part Number: <b>P181165</b> Description: <b>Air Primary</b> Primary Appl.: VOLVO 6872683 Dimensions: Outer Dia: 7.80" (198 mm) Inner Dia: 4.44" (113 mm) Length: 20.00" (508 mm) UPC Code: 742330-02632</p>		<p>Part Number: <b>P181193</b> Description: <b>Air Primary</b> Primary Appl.: CAT 4W-5716 Dimensions: Outer Dia: 13.83" (351 mm) Inner Dia: 9.49" (241 mm) Length: 18.00" (457 mm) UPC Code: 742330-02641</p>
	<p>Part Number: <b>P181166</b> Description: <b>Air Primary</b> Primary Appl.: ROOF VACUUM DUST COLL. Dimensions: Outer Dia: 12.74" (324 mm) Inner Dia: 8.38" (213 mm) Length: 26.00" (660 mm) UPC Code: 742330-02633</p>		<p>Part Number: <b>P181200</b> Description: <b>Air Primary</b> Primary Appl.: GMC Brigadere w/CAT 3208T Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.04" (153 mm) Length: 10.00" (254 mm) UPC Code: 742330-02642</p>
	<p>Part Number: <b>P181183</b> Description: <b>Air Primary</b> Primary Appl.: STEIGER 90-4203T1 Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.73" (196 mm) Length: 21.00" (533 mm) UPC Code: 742330-02634</p>		<p>Part Number: <b>P181204</b> Description: <b>Air Primary</b> Primary Appl.: FORD DINN-9601-A, Safety=P181208 Dimensions: Outer Dia: 6.68" (170 mm) Inner Dia: 3.75" (95 mm) Length: 14.75" (375 mm) UPC Code: 742330-02643</p>









	<p>Part Number: <b>P181205</b>          Description: <b>Air Primary</b>          Primary Appl.: IHC 537337R1, AIR MAZE C01017502826, USE WITH SAFETY P526408          Dimensions: Outer Dia: 8.38" (213 mm)          Inner Dia: 4.56" (116 mm)          Length: 15.00" (381 mm)          UPC Code: 742330-02644</p>
	<p>Part Number: <b>P181208</b>          Description: <b>Air Safety</b>          Primary Appl.: FORD DINN-9R500-A, Primary=P181204          Dimensions: Outer Dia: 3.62" (92 mm)          Inner Dia: 2.94" (75 mm)          Length: 13.69" (348 mm)          UPC Code: 742330-02645</p>
	<p>Part Number: <b>P181210</b>          Description: <b>Air Primary</b>          Primary Appl.: CAT D10N 7W-9853, Safety=P525129          Dimensions: Outer Dia: 14.28" (363 mm)          Inner Dia: 9.92" (252 mm)          Length: 18.00" (457 mm)          UPC Code: 742330-02646</p>
	<p>Part Number: <b>P182000</b>          Description: <b>Air Primary, Fined</b>          Primary Appl.: LONG LIFE VERSION OF P181000, P122529-Flame Retardant Primary          Dimensions: Outer Dia: 11.09" (282 mm)          Inner Dia: 6.73" (171 mm)          Length: 12.00" (305 mm)          UPC Code: 742330-02647</p>
	<p>Part Number: <b>P182001</b>          Description: <b>Air Primary, Fined</b>          Primary Appl.: LONG LIFE VERSION OF P181001          Dimensions: Outer Dia: 12.09" (307 mm)          Inner Dia: 7.73" (196 mm)          Length: 14.00" (356 mm)          UPC Code: 742330-02648</p>
	<p>Part Number: <b>P182002</b>          Description: <b>Air Primary</b>          Primary Appl.: LONG LIFE VERSION OF P181002, Safety=P119372          Dimensions: Outer Dia: 12.09" (307 mm)          Inner Dia: 7.73" (196 mm)          Length: 18.00" (457 mm)          UPC Code: 742330-02649</p>
	<p>Part Number: <b>P182007</b>          Description: <b>Air Primary</b>          Primary Appl.: LONG LIFE VERSION OF P181007, EON=EAF5007          Dimensions: Outer Dia: 10.40" (264 mm)          Inner Dia: 6.04" (153 mm)          Length: 21.82" (554 mm)          UPC Code: 742330-02653</p>
	<p>Part Number: <b>P182008</b>          Description: <b>Air Primary</b>          Primary Appl.: LONG LIFE VERSION OF P181008, EON=EAF5008          Dimensions: Outer Dia: 12.74" (324 mm)          Inner Dia: 8.38" (213 mm)          Length: 22.00" (559 mm)          UPC Code: 742330-02654</p>
	<p>Part Number: <b>P182009</b>          Description: <b>Air Primary</b>          Primary Appl.: LONG LIFE VERSION OF P181009, EON=EAF5009          Dimensions: Outer Dia: 12.74" (324 mm)          Inner Dia: 8.38" (213 mm)          Length: 26.00" (660 mm)          UPC Code: 742330-02655</p>









	<p>Part Number: <b>P182012</b>          Description: <b>Air Primary</b>          Primary Appl.: LONG LIFE VERSION OF P181012          Dimensions: Outer Dia: 13.83" (351 mm)          Inner Dia: 9.49" (241 mm)          Length: 19.00" (483 mm)          UPC Code: 742330-02658</p>
	<p>Part Number: <b>P182013</b>          Description: <b>Air Primary, Fined</b>          Primary Appl.: LONG LIFE VERSION OF P181013, Safety=P524815, EON=EAF5013          Dimensions: Outer Dia: 12.09" (307 mm)          Inner Dia: 7.73" (196 mm)          Length: 10.00" (254 mm)          UPC Code: 742330-02659</p>
	<p>Part Number: <b>P182014</b>          Description: <b>Air Primary</b>          Primary Appl.: LONG LIFE VERSION OF P181014, EON=EAF5014          Dimensions: Outer Dia: 10.40" (264 mm)          Inner Dia: 6.04" (153 mm)          Length: 15.00" (381 mm)          UPC Code: 742330-02660</p>
	<p>Part Number: <b>P182015</b>          Description: <b>Air Primary</b>          Primary Appl.: LONG LIFE VERSION OF P181015, EON=EAF5015          Dimensions: Outer Dia: 12.09" (307 mm)          Inner Dia: 7.73" (196 mm)          Length: 18.00" (457 mm)          UPC Code: 742330-02661</p>
	<p>Part Number: <b>P182016</b>          Description: <b>Air Primary</b>          Primary Appl.: LONG LIFE VERSION OF P181016, EON=EAF5016          Dimensions: Outer Dia: 10.40" (264 mm)          Inner Dia: 6.04" (153 mm)          Length: 26.00" (660 mm)          UPC Code: 742330-02662</p>
	<p>Part Number: <b>P182017</b>          Description: <b>Air Primary</b>          Primary Appl.: LONG LIFE VERSION OF P181017          Dimensions: Outer Dia: 8.84" (225 mm)          Inner Dia: 5.48" (139 mm)          Length: 28.00" (711 mm)          UPC Code: 742330-02663</p>
	<p>Part Number: <b>P182021</b>          Description: <b>Air Primary</b>          Primary Appl.: LONG LIFE VERSION OF P181021          Dimensions: Outer Dia: 10.40" (264 mm)          Inner Dia: 6.04" (153 mm)          Length: 10.00" (254 mm)          UPC Code: 742330-02665</p>
	<p>Part Number: <b>P182028</b>          Description: <b>Air Primary</b>          Primary Appl.: LONG LIFE VERSION OF P181028, EON=EAF5028          Dimensions: Outer Dia: 10.40" (264 mm)          Inner Dia: 6.04" (153 mm)          Length: 16.00" (406 mm)          UPC Code: 742330-02668</p>
	<p>Part Number: <b>P182031</b>          Description: <b>Air Primary</b>          Primary Appl.: LONG LIFE VERSION OF P181031          Dimensions: Outer Dia: 13.83" (351 mm)          Inner Dia: 9.49" (241 mm)          Length: 14.00" (356 mm)          UPC Code: 742330-02669</p>










	<p>Part Number: <b>P182032</b> Description: <b>Air Primary</b> Primary Appl.: LONG LIFE VERSION OF P181032 Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.73" (196 mm) Length: 10.00" (254 mm) UPC Code: 742330-02670</p>		<p>Part Number: <b>P182041</b> Description: <b>Air Primary</b> Primary Appl.: LONG LIFE VERSION OF P181041, Safety=P119370, EON=EAF5041 Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.73" (196 mm) Length: 16.00" (406 mm) UPC Code: 742330-02679</p>
	<p>Part Number: <b>P182033</b> Description: <b>Air Primary</b> Primary Appl.: LONG LIFE VERSION OF P181033 Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.96" (177 mm) Length: 9.00" (229 mm) UPC Code: 742330-02671</p>		<p>Part Number: <b>P182042</b> Description: <b>Air Primary</b> Primary Appl.: LONG LIFE VERSION OF P181042, Safety=P128408, EON=EAF5042 Dimensions: Outer Dia: 14.68" (373 mm) Inner Dia: 10.34" (263 mm) Length: 23.88" (607 mm) UPC Code: 742330-02680</p>
	<p>Part Number: <b>P182034</b> Description: <b>Air Primary</b> Primary Appl.: LONG LIFE VERSION OF P181034, Safety=P119374, EON=EAF5034 Dimensions: Outer Dia: 9.21" (234 mm) Inner Dia: 4.85" (123 mm) Length: 13.00" (330 mm) UPC Code: 742330-02672</p>		<p>Part Number: <b>P182043</b> Description: <b>Air Primary</b> Primary Appl.: LONG LIFE VERSION OF P181043, Safety=P128460, EON=EAF5043 Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.72" (196 mm) Length: 20.00" (508 mm) UPC Code: 742330-02681</p>
	<p>Part Number: <b>P182035</b> Description: <b>Air Primary, Finned</b> Primary Appl.: LONG LIFE VERSION OF P181035 Dimensions: Outer Dia: 9.21" (234 mm) Inner Dia: 4.85" (123 mm) Length: 10.00" (254 mm) UPC Code: 742330-02673</p>		<p>Part Number: <b>P182044</b> Description: <b>Air Primary</b> Primary Appl.: LONG LIFE VERSION OF P181044, Safety=P119371, EON=EAF5044 Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.04" (153 mm) Length: 13.76" (350 mm) UPC Code: 742330-02682</p>
	<p>Part Number: <b>P182036</b> Description: <b>Air Primary</b> Primary Appl.: LONG LIFE VERSION OF P181036 Dimensions: Outer Dia: 13.83" (351 mm) Inner Dia: 9.49" (241 mm) Length: 16.00" (406 mm) UPC Code: 742330-02674</p>		<p>Part Number: <b>P182045</b> Description: <b>Air Primary, Finned</b> Primary Appl.: LONG LIFE VERSION OF P181045 Dimensions: Outer Dia: 7.93" (201 mm) Inner Dia: 3.57" (91 mm) Length: 10.00" (254 mm) UPC Code: 742330-02683</p>
	<p>Part Number: <b>P182037</b> Description: <b>Air Primary</b> Primary Appl.: LONG LIFE VERSION OF P181037 Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.73" (196 mm) Length: 13.00" (330 mm) UPC Code: 742330-02675</p>		<p>Part Number: <b>P182046</b> Description: <b>Air Primary</b> Primary Appl.: LONG LIFE VERSION OF P181046, Safety=P119373, EON=EAF5046 Dimensions: Outer Dia: 11.09" (282 mm) Inner Dia: 6.73" (171 mm) Length: 16.00" (406 mm) UPC Code: 742330-02684</p>
	<p>Part Number: <b>P182038</b> Description: <b>Air Primary</b> Primary Appl.: LONG LIFE VERSION OF P181038, Safety=P115070, EON=EAF5038 Dimensions: Outer Dia: 17.62" (448 mm) Inner Dia: 11.07" (281 mm) Length: 23.06" (586 mm) UPC Code: 742330-02676</p>		<p>Part Number: <b>P182048</b> Description: <b>Air Primary</b> Primary Appl.: TEREX 9059570, DRESSER VE1013, VE1195, DCI SRG20 Dimensions: Outer Dia: 17.58" (447 mm) Inner Dia: 12.22" (310 mm) Length: 19.03" (483 mm) UPC Code: 742330-02685</p>
	<p>Part Number: <b>P182039</b> Description: <b>Air Primary</b> Primary Appl.: LONG LIFE VERSION OF P181039, Safety=P114931, EON=EAF5039 Dimensions: Outer Dia: 13.83" (351 mm) Inner Dia: 9.49" (241 mm) Length: 17.88" (454 mm) UPC Code: 742330-02677</p>		<p>Part Number: <b>P182049</b> Description: <b>Air Primary</b> Primary Appl.: LONG LIFE VERSION OF P181049, Safety=<del>P114931</del> <b>P114664</b>, EON=EAF5049 Dimensions: Outer Dia: 12.74" (324 mm) Inner Dia: 8.38" (213 mm) Length: 24.03" (610 mm) UPC Code: 742330-02686</p>
	<p>Part Number: <b>P182040</b> Description: <b>Air Primary</b> Primary Appl.: LONG LIFE VERSION OF P181040, Safety=P117781, EON=EAF5040 Dimensions: Outer Dia: 17.58" (447 mm) Inner Dia: 12.22" (310 mm) Length: 23.03" (585 mm) UPC Code: 742330-02678</p>		<p>Part Number: <b>P182050</b> Description: <b>Air Primary, Finned</b> Primary Appl.: LONG LIFE VERSION OF P181050, P122510-Flame Retardant Version Dimensions: Outer Dia: 4.08" (104 mm) Inner Dia: 2.49" (63 mm) Length: 10.00" (254 mm) UPC Code: 742330-02687</p>












	<p>Part Number: <b>P182052</b> Description: <b>Air Primary, Finned</b> Primary Appl.: LONG LIFE VERSION OF P181052, P122514-Flame Retardant Version Dimensions: Outer Dia: 5.25" (133 mm) Inner Dia: 2.64" (67 mm) Length: 11.00" (279 mm) UPC Code: 742330-02688</p>
	<p>Part Number: <b>P182054</b> Description: <b>Air Primary, Finned</b> Primary Appl.: LONG LIFE VERSION OF P181054, P148968-High Pulsation Version Dimensions: Outer Dia: 6.08" (154 mm) Inner Dia: 3.49" (89 mm) Length: 12.00" (305 mm) UPC Code: 742330-02690</p>
	<p>Part Number: <b>P182055</b> Description: <b>Air Primary</b> Primary Appl.: LONG LIFE VERSION OF P181055, Safety=P138037 Dimensions: Outer Dia: 12.74" (324 mm) Inner Dia: 8.38" (213 mm) Length: 19.06" (484 mm) UPC Code: 742330-02691</p>
	<p>Part Number: <b>P182059</b> Description: <b>Air Primary, Finned</b> Primary Appl.: LONG LIFE VERSION OF P181059, Safety=P112212, P148573-High Pulsation Version Dimensions: Outer Dia: 6.08" (154 mm) Inner Dia: 3.49" (89 mm) Length: 15.00" (381 mm) UPC Code: 742330-02692</p>
	<p>Part Number: <b>P182062</b> Description: <b>Air Primary, Finned</b> Primary Appl.: LONG LIFE VERSION OF P181062, Safety=P119539 Dimensions: Outer Dia: 5.25" (133 mm) Inner Dia: 3.26" (83 mm) Length: 15.00" (381 mm) UPC Code: 742330-02694</p>
	<p>Part Number: <b>P182063</b> Description: <b>Air Primary, Finned</b> Primary Appl.: LONG LIFE VERSION OF P181063, Safety=P119778 Dimensions: Outer Dia: 6.84" (174 mm) Inner Dia: 4.24" (108 mm) Length: 16.00" (406 mm) UPC Code: 742330-02695</p>
	<p>Part Number: <b>P182064</b> Description: <b>Air Primary, Finned</b> Primary Appl.: LONG LIFE VERSION OF P181064, Safety=P119375 Dimensions: Outer Dia: 7.93" (201 mm) Inner Dia: 5.32" (135 mm) Length: 16.00" (406 mm) UPC Code: 742330-02696</p>
	<p>Part Number: <b>P182068</b> Description: <b>Air Primary</b> Primary Appl.: LONG LIFE VERSION OF P181068, Safety=P122521 Dimensions: Outer Dia: 6.84" (174 mm) Inner Dia: 4.24" (108 mm) Length: 9.00" (229 mm) UPC Code: 742330-02697</p>










	<p>Part Number: <b>P182070</b> Description: <b>Air Primary</b> Primary Appl.: LONG LIFE VERSION OF P181070, Safety=P124046 Dimensions: Outer Dia: 9.14" (232 mm) Inner Dia: 5.78" (147 mm) Length: 17.88" (454 mm) UPC Code: 742330-02698</p>
	<p>Part Number: <b>P182071</b> Description: <b>Air Primary</b> Primary Appl.: LONG LIFE VERSION OF P181071 Dimensions: Outer Dia: 8.40" (213 mm) Inner Dia: 5.79" (147 mm) Length: 11.00" (279 mm) UPC Code: 742330-02699</p>
	<p>Part Number: <b>P182072</b> Description: <b>Air Primary, Finned</b> Primary Appl.: LONG LIFE VERSION OF P181072, Safety=P120307, P148967-High Pulsation Version Dimensions: Outer Dia: 4.08" (104 mm) Inner Dia: 2.49" (63 mm) Length: 14.00" (356 mm) UPC Code: 742330-02700</p>
	<p>Part Number: <b>P182078</b> Description: <b>Air Primary</b> Primary Appl.: LONG LIFE VERSION OF P181078 Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.72" (196 mm) Length: 23.00" (584 mm) UPC Code: 742330-02701</p>
	<p>Part Number: <b>P182080</b> Description: <b>Air Primary</b> Primary Appl.: LONG LIFE VERSION OF P181080 Dimensions: Outer Dia: 9.14" (232 mm) Inner Dia: 5.78" (147 mm) Length: 12.88" (327 mm) UPC Code: 742330-02702</p>
	<p>Part Number: <b>P182090</b> Description: <b>Air Primary</b> Primary Appl.: LONG LIFE VERSION OF P181090, Safety=P119375 Dimensions: Outer Dia: 9.21" (234 mm) Inner Dia: 4.85" (123 mm) Length: 16.00" (406 mm) UPC Code: 742330-02703</p>
	<p>Part Number: <b>P182091</b> Description: <b>Air Primary</b> Primary Appl.: FIAT 1930791, HANOMAG 3074306M1, Safety=P130772 Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.04" (153 mm) Length: 19.88" (505 mm) UPC Code: 742330-02704</p>
	<p>Part Number: <b>P182092</b> Description: <b>Air Primary</b> Primary Appl.: FIAT 1930725, HANOMAG 3074304M1, 3074305M1 Dimensions: Outer Dia: 7.63" (194 mm) Inner Dia: 4.29" (109 mm) Length: 16.00" (406 mm) UPC Code: 742330-02705</p>









	<p>Part Number: <b>P182095</b> Description: <b>Air Primary</b> Primary Appl.: LONG LIFE VERSION OF P181095, EON=EAF5095 Dimensions: Outer Dia: 13.83" (351 mm) Inner Dia: 9.49" (241 mm) Length: 15.50" (394 mm) UPC Code: 742330-02706</p>
	<p>Part Number: <b>P182096</b> Description: <b>Air Primary</b> Primary Appl.: LONG LIFE VERSION OF P181096, EON=EAF5096 Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.73" (196 mm) Length: 15.00" (381 mm) UPC Code: 742330-02707</p>
	<p>Part Number: <b>P182099</b> Description: <b>Air Primary</b> Primary Appl.: LONG LIFE VERSION OF P181099, EON=EAF5099 Dimensions: Outer Dia: 13.84" (352 mm) Inner Dia: 7.48" (190 mm) Length: 18.06" (459 mm) UPC Code: 742330-02708</p>
	<p>Part Number: <b>P182146</b> Description: <b>Air Primary</b> Primary Appl.: LONG LIFE VERSION OF P181146 Dimensions: Outer Dia: 8.84" (225 mm) Inner Dia: 5.48" (139 mm) Length: 28.00" (711 mm) UPC Code: 742330-02709</p>
	<p>Part Number: <b>P182185</b> Description: <b>Air Primary</b> Primary Appl.: LONG LIFE VERSION OF P181185 Dimensions: Outer Dia: 13.84" (352 mm) Inner Dia: 7.48" (190 mm) Length: 21.02" (534 mm) UPC Code: 742330-02711</p>
	<p>Part Number: <b>P270332</b> Description: <b>Air Primary</b> Primary Appl.: INDUSTRIAL BLOWER Dimensions: Outer Dia: 8.40" (213 mm) Inner Dia: 5.79" (147 mm) Length: 9.00" (229 mm) UPC Code: 742330-03268</p>
	<p>Part Number: <b>P270333</b> Description: <b>Air Primary</b> Primary Appl.: INDUSTRIAL BLOWER Dimensions: Outer Dia: 5.25" (133 mm) Inner Dia: 2.64" (67 mm) Length: 6.00" (152 mm) UPC Code: 742330-03269</p>
	<p>Part Number: <b>P270336</b> Description: <b>Air Primary</b> Primary Appl.: INDUSTRIAL BLOWER Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.73" (196 mm) Length: 20.00" (508 mm) UPC Code: 742330-03272</p>





	<p>Part Number: <b>P500001</b> Description: <b>Air Primary</b> Primary Appl.: MITSUBISHI MD017284 Dimensions: Outer Dia: 6.67" (169 mm) Inner Dia: 4.49" (114 mm) Length: 2.56" (65 mm) UPC Code: 742330-10857</p>
	<p>Part Number: <b>P500002</b> Description: <b>Air Primary</b> Primary Appl.: MITSUBISHI MT202713 Dimensions: Outer Dia: 6.89" (175 mm) Inner Dia: 4.53" (115 mm) Length: 5.20" (132 mm) UPC Code: 742330-10858</p>
	<p>Part Number: <b>P500003</b> Description: <b>Air Primary</b> Primary Appl.: MITSUBISHI MD603354 Dimensions: Outer Dia: 6.71" (170 mm) Inner Dia: 4.53" (115 mm) Length: 5.47" (139 mm) UPC Code: 742330-10859</p>
	<p>Part Number: <b>P500004</b> Description: <b>Air Primary</b> Primary Appl.: MITSUBISHI MD603014 Dimensions: Outer Dia: 9.84" (250 mm) Inner Dia: 7.56" (192 mm) Length: 2.40" (61 mm) UPC Code: 742330-10860</p>
	<p>Part Number: <b>P500005</b> Description: <b>Air Primary</b> Primary Appl.: MITSUBISHI MD604880 Dimensions: Outer Dia: 10.64" (270 mm) Inner Dia: 7.95" (202 mm) Length: 2.13" (54 mm) UPC Code: 742330-10861</p>
	<p>Part Number: <b>P500006</b> Description: <b>Air Primary</b> Primary Appl.: MITSUBISHI MD604802 Dimensions: Outer Dia: 8.66" (220 mm) Inner Dia: 7.20" (183 mm) Length: 2.24" (57 mm) UPC Code: 742330-10862</p>
	<p>Part Number: <b>P500007</b> Description: <b>Air Primary</b> Primary Appl.: MITSUBISHI MT421158 Dimensions: Outer Dia: 8.86" (225 mm) Inner Dia: 5.75" (146 mm) Length: 5.00" (127 mm) UPC Code: 742330-10863</p>
	<p>Part Number: <b>P500008</b> Description: <b>Air Primary</b> Primary Appl.: MITSUBISHI MD603932 Dimensions: Outer Dia: 5.87" (149 mm) Inner Dia: 4.37" (111 mm) Length: 6.71" (170 mm) UPC Code: 742330-10864</p>
	<p>Part Number: <b>P500009</b> Description: <b>Air Panel, Engine</b> Primary Appl.: MITSUBISHI MD603816 Dimensions: Width: 6.57" (167 mm) Depth: 1.89" (48 mm) Length: 8.21" (209 mm) UPC Code: 742330-10865</p>



	<p>Part Number: <b>P500010</b> Description: <b>Air Primary</b> Primary Appl.: MITSUBISHI MD604952 Dimensions: Outer Dia: 12.91 x 9.92" (328 x 252 mm) Inner Dia: 4.53 x 3.01" (115 x 76 mm) Depth: 2.15" (55 mm) UPC Code: 742330-10866</p>
	<p>Part Number: <b>P500014</b> Description: <b>Air Primary</b> Primary Appl.: MITSUBISHI ME017242 Dimensions: Outer Dia: 7.09" (180 mm) Inner Dia: 3.70" (94 mm) Length: 8.62" (219 mm) UPC Code: 742330-10868</p>
	<p>Part Number: <b>P500015</b> Description: <b>Air Primary</b> Primary Appl.: TOYOTA 17801-23020, 17801-23030, 17801-31060 Dimensions: Outer Dia: 6.41" (163 mm) Inner Dia: 3.00" (76 mm) Length: 4.17" (106 mm) UPC Code: 742330-10869</p>
	<p>Part Number: <b>P500016</b> Description: <b>Air Primary</b> Primary Appl.: TOYOTA 17801-13010, 17801-33011 Dimensions: Outer Dia: 7.32" (186 mm) Inner Dia: 4.29" (109 mm) Length: 2.20" (56 mm) UPC Code: 742330-10870</p>
	<p>Part Number: <b>P500017</b> Description: <b>Air Primary</b> Primary Appl.: TOYOTA 17801-48010, 17801-48011 Dimensions: Outer Dia: 7.64" (194 mm) Inner Dia: 3.35" (85 mm) Length: 5.71" (145 mm) UPC Code: 742330-10871</p>
	<p>Part Number: <b>P500019</b> Description: <b>Air Primary</b> Primary Appl.: TOYOTA 17801-15010 Dimensions: Outer Dia: 11.61" (295 mm) Inner Dia: 8.78" (223 mm) Length: 1.57" (40 mm) UPC Code: 742330-10873</p>
	<p>Part Number: <b>P500020</b> Description: <b>Air Primary</b> Primary Appl.: TOYOTA 17801-54010 Dimensions: Outer Dia: 7.32" (186 mm) Inner Dia: 3.07" (78 mm) Length: 4.92" (125 mm) UPC Code: 742330-10874</p>
	<p>Part Number: <b>P500021</b> Description: <b>Air Primary</b> Primary Appl.: TOYOTA 17801-31050, ISUZU 9942320590 Dimensions: Outer Dia: 6.10" (155 mm) Inner Dia: 3.38" (86 mm) Length: 7.76" (197 mm) UPC Code: 742330-10875</p>
	<p>Part Number: <b>P500022</b> Description: <b>Air Primary</b> Primary Appl.: TOYOTA 17801-54050 Dimensions: Outer Dia: 7.08" (180 mm) Inner Dia: 3.70" (94 mm) Length: 8.62" (219 mm) UPC Code: 742330-10876</p>










	<p>Part Number: <b>P500023</b> Description: <b>Air Primary</b> Primary Appl.: TOYOTA 17801-54060 Dimensions: Outer Dia: 7.78" (198 mm) Inner Dia: 4.33" (110 mm) Length: 5.47" (139 mm) UPC Code: 742330-10877</p>
	<p>Part Number: <b>P500024</b> Description: <b>Air Primary</b> Primary Appl.: TOYOTA 1780-156020 Dimensions: Outer Dia: 7.64" (194 mm) Inner Dia: 3.35" (85 mm) Length: 5.71" (145 mm) UPC Code: 742330-10878</p>
	<p>Part Number: <b>P500025</b> Description: <b>Air Primary</b> Primary Appl.: TOYOTA 17801-13020 Dimensions: Outer Dia: 7.32" (186 mm) Inner Dia: 4.29" (109 mm) Length: 2.20" (56 mm) UPC Code: 742330-10879</p>
	<p>Part Number: <b>P500026</b> Description: <b>Air Primary</b> Primary Appl.: TOYOTA 17801-16020 Dimensions: Outer Dia: 9.84" (250 mm) Inner Dia: 6.14" (156 mm) Length: 1.61" (41 mm) UPC Code: 742330-10880</p>
	<p>Part Number: <b>P500027</b> Description: <b>Air Primary</b> Primary Appl.: TOYOTA 17801-35030 Dimensions: Outer Dia: 6.20" (157 mm) Inner Dia: 3.00" (76 mm) Length: 5.67" (144 mm) UPC Code: 742330-10881</p>
	<p>Part Number: <b>P500028</b> Description: <b>Air Primary</b> Primary Appl.: TOYOTA 17801-54100 Dimensions: Outer Dia: 5.28" (134 mm) Inner Dia: 3.03" (77 mm) Length: 7.09" (180 mm) UPC Code: 742330-10882</p>
	<p>Part Number: <b>P500030</b> Description: <b>Air Primary</b> Primary Appl.: TOYOTA 17801-15060 Dimensions: Outer Dia: 9.45" (240 mm) Inner Dia: 3.28" (83 mm) Length: .79" (20 mm) UPC Code: 742330-10883</p>
	<p>Part Number: <b>P500031</b> Description: <b>Air Primary</b> Primary Appl.: TOYOTA 17801-64010 Dimensions: Outer Dia: 6.14" (156 mm) Inner Dia: 12.20" (310 mm) Length: 1.85" (47 mm) UPC Code: 742330-10884</p>
	<p>Part Number: <b>P500032</b> Description: <b>Air Primary</b> Primary Appl.: DAIHATSU 1780187304000 Dimensions: Outer Dia: 6.10" (155 mm) Inner Dia: 3.46" (88 mm) Length: 7.78" (198 mm) UPC Code: 742330-10885</p>










	<p>Part Number: <b>P500033</b> Description: <b>Air Primary</b> Primary Appl.: DAIHATSU 1780187Z04001 Dimensions: Outer Dia: 6.10" (155 mm) Inner Dia: 3.39" (86 mm) Length: 5.79" (147 mm) UPC Code: 742330-10886</p>
	<p>Part Number: <b>P500034</b> Description: <b>Air Primary</b> Primary Appl.: DAIHATSU 1780187705000, 178018704000 Dimensions: Outer Dia: 4.72" (120 mm) Inner Dia: 2.68" (68 mm) Length: 5.94" (151 mm) UPC Code: 742330-10887</p>
	<p>Part Number: <b>P500035</b> Description: <b>Air Primary</b> Primary Appl.: DAIHATSU 1780187702000 Dimensions: Outer Dia: 9.29" (236 mm) Inner Dia: 6.71" (170 mm) Length: 2.28" (58 mm) UPC Code: 742330-10888</p>
	<p>Part Number: <b>P500036</b> Description: <b>Air Panel, Engine</b> Primary Appl.: DAIHATSU 1780187710000, 1780187714000 Dimensions: Outer Dia: 6.61" (168 mm) Inner Dia: 5.31" (135 mm) Length: 2.36" (60 mm) UPC Code: 742330-10889</p>
	<p>Part Number: <b>P500037</b> Description: <b>Air Primary</b> Primary Appl.: DAIHATSU 1780187506000 Dimensions: Outer Dia: 8.46" (215 mm) Inner Dia: 5.43" (138 mm) Length: 2.36" (60 mm) UPC Code: 742330-10890</p>
	<p>Part Number: <b>P500038</b> Description: <b>Air Primary</b> Primary Appl.: DAIHATSU 1780187717000 Dimensions: Outer Dia: 10.39" (264 mm) Inner Dia: 3.27" (83 mm) Length: 1.38" (35 mm) UPC Code: 742330-10891</p>
	<p>Part Number: <b>P500039</b> Description: <b>Air Primary</b> Primary Appl.: HINO 17801-1960 Dimensions: Outer Dia: 7.94" (202 mm) Inner Dia: 3.82" (97 mm) Length: 9.45" (240 mm) UPC Code: 742330-10892</p>
	<p>Part Number: <b>P500041</b> Description: <b>Air Primary</b> Primary Appl.: HINO 178012440A Dimensions: Outer Dia: 7.48" (190 mm) Inner Dia: 4.13" (105 mm) Length: 11.02" (280 mm) UPC Code: 742330-10893</p>
	<p>Part Number: <b>P500042</b> Description: <b>Air Primary</b> Primary Appl.: HINO 17801-2200 Dimensions: Outer Dia: 8.50" (216 mm) Inner Dia: 5.39" (137 mm) Length: 12.40" (315 mm) UPC Code: 742330-10894</p>









	<p>Part Number: <b>P500043</b> Description: <b>Air Primary</b> Primary Appl.: HINO 178012410 Dimensions: Outer Dia: 7.48" (190 mm) Inner Dia: 4.13" (105 mm) Length: 9.29" (236 mm) UPC Code: 742330-10895</p>
	<p>Part Number: <b>P500044</b> Description: <b>Air Primary</b> Primary Appl.: HINO 178012850 Dimensions: Outer Dia: 9.06" (230 mm) Inner Dia: 4.76" (121 mm) Length: 13.00" (330 mm) UPC Code: 742330-10896</p>
	<p>Part Number: <b>P500046</b> Description: <b>Air Primary</b> Primary Appl.: HINO 178012830, 178012890A Dimensions: Outer Dia: 10.75" (273 mm) Inner Dia: 6.38" (162 mm) Length: 13.91" (353 mm) UPC Code: 742330-10897</p>
	<p>Part Number: <b>P500047</b> Description: <b>Air Primary</b> Primary Appl.: HINO 178012590 Dimensions: Outer Dia: 11.42" (290 mm) Inner Dia: 7.08" (180 mm) Length: 17.76" (451 mm) UPC Code: 742330-10898</p>
	<p>Part Number: <b>P500048</b> Description: <b>Air Primary</b> Primary Appl.: SUZUKI 1378067022 Dimensions: Outer Dia: 4.74" (120 mm) Inner Dia: 2.60" (66 mm) Length: 5.20" (132 mm) UPC Code: 742330-10899</p>
	<p>Part Number: <b>P500049</b> Description: <b>Air Primary</b> Primary Appl.: SUZUKI 1378079210 Dimensions: Outer Dia: 5.04" (128 mm) Inner Dia: 2.60" (66 mm) Length: 6.42" (163 mm) UPC Code: 742330-10900</p>
	<p>Part Number: <b>P500050</b> Description: <b>Air Primary</b> Primary Appl.: SUZUKI 1378077500 Dimensions: Outer Dia: 4.74" (120 mm) Inner Dia: 2.60" (66 mm) Length: 7.20" (183 mm) UPC Code: 742330-10901</p>
	<p>Part Number: <b>P500051</b> Description: <b>Air Primary</b> Primary Appl.: SUZUKI 1378077300 Dimensions: Outer Dia: 4.74" (120 mm) Inner Dia: 2.60" (66 mm) Length: 6.30" (160 mm) UPC Code: 742330-10902</p>
	<p>Part Number: <b>P500052</b> Description: <b>Air Primary</b> Primary Appl.: SUZUKI 1378078100 Dimensions: Outer Dia: 8.37" (213 mm) Inner Dia: 6.30" (160 mm) Length: 1.79" (45 mm) UPC Code: 742330-10903</p>





















	<p>Part Number: <b>P500053</b> Description: <b>Air Primary</b> Primary Appl.: SUZUKI 1378082000 Dimensions: Outer Dia: 10.71" (272 mm) Inner Dia: 7.93" (201 mm) Length: 1.79" (45 mm) UPC Code: 742330-10904</p>
	<p>Part Number: <b>P500054</b> Description: <b>Air Primary</b> Primary Appl.: SUZUKI 1378060A00 Dimensions: Outer Dia: 11.53" (293 mm) Inner Dia: 8.70" (221 mm) Length: 2.30" (58 mm) UPC Code: 742330-10905</p>
	<p>Part Number: <b>P500055</b> Description: <b>Air Primary</b> Primary Appl.: SUZUKI 1378062B00 Dimensions: Outer Dia: 9.69" (246 mm) Inner Dia: .0" (0 mm) Length: 1.30" (33 mm) UPC Code: 742330-10906</p>
	<p>Part Number: <b>P500056</b> Description: <b>Air Primary</b> Primary Appl.: SUZUKI 1378083000 Dimensions: Outer Dia: 7.24" (184 mm) Inner Dia: 4.64" (118 mm) Length: 3.98" (101 mm) UPC Code: 742330-10907</p>
	<p>Part Number: <b>P500060</b> Description: <b>Air Primary</b> Primary Appl.: ISUZU 8942171000 Dimensions: Outer Dia: 9.37" (238 mm) Inner Dia: 7.24" (184 mm) Length: 2.24" (57 mm) UPC Code: 742330-10909</p>
	<p>Part Number: <b>P500061</b> Description: <b>Air Primary</b> Primary Appl.: ISUZU 5142150380 Dimensions: Outer Dia: 6.10" (155 mm) Inner Dia: 3.10" (79 mm) Length: 9.25" (235 mm) UPC Code: 742330-10910</p>
	<p>Part Number: <b>P500063</b> Description: <b>Air Panel, Engine</b> Primary Appl.: ISUZU 8941516143 Dimensions: Width: 6.63" (168 mm) Depth: 1.34" (34 mm) Length: 11.10" (282 mm) UPC Code: 742330-10911</p>
	<p>Part Number: <b>P500064</b> Description: <b>Air Primary</b> Primary Appl.: ISUZU 8943349060 Dimensions: Outer Dia: 6.06" (154 mm) Inner Dia: 3.13" (80 mm) Length: 5.94" (151 mm) UPC Code: 742330-10912</p>
	<p>Part Number: <b>P500065</b> Description: <b>Air Primary</b> Primary Appl.: HONDA 17220634005 Dimensions: Outer Dia: 9.06" (230 mm) Inner Dia: 6.85" (174 mm) Length: 2.58" (66 mm) UPC Code: 742330-10913</p>










	<p>Part Number: <b>P500066</b> Description: <b>Air Primary</b> Primary Appl.: HONDA 17220657000, 17220673005 Dimensions: Outer Dia: 9.84" (250 mm) Inner Dia: 7.56" (192 mm) Length: 161.00" (4089 mm) UPC Code: 742330-10914</p>
	<p>Part Number: <b>P500067</b> Description: <b>Air Primary</b> Primary Appl.: HONDA 17220PE3601 Dimensions: Outer Dia: 10.23" (260 mm) Inner Dia: 7.63" (194 mm) Length: 1.69" (43 mm) UPC Code: 742330-10915</p>
	<p>Part Number: <b>P500068</b> Description: <b>Air Primary</b> Primary Appl.: HONDA 17232PD5600 Dimensions: Outer Dia: 10.23" (260 mm) Inner Dia: 9.05" (230 mm) Length: 2.05" (52 mm) UPC Code: 742330-10916</p>
	<p>Part Number: <b>P500069</b> Description: <b>Air Primary</b> Primary Appl.: HONDA 17220PM3Y01 Dimensions: Outer Dia: 11.10" (282 mm) Inner Dia: 4.33" (110 mm) Length: 1.81" (46 mm) UPC Code: 742330-10917</p>
	<p>Part Number: <b>P500070</b> Description: <b>Air Primary</b> Primary Appl.: HONDA 17220PH4601 Dimensions: Outer Dia: 13.54" (344 mm) Inner Dia: 8.50" (216 mm) Length: 1.67" (42 mm) UPC Code: 742330-10918</p>
	<p>Part Number: <b>P500071</b> Description: <b>Air Primary</b> Primary Appl.: HONDA 17220PE0003 Dimensions: Outer Dia: 10.63" (270 mm) Inner Dia: 7.95" (202 mm) Length: 1.65" (42 mm) UPC Code: 742330-10919</p>
	<p>Part Number: <b>P500072</b> Description: <b>Air Primary</b> Primary Appl.: HONDA 17220PT0T01 Dimensions: Outer Dia: 15.59" (396 mm) Inner Dia: 7.56" (192 mm) Length: 2.00" (51 mm) UPC Code: 742330-10920</p>
	<p>Part Number: <b>P500073</b> Description: <b>Air Primary</b> Primary Appl.: HONDA 17220PM4003 Dimensions: Outer Dia: 12.12" (308 mm) Inner Dia: 5.74" (146 mm) Length: 1.73" (44 mm) UPC Code: 742330-10921</p>
	<p>Part Number: <b>P500074</b> Description: <b>Air Primary</b> Primary Appl.: HONDA 17220P07000 Dimensions: Outer Dia: 8.15" (207 mm) Inner Dia: 7.24" (184 mm) Length: 1.48" (38 mm) UPC Code: 742330-10922</p>

















	<p>Part Number: <b>P500075</b>          Description: <b>Air Primary</b>          Primary Appl.: HONDA 17220PH3000          Dimensions: Outer Dia: 10.63" (270 mm)          Inner Dia: 7.44" (189 mm)          Length: 1.34" (34 mm)          UPC Code: 742330-10923</p>
	<p>Part Number: <b>P500077</b>          Description: <b>Air Primary</b>          Primary Appl.: MAZDA E30123603          Dimensions: Outer Dia: 11.28" (287 mm)          Inner Dia: 4.49" (114 mm)          Length: 1.76" (45 mm)          UPC Code: 742330-10925</p>
	<p>Part Number: <b>P500078</b>          Description: <b>Air Primary</b>          Primary Appl.: MAZDA R20523603          Dimensions: Outer Dia: 6.10" (155 mm)          Inner Dia: .47" (12 mm)          Length: 5.91" (150 mm)          UPC Code: 742330-10926</p>
	<p>Part Number: <b>P500079</b>          Description: <b>Air Primary</b>          Primary Appl.: MAZDA B36613Z40          Dimensions: Outer Dia: 11.30" (287 mm)          Inner Dia: 4.72" (120 mm)          Length: .87" (22 mm)          UPC Code: 742330-10927</p>
	<p>Part Number: <b>P500080</b>          Description: <b>Air Primary</b>          Primary Appl.: MAZDA B60323603          Dimensions: Outer Dia: 11.34" (288 mm)          Inner Dia: 9.43" (240 mm)          Length: 2.05" (52 mm)          UPC Code: 742330-10928</p>
	<p>Part Number: <b>P500082</b>          Description: <b>Air Panel, Engine</b>          Primary Appl.: NISSAN 16546-N4200          Dimensions: Width: 6.22" (158 mm)          Depth: 1.38" (35 mm)          Length: 10.94" (278 mm)          UPC Code: 742330-10930</p>
	<p>Part Number: <b>P500083</b>          Description: <b>Air Primary</b>          Primary Appl.: NISSAN 16546-76000          Dimensions: Outer Dia: 4.98" (126 mm)          Inner Dia: .28" (7 mm)          Length: 6.65" (169 mm)          UPC Code: 742330-10931</p>
	<p>Part Number: <b>P500084</b>          Description: <b>Air Primary</b>          Primary Appl.: NISSAN 16546-D1100          Dimensions: Outer Dia: 9.72 x 8.94" (247 x 227 mm)          Inner Dia: 4.43 x 3.50" (113 x 89 mm)          Depth: 2.40" (61 mm)          UPC Code: 742330-10932</p>
	<p>Part Number: <b>P500087</b>          Description: <b>Air Primary</b>          Primary Appl.: NISSAN 16546-01B00          Dimensions: Outer Dia: 7.56" (192 mm)          Inner Dia: 5.83" (148 mm)          Length: 2.05" (52 mm)          UPC Code: 742330-10934</p>

	<p>Part Number: <b>P500091</b>          Description: <b>Air Primary</b>          Primary Appl.: FIAT 7414198, 7422739          Dimensions: Outer Dia: 8.46" (215 mm)          Inner Dia: 6.14" (156 mm)          Length: 2.36" (60 mm)          UPC Code: 742330-10935</p>
	<p>Part Number: <b>P500093</b>          Description: <b>Air Primary</b>          Primary Appl.: KOMATSU 6675817010          Dimensions: Outer Dia: 9.65" (245 mm)          Inner Dia: 5.24" (133 mm)          Length: 18.14" (461 mm)          UPC Code: 742330-10936</p>
	<p>Part Number: <b>P500094</b>          Description: <b>Air Primary</b>          Primary Appl.: KOMATSU 6001817210          Dimensions: Outer Dia: 7.07" (180 mm)          Inner Dia: 3.98" (101 mm)          Length: 11.77" (299 mm)          UPC Code: 742330-11102</p>
	<p>Part Number: <b>P500096</b>          Description: <b>Air Safety</b>          Primary Appl.: KOMATSU 6001817360          Dimensions: Outer Dia: 3.27" (83 mm)          Inner Dia: 2.12" (54 mm)          Length: 9.33" (237 mm)          UPC Code: 742330-10937</p>
	<p>Part Number: <b>P500099</b>          Description: <b>Air Primary</b>          Primary Appl.: KOMATSU 6675817021          Dimensions: Outer Dia: 9.65" (245 mm)          Inner Dia: 5.20" (132 mm)          Length: 8.82" (224 mm)          UPC Code: 742330-10938</p>
	<p>Part Number: <b>P500100</b>          Description: <b>Air Primary</b>          Primary Appl.: KOMATSU 6675817231          Dimensions: Outer Dia: 9.65" (245 mm)          Inner Dia: 5.12" (130 mm)          Length: 8.82" (224 mm)          UPC Code: 742330-10939</p>
	<p>Part Number: <b>P500101</b>          Description: <b>Air Safety</b>          Primary Appl.: KOMATSU 6675817030          Dimensions: Outer Dia: 5.08" (129 mm)          Inner Dia: 3.82" (97 mm)          Length: 17.60" (447 mm)          UPC Code: 742330-10940</p>
	<p>Part Number: <b>P500102</b>          Description: <b>Air Primary</b>          Primary Appl.: KOMATSU 6675817011          Dimensions: Outer Dia: 9.65" (245 mm)          Inner Dia: 3.81" (97 mm)          Length: 18.14" (461 mm)          UPC Code: 742330-10941</p>











	<p>Part Number: <b>P500103</b> Description: <b>Air Safety</b> Primary Appl.: KOMATSU 6675817031 Dimensions: Outer Dia: 5.08" (129 mm) Inner Dia: 3.81" (97 mm) Length: 16.10" (409 mm) UPC Code: 742330-10942</p>
	<p>Part Number: <b>P500110</b> Description: <b>Air Primary</b> Primary Appl.: ISUZU 5-14215-030-0, 5142150060, WAS P533231 Dimensions: Outer Dia: 6.10" (155 mm) Inner Dia: 3.10" (79 mm) Length: 10.43" (265 mm) UPC Code: 742330-03923</p>
	<p>Part Number: <b>P500111</b> Description: <b>Air Primary</b> Primary Appl.: NISSAN 16546-97001 Dimensions: Outer Dia: 10.04" (255 mm) Inner Dia: 6.26" (159 mm) Length: 16.46" (418 mm) UPC Code: 742330-10943</p>
	<p>Part Number: <b>P500112</b> Description: <b>Air Safety</b> Primary Appl.: NISSAN 16546-97002 Dimensions: Outer Dia: 6.02" (153 mm) Inner Dia: 4.76" (121 mm) Length: 15.55" (395 mm) UPC Code: 742330-10944</p>
	<p>Part Number: <b>P500113</b> Description: <b>Air Primary</b> Primary Appl.: NISSAN 16546-J5570 Dimensions: Outer Dia: 6.09" (155 mm) Inner Dia: 3.47" (88 mm) Length: 9.29" (236 mm) UPC Code: 742330-10945</p>
	<p>Part Number: <b>P500116</b> Description: <b>Air Primary</b> Primary Appl.: TIMOR OK20913Z0 Dimensions: Outer Dia: 8.68" (220 mm) Inner Dia: 6.13" (156 mm) Length: 1.38" (35 mm) UPC Code: 742330-10946</p>
	<p>Part Number: <b>P500120</b> Description: <b>Air Primary</b> Primary Appl.: MITSUBISHI MD620563 Dimensions: Outer Dia: 6.10" (155 mm) Inner Dia: 3.39" (86 mm) Length: 7.48" (190 mm) UPC Code: 742330-10947</p>
	<p>Part Number: <b>P500121</b> Description: <b>Air Primary</b> Primary Appl.: DAIHATSU 1780187304000 Dimensions: Outer Dia: 6.10" (155 mm) Inner Dia: 3.46" (88 mm) Length: 7.80" (198 mm) UPC Code: 742330-10948</p>









	<p>Part Number: <b>P500122</b> Description: <b>Air Primary</b> Primary Appl.: MAZDA AF14200 Dimensions: Outer Dia: 6.30" (160 mm) Inner Dia: 3.11" (79 mm) Length: 5.91" (150 mm) UPC Code: 742330-10949</p>
	<p>Part Number: <b>P500123</b> Description: <b>Air Primary</b> Primary Appl.: NISSAN 16546-02N00 Dimensions: Outer Dia: 5.26" (134 mm) Inner Dia: 2.81" (71 mm) Length: 11.06" (281 mm) UPC Code: 742330-10950</p>
	<p>Part Number: <b>P500124</b> Description: <b>Air Primary</b> Primary Appl.: TOYOTA 17801-54170 Dimensions: Outer Dia: 8.62" (219 mm) Inner Dia: 4.27" (108 mm) Length: 4.70" (119 mm) UPC Code: 742330-11177</p>
	<p>Part Number: <b>P500125</b> Description: <b>Air Primary</b> Primary Appl.: TOYOTA 17801-67060 Dimensions: Outer Dia: 8.62" (219 mm) Inner Dia: 4.27" (108 mm) Length: 5.67" (144 mm) UPC Code: 742330-11178</p>
	<p>Part Number: <b>P502007</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: MITSUBISHI MD135737, 30A4000100 Dimensions: Outer Dia: 2.68" (68 mm) Thread Size: M20 x 1.5 Length: 3.34" (85 mm) Relief Valve: 11 - 17 Anti-Drain: Yes UPC Code: 742330-10953</p>
	<p>Part Number: <b>P502008</b> Description: <b>Lube Spin-on Combination</b> Primary Appl.: MITSUBISHI ME013307, ME013343 Dimensions: Outer Dia: 4.21" (107 mm) Thread Size: M26 x 1.5 Length: 5.90" (150 mm) Relief Valve: 11 - 17 Anti-Drain: None UPC Code: 742330-10954</p>
	<p>Part Number: <b>P502009</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: MITSUBISHI MD136466 Dimensions: Outer Dia: 3.15" (80 mm) Thread Size: M20 x 1.5 Length: 2.52" (64 mm) Relief Valve: 11 - 17 Anti-Drain: None UPC Code: 742330-10955</p>
	<p>Part Number: <b>P502010</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: MITSUBISHI MD322508 Dimensions: Outer Dia: 3.00" (76 mm) Thread Size: M20 x 1.5 Length: 2.80" (71 mm) Relief Valve: 11 - 17 Anti-Drain: None UPC Code: 742330-10956</p>
	<p>Part Number: <b>P502015</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: TOYOTA 90915-03001, 90915-10001 Dimensions: Outer Dia: 2.56" (65 mm) Thread Size: 3/4" - 16 Length: 2.80" (71 mm) Relief Valve: 11 - 17 Anti-Drain: None UPC Code: 742330-10957</p>










 <p>R</p>	<p>Part Number: <b>P502016</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: TOYOTA 90915-03002, 90915-20001 Dimensions: Outer Dia: 2.91" (74 mm) Thread Size: 3/4" - 16 Length: 3.31" (84 mm) Relief Valve: 11 - 17 Anti-Drain: None UPC Code: 742330-10958</p>	 <p>R</p>	<p>Part Number: <b>P502031</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: SUZUKI 16510-83000 Dimensions: Outer Dia: 3.15" (80 mm) Thread Size: 3/4" - 16 Length: 3.93" (100 mm) Relief Valve: 11 - 17 Anti-Drain: None UPC Code: 742330-10966</p>
 <p>R</p>	<p>Part Number: <b>P502017</b> Description: <b>Lube Spin-on Combination</b> Primary Appl.: TOYOTA 90915-03003, 90915-30001 Dimensions: Outer Dia: 3.93" (100 mm) Thread Size: M24 x 1.5 Length: 3.30" (84 mm) Relief Valve: 11 - 17 Anti-Drain: None UPC Code: 742330-10959</p>	 <p>R</p>	<p>Part Number: <b>P502032</b> Description: <b>Lube Spin-on Combination</b> Primary Appl.: ISUZU 8941432050 Dimensions: Outer Dia: 4.25" (108 mm) Thread Size: 1" - 12 Length: 5.14" (131 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-10967</p>
 <p>R</p>	<p>Part Number: <b>P502019</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: TOYOTA 90915-03004 Dimensions: Outer Dia: 2.56" (65 mm) Thread Size: 3/4" - 16 Length: 3.54" (90 mm) Relief Valve: 11 - 17 Anti-Drain: None UPC Code: 742330-10961</p>	 <p>R</p>	<p>Part Number: <b>P502039</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: ISUZU 8944309830 Dimensions: Outer Dia: 4.25" (90 mm) Thread Size: M20 x 1.5 Length: 3.93" (100 mm) Relief Valve: 11 - 17 Anti-Drain: Yes UPC Code: 742330-11100</p>
 <p>R</p>	<p>Part Number: <b>P502020</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: TOYOTA 15600-06010 Dimensions: Outer Dia: 3.15" (80 mm) Thread Size: 3/4" - 16 Length: 3.15" (80 mm) Relief Valve: 11 - 17 Anti-Drain: Yes UPC Code: 742330-10962</p>	 <p>R</p>	<p>Part Number: <b>P502042</b> Description: <b>Lube Spin-on Combination</b> Primary Appl.: ISUZU 8970967770 Dimensions: Outer Dia: 4.88" (124 mm) Thread Size: 1 1/2" - 12 Length: 4.72" (120 mm) Relief Valve: 11 - 17 Anti-Drain: None UPC Code: 742330-10972</p>
 <p>R</p>	<p>Part Number: <b>P502022</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: ATLAS COPCO, BMW, DAIHATSU, SUZUKI Dimensions: Outer Dia: 3.15" (80 mm) Thread Size: 3/4" - 16 Length: 2.95" (75 mm) Relief Valve: 11 - 17 Anti-Drain: Yes UPC Code: 742330-10963</p>	 <p>R</p>	<p>Part Number: <b>P502043</b> Description: <b>Lube Spin-on Combination</b> Primary Appl.: ISUZU 8943604271 Dimensions: Outer Dia: 3.54" (90 mm) Thread Size: M26 x 1.5 Length: 4.92" (125 mm) Relief Valve: 11 - 17 Anti-Drain: None UPC Code: 742330-10973</p>
 <p>R</p>	<p>Part Number: <b>P502023</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: DAIHATSU Dimensions: Outer Dia: 3.15" (80 mm) Thread Size: 3/4" - 16 Length: 2.95" (75 mm) Relief Valve: 11 - 17 Anti-Drain: None UPC Code: 742330-10964</p>	 <p>R</p>	<p>Part Number: <b>P502045</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: ISUZU NPR4.3, C-515 Dimensions: Outer Dia: 4.33" (110 mm) Thread Size: 1 1/2" - 12 Length: 4.92" (125 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-10974</p>
 <p>R</p>	<p>Part Number: <b>P502024</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: BRIGGS &amp; STRATON 492932, SUZUKI, DAIHATSU, MAZDA Dimensions: Outer Dia: 2.68" (68 mm) Thread Size: 3/4" - 16 Length: 2.56" (65 mm) Relief Valve: 11 - 17 Anti-Drain: None UPC Code: 742330-10965</p>	 <p>R</p>	<p>Part Number: <b>P502046</b> Description: <b>Lube Spin-on Combination</b> Primary Appl.: ISUZU 8970967770, 8971482700, 8943381811 Dimensions: Outer Dia: 4.88" (124 mm) Thread Size: 1 1/2" - 12 Length: 4.72" (120 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-10975</p>
 <p>R</p>	<p>Part Number: <b>P502025</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: DAIHATSU 1560187309000 Dimensions: Outer Dia: 3.54" (90 mm) Thread Size: M20 x 1.5 Length: 4.92" (125 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11101</p>	 <p>R</p>	<p>Part Number: <b>P502047</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: ISUZU 94314263 Dimensions: Outer Dia: 2.68" (68 mm) Thread Size: M20 x 1.5 Length: 3.35" (85 mm) Relief Valve: 8 - 11 Anti-Drain: Yes UPC Code: 742330-10976</p>














	<p>Part Number: <b>P502048</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: HONDA 15400-PA6-305 Dimensions: Outer Dia: 3.54" (90 mm) Thread Size: M22 x 1.5 Length: 3.18" (81 mm) Relief Valve: 11 - 17 Anti-Drain: None UPC Code: 742330-10977</p>
	<p>Part Number: <b>P502049</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: HONDA 15400-PR3-004 Dimensions: Outer Dia: 3.15" (80 mm) Thread Size: M20 x 1.5 Length: 3.15" (80 mm) Relief Valve: 11 - 17 Anti-Drain: None UPC Code: 742330-10978</p>
	<p>Part Number: <b>P502050</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: HONDA 15400-PH1-F03 Dimensions: Outer Dia: 3.00" (76 mm) Thread Size: M20 x 1.5 Length: 3.44" (87 mm) Relief Valve: 11 - 17 Anti-Drain: Yes UPC Code: 742330-10979</p>
	<p>Part Number: <b>P502051</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: HONDA 15400-PH1-014, 15400-PK1-003 Dimensions: Outer Dia: 3.15" (80 mm) Thread Size: M20 x 1.5 Length: 3.94" (100 mm) Relief Valve: 11 - 17 Anti-Drain: Yes UPC Code: 742330-10980</p>
	<p>Part Number: <b>P502056</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: MAZDA 145623802A, RF0323802 Dimensions: Outer Dia: 3.15" (80 mm) Thread Size: M20 x 1.5 Length: 5.64" (143 mm) Relief Valve: 11 - 17 UPC Code: 742330-10981</p>
	<p>Part Number: <b>P502057</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: MAZDA FEY014302 Dimensions: Outer Dia: 2.68" (68 mm) Thread Size: M20 x 1.5 Length: 3.35" (85 mm) Relief Valve: 11 - 17 Anti-Drain: None UPC Code: 742330-10982</p>
	<p>Part Number: <b>P502058</b> Description: <b>Lube Spin-on Combination</b> Primary Appl.: DAIHATSU, ISUZU, MAZDA Dimensions: Outer Dia: 3.54" (90 mm) Thread Size: M26 x 1.5 Length: 4.92" (125 mm) Relief Valve: 11 - 17 Anti-Drain: Yes UPC Code: 742330-10983</p>
	<p>Part Number: <b>P502059</b> Description: <b>Lube Spin-on Combination</b> Primary Appl.: MAZDA PNY214302 Dimensions: Outer Dia: 3.54" (90 mm) Thread Size: M26 x 1.5 Length: 3.93" (100 mm) Relief Valve: 11 - 17 Anti-Drain: Yes UPC Code: 742330-10984</p>










	<p>Part Number: <b>P502060</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: MAZDA TFY014302 Dimensions: Outer Dia: 3.96" (101 mm) Thread Size: 1" - 12 Length: 4.92" (125 mm) Relief Valve: 11 - 17 Anti-Drain: Yes UPC Code: 742330-10985</p>
	<p>Part Number: <b>P502061</b> Description: <b>Lube Spin-on Combination</b> Primary Appl.: MAZDA VSY114302 Dimensions: Outer Dia: 4.02" (102 mm) Thread Size: M26 x 1.5 Length: 4.92" (125 mm) Relief Valve: 11 - 17 Anti-Drain: Yes UPC Code: 742330-10986</p>
	<p>Part Number: <b>P502062</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: KIA OB3114302, OB63114302 Dimensions: Outer Dia: 2.68" (68 mm) Thread Size: M20 x 1.5 Length: 2.56" (65 mm) Relief Valve: 11 - 17 Anti-Drain: Yes UPC Code: 742330-10987</p>
	<p>Part Number: <b>P502063</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: MAZDA JEY014302 Dimensions: Outer Dia: 2.68" (68 mm) Thread Size: M20 x 1.5 Length: 3.35" (85 mm) Relief Valve: 11 - 17 Anti-Drain: Yes UPC Code: 742330-10988</p>
	<p>Part Number: <b>P502067</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: NISSAN, MAZDA, MITSUBISHI Dimensions: Outer Dia: 2.68" (68 mm) Thread Size: M20 x 1.5 Length: 2.56" (65 mm) Relief Valve: 11 - 17 Anti-Drain: None UPC Code: 742330-10989</p>
	<p>Part Number: <b>P502068</b> Description: <b>Lube Spin-on Combination</b> Primary Appl.: NISSAN 1520840L00, 1520820N00 Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: 1" - 12 Length: 5.08" (129 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-10990</p>
	<p>Part Number: <b>P502069</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: NISSAN 1520851B10 Dimensions: Outer Dia: 3.15" (80 mm) Thread Size: 3/4" - 16 Length: 2.72" (69 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-10991</p>
	<p>Part Number: <b>P502070</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: NISSAN 1520853J00 Dimensions: Outer Dia: 2.56" (65 mm) Thread Size: 3/4" - 16 Length: 3.35" (85 mm) Relief Valve: None Anti-Drain: Yes UPC Code: 742330-10992</p>

	<p>Part Number: <b>P502071</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: SUBARU 15208AA020 Dimensions: Outer Dia: 3.14" (80 mm) Thread Size: M20 x 1.5 Length: 2.76" (70 mm) Relief Valve: 11 - 17 Anti-Drain: None UPC Code: 742330-10993</p>
	<p>Part Number: <b>P502072</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: FORD 785F6714AA3A Dimensions: Outer Dia: 3.64" (92 mm) Thread Size: M22 x 1.5 Length: 5.47" (139 mm) Relief Valve: Yes Anti-Drain: Yes UPC Code: 742330-10994</p>
	<p>Part Number: <b>P502074</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: PEUGEOT 1109-43 Dimensions: Outer Dia: 3.39" (86 mm) Thread Size: M18 x 1.5 Length: 2.89" (73 mm) Relief Valve: None Anti-Drain: Yes UPC Code: 742330-10995</p>
	<p>Part Number: <b>P502075</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: PEUGEOT 1109-59 Dimensions: Outer Dia: 3.54" (90 mm) Thread Size: .0 Length: 3.45" (88 mm) Relief Valve: None Anti-Drain: Yes UPC Code: 742330-10996</p>
	<p>Part Number: <b>P502076</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: PEUGEOT 1109-51 Dimensions: Outer Dia: 3.43" (87 mm) Thread Size: M20 x 1.5 Length: 3.50" (89 mm) Relief Valve: 18 - 24 Anti-Drain: None UPC Code: 742330-10997</p>
	<p>Part Number: <b>P502077</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: FIAT 4371582V03 Dimensions: Outer Dia: 4.25" (108 mm) Thread Size: 3/4" - 16 Length: 4.33" (110 mm) Relief Valve: 8 - 11 Anti-Drain: None UPC Code: 742330-10998</p>
	<p>Part Number: <b>P502080</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: MITSUBISHI 32B4000100 Dimensions: Outer Dia: 4.02" (102 mm) Thread Size: 1" - 12 Length: 5.91" (150 mm) Relief Valve: Yes Anti-Drain: Yes UPC Code: 742330-11095</p>
	<p>Part Number: <b>P502081</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: MITSUBISHI 3754001101 Dimensions: Outer Dia: 4.25" (108 mm) Thread Size: 1 1/2" - 12 Length: 10.42" (265 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-10999</p>
	<p>Part Number: <b>P502082</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: MITSUBISHI C4570411, WAKO UWP110 Dimensions: Outer Dia: 3.80" (97 mm) Thread Size: 1 1/8" - 16 Length: 6.81" (173 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11000</p>









	<p>Part Number: <b>P502083</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: MITSUBISHI 3743802400 Dimensions: Outer Dia: 4.88" (124 mm) Thread Size: 1 1/8" - 16 Length: 4.72" (120 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11001</p>
	<p>Part Number: <b>P502084</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: MITSUBISHI LPF08 Dimensions: Outer Dia: 3.78" (96 mm) Thread Size: 1 1/8" - 16 Length: 6.61" (168 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11002</p>
	<p>Part Number: <b>P502085</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: MITSUBISHI 32A4000100 Dimensions: Outer Dia: 4.21" (107 mm) Thread Size: 1" - 12 Length: 3.96" (101 mm) Relief Valve: 18 - 24 Anti-Drain: None UPC Code: 742330-11003</p>
	<p>Part Number: <b>P502086</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: GM 6437982, AC PF34 Dimensions: Outer Dia: 3.00" (76 mm) Thread Size: 3/4" - 16 Length: 4.88" (124 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11004</p>
	<p>Part Number: <b>P502088</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: NISSAN 15201Z9000, 15201Z9002, 15201Z9003 Dimensions: Outer Dia: 4.33" (110 mm) Thread Size: 1 1/8" - 16 Length: 6.73" (171 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11005</p>
	<p>Part Number: <b>P502089</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: NISSAN 15201Z9001, 15201Z9004 Dimensions: Outer Dia: 4.33" (110 mm) Thread Size: 3/4" - 16 Length: 4.82" (122 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11006</p>
	<p>Part Number: <b>P502090</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: MERCEDES 051155561G Dimensions: Outer Dia: 2.95" (75 mm) Thread Size: 3/4" - 16 Length: 4.75" (121 mm) Relief Valve: 25 - 31 Anti-Drain: None UPC Code: 742330-11007</p>
	<p>Part Number: <b>P502091</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: GM 5576054, AC PF35 Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: 13/16" - 16 Length: 5.47" (139 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11008</p>












 R	<p>Part Number: <b>P502092</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: PROTON PW502889 Dimensions: Outer Dia: 3.52" (89 mm) Thread Size: M20 x 1.5 Length: 3.23" (82 mm)</p> <p>Relief Valve: 11 - 17 Anti-Drain: None UPC Code: 742330-11009</p>
 R	<p>Part Number: <b>P502093</b> Description: <b>Lube Spin-on Combination</b> Primary Appl.: CATERPILLAR 517950 Dimensions: Outer Dia: 4.33" (110 mm) Thread Size: M32 x 1.5 Length: 8.66" (220 mm)</p> <p>Relief Valve: 25 - 31 Anti-Drain: None UPC Code: 742330-11010</p>
 R	<p>Part Number: <b>P502094</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: ECHLIN OF1 Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: 3/4" - 16 Length: 5.07" (129 mm)</p> <p>Relief Valve: 11 - 17 Anti-Drain: None UPC Code: 742330-11011</p>
 R	<p>Part Number: <b>P502095</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: ECHLIN OF4 Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: 13/16" - 16 Length: 5.08" (129 mm)</p> <p>Relief Valve: None Anti-Drain: None UPC Code: 742330-11012</p>
 R	<p>Part Number: <b>P502096</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: ECHLIN OF5 Dimensions: Outer Dia: 3.00" (76 mm) Thread Size: 3/4" - 16 Length: 5.51" (140 mm)</p> <p>Relief Valve: None Anti-Drain: None UPC Code: 742330-11013</p>
 R	<p>Part Number: <b>P502097</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: ECHLIN OF8 Dimensions: Outer Dia: 3.43" (87 mm) Thread Size: M20 x 1.5 Length: 3.86" (98 mm)</p> <p>Relief Valve: 11 - 17 Anti-Drain: None UPC Code: 742330-11014</p>
 R	<p>Part Number: <b>P502098</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: ECHLIN OF17 Dimensions: Outer Dia: 3.15" (80 mm) Thread Size: M20 x 1.5 Length: 2.95" (75 mm)</p> <p>Relief Valve: Yes Anti-Drain: Yes UPC Code: 742330-11015</p>
 R	<p>Part Number: <b>P502099</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: ECHLIN OF19 Dimensions: Outer Dia: 3.00" (76 mm) Thread Size: 3/4" - 16 Length: 3.40" (86 mm)</p> <p>Relief Valve: 11 - 17 Anti-Drain: None UPC Code: 742330-11016</p>
 R	<p>Part Number: <b>P502100</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: ECHLIN OF20 Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: 3/4" - 16 Length: 3.82" (97 mm)</p> <p>Relief Valve: 8 - 11 Anti-Drain: None UPC Code: 742330-11017</p>









 R	<p>Part Number: <b>P502101</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: ECHLIN OF25 Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: 3/4" - 16 Length: 5.08" (129 mm)</p> <p>Relief Valve: None Anti-Drain: None UPC Code: 742330-11018</p>
 R	<p>Part Number: <b>P502102</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: ECHLIN OF16 Dimensions: Outer Dia: 3.15" (80 mm) Thread Size: 3/4" - 16 Length: 2.95" (75 mm)</p> <p>Relief Valve: 11 - 17 Anti-Drain: Yes UPC Code: 742330-11019</p>
 R	<p>Part Number: <b>P502103</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: ECHLIN OF29 Dimensions: Outer Dia: 3.00" (76 mm) Thread Size: 3/4" - 16 Length: 5.51" (140 mm)</p> <p>Relief Valve: 11 - 17 Anti-Drain: None UPC Code: 742330-11020</p>
 R	<p>Part Number: <b>P502104</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: ECHLIN OF34 Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: 3/4" - 16 Length: 3.81" (97 mm)</p> <p>Relief Valve: 11 - 17 Anti-Drain: Yes UPC Code: 742330-11021</p>
 R	<p>Part Number: <b>P502105</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: ECHLIN OF39 Dimensions: Outer Dia: 2.95" (75 mm) Thread Size: M18 x 1.5 Length: 3.39" (86 mm)</p> <p>Relief Valve: None Anti-Drain: Yes UPC Code: 742330-11022</p>
 R	<p>Part Number: <b>P502106</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: ECHLIN OF2 Dimensions: Outer Dia: 3.60" (91 mm) Thread Size: 3/4" - 16 Length: 3.72" (94 mm)</p> <p>Relief Valve: Yes Anti-Drain: Yes UPC Code: 742330-11023</p>
 R	<p>Part Number: <b>P502107</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: ECHLIN OF18 Dimensions: Outer Dia: 3.00" (76 mm) Thread Size: 3/4" - 16 Length: 3.46" (88 mm)</p> <p>Relief Valve: None Anti-Drain: None UPC Code: 742330-11024</p>
 R	<p>Part Number: <b>P502108</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: ECHLIN OF86 Dimensions: Outer Dia: 2.68" (68 mm) Thread Size: 3/4" - 16 Length: 2.95" (75 mm)</p> <p>Relief Valve: 11 - 17 Anti-Drain: Yes UPC Code: 742330-11025</p>
 R	<p>Part Number: <b>P502109</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: ECHLIN OF44 Dimensions: Outer Dia: 3.43" (87 mm) Thread Size: M20 x 1.5 Length: 3.07" (78 mm)</p> <p>Relief Valve: None Anti-Drain: None UPC Code: 742330-11026</p>





























 R	<p>Part Number: <b>P502110</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: ECHLIN OF71 Dimensions: Outer Dia: 2.95" (75 mm) Thread Size: 13/16" - 16 Length: 3.39" (86 mm) Relief Valve: None Anti-Drain: Yes UPC Code: 742330-11027</p>
 R	<p>Part Number: <b>P502111</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: ECHLIN OF74 Dimensions: Outer Dia: 3.15" (80 mm) Thread Size: M20 x 1.5 Length: 2.95" (75 mm) Relief Valve: 11 - 17 Anti-Drain: None UPC Code: 742330-11028</p>
 R	<p>Part Number: <b>P502112</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: HARVARD 25-250 Dimensions: Outer Dia: 3.00" (76 mm) Thread Size: 3/4" - 16 Length: 3.46" (88 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11029</p>
 R	<p>Part Number: <b>P502113</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: MITSUBISHI 3166201031 Dimensions: Outer Dia: 2.83" (72 mm) Inner Dia: .43" (11 mm) Length: 1.73" (44 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11030</p>
 R	<p>Part Number: <b>P502114</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: MITSUBISHI ME046010 Dimensions: Outer Dia: 3.62" (92 mm) Inner Dia: .73" (19 mm) Length: 5.51" (140 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11031</p>
 R	<p>Part Number: <b>P502115</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: MITSUBISHI MA125373 Dimensions: Outer Dia: 1.38" (35 mm) Inner Dia: 1.73" (44 mm) Length: .45" (11 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11032</p>
 R	<p>Part Number: <b>P502116</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: MITSUBISHI ME971550, ME971553, SAME AS P550044 EXCEPT GASKETS Dimensions: Outer Dia: 3.58" (91 mm) Inner Dia: .59" (15 mm) Length: 5.43" (138 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11033</p>
 R	<p>Part Number: <b>P502117</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: MITSUBISHI ME016862 Dimensions: Outer Dia: 2.87" (73 mm) Inner Dia: .52" (13 mm) Length: 3.54" (90 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11034</p>

 R	<p>Part Number: <b>P502118</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: TOYOTA 0423456010 Dimensions: Outer Dia: 2.95" (75 mm) Inner Dia: .63" (16 mm) Length: 2.60" (66 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11035</p>
 R	<p>Part Number: <b>P502131</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: MANN B405C, BF1018/1 Dimensions: Outer Dia: 7.07" (180 mm) Inner Dia: 3.98" (101 mm) Length: 11.77" (299 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11036</p>
 R	<p>Part Number: <b>P502132</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: MANN EK405, P1018/1 Dimensions: Outer Dia: 3.86" (98 mm) Inner Dia: .87" (22 mm) Length: 6.35" (161 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11037</p>
 R	<p>Part Number: <b>P502133</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: YANMAR 10420055710 Dimensions: Outer Dia: 1.38" (35 mm) Inner Dia: .47" (12 mm) Length: 3.81" (97 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11038</p>
 R	<p>Part Number: <b>P502134</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: YANMAR 10450055710 Dimensions: Outer Dia: 1.38" (35 mm) Inner Dia: .43" (11 mm) Length: 2.44" (62 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11039</p>
 R	<p>Part Number: <b>P502135</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: YANMAR 10599155710 Dimensions: Outer Dia: 1.38" (35 mm) Inner Dia: .47" (12 mm) Length: 3.43" (87 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11040</p>
 R	<p>Part Number: <b>P502136</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: CAT 557645 Dimensions: Outer Dia: 1.12" (28 mm) Thread Size: 8 - 36 G Length: 1.72" (44 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11041</p>
 R	<p>Part Number: <b>P502137</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: TUNG FUNG 20108840 Dimensions: Outer Dia: 3.35" (85 mm) Inner Dia: 1.54" (39 mm) Length: 3.94" (100 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11042</p>
 R	<p>Part Number: <b>P502138</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: KUBOTA 15231-43563, 15231-43560 Dimensions: Outer Dia: 1.14" (29 mm) Inner Dia: .51" (13 mm) Length: 3.35" (85 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11043</p>







	<p>Part Number: <b>P502142</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: MITSUBISHI MB433425, TCM 20801-02131 Dimensions: Outer Dia: 3.16" (80 mm) Thread Size: M20 x 1.5 Length: 4.72" (120 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11044</p>
	<p>Part Number: <b>P502143</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: MITSUBISHI 3446200300 Dimensions: Outer Dia: 3.15" (80 mm) Thread Size: M20 x 1.5 Length: 3.93" (100 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11045</p>
	<p>Part Number: <b>P502146</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: TOYOTA 23303-56040 Dimensions: Outer Dia: 4.41" (112 mm) Thread Size: 3/4" - 16 Length: 6.69" (170 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11047</p>
	<p>Part Number: <b>P502149</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: DAIHATSU 2330387308000 Dimensions: Outer Dia: 3.72" (94 mm) Thread Size: M20 x 1.5 Length: 5.43" (138 mm) Relief Valve: Yes Anti-Drain: None UPC Code: 742330-11049</p>
	<p>Part Number: <b>P502157</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: MAZDA RF0323570 Dimensions: Outer Dia: 3.70" (94 mm) Thread Size: M20 x 1.5 Length: 4.72" (120 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11052</p>
	<p>Part Number: <b>P502158</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: MAZDA 145623570A Dimensions: Outer Dia: 3.72" (94 mm) Thread Size: M20 x 1.5 Length: 5.17" (131 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11053</p>
	<p>Part Number: <b>P502161</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: YANMAR 12910055650, KUBOTA 15521-43160 Dimensions: Outer Dia: 1.97" (50 mm) Inner Dia: .79" (20 mm) Length: 3.50" (89 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11091</p>
	<p>Part Number: <b>P502163</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: NISSAN 16403-Z9000, 16403-Z9005 Dimensions: Outer Dia: 3.15" (80 mm) Thread Size: 3/4" - 16 Length: 4.50" (114 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11056</p>



















	<p>Part Number: <b>P502166</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: YANMAR 12455055700, KUBOTA 16271-43560 Dimensions: Outer Dia: 1.38" (35 mm) Inner Dia: .43" (11 mm) Length: 3.39" (86 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11092</p>
	<p>Part Number: <b>P502167</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: NISSAN 16405-01T70 Dimensions: Outer Dia: 3.15" (80 mm) Thread Size: 3/4" - 16 Length: 6.89" (175 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11057</p>
	<p>Part Number: <b>P502169</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: LEYLAND ABU9642, MAZDA SL07-23570 Dimensions: Outer Dia: 3.44" (87 mm) Inner Dia: .75" (19 mm) Length: 3.41" (87 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11058</p>
	<p>Part Number: <b>P502170</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: HITACHI 3502410N Dimensions: Outer Dia: 3.54" (90 mm) Inner Dia: 1.93" (49 mm) Length: 10.91" (277 mm) Relief Valve: None UPC Code: 742330-11093</p>
	<p>Part Number: <b>P502172</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: HITACHI 4159320 Dimensions: Outer Dia: 2.87" (73 mm) Inner Dia: 1.41" (36 mm) Length: 4.45" (113 mm) Relief Valve: None UPC Code: 742330-11094</p>
	<p>Part Number: <b>P502177</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: FSA FF2028, RYCO Z169A Dimensions: Outer Dia: 3.15" (80 mm) Thread Size: 3/4" - 16 Length: 3.31" (84 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11060</p>
	<p>Part Number: <b>P502178</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: CAT 3S3875 Dimensions: Outer Dia: 3.37" (86 mm) Inner Dia: 1.81" (46 mm) Length: 9.06" (230 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11061</p>
	<p>Part Number: <b>P502179</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: MITSUBISHI 3134012030 Dimensions: Outer Dia: 3.62" (92 mm) Inner Dia: .69" (18 mm) Length: 4.33" (110 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11062</p>

 R	<p>Part Number: <b>P502180</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: MITSUBISHI 3144012030 Dimensions: Outer Dia: 3.62" (92 mm) Inner Dia: .69" (18 mm) Length: 6.30" (160 mm)</p> <p>Relief Valve: None Anti-Drain: None UPC Code: 742330-11063</p>	 R	<p>Part Number: <b>P502191</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: HINO 156071341, 15607-1340 Dimensions: Outer Dia: 4.80" (122 mm) Inner Dia: .67" (17 mm) Length: 9.80" (249 mm)</p> <p>Relief Valve: None Anti-Drain: None UPC Code: 742330-11072</p>
 R	<p>Part Number: <b>P502183</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: MITSUBISHI ME021073 Dimensions: Outer Dia: 3.97" (101 mm) Inner Dia: .54" (14 mm) Length: 9.21" (234 mm)</p> <p>Relief Valve: None Anti-Drain: None UPC Code: 742330-11064</p>	 R	<p>Part Number: <b>P502192</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: HINO 15607-1390 Dimensions: Outer Dia: 3.35" (85 mm) Inner Dia: .90" (23 mm) Length: 5.08" (129 mm)</p> <p>Relief Valve: None Anti-Drain: None UPC Code: 742330-11073</p>
 R	<p>Part Number: <b>P502184</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: MITSUBISHI 68937310012 Dimensions: Outer Dia: 4.48" (114 mm) Inner Dia: 2.84" (72 mm) Length: 10.83" (275 mm)</p> <p>Relief Valve: None Anti-Drain: None UPC Code: 742330-11065</p>	 R	<p>Part Number: <b>P502193</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: ISUZU 513240036 Dimensions: Outer Dia: 2.85" (72 mm) Inner Dia: 1.30" (33 mm) Length: 5.39" (137 mm)</p> <p>Relief Valve: None Anti-Drain: None UPC Code: 742330-11074</p>
 R	<p>Part Number: <b>P502185</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: TOYOTA 04152-31012 Dimensions: Outer Dia: 2.81" (71 mm) Inner Dia: 4.33" (110 mm) Length: .67" (17 mm)</p> <p>Relief Valve: None Anti-Drain: None UPC Code: 742330-11066</p>	 R	<p>Part Number: <b>P502194</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: ISUZU 13240085, Dimensions: Outer Dia: 3.35" (85 mm) Inner Dia: 1.57" (40 mm) Length: 5.63" (143 mm)</p> <p>Relief Valve: None Anti-Drain: None UPC Code: 742330-11075</p>
 R	<p>Part Number: <b>P502186</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: TOYOTA 0415277010 Dimensions: Outer Dia: 4.84" (123 mm) Inner Dia: .79" (20 mm) Length: 5.43" (138 mm)</p> <p>Relief Valve: None Anti-Drain: None UPC Code: 742330-11067</p>	 R	<p>Part Number: <b>P502196</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: ISUZU 13240045 Dimensions: Outer Dia: 2.95" (75 mm) Inner Dia: .75" (19 mm) Length: 6.97" (177 mm)</p> <p>Relief Valve: None Anti-Drain: None UPC Code: 742330-11076</p>
 R	<p>Part Number: <b>P502187</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: TOYOTA 0415246010 Dimensions: Outer Dia: 3.62" (92 mm) Inner Dia: .71" (18 mm) Length: 5.41" (137 mm)</p> <p>Relief Valve: None Anti-Drain: None UPC Code: 742330-11068</p>	 R	<p>Part Number: <b>P502200</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: ISUZU 1132401170 Dimensions: Outer Dia: 5.51" (140 mm) Inner Dia: 1.34" (34 mm) Length: 7.60" (193 mm)</p> <p>Relief Valve: None Anti-Drain: None UPC Code: 742330-11077</p>
 R	<p>Part Number: <b>P502188</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: HINO 9956210300, 15607-1120 Dimensions: Outer Dia: 3.35" (85 mm) Inner Dia: .90" (23 mm) Length: 5.08" (129 mm)</p> <p>Relief Valve: None Anti-Drain: None UPC Code: 742330-11069</p>	 R	<p>Part Number: <b>P502201</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: ISUZU 1132401160 Dimensions: Outer Dia: 4.09" (104 mm) Inner Dia: .59" (15 mm) Length: 7.09" (180 mm)</p> <p>Relief Valve: None Anti-Drain: None UPC Code: 742330-11078</p>
 R	<p>Part Number: <b>P502189</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: HINO 15607-1210 Dimensions: Outer Dia: 3.35" (85 mm) Inner Dia: .90" (23 mm) Length: 5.08" (129 mm)</p> <p>Relief Valve: None Anti-Drain: None UPC Code: 742330-11070</p>	 R	<p>Part Number: <b>P502202</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: ISUZU 1878103720 Dimensions: Outer Dia: 3.54" (90 mm) Inner Dia: .59" (15 mm) Length: 4.09" (104 mm)</p> <p>Relief Valve: None Anti-Drain: None UPC Code: 742330-11079</p>
 R	<p>Part Number: <b>P502190</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: HINO 15607-1351 Dimensions: Outer Dia: 4.80" (122 mm) Inner Dia: .67" (17 mm) Length: 8.62" (219 mm)</p> <p>Relief Valve: None Anti-Drain: None UPC Code: 742330-11071</p>	 R	<p>Part Number: <b>P502203</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: NISSAN 1520876225 Dimensions: Outer Dia: 3.11" (79 mm) Inner Dia: 1.56" (40 mm) Length: 5.35" (136 mm)</p> <p>Relief Valve: None Anti-Drain: None UPC Code: 742330-11080</p>



 R	<p>Part Number: <b>P502205</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: NISSAN 1527499025 Dimensions: Outer Dia: 4.33" (110 mm) Inner Dia: 2.04" (52 mm) Length: 8.11" (206 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11081</p>
 R	<p>Part Number: <b>P502206</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: NISSAN 1527499128 Dimensions: Outer Dia: 3.94" (100 mm) Inner Dia: 1.56" (40 mm) Length: 7.19" (183 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11082</p>
 R	<p>Part Number: <b>P502207</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: MANN H614X, MERCEDES 1021800009 Dimensions: Outer Dia: 2.36" (60 mm) Inner Dia: .69" (18 mm) Length: 3.94" (100 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11083</p>
 R	<p>Part Number: <b>P502210</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: MANN AF34 Dimensions: Outer Dia: 3.29" (84 mm) Inner Dia: .96" (24 mm) Length: 7.68" (195 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11085</p>
 R	<p>Part Number: <b>P502211</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: MANN AF32 Dimensions: Outer Dia: 3.29" (84 mm) Inner Dia: .96" (24 mm) Length: 5.27" (134 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11086</p>
 R	<p>Part Number: <b>P502214</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: MANN H7271 Dimensions: Outer Dia: 2.41" (61 mm) Inner Dia: .93" (24 mm) Length: 6.22" (158 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11087</p>
 R	<p>Part Number: <b>P502215</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: KÖBELCO R36P0019 Dimensions: Outer Dia: 1.67" (42 mm) Inner Dia: .94" (24 mm) Length: 3.31" (84 mm) Relief Valve: None UPC Code: 742330-11088</p>
 R	<p>Part Number: <b>P502222</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: FIAT 74741272 Dimensions: Outer Dia: 4.25" (108 mm) Thread Size: M 30 x 2 Length: 5.62" (143 mm) Relief Valve: 18 - 24 Anti-Drain: Yes UPC Code: 742330-11098</p>


 R	<p>Part Number: <b>P502223</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: MANN H20211 Dimensions: Outer Dia: 7.64" (194 mm) Inner Dia: 4.65" (118 mm) Length: 6.71" (170 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11097</p>
 R	<p>Part Number: <b>P502224</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: FORD FONNB486BB, NEW HOLLAND 82005016 Dimensions: Outer Dia: 5.35" (136 mm) Thread Size: 1 3/4" - 16 Length: 9.57" (243 mm) Relief Valve: 18 - 24 Anti-Drain: None UPC Code: 742330-11096</p>
 R	<p>Part Number: <b>P502225</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: LEYLAND 11K243 Dimensions: Outer Dia: 3.74" (95 mm) Inner Dia: 1.91" (49 mm) Length: 7.05" (179 mm) Relief Valve: None UPC Code: 742330-11120</p>
 R	<p>Part Number: <b>P520450</b> Description: <b>Cab Air</b> Primary Appl.: CAT 5G-1913 Dimensions: Width: 8.00" (203 mm) Depth: 2.19" (56 mm) Length: 16.00" (406 mm) UPC Code: 742330-03294</p>
 R	<p>Part Number: <b>P520508</b> Description: <b>Air Primary</b> Primary Appl.: UAC 250C142WS Dimensions: Outer Dia: 5.30" (135 mm) Inner Dia: 3.00" (76 mm) Length: 14.19" (360 mm) UPC Code: 742330-03295</p>
 R	<p>Part Number: <b>P520509</b> Description: <b>Air Primary</b> Primary Appl.: MASSEY FERGUSON 1039045M91 Dimensions: Outer Dia: 3.30" (84 mm) Inner Dia: 2.15" (55 mm) Length: 13.25" (337 mm) UPC Code: 742330-03296</p>
 R	<p>Part Number: <b>P520510</b> Description: <b>Air Primary</b> Primary Appl.: UAC 250C124 MF 1094056M91 Dimensions: Outer Dia: 5.31" (135 mm) Inner Dia: 2.22" (56 mm) Length: 10.50" (267 mm) UPC Code: 742330-03297</p>
 R	<p>Part Number: <b>P520511</b> Description: <b>Air Safety</b> Primary Appl.: UAC 250C126S MF 1094269M1 Dimensions: Outer Dia: 2.10" (53 mm) Inner Dia: 1.9" (48 mm) Length: 10.25" (260 mm) UPC Code: 742330-03298</p>



















	<p>Part Number: <b>P520582</b> Description: <b>Air Safety</b> Primary Appl.: STEIGER 90-4204T1, USE WITH PRIMARY P181183 Dimensions: Outer Dia: 7.64" (194 mm) Inner Dia: 6.04" (153 mm) Length: 20.00" (508 mm) UPC Code: 742330-03299</p>		<p>Part Number: <b>P522293</b> Description: <b>Air Primary, Konopak</b> Primary Appl.: Donaldson EBA11 KONEPAC, PACAKGED GASKET P154686, EON-EAF5061 Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.95" (177 mm) Length: 28.00" (711 mm) UPC Code: 742330-03318</p>
	<p>Part Number: <b>P520620</b> Description: <b>Air Primary</b> Primary Appl.: TIPTON, FLEETGUARD AF1907M Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.04" (153 mm) Length: 26.00" (660 mm) UPC Code: 742330-03300</p>		<p>Part Number: <b>P522449</b> Description: <b>Air Primary</b> Primary Appl.: KOMATSU #600-181-7300 Dimensions: Outer Dia: 5.25" (133 mm) Inner Dia: 3.26" (83 mm) Length: 11.00" (279 mm) UPC Code: 742330-03320</p>
	<p>Part Number: <b>P520925</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson EBB09, FORD FOHZ9601A, MTRCRFT FA1078, EON-EAF5058 Dimensions: Outer Dia: 7.32" (186 mm) Inner Dia: 5.40" (137 mm) Length: 23.00" (584 mm) UPC Code: 742330-03304</p>		<p>Part Number: <b>P522450</b> Description: <b>Air Safety</b> Primary Appl.: KOMATSU #6114-80-7101-S Dimensions: Outer Dia: 5.56" (141 mm) Inner Dia: 4.20" (107 mm) Length: 10.57" (268 mm) UPC Code: 742330-03321</p>
	<p>Part Number: <b>P521055</b> Description: <b>Air Primary</b> Primary Appl.: FREIGHTLINER OFF HWY TRUCK Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.73" (196 mm) Length: 16.00" (406 mm) UPC Code: 742330-03305</p>		<p>Part Number: <b>P522451</b> Description: <b>Air Primary</b> Primary Appl.: KOMATSU #6114-80-7101-P, 600-181-2500 Dimensions: Outer Dia: 9.73" (247 mm) Inner Dia: 5.66" (144 mm) Length: 12.56" (319 mm) UPC Code: 742330-03322</p>
	<p>Part Number: <b>P521598</b> Description: <b>Air Primary, Konopak</b> Primary Appl.: Donaldson EBA13 KONEPAC, KENWORTH, PETERBILT, EON-EAF5060 Dimensions: Outer Dia: 11.83" (300 mm) Inner Dia: 7.37" (187 mm) Length: 24.00" (610 mm) UPC Code: 742330-03306</p>		<p>Part Number: <b>P522452</b> Description: <b>Air Safety</b> Primary Appl.: KOMATSU 600-181-6740-S, 600-181-6730, Primary=P181191 Dimensions: Outer Dia: 5.25" (133 mm) Inner Dia: 4.13" (105 mm) Length: 15.83" (402 mm) UPC Code: 742330-03323</p>
	<p>Part Number: <b>P521685</b> Description: <b>Air Primary, Wrap</b> Contents or Usage: CATERPILLAR 8N-2555, Polyester wrap for P181126 (for high carbon underground mining apps) UPC Code: 742330-10636</p>		<p>Part Number: <b>P522874</b> Description: <b>Air Primary</b> Primary Appl.: MCI BUS #9G-3-37, EON-EAF5065 Dimensions: Outer Dia: 15.09" (383 mm) Inner Dia: 8.70" (221 mm) Length: 15.34" (390 mm) UPC Code: 742330-03326</p>
	<p>Part Number: <b>P521686</b> Description: <b>Air Primary, Wrap</b> Contents or Usage: CATERPILLAR 4W-7103, POLYESTER WRAP FOR P529552 UPC Code: 742330-03313</p>		<p>Part Number: <b>P522926</b> Description: <b>Air Primary</b> Primary Appl.: FORD E8H29601A Dimensions: Outer Dia: 13.84" (352 mm) Inner Dia: 7.48" (190 mm) Length: 7.00" (178 mm) UPC Code: 742330-03327</p>
	<p>Part Number: <b>P521692</b> Description: <b>Air Safety</b> Primary Appl.: VOLVO V1114450, Primary=P524344 Dimensions: Outer Dia: 8.24" (209 mm) Inner Dia: 7.12" (181 mm) Length: 13.00" (330 mm) UPC Code: 742330-03314</p>		<p>Part Number: <b>P523048</b> Description: <b>Air Safety</b> Primary Appl.: CAT 8N-2556, Primary-P181126 Dimensions: Outer Dia: 12.82" (326 mm) Inner Dia: 10.14" (258 mm) Length: 9.81" (249 mm) UPC Code: 742330-03329</p>
	<p>Part Number: <b>P521847</b> Description: <b>Air Safety</b> Primary Appl.: CAT 8N-6883, Safety HAS 10 HOLES, Primary=P181102 Dimensions: Outer Dia: 6.31" (160 mm) Inner Dia: 4.63" (118 mm) Length: 16.15" (410 mm) UPC Code: 742330-03315</p>		<p>Part Number: <b>P524344</b> Description: <b>Air Primary</b> Primary Appl.: VOLVO/WHITE V1115700, Safety=P521692 Dimensions: Outer Dia: 12.74" (324 mm) Inner Dia: 8.38" (213 mm) Length: 15.75" (400 mm) UPC Code: 742330-03331</p>













	<p>Part Number: <b>P524346</b> Description: <b>Air Primary</b> Primary Appl.: INT'L 150868R91 Dimensions: Outer Dia: 8.06" (205 mm) Inner Dia: 5.75" (146 mm) Length: 7.62" (194 mm) UPC Code: 742330-03332</p>
	<p>Part Number: <b>P524347</b> Description: <b>Air Primary</b> Primary Appl.: AMC, FORD, INT'L, JEEP Dimensions: Outer Dia: 9.69" (246 mm) Inner Dia: 7.94" (202 mm) Length: 2.25" (57 mm) UPC Code: 742330-03333</p>
	<p>Part Number: <b>P524348</b> Description: <b>Air Primary</b> Primary Appl.: INT'L 180287R91, AMERICAN LAFRANCE, MERCEDES, HAS ONE CLOSED END Dimensions: Outer Dia: 6.00" (152 mm) Inner Dia: 4.62" (117 mm) Length: 8.56" (217 mm) UPC Code: 742330-03334</p>
	<p>Part Number: <b>P524349</b> Description: <b>Air Primary</b> Primary Appl.: GM 5649797 Dimensions: Outer Dia: 9.69" (246 mm) Inner Dia: 8.19" (208 mm) Length: 1.87" (47 mm) UPC Code: 742330-03335</p>
	<p>Part Number: <b>P524350</b> Description: <b>Air Primary</b> Primary Appl.: FORD 6CYL-300, C40Z9601A Dimensions: Outer Dia: 8.12" (206 mm) Inner Dia: 6.62" (168 mm) Length: 3.25" (83 mm) UPC Code: 742330-03336</p>
	<p>Part Number: <b>P524351</b> Description: <b>Air Primary</b> Primary Appl.: GM 6CYL-292, V8-305, JEEP Dimensions: Outer Dia: 9.69" (246 mm) Inner Dia: 8.19" (208 mm) Length: 3.53" (90 mm) UPC Code: 742330-03337</p>
	<p>Part Number: <b>P524353</b> Description: <b>Air Primary</b> Primary Appl.: INT'L 4CYL-196, 6CYL-198, V8-304, V8-345 Dimensions: Outer Dia: 10.00" (254 mm) Inner Dia: 7.50" (190 mm) Length: 2.37" (60 mm) UPC Code: 742330-03338</p>
	<p>Part Number: <b>P524354</b> Description: <b>Air Primary</b> Primary Appl.: GM 6CYL-292 Dimensions: Outer Dia: 9.50" (241 mm) Inner Dia: 8.00" (203 mm) Length: 3.00" (76 mm) UPC Code: 742330-03339</p>
	<p>Part Number: <b>P524355</b> Description: <b>Air Primary</b> Primary Appl.: GM V8-305, V8-350, V8-454 Dimensions: Outer Dia: 12.00" (305 mm) Inner Dia: 9.81" (249 mm) Length: 3.45" (88 mm) UPC Code: 742330-03340</p>









	<p>Part Number: <b>P524356</b> Description: <b>Air Primary</b> Primary Appl.: GM 6483645, 6484963 Dimensions: Outer Dia: 13.00" (330 mm) Inner Dia: 11.22" (285 mm) Length: 2.80" (71 mm) UPC Code: 742330-03341</p>
	<p>Part Number: <b>P524357</b> Description: <b>Air Primary</b> Primary Appl.: FORD V8-460 C8A29601A Dimensions: Outer Dia: 13.28" (337 mm) Inner Dia: 11.28" (287 mm) Length: 2.78" (71 mm) UPC Code: 742330-03342</p>
	<p>Part Number: <b>P524358</b> Description: <b>Air Primary</b> Primary Appl.: FORD C8TZ9601A Dimensions: Outer Dia: 10.87" (276 mm) Inner Dia: 9.00" (230 mm) Length: 2.21" (56 mm) UPC Code: 742330-03343</p>
	<p>Part Number: <b>P524359</b> Description: <b>Air Primary</b> Primary Appl.: FORD 6CYL-300 Dimensions: Outer Dia: 11.37" (289 mm) Inner Dia: 9.62" (244 mm) Length: 2.16" (55 mm) UPC Code: 742330-03344</p>
	<p>Part Number: <b>P524360</b> Description: <b>Air Primary</b> Primary Appl.: GM V8-366, V8-427 6423239 Dimensions: Outer Dia: 11.31" (287 mm) Inner Dia: 8.56" (217 mm) Length: 5.56" (141 mm) UPC Code: 742330-03345</p>
	<p>Part Number: <b>P524361</b> Description: <b>Air Primary</b> Primary Appl.: FORD V8-302, D2AZ9601A Dimensions: Outer Dia: 11.18" (284 mm) Inner Dia: 8.91" (226 mm) Length: 2.70" (69 mm) UPC Code: 742330-03346</p>
	<p>Part Number: <b>P524362</b> Description: <b>Air Primary</b> Primary Appl.: INT'L 364302C91, 446661-C1 Dimensions: Outer Dia: 12.62" (321 mm) Inner Dia: 9.75" (248 mm) Length: 5.00" (127 mm) UPC Code: 742330-03347</p>
	<p>Part Number: <b>P524365</b> Description: <b>Air Primary</b> Primary Appl.: INT'L 466400C1 Dimensions: Outer Dia: 12.63" (321 mm) Inner Dia: 8.42" (214 mm) Length: 8.24" (209 mm) UPC Code: 742330-03348</p>
	<p>Part Number: <b>P524366</b> Description: <b>Air Primary</b> Primary Appl.: FORD V8-370, V8-429 Dimensions: Outer Dia: 12.62" (321 mm) Inner Dia: 9.75" (248 mm) Length: 5.51" (140 mm) UPC Code: 742330-03349</p>









	<p>Part Number: <b>P524367</b> Description: <b>Air Primary</b> Primary Appl.: FORD V8-370, V8-475 Dimensions: Outer Dia: 12.60" (320 mm) Inner Dia: 8.35" (212 mm) Length: 5.50" (140 mm) UPC Code: 742330-03350</p>		<p>Part Number: <b>P524376</b> Description: <b>Air Primary</b> Primary Appl.: FORD D3ZZ9601A Dimensions: Outer Dia: 11.18" (284 mm) Inner Dia: 9.00" (230 mm) Length: 2.04" (52 mm) UPC Code: 742330-03359</p>
	<p>Part Number: <b>P524368</b> Description: <b>Air Primary</b> Primary Appl.: INT'L 446661C1,C2 Dimensions: Outer Dia: 11.65" (296 mm) Inner Dia: 8.31" (211 mm) Length: 5.00" (127 mm) UPC Code: 742330-03351</p>		<p>Part Number: <b>P524377</b> Description: <b>Air Primary</b> Primary Appl.: DODGE, PLYMOUTH, HONDA 17220-671-000 Dimensions: Outer Dia: 10.22" (260 mm) Inner Dia: 7.70" (196 mm) Length: 2.03" (52 mm) UPC Code: 742330-03360</p>
	<p>Part Number: <b>P524369</b> Description: <b>Air Primary</b> Primary Appl.: GM V8-305, V8-350, V8-454, CHEV Dimensions: Outer Dia: 12.00" (305 mm) Inner Dia: 9.88" (251 mm) Length: 5.47" (139 mm) UPC Code: 742330-03352</p>		<p>Part Number: <b>P524378</b> Description: <b>Air Primary, Oval</b> Primary Appl.: GM 1980+ MODELS, 8996555 Dimensions: Outer Dia: 10.56 x " (268 x mm) Inner Dia: 9.06 x " (230 x mm) Depth: 2.12" (54 mm) UPC Code: 742330-03361</p>
	<p>Part Number: <b>P524370</b> Description: <b>Air Primary</b> Primary Appl.: FORD D7ZZ9601A Dimensions: Outer Dia: 11.50" (292 mm) Inner Dia: 9.00" (230 mm) Length: 1.77" (45 mm) UPC Code: 742330-03353</p>		<p>Part Number: <b>P524379</b> Description: <b>Air Primary, Oval</b> Primary Appl.: GM 8996528 Dimensions: Outer Dia: 10.44 x " (265 x mm) Inner Dia: 8.94 x " (227 x mm) Depth: 1.89" (48 mm) UPC Code: 742330-03362</p>
	<p>Part Number: <b>P524371</b> Description: <b>Air Primary</b> Primary Appl.: FORD D7EF9601AA, D7FZ9601A Dimensions: Outer Dia: 11.23" (285 mm) Inner Dia: 9.39" (238 mm) Length: 1.79" (45 mm) UPC Code: 742330-03354</p>		<p>Part Number: <b>P524380</b> Description: <b>Air Breather</b> Primary Appl.: FORD, GM 6484966 UPC Code: 742330-03363</p>
	<p>Part Number: <b>P524372</b> Description: <b>Air Primary</b> Primary Appl.: GM 8996587 Dimensions: Outer Dia: 10.03" (255 mm) Inner Dia: 8.53" (217 mm) Length: 2.25" (57 mm) UPC Code: 742330-03355</p>		<p>Part Number: <b>P524382</b> Description: <b>Air Panel, Engine</b> Primary Appl.: CHRYSLER 4227087 Dimensions: Width: 5.30" (135 mm) Depth: 1.62" (41 mm) Length: 8.07" (205 mm) UPC Code: 742330-03365</p>
	<p>Part Number: <b>P524373</b> Description: <b>Air Primary</b> Primary Appl.: GM V8-379, 8997189 Dimensions: Outer Dia: 13.88" (353 mm) Inner Dia: 11.61" (295 mm) Length: 4.05" (103 mm) UPC Code: 742330-03356</p>		<p>Part Number: <b>P524383</b> Description: <b>Air Breather</b> Primary Appl.: FORD D8AZ906951, FURN GASKET: P175513 UPC Code: 742330-03366</p>
	<p>Part Number: <b>P524374</b> Description: <b>Air Primary</b> Primary Appl.: CHEV LUV, TOYOTA, DATSUN, GM Dimensions: Outer Dia: 10.25" (260 mm) Inner Dia: 8.00" (203 mm) Length: 2.37" (60 mm) UPC Code: 742330-03357</p>		<p>Part Number: <b>P524384</b> Description: <b>Air Primary</b> Primary Appl.: GM 25040929 Dimensions: Outer Dia: 9.69" (246 mm) Inner Dia: 8.19" (208 mm) Length: 2.78" (71 mm) UPC Code: 742330-03367</p>
	<p>Part Number: <b>P524375</b> Description: <b>Air Primary</b> Primary Appl.: NISSAN, DATSUN 16456-18000, SUBARU Dimensions: Outer Dia: 9.00" (229 mm) Inner Dia: 6.87" (174 mm) Length: 1.87" (47 mm) UPC Code: 742330-03358</p>		<p>Part Number: <b>P524386</b> Description: <b>Air Primary</b> Primary Appl.: GM 1982+ MODELS Dimensions: Outer Dia: 8.50" (216 mm) Inner Dia: 6.97" (177 mm) Length: 2.46" (62 mm) UPC Code: 742330-03368</p>











	Part Number: <b>P524388</b> Description: <b>Air Breather</b> Primary Appl.: GM, BENDIX AIR COMPRESSORS UPC Code: 742330-03370
	Part Number: <b>P524389</b> Description: <b>Air Primary</b> Primary Appl.: GM 25041542 Dimensions: Outer Dia: 10.03" (255 mm) Inner Dia: 8.53" (217 mm) Length: 2.47" (63 mm) UPC Code: 742330-03371
	Part Number: <b>P524390</b> Description: <b>Air Primary</b> Primary Appl.: CHRYSLER 1739548 Dimensions: Outer Dia: 8.25" (210 mm) Inner Dia: 6.50" (165 mm) Length: 3.00" (76 mm) UPC Code: 742330-03372
	Part Number: <b>P524391</b> Description: <b>Air Primary</b> Primary Appl.: DODGE 6CYL-225, V8-318, AMC, CHRYSLER, JEEP Dimensions: Outer Dia: 10.25" (260 mm) Inner Dia: 7.62" (194 mm) Length: 2.75" (70 mm) UPC Code: 742330-03373
	Part Number: <b>P524392</b> Description: <b>Air Breather</b> Primary Appl.: BENDIX AIR COMPRESSOR UPC Code: 742330-03374
	Part Number: <b>P524393</b> Description: <b>Air Primary</b> Primary Appl.: GM 6421746 Dimensions: Outer Dia: 13.87" (352 mm) Inner Dia: 11.62" (295 mm) Length: 3.00" (76 mm) UPC Code: 742330-03375
	Part Number: <b>P524394</b> Description: <b>Air Primary</b> Primary Appl.: CHRYSLER 2863349 Dimensions: Outer Dia: 12.75" (324 mm) Inner Dia: 11.00" (279 mm) Length: 2.78" (71 mm) UPC Code: 742330-03376
	Part Number: <b>P524395</b> Description: <b>Air Primary</b> Primary Appl.: FORD C8ZF9601A Dimensions: Outer Dia: 10.12" (257 mm) Inner Dia: 8.25" (210 mm) Length: 2.25" (57 mm) UPC Code: 742330-03377
	Part Number: <b>P524396</b> Description: <b>Air Primary</b> Primary Appl.: GM 6483536, 6484294 Dimensions: Outer Dia: 10.75" (273 mm) Inner Dia: 8.62" (219 mm) Length: 2.56" (65 mm) UPC Code: 742330-03378









	Part Number: <b>P524397</b> Description: <b>Air Primary</b> Primary Appl.: TOYOTA CARS & LT TRKS, BMW Dimensions: Outer Dia: 12.38" (314 mm) Inner Dia: 9.26" (235 mm) Length: 1.97" (50 mm) UPC Code: 742330-03379
	Part Number: <b>P524398</b> Description: <b>Air Primary</b> Primary Appl.: FORD DOGY9601A Dimensions: Outer Dia: 13.28" (337 mm) Inner Dia: 11.28" (287 mm) Length: 2.53" (64 mm) UPC Code: 742330-03380
	Part Number: <b>P524401</b> Description: <b>Air Primary</b> Primary Appl.: CHRYSLER 3614353 Dimensions: Outer Dia: 10.87" (276 mm) Inner Dia: 9.00" (230 mm) Length: 3.53" (90 mm) UPC Code: 742330-03381
	Part Number: <b>P524738</b> Description: <b>Air Primary</b> Primary Appl.: FORD CARGO 7.8 E7HZ-9601-B Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.04" (153 mm) Length: 16.00" (406 mm) UPC Code: 742330-03384
	Part Number: <b>P524815</b> Description: <b>Air Safety</b> Primary Appl.: FORD TRUCKS WITH Donaldson FHD16 AIR CLEANER, SMP Primary=P182013, Long Life Primary=P182013 Dimensions: Outer Dia: 8.48" (215 mm) Inner Dia: 6.20" (157 mm) Length: 9.65" (245 mm) UPC Code: 742330-03385
	Part Number: <b>P524831</b> Description: <b>Air Primary</b> Primary Appl.: GM 2067009 Dimensions: Outer Dia: 9.50" (241 mm) Inner Dia: 6.89" (175 mm) Length: 27.44" (697 mm) UPC Code: 742330-03386
	Part Number: <b>P524835</b> Description: <b>Cab Air</b> Primary Appl.: FARR DYNACELL #T512, UNITED F-512 Dimensions: Width: 11.50" (292 mm) Depth: 5.00" (127 mm) Length: 15.00" (381 mm) UPC Code: 742330-03387
	Part Number: <b>P524837</b> Description: <b>Air Primary, Special</b> Primary Appl.: FARR ECOII #71338-001, UNITED F-ECOII-9X24 Dimensions: Outer Dia 1: 9.75" (248 mm) Outer Dia 2: 6.00" (152 mm) Length: 24.00" (610 mm) UPC Code: 742330-03388










	<b>Part Number:</b> P524838 <b>Description:</b> Air Primary, Special <b>Primary Appl.:</b> FARR ECOII #71338-003, UNITED F-ECOII-13X24 <b>Dimensions:</b> Outer Dia 1: 13.50" (343 mm) Outer Dia 2: 7.00" (178 mm) Length: 24.00" (610 mm) <b>UPC Code:</b> 742330-03389
	<b>Part Number:</b> P525026 <b>Description:</b> Cab Air <b>Primary Appl.:</b> CAT 7T-1890 <b>Dimensions:</b> Width: 5.35" (136 mm) Depth: 2.83" (72 mm) Length: 26.18" (665 mm) <b>UPC Code:</b> 742330-03390
	<b>Part Number:</b> P525129 <b>Description:</b> Air Safety <b>Primary Appl.:</b> CAT 7W-9567, Primary-P181210 <b>Dimensions:</b> Outer Dia: 10.03" (255 mm) Inner Dia: 8.14" (207 mm) Length: 18.03" (458 mm) <b>UPC Code:</b> 742330-03391
	<b>Part Number:</b> P525130 <b>Description:</b> Air Panel, Engine <b>Primary Appl.:</b> FORD F100/F150 TRUCKS <b>Dimensions:</b> Width: 5.86" (149 mm) Depth: 1.65" (42 mm) Length: 12.87" (327 mm) <b>UPC Code:</b> 742330-03392
	<b>Part Number:</b> P525184 <b>Description:</b> Air/Oil Separator <b>Primary Appl.:</b> ATLAS-COPCO 1613-2433, 1202-6414, 2989-0045 <b>Dimensions:</b> Outer Dia: 6.62" (168 mm) Inner Dia: 4.81" (122 mm) Length: 11.91" (303 mm) Flange Dia: 11.81" (300 mm) <b>UPC Code:</b> 742330-03393
	<b>Part Number:</b> P525185 <b>Description:</b> Air/Oil Separator <b>Primary Appl.:</b> ATLAS-COPCO 1616-2836, 2989-0051 <b>Dimensions:</b> Outer Dia: 6.62" (168 mm) Inner Dia: 4.81" (122 mm) Length: 18.91" (480 mm) Flange Dia: 11.81" (300 mm) <b>UPC Code:</b> 742330-03394
	<b>Part Number:</b> P525186 <b>Description:</b> Air/Oil Separator <b>Primary Appl.:</b> ATLAS-COPCO 1619-5498, MANN 4900050511 <b>Dimensions:</b> Outer Dia: 6.62" (168 mm) Inner Dia: 4.72" (120 mm) Length: 9.00" (229 mm) Flange Dia: 8.62" (219 mm) <b>UPC Code:</b> 742330-03395
	<b>Part Number:</b> P525187 <b>Description:</b> Air/Oil Separator <b>Primary Appl.:</b> ATLAS-COPCO 2252-6313, 2989-0040, MOD XAU50-60 <b>Dimensions:</b> Outer Dia: 10.88" (276 mm) Inner Dia: 8.38" (213 mm) Length: 32.21" (818 mm) Flange Dia: 15.75" (400 mm) Flange Bolts: Number of Holes: 16.00 Hole Size: .68" (17 mm) Circle: 13.75" (349 mm) <b>UPC Code:</b> 742330-03396









	<b>Part Number:</b> P525188 <b>Description:</b> Air/Oil Separator <b>Primary Appl.:</b> DAVEY 48773 <b>Dimensions:</b> Outer Dia: 8.75" (222 mm) Inner Dia: 7.00" (178 mm) Length: 10.69" (272 mm) Flange Dia: 10.38" (264 mm) <b>UPC Code:</b> 742330-03397
	<b>Part Number:</b> P525190 <b>Description:</b> Air/Oil Separator <b>Primary Appl.:</b> GARDNER DENVER ESG,H,J,K30-60, #2009599, #201482 <b>Dimensions:</b> Outer Dia: 8.38" (213 mm) Inner Dia: 5.88" (149 mm) Length: 16.94" (430 mm) Flange Dia: 12.00" (305 mm) <b>UPC Code:</b> 742330-03399
	<b>Part Number:</b> P525191 <b>Description:</b> Air/Oil Separator <b>Primary Appl.:</b> GARDNER DENVER ESN,M0100-150, #2009601 & 2014830 <b>Dimensions:</b> Outer Dia: 10.88" (276 mm) Inner Dia: 8.38" (213 mm) Length: 23.50" (597 mm) Flange Dia: 14.38" (365 mm) <b>UPC Code:</b> 742330-03400
	<b>Part Number:</b> P525192 <b>Description:</b> Air/Oil Separator <b>Primary Appl.:</b> GARDNER DENVER S0150,ESPF,OF,RF200-250,#2009602 <b>Dimensions:</b> Outer Dia: 14.88" (378 mm) Inner Dia: 12.38" (314 mm) Length: 27.19" (691 mm) Flange Dia: 17.56" (446 mm) <b>UPC Code:</b> 742330-03401
	<b>Part Number:</b> P525193 <b>Description:</b> Air/Oil Separator <b>Primary Appl.:</b> GARDNER DENVER EBE,BESDA,E,F,G-H14-40, #55B7 <b>Dimensions:</b> Outer Dia: 8.38" (213 mm) Inner Dia: 5.88" (149 mm) Length: 8.25" (210 mm) Flange Dia: 10.38" (264 mm) <b>UPC Code:</b> 742330-03402
	<b>Part Number:</b> P525194 <b>Description:</b> Air/Oil Separator <b>Primary Appl.:</b> INGERSOLL RAND KXL525, 600, 750, 850 W/SHIELD <b>Dimensions:</b> Outer Dia: 11.50" (292 mm) Inner Dia: 6.12" (155 mm) Length: 37.25" (946 mm) Flange Dia: 14.50" (368 mm) <b>UPC Code:</b> 742330-03403
	<b>Part Number:</b> P525197 <b>Description:</b> Air/Oil Separator <b>Primary Appl.:</b> JOY #5431170013, 5431170033, 5431170062 <b>Dimensions:</b> Outer Dia: 14.75" (375 mm) Inner Dia: 11.75" (298 mm) Length: 30.13" (765 mm) Flange Dia: 18.00" (457 mm) Flange Bolts: Number of Holes: 12.00 Hole Size: .81" (21 mm) Circle: 16.44" (418 mm) <b>UPC Code:</b> 742330-03406
	<b>Part Number:</b> P525199 <b>Description:</b> Air/Oil Separator <b>Primary Appl.:</b> JOY G, D 185 OP, #5431170026 <b>Dimensions:</b> Outer Dia: 8.38" (213 mm) Inner Dia: 5.88" (149 mm) Length: 10.19" (259 mm) Flange Dia: 10.25" (260 mm) <b>UPC Code:</b> 742330-03408












	<p><b>Part Number:</b> P525200  <b>Description:</b> Air/Oil Separator  <b>Primary Appl.:</b> JOY G, D 150 QP, #543117-0029, 501800-0003  <b>Dimensions:</b> Outer Dia: 8.62" (219 mm)          Inner Dia: 5.88" (149 mm)          Length: 13.38" (340 mm)          Flange Dia: 10.25" (260 mm)  <b>UPC Code:</b> 742330-03409</p>
	<p><b>Part Number:</b> P525204  <b>Description:</b> Air/Oil Separator  <b>Primary Appl.:</b> LEROI 130RGI, 160RGI, 160RDI, #43-648  <b>Dimensions:</b> Outer Dia: 8.75" (222 mm)          Inner Dia: 7.13" (181 mm)          Length: 9.50" (241 mm)          Flange Dia: 10.75" (273 mm)  <b>UPC Code:</b> 742330-03413</p>
	<p><b>Part Number:</b> P525205  <b>Description:</b> Air/Oil Separator  <b>Primary Appl.:</b> LEROI Q160G,D Q175G,D, #43-648-1  <b>Dimensions:</b> Outer Dia: 8.38" (213 mm)          Inner Dia: 5.88" (149 mm)          Length: 11.94" (303 mm)          Flange Dia: 10.75" (273 mm)  <b>UPC Code:</b> 742330-03414</p>
	<p><b>Part Number:</b> P525206  <b>Description:</b> Air/Oil Separator  <b>Primary Appl.:</b> QUINCY MODEL QS160D,G, #20065  <b>Dimensions:</b> Outer Dia: 8.38" (213 mm)          Inner Dia: 5.75" (146 mm)          Length: 12.00" (305 mm)          Flange Dia: 11.00" (279 mm)          Flange Bolts: Number of Holes: 12.00          Hole Size: .62" (16 mm)          Circle: 9.75" (248 mm)  <b>UPC Code:</b> 742330-03415</p>
	<p><b>Part Number:</b> P525208  <b>Description:</b> Air/Oil Separator  <b>Primary Appl.:</b> QUINCY MODEL QS750, QS600, #20068  <b>Dimensions:</b> Outer Dia: 14.75" (375 mm)          Inner Dia: 11.75" (298 mm)          Length: 20.13" (511 mm)          Flange Dia: 18.00" (457 mm)          Flange Bolts: Number of Holes: 12.00          Hole Size: .81" (21 mm)          Circle: 16.44" (418 mm)  <b>UPC Code:</b> 742330-03417</p>
	<p><b>Part Number:</b> P525209  <b>Description:</b> Air/Oil Separator  <b>Primary Appl.:</b> QUINCY QSI235, #22705-1  <b>Dimensions:</b> Outer Dia: 8.38" (213 mm)          Inner Dia: 5.88" (149 mm)          Length: 18.25" (464 mm)          Flange Dia: 10.38" (264 mm)  <b>UPC Code:</b> 742330-03418</p>
	<p><b>Part Number:</b> P525210  <b>Description:</b> Air/Oil Separator  <b>Primary Appl.:</b> QUINCY QS1740, #22705-4  <b>Dimensions:</b> Outer Dia: 14.88" (378 mm)          Inner Dia: 12.38" (314 mm)          Length: 28.00" (711 mm)          Flange Dia: 17.12" (435 mm)  <b>UPC Code:</b> 742330-03419</p>
	<p><b>Part Number:</b> P525211  <b>Description:</b> Air/Oil Separator  <b>Primary Appl.:</b> SULLAIR SERIES 16,250,300,375, #11200,40670, 107  <b>Dimensions:</b> Outer Dia: 8.38" (213 mm)          Inner Dia: 5.88" (149 mm)          Length: 24.19" (614 mm)          Flange Dia: 10.66" (271 mm)  <b>UPC Code:</b> 742330-03420</p>









	<p><b>Part Number:</b> P525212  <b>Description:</b> Air/Oil Separator  <b>Primary Appl.:</b> SULLAIR #11320, 40635, 11018, 11001, 10725  <b>Dimensions:</b> Outer Dia: 6.75" (171 mm)          Inner Dia: 4.12" (105 mm)          Length: 17.00" (432 mm)          Flange Dia: 7.88" (200 mm)  <b>UPC Code:</b> 742330-03421</p>
	<p><b>Part Number:</b> P525213  <b>Description:</b> Air/Oil Separator  <b>Primary Appl.:</b> SULLAIR SERIES 20/25, #11145, 40259, 47284, 1087  <b>Dimensions:</b> Outer Dia: 11.88" (302 mm)          Inner Dia: 9.62" (244 mm)          Length: 26.12" (663 mm)          Flange Dia: 13.88" (353 mm)  <b>UPC Code:</b> 742330-03422</p>
	<p><b>Part Number:</b> P525214  <b>Description:</b> Air/Oil Separator  <b>Primary Appl.:</b> SULLAIR #408167-001, 250034-120, 250005-974,  <b>Dimensions:</b> Outer Dia: 11.88" (302 mm)          Inner Dia: 9.62" (244 mm)          Length: 26.12" (663 mm)          Flange Dia: 13.88" (353 mm)  <b>UPC Code:</b> 742330-03423</p>
	<p><b>Part Number:</b> P525423  <b>Description:</b> Air Primary  <b>Primary Appl.:</b> Donaldson CYCLOPAC AIR CLEANER MODEL:G080502, Safety-P114500  <b>Dimensions:</b> Outer Dia: 6.09" (155 mm)          Inner Dia: 3.48" (88 mm)          Length: 15.00" (381 mm)  <b>UPC Code:</b> 742330-03426</p>
	<p><b>Part Number:</b> P525529  <b>Description:</b> Air/Oil Separator  <b>Primary Appl.:</b> ATLAS COPCO 1612-3869 W/SHEILD  <b>Dimensions:</b> Outer Dia: 5.25" (133 mm)          Inner Dia: 3.38" (86 mm)          Length: 10.25" (260 mm)          Flange Dia: 8.62" (219 mm)  <b>UPC Code:</b> 742330-03431</p>
	<p><b>Part Number:</b> P525530  <b>Description:</b> Air/Oil Separator  <b>Primary Appl.:</b> ATLAS COPCO 1614-4373 W/SHEILD  <b>Dimensions:</b> Outer Dia: 8.62" (219 mm)          Inner Dia: 6.38" (162 mm)          Length: 8.88" (226 mm)          Flange Dia: 11.69" (297 mm)  <b>UPC Code:</b> 742330-03432</p>
	<p><b>Part Number:</b> P525538  <b>Description:</b> Air/Oil Separator  <b>Primary Appl.:</b> DAVEY #48772 W/SHEILD  <b>Dimensions:</b> Outer Dia: 6.75" (171 mm)          Inner Dia: 4.12" (105 mm)          Length: 7.38" (187 mm)          Flange Dia: 9.38" (238 mm)  <b>UPC Code:</b> 742330-03440</p>
	<p><b>Part Number:</b> P525542  <b>Description:</b> Air/Oil Separator  <b>Primary Appl.:</b> SCHRAMM #3998-0003 W/SHEILD  <b>Dimensions:</b> Outer Dia: 14.75" (375 mm)          Inner Dia: 12.25" (311 mm)          Length: 20.50" (521 mm)          Flange Dia: 17.12" (435 mm)  <b>UPC Code:</b> 742330-03444</p>

	<p>Part Number: <b>P525553</b> Description: <b>Air/Oil Separator</b> Primary Appl.: QUINCY #22705-3 W/SHIELD Dimensions: Outer Dia: 14.75" (375 mm) Inner Dia: 12.37" (314 mm) Length: 18.16" (461 mm) Flange Dia: 17.00" (432 mm) UPC Code: 742330-03454</p>
	<p>Part Number: <b>P525555</b> Description: <b>Air/Oil Separator</b> Primary Appl.: QUINCY #22705-7 W/SHIELD Dimensions: Outer Dia: 21.00" (533 mm) Inner Dia: 18.25" (464 mm) Length: 36.31" (922 mm) Flange Dia: 23.62" (600 mm) UPC Code: 742330-03456</p>
	<p>Part Number: <b>P525559</b> Description: <b>Air/Oil Separator</b> Primary Appl.: QUINCY #122117-1 W/SHIELD Dimensions: Outer Dia: 4.88" (124 mm) Inner Dia: 3.12" (79 mm) Length: 10.16" (258 mm) Flange Dia: 10.38" (264 mm) UPC Code: 742330-03460</p>
	<p>Part Number: <b>P525561</b> Description: <b>Air/Oil Separator</b> Primary Appl.: QUINCY #122117-3 W/SHIELD Dimensions: Outer Dia: 10.75" (273 mm) Inner Dia: 8.37" (213 mm) Length: 9.16" (233 mm) Flange Dia: 17.00" (432 mm) UPC Code: 742330-03462</p>
	<p>Part Number: <b>P525568</b> Description: <b>Air/Oil Separator</b> Primary Appl.: QUINCY #122487001 Dimensions: Outer Dia: 8.38" (213 mm) Inner Dia: 5.38" (137 mm) Length: 18.25" (464 mm) Flange Dia: 10.38" (264 mm) UPC Code: 742330-03469</p>
	<p>Part Number: <b>P525601</b> Description: <b>Air/Oil Separator</b> Primary Appl.: LEROI #43-8891ES W/SHIELD Dimensions: Outer Dia: 5.75" (146 mm) Inner Dia: 3.25" (83 mm) Length: 8.25" (210 mm) Flange Dia: 7.50" (190 mm) UPC Code: 742330-03499</p>
	<p>Part Number: <b>P525602</b> Description: <b>Air/Oil Separator</b> Primary Appl.: LEROI #43-8881ES W/SHIELD Dimensions: Outer Dia: 8.62" (219 mm) Inner Dia: 5.88" (149 mm) Length: 15.75" (400 mm) Flange Dia: 10.75" (273 mm) UPC Code: 742330-03500</p>
	<p>Part Number: <b>P525603</b> Description: <b>Air/Oil Separator</b> Primary Appl.: LEROI #43-908 W/SHIELD Dimensions: Outer Dia: 6.75" (171 mm) Inner Dia: 4.12" (105 mm) Length: 12.12" (308 mm) Flange Dia: 7.88" (200 mm) UPC Code: 742330-03501</p>
	<p>Part Number: <b>P525604</b> Description: <b>Air/Oil Separator</b> Primary Appl.: LEROI #43-885 W/SHIELD Dimensions: Outer Dia: 11.75" (298 mm) Inner Dia: 8.00" (203 mm) Length: 15.50" (394 mm) Flange Dia: 13.81" (351 mm) UPC Code: 742330-03502</p>


















	<p>Part Number: <b>P525609</b> Description: <b>Air/Oil Separator</b> Primary Appl.: WORTHINGTON FLR-316 W/SHIELD Dimensions: Outer Dia: 10.88" (276 mm) Inner Dia: 8.38" (213 mm) Length: 18.94" (481 mm) Flange Dia: 16.00" (406 mm) Flange Bolts: Number of Holes: 12.00 Hole Size: 1.00" (25 mm) Circle: 14.25" (362 mm) UPC Code: 742330-03507</p>
	<p>Part Number: <b>P525613</b> Description: <b>Air/Oil Separator</b> Primary Appl.: WORTHINGTON FLR-376 W/SHIELD Dimensions: Outer Dia: 14.75" (375 mm) Inner Dia: 12.37" (314 mm) Length: 30.00" (762 mm) Flange Dia: 24.12" (613 mm) Flange Bolts: Number of Holes: 20.00 Hole Size: .69" (18 mm) Circle: 23.00" (584 mm) UPC Code: 742330-03511</p>
	<p>Part Number: <b>P525626</b> Description: <b>Air/Oil Separator</b> Primary Appl.: SULLAIR 11100 Dimensions: Outer Dia: 11.00" (279 mm) Inner Dia: 9.25" (235 mm) Length: 23.75" (603 mm) UPC Code: 742330-03523</p>
	<p>Part Number: <b>P525631</b> Description: <b>Air/Oil Separator</b> Primary Appl.: SULLAIR 40260,11173KIT Dimensions: Outer Dia: 21.00" (533 mm) Inner Dia: 18.00" (457 mm) Length: 33.00" (838 mm) Flange Dia: 26.50" (673 mm) Flange Bolts: Number of Holes: 12.00 Hole Size: .81" (21 mm) Circle: 24.75" (629 mm) UPC Code: 742330-03528</p>
	<p>Part Number: <b>P525632</b> Description: <b>Air/Oil Separator</b> Primary Appl.: SULLAIR 41077,11544 KIT Dimensions: Outer Dia: 21.00" (533 mm) Inner Dia: 18.25" (464 mm) Length: 36.29" (922 mm) Flange Dia: 26.50" (673 mm) Flange Bolts: Number of Holes: 12.00 Hole Size: .81" (21 mm) Circle: 24.75" (629 mm) UPC Code: 742330-03529</p>
	<p>Part Number: <b>P525635</b> Description: <b>Air/Oil Separator</b> Primary Appl.: SULLAIR 42995,12252 KIT Dimensions: Outer Dia: 6.88" (175 mm) Inner Dia: 4.12" (105 mm) Length: 12.06" (306 mm) Flange Dia: .44" (11 mm) UPC Code: 742330-03532</p>
	<p>Part Number: <b>P525640</b> Description: <b>Air/Oil Separator</b> Primary Appl.: SULLAIR 45647,1089 KIT Dimensions: Outer Dia: 9.44" (240 mm) Inner Dia: 7.00" (178 mm) Length: 32.87" (835 mm) UPC Code: 742330-03536</p>
	<p>Part Number: <b>P525641</b> Description: <b>Air/Oil Separator</b> Primary Appl.: SULLAIR 47043,1086, 1191, 49907 Dimensions: Outer Dia: 6.75" (171 mm) Inner Dia: 4.12" (105 mm) Length: 11.31" (287 mm) Flange Dia: 7.88" (200 mm) UPC Code: 742330-03537</p>



	<p>Part Number: <b>P525648</b> Description: <b>Air/Oil Separator</b> Primary Appl.: SULLAIR 408167-002 Dimensions: Outer Dia: 8.62" (219 mm) Inner Dia: 7.00" (178 mm) Length: 23.25" (591 mm) Flange Dia: 13.75" (349 mm) UPC Code: 742330-03543</p>
	<p>Part Number: <b>P525651</b> Description: <b>Air/Oil Separator</b> Primary Appl.: SULLAIR 408167-005ES, #250034-116 Dimensions: Outer Dia: 8.38" (213 mm) Inner Dia: 5.25" (133 mm) Length: 16.00" (406 mm) Flange Dia: 10.66" (271 mm) UPC Code: 742330-03546</p>
	<p>Part Number: <b>P525652</b> Description: <b>Air/Oil Separator</b> Primary Appl.: SULLAIR 408167-006ES, #250034-118 Dimensions: Outer Dia: 8.38" (213 mm) Inner Dia: 5.25" (133 mm) Length: 24.00" (610 mm) Flange Dia: 10.66" (271 mm) UPC Code: 742330-03547</p>
	<p>Part Number: <b>P525653</b> Description: <b>Air/Oil Separator</b> Primary Appl.: SULLAIR 408167-009ES, #250034-112 Dimensions: Outer Dia: 6.75" (171 mm) Inner Dia: 3.88" (99 mm) Length: 6.81" (173 mm) Flange Dia: 7.88" (200 mm) UPC Code: 742330-03548</p>
	<p>Part Number: <b>P525654</b> Description: <b>Air/Oil Separator</b> Primary Appl.: SULLAIR 408167-010ES, #250034-114 Dimensions: Outer Dia: 6.88" (175 mm) Inner Dia: 3.88" (99 mm) Length: 9.88" (251 mm) Flange Dia: 7.88" (200 mm) UPC Code: 742330-03549</p>
	<p>Part Number: <b>P525655</b> Description: <b>Air/Oil Separator</b> Primary Appl.: SULLAIR 408167-011, # 250034-862 Dimensions: Outer Dia: 4.00" (102 mm) Inner Dia: 1.50" (38 mm) Length: 14.25" (362 mm) Flange Dia: 10.75" (273 mm) UPC Code: 742330-03550</p>
	<p>Part Number: <b>P525656</b> Description: <b>Air/Oil Separator</b> Primary Appl.: SULLAIR 410333ES Dimensions: Outer Dia: 6.88" (175 mm) Inner Dia: 3.88" (99 mm) Length: 8.00" (203 mm) Flange Dia: 7.88" (200 mm) UPC Code: 742330-03551</p>
	<p>Part Number: <b>P525660</b> Description: <b>Air/Oil Separator</b> Primary Appl.: GARDNER DENVER 55B2, EST65994 KIT Dimensions: Outer Dia: 21.00" (533 mm) Inner Dia: 18.25" (464 mm) Length: 36.25" (921 mm) Flange Dia: 25.69" (653 mm) UPC Code: 742330-03555</p>
	<p>Part Number: <b>P525662</b> Description: <b>Air/Oil Separator</b> Primary Appl.: GARDNER DENVER 55B4, ESM66049 KIT Dimensions: Outer Dia: 8.38" (213 mm) Inner Dia: 5.88" (149 mm) Length: 23.47" (596 mm) Flange Dia: 12.00" (305 mm) UPC Code: 742330-03557</p>


	<p>Part Number: <b>P525664</b> Description: <b>Air/Oil Separator</b> Primary Appl.: GARDNER DENVER 55B8, 2010741 KIT Dimensions: Outer Dia: 4.00" (102 mm) Inner Dia: 2.00" (51 mm) Length: 14.56" (370 mm) Flange Dia: 5.50" (140 mm) Flange Bolts: Number of Holes: 5.00 Hole Size: .44" (11 mm) Circle: 4.75" (121 mm) UPC Code: 742330-03559</p>
	<p>Part Number: <b>P525665</b> Description: <b>Air/Oil Separator</b> Primary Appl.: GARDNER DENVER 55B9 2010742 KIT Dimensions: Outer Dia: 4.00" (102 mm) Inner Dia: 2.00" (51 mm) Length: 19.14" (486 mm) Flange Dia: 5.50" (140 mm) Flange Bolts: Number of Holes: 5.00 Hole Size: .44" (11 mm) Circle: 4.75" (121 mm) UPC Code: 742330-03560</p>
	<p>Part Number: <b>P525666</b> Description: <b>Air/Oil Separator</b> Primary Appl.: GARDNER DENVER 55B10, 2010743 KIT Dimensions: Outer Dia: 6.12" (155 mm) Inner Dia: 3.62" (92 mm) Length: 16.22" (412 mm) Flange Dia: 14.38" (365 mm) UPC Code: 742330-03561</p>
	<p>Part Number: <b>P525671</b> Description: <b>Air/Oil Separator</b> Primary Appl.: GARDNER DENVER 55B18, 2109718 KIT Dimensions: Outer Dia: 8.75" (222 mm) Inner Dia: 7.00" (178 mm) Length: 8.31" (211 mm) Flange Dia: 10.38" (264 mm) UPC Code: 742330-03566</p>
	<p>Part Number: <b>P525676</b> Description: <b>Air/Oil Separator</b> Primary Appl.: GARDNER DENVER 55B15, EAY68411 KIT Dimensions: Outer Dia: 14.88" (378 mm) Inner Dia: 12.38" (314 mm) Length: 27.19" (691 mm) Flange Dia: 17.56" (446 mm) Flange Bolts: Number of Holes: 9.00 Hole Size: .50" (13 mm) Circle: 16.00" (406 mm) UPC Code: 742330-03571</p>
	<p>Part Number: <b>P525683</b> Description: <b>Air/Oil Separator</b> Primary Appl.: INGERSOLL RAND 35579184 Dimensions: Outer Dia: 6.12" (155 mm) Inner Dia: 3.62" (92 mm) Length: 15.75" (400 mm) Flange Dia: 8.12" (206 mm) UPC Code: 742330-03577</p>
	<p>Part Number: <b>P525694</b> Description: <b>Air/Oil Separator</b> Primary Appl.: INGERSOLL RAND 35813187 Dimensions: Outer Dia: 4.88" (124 mm) Inner Dia: 3.12" (79 mm) Length: 10.88" (276 mm) Flange Dia: 6.44" (164 mm) UPC Code: 742330-03588</p>
	<p>Part Number: <b>P525695</b> Description: <b>Air/Oil Separator</b> Primary Appl.: INGERSOLL RAND 35820893 (SHEILD) Dimensions: Outer Dia: 11.75" (298 mm) Inner Dia: 8.75" (222 mm) Length: 34.87" (886 mm) Flange Dia: 14.50" (368 mm) UPC Code: 742330-03589</p>



















	<p>Part Number: <b>P525697</b> Description: <b>Air/Oil Separator</b> Primary Appl.: INGERSOLL RAND 35843341 Dimensions: Outer Dia: 5.75" (146 mm) Inner Dia: 3.62" (92 mm) Length: 11.50" (292 mm) Flange Dia: 7.25" (184 mm) UPC Code: 742330-03591</p>		<p>Part Number: <b>P525717</b> Description: <b>Air/Oil Separator</b> Primary Appl.: INGERSOLL RAND 35840982 Dimensions: Outer Dia: 4.88" (124 mm) Inner Dia: 3.12" (79 mm) Length: 9.00" (229 mm) Flange Dia: 6.69" (170 mm) UPC Code: 742330-03609</p>
	<p>Part Number: <b>P525699</b> Description: <b>Air/Oil Separator</b> Primary Appl.: INGERSOLL RAND 36711950 Dimensions: Outer Dia: 11.88" (302 mm) Inner Dia: 9.38" (238 mm) Length: 29.00" (737 mm) Flange Dia: 16.56" (421 mm) UPC Code: 742330-03593</p>		<p>Part Number: <b>P525718</b> Description: <b>Air/Oil Separator</b> Primary Appl.: INGERSOLL RAND 35858927 Dimensions: Outer Dia: 6.75" (171 mm) Inner Dia: 3.88" (99 mm) Length: 9.25" (235 mm) Flange Dia: 10.00" (254 mm) UPC Code: 742330-03610</p>
	<p>Part Number: <b>P525702</b> Description: <b>Air/Oil Separator</b> Primary Appl.: INGERSOLL RAND 39705728 Dimensions: Outer Dia: 9.62" (244 mm) Inner Dia: 7.12" (181 mm) Length: 15.14" (385 mm) Flange Dia: 12.25" (311 mm) UPC Code: 742330-03595</p>		<p>Part Number: <b>P525720</b> Description: <b>Air/Oil Separator</b> Primary Appl.: CHICAGO PNEUMATIC 1PS4801 Dimensions: Outer Dia: 11.50" (292 mm) Inner Dia: 8.50" (216 mm) Length: 26.31" (668 mm) UPC Code: 742330-03611</p>
	<p>Part Number: <b>P525705</b> Description: <b>Air/Oil Separator</b> Primary Appl.: INGERSOLL RAND 39712070 Dimensions: Outer Dia: 14.88" (378 mm) Inner Dia: 12.38" (314 mm) Length: 32.00" (813 mm) Flange Dia: 18.75" (476 mm) UPC Code: 742330-03598</p>		<p>Part Number: <b>P525723</b> Description: <b>Air/Oil Separator</b> Primary Appl.: CHICAGO PNEUMATIC 3PS4801 Dimensions: Outer Dia: 6.00" (152 mm) Inner Dia: 3.00" (76 mm) Length: 14.61" (371 mm) UPC Code: 742330-03614</p>
<del></del>	<del> <p>Part Number: <b>P525708</b> Description: <b>Air/Oil Separator</b> Primary Appl.: INGERSOLL RAND 39734892 Dimensions: Outer Dia: 6.75" (171 mm) Inner Dia: 4.18" (106 mm) Length: 10.50" (267 mm) Flange Dia: 9.38" (238 mm) UPC Code: 742330-03601</p> </del>		<p>Part Number: <b>P525725</b> Description: <b>Air/Oil Separator</b> Primary Appl.: CHICAGO PNEUMATIC 5PS4801 Dimensions: Outer Dia: 7.00" (178 mm) Inner Dia: 4.00" (102 mm) Length: 26.44" (672 mm) UPC Code: 742330-03616</p>
	<p>Part Number: <b>P525712</b> Description: <b>Air/Oil Separator</b> Primary Appl.: INGERSOLL RAND 39739578 Dimensions: Outer Dia: 11.88" (302 mm) Inner Dia: 8.25" (210 mm) Length: 17.75" (451 mm) Flange Dia: 14.75" (375 mm) UPC Code: 742330-03605</p>		<p>Part Number: <b>P525730</b> Description: <b>Air/Oil Separator</b> Primary Appl.: JOY 5431170001 Dimensions: Outer Dia: 6.12" (155 mm) Inner Dia: 3.62" (92 mm) Length: 4.25" (108 mm) Flange Dia: 10.00" (254 mm) Flange Bolts: Number of Holes: 8.00 Hole Size: .70" (18 mm) Circle: 8.75" (222 mm) UPC Code: 742330-03621</p>
	<p>Part Number: <b>P525714</b> Description: <b>Air/Oil Separator</b> Primary Appl.: INGERSOLL RAND 39751391 Dimensions: Outer Dia: 6.75" (171 mm) Inner Dia: 3.78" (96 mm) Length: 8.81" (224 mm) Flange Dia: 7.56" (192 mm) UPC Code: 742330-03606</p>		<p>Part Number: <b>P525736</b> Description: <b>Air/Oil Separator</b> Primary Appl.: JOY 5431170016 Dimensions: Outer Dia: 10.75" (273 mm) Inner Dia: 8.37" (213 mm) Length: 26.19" (665 mm) Flange Dia: 15.63" (397 mm) UPC Code: 742330-03627</p>
	<p>Part Number: <b>P525715</b> Description: <b>Air/Oil Separator</b> Primary Appl.: INGERSOLL RAND 52180692 SHEILD Dimensions: Outer Dia: 16.25" (413 mm) Inner Dia: 12.38" (314 mm) Length: 41.50" (1054 mm) Flange Dia: 18.25" (464 mm) UPC Code: 742330-03607</p>		<p>Part Number: <b>P525744</b> Description: <b>Air/Oil Separator</b> Primary Appl.: JOY 5431170025 Dimensions: Outer Dia: 5.88" (149 mm) Inner Dia: 3.87" (98 mm) Length: 9.00" (229 mm) Flange Dia: 8.75" (222 mm) UPC Code: 742330-03635</p>
	<p>Part Number: <b>P525716</b> Description: <b>Air/Oil Separator</b> Primary Appl.: INGERSOLL RAND 35856376 Dimensions: Outer Dia: 11.88" (302 mm) Inner Dia: 8.38" (213 mm) Length: 12.75" (324 mm) Flange Dia: 13.25" (337 mm) UPC Code: 742330-03608</p>		


















	<p>Part Number: <b>P525747</b>          Description: <b>Air/Oil Separator</b>          Primary Appl.: JOY 5431170030          Dimensions: Outer Dia: 13.75" (349 mm)          Inner Dia: 10.75" (273 mm)          Length: 23.75" (603 mm)          UPC Code: 742330-03638</p>
	<p>Part Number: <b>P525754</b>          Description: <b>Air/Oil Separator</b>          Primary Appl.: JOY 5431170041          Dimensions: Outer Dia: 8.38" (213 mm)          Inner Dia: 5.88" (149 mm)          Length: 10.12" (257 mm)          Flange Dia: 12.00" (305 mm)          Flange Bolts: Number of Holes: 8.00          Hole Size: .70" (18 mm)          Circle: 10.50" (267 mm)          UPC Code: 742330-03645</p>
	<p>Part Number: <b>P525758</b>          Description: <b>Air/Oil Separator</b>          Primary Appl.: JOY 5431170046          Dimensions: Outer Dia: 14.75" (375 mm)          Inner Dia: 11.75" (298 mm)          Length: 24.00" (610 mm)          Flange Dia: 18.00" (457 mm)          Flange Bolts: Number of Holes: 12.00          Hole Size: .81" (21 mm)          Circle: 16.44" (418 mm)          UPC Code: 742330-03649</p>
	<p>Part Number: <b>P525768</b>          Description: <b>Air/Oil Separator</b>          Primary Appl.: MANN 4900050191          Dimensions: Outer Dia: 11.81" (300 mm)          Inner Dia: 8.66" (220 mm)          Length: 19.75" (502 mm)          Flange Dia: 13.97" (355 mm)          UPC Code: 742330-03659</p>
	<p>Part Number: <b>P525769</b>          Description: <b>Air/Oil Separator</b>          Primary Appl.: MANN 4900050221          Dimensions: Outer Dia: 11.81" (300 mm)          Inner Dia: 8.66" (220 mm)          Length: 26.00" (660 mm)          Flange Dia: 13.97" (355 mm)          UPC Code: 742330-03660</p>
	<p>Part Number: <b>P525770</b>          Description: <b>Air/Oil Separator</b>          Primary Appl.: MANN 4900050131          Dimensions: Outer Dia: 8.62" (219 mm)          Inner Dia: 6.12" (155 mm)          Length: 23.62" (600 mm)          Flange Dia: 10.75" (273 mm)          UPC Code: 742330-03661</p>
	<p>Part Number: <b>P525943</b>          Description: <b>Air Primary</b>          Primary Appl.: CASE A171255          Dimensions: Outer Dia: 9.91" (252 mm)          Inner Dia: 6.05" (154 mm)          Length: 16.00" (406 mm)          UPC Code: 742330-03664</p>
	<p>Part Number: <b>P525944</b>          Description: <b>Air Safety</b>          Primary Appl.: CASE A171256          Dimensions: Outer Dia: 5.95" (151 mm)          Inner Dia: 4.85" (123 mm)          Length: 14.00" (356 mm)          UPC Code: 742330-03665</p>

	<p>Part Number: <b>P526407</b>          Description: <b>Air Safety</b>          Primary Appl.: CASE AG EQUIPMENT, USE WITH PRIMARY P526410          Dimensions: Outer Dia: 5.56" (141 mm)          Inner Dia: 4.42" (112 mm)          Length: 15.63" (397 mm)          UPC Code: 742330-03667</p>
	<p>Part Number: <b>P526408</b>          Description: <b>Air Safety</b>          Primary Appl.: CASE AG EQUIPMENT, IHC 537337R1, USE WITH PRIMARY P181205          Dimensions: Outer Dia: 4.47" (114 mm)          Inner Dia: 3.43" (87 mm)          Length: 14.00" (356 mm)          UPC Code: 742330-03668</p>
	<p>Part Number: <b>P526410</b>          Description: <b>Air Primary</b>          Primary Appl.: CASE AG EQUIPMENT, USE WITH SAFETY P526407          Dimensions: Outer Dia: 9.00" (229 mm)          Inner Dia: 5.69" (145 mm)          Length: 16.00" (406 mm)          UPC Code: 742330-03669</p>
	<p>Part Number: <b>P526411</b>          Description: <b>Air Primary</b>          Primary Appl.: LIFT TRUCK          Dimensions: Outer Dia: 6.84" (174 mm)          Inner Dia: 4.24" (108 mm)          Length: 4.65" (118 mm)          UPC Code: 742330-03670</p>
	<p>Part Number: <b>P526412</b>          Description: <b>Air Breather</b>          Primary Appl.: CUMMINS 155065          UPC Code: 742330-03671</p>
	<p>Part Number: <b>P526413</b>          Description: <b>Air Breather</b>          Primary Appl.: CUMMINS 255963          UPC Code: 742330-03672</p>
	<p>Part Number: <b>P526415</b>          Description: <b>Air Primary</b>          Primary Appl.: CAT 4W-5228          Dimensions: Outer Dia: 14.68" (373 mm)          Inner Dia: 10.34" (263 mm)          Length: 24.00" (610 mm)          UPC Code: 742330-03673</p>
	<p>Part Number: <b>P526416</b>          Description: <b>Air Primary</b>          Primary Appl.: JOHN DEERE AT75036          Dimensions: Outer Dia: 5.94" (151 mm)          Inner Dia: 4.86" (123 mm)          Length: 11.00" (279 mm)          UPC Code: 742330-03674</p>
	<p>Part Number: <b>P526428</b>          Description: <b>Air Primary</b>          Primary Appl.: KOMASTU 600-181-1580, Primary/Safety KIT #X006253          Dimensions: Outer Dia: 10.87" (276 mm)          Inner Dia: 6.50" (165 mm)          Length: 15.00" (381 mm)          UPC Code: 742330-03675</p>


	<p>Part Number: <b>P526432</b>          Description: <b>Air Safety</b>          Primary Appl.: KOMATSU 600-181-1680, DCI-NDL R800088, Primary/Safety KIT #X006253          Dimensions: Outer Dia: 6.40" (163 mm)          Inner Dia: 5.28" (134 mm)          Length: 13.75" (349 mm)          UPC Code: 742330-03676</p>
	<p>Part Number: <b>P526433</b>          Description: <b>Air Primary</b>          Primary Appl.: MITSUBISHI ME063135, ME063130          Dimensions: Outer Dia: 10.87" (276 mm)          Inner Dia: 6.50" (165 mm)          Length: 15.00" (381 mm)          UPC Code: 742330-03677</p>
	<p>Part Number: <b>P526488</b>          Description: <b>Air Primary</b>          Primary Appl.: CUMMINS 209892          Dimensions: Outer Dia: 9.56" (243 mm)          Inner Dia: 5.10" (130 mm)          Length: 6.40" (163 mm)          UPC Code: 742330-03678</p>
	<p>Part Number: <b>P526489</b>          Description: <b>Air Primary</b>          Primary Appl.: WHITE 3108661          Dimensions: Outer Dia: 9.65" (245 mm)          Inner Dia: 4.07" (103 mm)          Length: 15.56" (395 mm)          UPC Code: 742330-03679</p>
	<p>Part Number: <b>P526491</b>          Description: <b>Air Safety</b>          Primary Appl.: IHC 702847C1          Dimensions: Outer Dia: 9.98" (253 mm)          Inner Dia: 5.48" (139 mm)          Length: 20.28" (515 mm)          UPC Code: 742330-03681</p>
	<p>Part Number: <b>P526492</b>          Description: <b>Air Primary</b>          Primary Appl.: IHC 925761C1          Dimensions: Outer Dia: 9.98" (253 mm)          Inner Dia: 5.48" (139 mm)          Length: 20.28" (515 mm)          UPC Code: 742330-03682</p>
	<p>Part Number: <b>P526493</b>          Description: <b>Air Primary</b>          Primary Appl.: IHC 925762C1          Dimensions: Outer Dia: 5.42" (138 mm)          Inner Dia: 4.02" (102 mm)          Length: 19.25" (489 mm)          UPC Code: 742330-03683</p>
	<p>Part Number: <b>P526496</b>          Description: <b>Air Primary</b>          Primary Appl.: CASE A43734, Safety Filter is P526497          Dimensions: Outer Dia: 11.62" (295 mm)          Inner Dia: 7.19" (183 mm)          Length: 7.25" (184 mm)          UPC Code: 742330-03684</p>
	<p>Part Number: <b>P526497</b>          Description: <b>Air Primary</b>          Primary Appl.: CASE A43735, Primary filter is P526496          Dimensions: Outer Dia: 6.75" (171 mm)          Inner Dia: 5.56" (141 mm)          Length: 6.00" (152 mm)          UPC Code: 742330-03685</p>










	<p>Part Number: <b>P526498</b>          Description: <b>Air Safety</b>          Primary Appl.: IHC 631422C1, Primary=P526499          Dimensions: Outer Dia: 3.88" (99 mm)          Inner Dia: 2.50" (64 mm)          Length: 11.75" (298 mm)          UPC Code: 742330-03686</p>
	<p>Part Number: <b>P526499</b>          Description: <b>Air Primary</b>          Primary Appl.: IHC 631421C1, Safety=P526498          Dimensions: Outer Dia: 9.98" (253 mm)          Inner Dia: 5.48" (139 mm)          Length: 20.28" (515 mm)          UPC Code: 742330-03687</p>
	<p>Part Number: <b>P526500</b>          Description: <b>Air Primary</b>          Primary Appl.: FORD D6NN-9601-A          Dimensions: Outer Dia: 5.31" (135 mm)          Inner Dia: 3.08" (78 mm)          Length: 11.25" (286 mm)          UPC Code: 742330-03688</p>
	<p>Part Number: <b>P526501</b>          Description: <b>Air Safety</b>          Primary Appl.: FORD D6NN-9R500-A          Dimensions: Outer Dia: 2.94" (75 mm)          Inner Dia: 2.38" (60 mm)          Length: 9.94" (252 mm)          UPC Code: 742330-03689</p>
	<p>Part Number: <b>P526504</b>          Description: <b>Air Safety</b>          Primary Appl.: FORD D6NN-9R-500B, Primary=P522505          Dimensions: Outer Dia: 2.94" (75 mm)          Inner Dia: 2.38" (60 mm)          Length: 13.38" (340 mm)          UPC Code: 742330-03691</p>
	<p>Part Number: <b>P526505</b>          Description: <b>Air Primary</b>          Primary Appl.: FORD D6NN-9601-B, Safety=P522504          Dimensions: Outer Dia: 5.31" (135 mm)          Inner Dia: 3.08" (78 mm)          Length: 14.69" (373 mm)          UPC Code: 742330-03692</p>
	<p>Part Number: <b>P526506</b>          Description: <b>Air Primary</b>          Primary Appl.: IHC 702641-C1, GMC 8994977          Dimensions: Outer Dia: 10.00" (254 mm)          Inner Dia: 5.50" (140 mm)          Length: 17.06" (433 mm)          UPC Code: 742330-03693</p>
	<p>Part Number: <b>P526507</b>          Description: <b>Air Primary</b>          Primary Appl.: IHC 702642-C1, GMC 8994975          Dimensions: Outer Dia: 5.38" (137 mm)          Inner Dia: 4.12" (105 mm)          Length: 15.69" (399 mm)          UPC Code: 742330-03694</p>
	<p>Part Number: <b>P526509</b>          Description: <b>Air Primary</b>          Primary Appl.: MF 1044273M91          Dimensions: Outer Dia: 11.50" (292 mm)          Inner Dia: 7.25" (184 mm)          Length: 15.68" (398 mm)          UPC Code: 742330-03695</p>

	<b>Part Number: P526510</b> <b>Description: Air Primary</b> <b>Primary Appl.: MF 1044274M91</b> <b>Dimensions:</b> Outer Dia: 6.87" (174 mm) Inner Dia: 5.56" (141 mm) Length: 14.38" (365 mm) <b>UPC Code: 742330-03696</b>
	<b>Part Number: P526511</b> <b>Description: Air Safety</b> <b>Primary Appl.: MF 1051373M91, USE WITH PRIMARY P526512</b> <b>Dimensions:</b> Outer Dia: 7.33" (186 mm) Inner Dia: 6.12" (155 mm) Length: 20.87" (530 mm) <b>UPC Code: 742330-03697</b>
	<b>Part Number: P526512</b> <b>Description: Air Primary</b> <b>Primary Appl.: MF 1051374M91, Safety=P526511</b> <b>Dimensions:</b> Outer Dia: 12.50" (318 mm) Inner Dia: 7.50" (190 mm) Length: 22.25" (565 mm) <b>UPC Code: 742330-03698</b>
	<del> <b>Part Number: P526513</b>  <b>Description: Air Primary</b>  <b>Primary Appl.: MF 1051375M91, KOMATSU 600-181-2460</b>  <b>Dimensions:</b>          Outer Dia: 6.88" (175 mm)          Inner Dia: 5.41" (137 mm)          Length: 19.06" (484 mm)  <b>UPC Code: 742330-03699</b> </del>
	<b>Part Number: P526514</b> <b>Description: Air Primary</b> <b>Primary Appl.: MF 1613732M1</b> <b>Dimensions:</b> Outer Dia: 10.00" (254 mm) Inner Dia: 5.50" (140 mm) Length: 17.31" (440 mm) <b>UPC Code: 742330-03700</b>
	<b>Part Number: P526678</b> <b>Description: Air Primary, RadialSeal®</b> <b>Primary Appl.: FREIGHTLINER, EON=EAF5066</b> <b>Dimensions:</b> Outer Dia: 9.33" (237 mm) Inner Dia: 5.15" (131 mm) Length: 14.49" (368 mm) <b>UPC Code: 742330-03701</b>
	<b>Part Number: P526749</b> <b>Description: Air Primary</b> <b>Primary Appl.: CASE K945043</b> <b>Dimensions:</b> Outer Dia: 6.08" (154 mm) Inner Dia: 4.11" (104 mm) Length: 10.45" (265 mm) <b>UPC Code: 742330-03702</b>
	<b>Part Number: P526753</b> <b>Description: Air Primary</b> <b>Primary Appl.: MITSUBISHI MB-0120389</b> <b>Dimensions:</b> Outer Dia: 9.40" (239 mm) Inner Dia: 5.78" (147 mm) Length: 5.18" (132 mm) <b>UPC Code: 742330-03704</b>
	<b>Part Number: P526756</b> <b>Description: Air Primary</b> <b>Primary Appl.: TOYOTA 1780168020</b> <b>Dimensions:</b> Outer Dia: 8.54" (217 mm) Inner Dia: 4.29" (109 mm) Length: 5.75" (146 mm) <b>UPC Code: 742330-03706</b>



















	<b>Part Number: P526801</b> <b>Description: Air Primary, Finned</b> <b>Primary Appl.: KUBOTA 15852-11080, CASE 1585211080</b> <b>Dimensions:</b> Outer Dia: 3.27" (83 mm) Inner Dia: 1.67" (42 mm) Length: 7.00" (178 mm) <b>UPC Code: 742330-03707</b>
	<b>Part Number: P526839</b> <b>Description: Air Safety</b> <b>Primary Appl.: CASE IH 510B LDR, TD8 CRWLR, #1129112C1</b> <b>Dimensions:</b> Outer Dia: 4.09" (104 mm) Inner Dia: 2.91" (74 mm) Length: 14.00" (356 mm) <b>UPC Code: 742330-03708</b>
	<b>Part Number: P526840</b> <b>Description: Air Primary, Finned</b> <b>Primary Appl.: CASE IH 510B LDR, TD8 CRWLR, #1129111C1</b> <b>Dimensions:</b> Outer Dia: 6.80" (173 mm) Inner Dia: 4.24" (108 mm) Length: 15.00" (381 mm) <b>UPC Code: 742330-03709</b>
	<b>Part Number: P526841</b> <b>Description: Air/Oil Separator</b> <b>Primary Appl.: INGERSOLL RAND COMPRESSOR #36723666</b> <b>Dimensions:</b> Outer Dia: 10.38" (264 mm) Inner Dia: 7.88" (200 mm) Length: 13.00" (330 mm) Flange Dia: 11.75" (298 mm) <b>UPC Code: 742330-03710</b>
	<b>Part Number: P526848</b> <b>Description: Air/Oil Separator</b> <b>Primary Appl.: INGERSOLL RAND COMPRESSOR #52234366/52180684</b> <b>Dimensions:</b> Outer Dia: 11.88" (302 mm) Inner Dia: 8.38" (213 mm) Length: 38.50" (978 mm) Flange Dia: 16.44" (418 mm) <b>UPC Code: 742330-03711</b>
	<b>Part Number: P526864</b> <b>Description: Air Safety</b> <b>Primary Appl.: CASE K200380, Primary=P776341</b> <b>Dimensions:</b> Outer Dia: 2.94" (75 mm) Inner Dia: 1.88" (48 mm) Length: 9.65" (245 mm) <b>UPC Code: 742330-03712</b>
	<b>Part Number: P526873</b> <b>Description: Air Primary</b> <b>Primary Appl.: CLARK IR, THERMOKING, YALE &amp; TOWNE</b> <b>Dimensions:</b> Outer Dia: 4.38" (111 mm) Inner Dia: 3.00" (76 mm) Length: 7.00" (178 mm) <b>UPC Code: 742330-03713</b>
	<b>Part Number: P526911</b> <b>Description: Air Primary</b> <b>Primary Appl.: HINO 17801-2620</b> <b>Dimensions:</b> Outer Dia: 7.36" (187 mm) Inner Dia: 4.78" (121 mm) Length: 13.00" (330 mm) <b>UPC Code: 742330-03716</b>












	<p>Part Number: <b>P526966</b> Description: <b>Air Primary</b> Primary Appl.: FORD F1HZ0601A, MOTORCRAFT FA1076 Dimensions: Outer Dia: 7.32" (186 mm) Inner Dia: 5.40" (137 mm) Length: 13.38" (340 mm) UPC Code: 742330-03717</p>
	<p>Part Number: <b>P527484</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: GM TRUCK #15619013, FORD F3HZ9601A, MTRCFT FA1119, Safety=P527680, EON=EAF5067 Dimensions: Outer Dia: 9.33" (237 mm) Inner Dia: 5.15" (131 mm) Length: 12.28" (312 mm) UPC Code: 742330-03719</p>
	<p>Part Number: <b>P527530</b> Description: <b>Air Safety</b> Primary Appl.: CAT 4W-6691, 7W-6754, LIFT TRUCKS, Primary=P181125 Dimensions: Outer Dia: 3.99" (101 mm) Inner Dia: 2.32" (59 mm) Length: 5.18" (132 mm) UPC Code: 742330-03720</p>
	<p>Part Number: <b>P527566</b> Description: <b>Air Primary</b> Primary Appl.: FORD, Donaldson EGB16 A/C Dimensions: Outer Dia: 13.84" (352 mm) Inner Dia: 9.47" (241 mm) Length: 13.03" (331 mm) UPC Code: 742330-03721</p>
	<p>Part Number: <b>P527586</b> Description: <b>Air Primary</b> Primary Appl.: FREIGHTLINER, FARR ECOII CM #78105 Dimensions: Outer Dia 1: 11.00" (279 mm) Outer Dia 2: 8.00" (203 mm) Length: 24.00" (610 mm) UPC Code: 742330-03722</p>
	<p>Part Number: <b>P527595</b> Description: <b>Cab Air</b> Primary Appl.: CAT 6T-988, MIDSIZE CRAWLERS &amp; LOADERS Dimensions: Width: 5.91" (150 mm) Depth: 2.19" (56 mm) Length: 21.26" (540 mm) UPC Code: 742330-03723</p>
	<p>Part Number: <b>P527596</b> Description: <b>Air Primary</b> Primary Appl.: HINO 17801-2480B Dimensions: Outer Dia: 9.14" (232 mm) Inner Dia: 5.78" (147 mm) Length: 18.00" (457 mm) UPC Code: 742330-03724</p>
	<p>Part Number: <b>P527680</b> Description: <b>Air Safety, RadialSeal®</b> Primary Appl.: Donaldson EPG11, Ford F3HZ-9R500-A, MTRCFT FA1120, Primary=P527484, Primary=P530300, P531751 IS SAME WITH THIN LINE MEDIA Dimensions: Outer Dia: 5.30" (135 mm) Inner Dia: 3.78" (96 mm) Length: 11.82" (300 mm) UPC Code: 742330-03725</p>

	<p>Part Number: <b>P527682</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: Donaldson EPG15" AIR CLEANER, Safety=P527683, EON=EAF5069 Dimensions: Outer Dia: 13.09" (332 mm) Inner Dia: 6.78" (172 mm) Length: 14.76" (375 mm) UPC Code: 742330-03726</p>
	<p>Part Number: <b>P527683</b> Description: <b>Air Safety, RadialSeal®</b> Primary Appl.: Donaldson EPG15" AIR CLEANER, Primary=P527682 Dimensions: Outer Dia: 6.89" (175 mm) Inner Dia: 5.32" (135 mm) Length: 14.23" (361 mm) UPC Code: 742330-03727</p>
	<p>Part Number: <b>P527829</b> Description: <b>Air Primary</b> Primary Appl.: VOLVO 475975, FURN GASKET: P171198 Dimensions: Outer Dia: 7.88" (200 mm) Inner Dia: 4.53" (115 mm) Length: 23.75" (603 mm) UPC Code: 742330-03728</p>
	<p>Part Number: <b>P527957</b> Description: <b>Air Safety</b> Primary Appl.: FORD, Donaldson EGB 16 A/C Dimensions: Outer Dia: 8.24" (209 mm) Inner Dia: 7.12" (181 mm) Length: 9.00" (229 mm) UPC Code: 742330-03729</p>
	<p>Part Number: <b>P528205</b> Description: <b>Air Primary</b> Primary Appl.: JOHN DEERE AM3100 Dimensions: Outer Dia: 4.38" (111 mm) Inner Dia: 3.00" (76 mm) Length: 4.76" (121 mm) UPC Code: 742330-03730</p>
	<p>Part Number: <b>P528206</b> Description: <b>Air Primary</b> Primary Appl.: JOHN DEERE AM30800 Dimensions: Outer Dia: 4.39" (112 mm) Inner Dia: 3.00" (76 mm) Length: 2.34" (59 mm) UPC Code: 742330-03731</p>
	<p>Part Number: <b>P528209</b> Description: <b>Air Primary, Oval</b> Primary Appl.: GM 25040489, AC 4772C Dimensions: Outer Dia: 10.41 x " (264 x mm) Inner Dia: 8.44 x " (214 x mm) Depth: 2.31" (59 mm) UPC Code: 742330-03733</p>
	<p>Part Number: <b>P528211</b> Description: <b>Air Breather</b> Primary Appl.: MACK 2MD3131 UPC Code: 742330-03734</p>
	<p>Part Number: <b>P528212</b> Description: <b>Air Primary</b> Primary Appl.: FORD E3T9681H Dimensions: Outer Dia: 9.76" (248 mm) Inner Dia: 7.94" (202 mm) Length: 2.13" (54 mm) UPC Code: 742330-03735</p>



















	<p>Part Number: <b>P528213</b> Description: <b>Vapor Emission Pad</b> Primary Appl.: MOTORCRAFT FA105 UPC Code: 742330-03736</p>		<p>Part Number: <b>P528226</b> Description: <b>Air Panel, Engine</b> Primary Appl.: MOTORCRAFT FA1071, FA971 Dimensions: Width: 7.03" (179 mm) Depth: 7.88" (200 mm) Length: 1.54" (39 mm) UPC Code: 742330-03746</p>
	<p>Part Number: <b>P528215</b> Description: <b>Air Primary</b> Primary Appl.: ONAN 140-1216 Dimensions: Outer Dia: 6.00" (152 mm) Inner Dia: 4.75" (121 mm) Length: 3.00" (76 mm) UPC Code: 742330-03737</p>		<p>Part Number: <b>P528227</b> Description: <b>Air Primary</b> Primary Appl.: GM 25043119, AC 905C Dimensions: Outer Dia: 5.62" (143 mm) Inner Dia: 3.55" (90 mm) Length: 5.00" (127 mm) UPC Code: 742330-03747</p>
	<p>Part Number: <b>P528216</b> Description: <b>Air Primary</b> Primary Appl.: FORD B7A9601C Dimensions: Outer Dia: 9.43" (240 mm) Inner Dia: 6.87" (174 mm) Length: 3.62" (92 mm) UPC Code: 742330-03738</p>		<p>Part Number: <b>P528228</b> Description: <b>Air Panel, Engine</b> Primary Appl.: FORD E5TE9601AB, MTRCRFT FA1032 Dimensions: Width: 7.59" (193 mm) Depth: 1.51" (38 mm) Length: 11.28" (287 mm) UPC Code: 742330-03748</p>
	<p>Part Number: <b>P528219</b> Description: <b>Air Primary</b> Primary Appl.: VORTOX VF120A Dimensions: Outer Dia: 8.88" (226 mm) Inner Dia: 5.00" (127 mm) Length: 10.25" (260 mm) UPC Code: 742330-03740</p>		<p>Part Number: <b>P528231</b> Description: <b>Air Primary</b> Primary Appl.: IHC 385168R2 Dimensions: Outer Dia: 6.00" (152 mm) Inner Dia: 4.75" (121 mm) Length: 1.88" (48 mm) UPC Code: 742330-03749</p>
	<p>Part Number: <b>P528220</b> Description: <b>Air Primary</b> Primary Appl.: ONAN 140-0495 Dimensions: Outer Dia: 4.50" (114 mm) Inner Dia: 3.00" (76 mm) Length: 3.34" (85 mm) UPC Code: 742330-03741</p>		<p>Part Number: <b>P528232</b> Description: <b>Air Primary</b> Primary Appl.: IHC 433127C91, FURN GASKET: P171198 Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.70" (196 mm) Length: 8.25" (210 mm) UPC Code: 742330-03750</p>
	<p>Part Number: <b>P528221</b> Description: <b>Air Primary</b> Primary Appl.: PETTER JF35/6 Dimensions: Outer Dia: 4.44" (113 mm) Inner Dia: 3.25" (83 mm) Length: 4.50" (114 mm) UPC Code: 742330-03742</p>		<p>Part Number: <b>P528234</b> Description: <b>Air Breather</b> Primary Appl.: CHRYSLER 1929429 UPC Code: 742330-03751</p>
	<p>Part Number: <b>P528223</b> Description: <b>Air Safety</b> Primary Appl.: CAT 8N-5006, INTERNATIONAL S SERIES Dimensions: Outer Dia: 5.75" (146 mm) Inner Dia: 4.81" (122 mm) Length: 9.38" (238 mm) UPC Code: 742330-03743</p>		<p>Part Number: <b>P528235</b> Description: <b>Air Primary</b> Primary Appl.: PUROLATOR AF71, FURN GASKET: P175512 Dimensions: Outer Dia: 5.94" (151 mm) Inner Dia: 3.25" (83 mm) Length: 4.00" (102 mm) UPC Code: 742330-03752</p>
	<p>Part Number: <b>P528224</b> Description: <b>Air Panel, Engine</b> Primary Appl.: GM 25043334, AC A875C Dimensions: Width: 4.22" (107 mm) Depth: 1.58" (40 mm) Length: 9.44" (240 mm) UPC Code: 742330-03744</p>		<p>Part Number: <b>P528236</b> Description: <b>Air Primary</b> Primary Appl.: TMTR 343008 Dimensions: Outer Dia: 3.36" (85 mm) Inner Dia: 2.03" (52 mm) Length: 10.44" (265 mm) UPC Code: 742330-03753</p>
	<p>Part Number: <b>P528225</b> Description: <b>Air Panel, Engine</b> Primary Appl.: CHRYSLER 4241042, FORD E4FZ9601A, E59Z9601A Dimensions: Width: 5.26" (134 mm) Depth: 10.68" (271 mm) Length: 1.65" (42 mm) UPC Code: 742330-03745</p>		<p>Part Number: <b>P528464</b> Description: <b>Air Panel, Engine</b> Primary Appl.: BROOKS &amp; PERKINS SWEEPERS 300390, 305645 Dimensions: Width: 15.00" (381 mm) Depth: 2.19" (56 mm) Length: 20.00" (508 mm) UPC Code: 742330-03754</p>

















	<p>Part Number: <b>P528465</b>          Description: <b>Air Panel, Engine</b>          Primary Appl.: BROOKS &amp; PERKINS SWEEPERS 300391, 305646          Dimensions: Width: 18.00" (457 mm)          Depth: 2.19" (56 mm)          Length: 20.00" (508 mm)          UPC Code: 742330-03755</p>
	<p>Part Number: <b>P528708</b>          Description: <b>Breather, Spin-on</b>          Primary Appl.: VOLVO 1082111, 15868821          UPC Code: 742330-03756</p>
	<p>Part Number: <b>P528722</b>          Description: <b>Air Primary</b>          Primary Appl.: FARR ECO II 71338-004 (SHORT)          Dimensions: Outer Dia 1: 13.50" (343 mm)          Outer Dia 2: 7.00" (178 mm)          Length: 18.00" (457 mm)          UPC Code: 742330-03757</p>
	<p>Part Number: <b>P529240</b>          Description: <b>Air Safety</b>          Primary Appl.: JOHN DEERE AR85241, DRESSER 1249056H1, Primary=P529241          Dimensions: Outer Dia: 6.39" (162 mm)          Inner Dia: 5.29" (134 mm)          Length: 17.00" (432 mm)          UPC Code: 742330-03759</p>
	<p>Part Number: <b>P529241</b>          Description: <b>Air Primary</b>          Primary Appl.: JOHN DEERE AR85242, DRESSER 1249055H1, Safety=P529240          Dimensions: Outer Dia: 10.87" (276 mm)          Inner Dia: 6.50" (165 mm)          Length: 18.00" (457 mm)          UPC Code: 742330-03760</p>
	<p>Part Number: <b>P529548</b>          Description: <b>Air Safety, RadialSeal®</b>          Primary Appl.: FREIGHTLINER          Dimensions: Outer Dia: 5.30" (135 mm)          Inner Dia: 3.78" (96 mm)          Length: 14.02" (356 mm)          UPC Code: 742330-08188</p>
	<p>Part Number: <b>P529552</b>          Description: <b>Air Primary</b>          Primary Appl.: CATERPILLAR #105-9741          Dimensions: Outer Dia: 22.00" (559 mm)          Inner Dia: 15.64" (397 mm)          Length: 24.00" (610 mm)          UPC Code: 742330-03761</p>
	<p>Part Number: <b>P530300</b>          Description: <b>Air Primary, PLEXUS, RadialSeal®</b>          Primary Appl.: FORD F SERIES CARGO #F3HZ9601B, MCFT FA1603, Safety=P527680          Dimensions: Outer Dia: 9.33" (237 mm)          Inner Dia: 5.15" (131 mm)          Length: 12.28" (312 mm)          UPC Code: 742330-03762</p>
	<p>Part Number: <b>P530355</b>          Description: <b>Air Primary</b>          Primary Appl.: DODGE PICKUPS WITH CUMMINS 5.9 TURBO DIESEL          Dimensions: Outer Dia: 7.98" (203 mm)          Inner Dia: 4.64" (118 mm)          Length: 9.28" (236 mm)          UPC Code: 742330-03763</p>

	<p>Part Number: <b>P530628</b>          Description: <b>Air Primary</b>          Primary Appl.: BRIGGS &amp; STRATTON 394018          Dimensions: Outer Dia: 6.9" (175 mm)          Inner Dia: 5.55" (141 mm)          Length: 2.18" (55 mm)          UPC Code: 742330-03767</p>
	<p>Part Number: <b>P530630</b>          Description: <b>Air Primary</b>          Primary Appl.: BRIGGS &amp; STRATTON 390930          Dimensions: Outer Dia: 4.25" (108 mm)          Inner Dia: 2.00" (51 mm)          Length: 3.76" (96 mm)          UPC Code: 742330-03769</p>
	<p><del>Part Number: <b>P530631</b>          Description: <b>Air Primary</b>          Primary Appl.: BRIGGS &amp; STRATTON 392308          Dimensions: Outer Dia: 2.75" (70 mm)          Inner Dia: 1.25" (32 mm)          Length: 2.78" (71 mm)          UPC Code: 742330-03770</del></p>
	<p>Part Number: <b>P530633</b>          Description: <b>Air Primary</b>          Primary Appl.: IHC 385163R1,R2,R91, KOHLER 23048,TECUMSEH 30804          Dimensions: Outer Dia: 4.38" (111 mm)          Inner Dia: 3.00" (76 mm)          Length: 1.53" (39 mm)          UPC Code: 742330-03772</p>
	<p>Part Number: <b>P530634</b>          Description: <b>Air Primary</b>          Primary Appl.: TECUMSEH 35066, DEERE AM100137, GRAVELY 21333          Dimensions: Outer Dia: 4.25" (108 mm)          Inner Dia: 2.00" (51 mm)          Length: 6.19" (157 mm)          UPC Code: 742330-03773</p>
	<p>Part Number: <b>P530635</b>          Description: <b>Air Primary</b>          Primary Appl.: KOHLER 4708301, IHC 11721C1          Dimensions: Outer Dia: 7.00" (178 mm)          Inner Dia: 5.40" (137 mm)          Length: 1.90" (48 mm)          UPC Code: 742330-03774</p>
	<p>Part Number: <b>P530636</b>          Description: <b>Air Primary</b>          Primary Appl.: HOMELITE 46073          Dimensions: Outer Dia: 4.30" (109 mm)          Inner Dia: 1.98" (50 mm)          Length: 2.55" (65 mm)          UPC Code: 742330-03775</p>
	<p>Part Number: <b>P530637</b>          Description: <b>Air Primary</b>          Primary Appl.: HOMELITE 49512          Dimensions: Outer Dia: 4.30" (109 mm)          Inner Dia: 1.98" (50 mm)          Length: 3.50" (89 mm)          UPC Code: 742330-03776</p>
	<p>Part Number: <b>P530639</b>          Description: <b>Air Primary</b>          Primary Appl.: DEERE M47494, KOHLER 4708303          Dimensions: Outer Dia: 6.96" (177 mm)          Inner Dia: 5.56" (141 mm)          Length: 2.50" (64 mm)          UPC Code: 742330-03778</p>






	<p>Part Number: <b>P530641</b> Description: <b>Air Primary</b> Primary Appl.: KOHLER 277138 Dimensions: Outer Dia: 6.00" (152 mm) Inner Dia: 4.70" (119 mm) Length: 4.06" (103 mm) UPC Code: 742330-03780</p>
	<p>Part Number: <b>P530642</b> Description: <b>Air Primary</b> Primary Appl.: ONAN 140-1228, VOLKSWAGEN 125129605 Dimensions: Outer Dia: 8.00" (203 mm) Inner Dia: 6.50" (165 mm) Length: 2.12" (54 mm) UPC Code: 742330-03781</p>
	<p>Part Number: <b>P530643</b> Description: <b>Air Primary</b> Primary Appl.: ONAN 140-1891 Dimensions: Outer Dia: 4.00" (102 mm) Inner Dia: 2.75" (70 mm) Length: 3.15" (80 mm) UPC Code: 742330-03782</p>
	<p>Part Number: <b>P530644</b> Description: <b>Air Primary</b> Primary Appl.: ONAN 140-1911 Dimensions: Outer Dia: 8.25" (210 mm) Inner Dia: 6.40" (163 mm) Length: 3.80" (97 mm) UPC Code: 742330-03783</p>
	<p>Part Number: <b>P530645</b> Description: <b>Air Primary</b> Primary Appl.: STIHL 4201-1410300 Dimensions: Outer Dia: 3.82" (97 mm) Inner Dia: 2.37" (60 mm) Length: 2.76" (70 mm) UPC Code: 742330-03784</p>
	<p>Part Number: <b>P530744</b> Description: <b>Air/Oil Separator</b> Primary Appl.: QUINCY NORTHWEST Q1057 Dimensions: Outer Dia: 19.00" (483 mm) Inner Dia: 16.25" (413 mm) Length: 28.25" (718 mm) Flange Dia: 22.00" (559 mm) Flange Bolts: Number of Holes: 16.00 Hole Size: .75" (19 mm) Circle: 20.50" (521 mm) UPC Code: 742330-03788</p>
	<p>Part Number: <b>P530745</b> Description: <b>Air/Oil Separator</b> Primary Appl.: QUINCY NORTHWEST Q1922 Dimensions: Outer Dia: 11.88" (302 mm) Inner Dia: 9.62" (244 mm) Length: 20.25" (514 mm) Flange Dia: 22.12" (562 mm) Flange Bolts: Number of Holes: 16.00 Hole Size: .75" (19 mm) Circle: 20.50" (521 mm) UPC Code: 742330-03789</p>
	<p>Part Number: <b>P530755</b> Description: <b>Air/Oil Separator</b> Primary Appl.: ATLAS-COPCO 1616-4656 W/SHIELD Dimensions: Outer Dia: 10.38" (264 mm) Inner Dia: 8.38" (213 mm) Length: 14.25" (362 mm) Flange Dia: 15.75" (400 mm) Flange Bolts: Number of Holes: 16.00 Hole Size: .88" (22 mm) Circle: 13.94" (354 mm) UPC Code: 742330-03792</p>









	<p>Part Number: <b>P530757</b> Description: <b>Air/Oil Separator</b> Primary Appl.: KAESER 6.1965.0, 6.2013.0 Dimensions: Outer Dia: 10.81" (275 mm) Inner Dia: 8.38" (213 mm) Length: 17.50" (444 mm) Flange Dia: 12.75" (324 mm) UPC Code: 742330-03794</p>
	<p>Part Number: <b>P530759</b> Description: <b>Air/Oil Separator</b> Primary Appl.: KAESER 6.1960.0, 6.2012.0 Dimensions: Outer Dia: 6.62" (168 mm) Inner Dia: 4.85" (123 mm) Length: 17.12" (435 mm) Flange Dia: 7.88" (200 mm) Flange Bolts: Number of Holes: 8.00 Hole Size: .81" (21 mm) Circle: 8.31" (211 mm) UPC Code: 742330-03796</p>
	<p>Part Number: <b>P530772</b> Description: <b>Air/Oil Separator</b> Primary Appl.: QUINCY NORTHWEST Q1055 Dimensions: Outer Dia: 11.75" (298 mm) Inner Dia: 9.63" (245 mm) Length: 20.00" (508 mm) Flange Dia: 22.00" (559 mm) Flange Bolts: Number of Holes: 16.00 Hole Size: .75" (19 mm) Circle: 20.50" (521 mm) UPC Code: 742330-03809</p>
	<p>Part Number: <b>P530775</b> Description: <b>Air/Oil Separator</b> Primary Appl.: QUINCY NORTHWEST Q1487 Dimensions: Outer Dia: 19.00" (483 mm) Inner Dia: 16.25" (413 mm) Length: 32.00" (813 mm) Flange Dia: 22.00" (559 mm) Flange Bolts: Number of Holes: 16.00 Hole Size: .75" (19 mm) Circle: 20.50" (521 mm) UPC Code: 742330-03811</p>
	<p>Part Number: <b>P530781</b> Description: <b>Air/Oil Separator</b> Primary Appl.: LEROI 43-895 Dimensions: Outer Dia: 14.88" (378 mm) Inner Dia: 11.40" (290 mm) Length: 24.12" (613 mm) Flange Dia: 17.00" (432 mm) UPC Code: 742330-03817</p>
	<p>Part Number: <b>P530783</b> Description: <b>Air/Oil Separator</b> Primary Appl.: SULLAIR 250005-547, 250034-087 Dimensions: Outer Dia: 8.38" (213 mm) Inner Dia: 5.25" (133 mm) Length: 10.75" (273 mm) Flange Dia: 10.66" (271 mm) UPC Code: 742330-03819</p>
	<p>Part Number: <b>P530790</b> Description: <b>Air/Oil Separator</b> Primary Appl.: SULLAIR 250004-800, 250034-082 Dimensions: Outer Dia: 14.75" (375 mm) Inner Dia: 11.00" (279 mm) Length: 24.00" (610 mm) Flange Dia: 17.00" (432 mm) UPC Code: 742330-03826</p>
	<p>Part Number: <b>P530791</b> Description: <b>Air/Oil Separator</b> Primary Appl.: SULLAIR 408167-007, 250034-124 Dimensions: Outer Dia: 19.00" (483 mm) Inner Dia: 15.00" (381 mm) Length: 22.25" (565 mm) Flange Dia: 23.75" (603 mm) UPC Code: 742330-03827</p>









	<p>Part Number: <b>P530795</b> Description: <b>Air/Oil Separator</b> Primary Appl.: GARDNER DENVER 1157866 Dimensions: Outer Dia: 8.38" (213 mm) Inner Dia: 5.88" (149 mm) Length: 9.50" (241 mm) Flange Dia: 10.00" (254 mm) UPC Code: 742330-03831</p>		<p>Part Number: <b>P530950</b> Description: <b>Air/Oil Separator</b> Primary Appl.: QUINCY NORTHWEST Q1919 Dimensions: Outer Dia: 6.12" (155 mm) Inner Dia: 3.62" (92 mm) Length: 12.12" (308 mm) Flange Dia: 11.75" (298 mm) UPC Code: 742330-03860</p>
	<p>Part Number: <b>P530800</b> Description: <b>Air/Oil Separator</b> Primary Appl.: GARDNER DENVER ECM80135, 55B25 Dimensions: Outer Dia: 8.38" (213 mm) Inner Dia: 5.38" (137 mm) Length: 14.25" (362 mm) Flange Dia: 21.00" (533 mm) UPC Code: 742330-03836</p>		<p>Part Number: <b>P531017</b> Description: <b>Air Panel, Engine</b> Primary Appl.: TENNANT Q4600, 81363 Dimensions: Width: 20.00" (508 mm) Depth: 3.19" (81 mm) Length: 30.00" (762 mm) UPC Code: 742330-03861</p>
	<p>Part Number: <b>P530801</b> Description: <b>Air/Oil Separator</b> Primary Appl.: GARDNER DENVER EAU80110, 55B28 Dimensions: Outer Dia: 14.88" (378 mm) Inner Dia: 11.40" (290 mm) Length: 24.19" (614 mm) Flange Dia: 17.50" (444 mm) UPC Code: 742330-03837</p>		<p>Part Number: <b>P531026</b> Description: <b>Air Primary, PLEXUS, RadialSeal®</b> Primary Appl.: FREIGHTLINER COE Dimensions: Outer Dia: 9.33" (237 mm) Inner Dia: 5.80" (147 mm) Length: 23.03" (585 mm) UPC Code: 742330-03862</p>
	<p>Part Number: <b>P530810</b> Description: <b>Air/Oil Separator</b> Primary Appl.: INGERSOLL RAND 39760590, 39742861, 39831920 Dimensions: Outer Dia: 14.88" (378 mm) Inner Dia: 11.40" (290 mm) Length: 16.38" (416 mm) Flange Dia: 17.00" (432 mm) UPC Code: 742330-03846</p>		<p><del>Part Number: <b>P531377</b> Description: <b>Air/Oil Separator</b> Primary Appl.: QUINCY NORTHWEST Q1918 Dimensions: Outer Dia: 5.87" (149 mm) Inner Dia: 3.75" (95 mm) Length: 10.25" (260 mm) Flange Dia: 11.75" (298 mm) UPC Code: 742330-03863</del></p>
	<p>Part Number: <b>P530815</b> Description: <b>Air/Oil Separator</b> Primary Appl.: CHICAGO PNEUMATIC N404099 Dimensions: Outer Dia: 7.50" (190 mm) Inner Dia: 5.62" (143 mm) Length: 9.88" (251 mm) UPC Code: 742330-03851</p>		<p>Part Number: <b>P531751</b> Description: <b>Air Safety, RadialSeal®</b> Primary Appl.: GM 12544543, FORD, P527680 IS SAME WITH PLEATED MEDIA Dimensions: Outer Dia: 5.30" (135 mm) Inner Dia: 4.43" (113 mm) Length: 11.82" (300 mm) UPC Code: 742330-03864</p>
	<p>Part Number: <b>P530818</b> Description: <b>Air/Oil Separator</b> Primary Appl.: JOY 5017945-0001 Dimensions: Outer Dia: 7.00" (178 mm) Inner Dia: 4.00" (102 mm) Length: 15.50" (394 mm) UPC Code: 742330-03854</p>		<p>Part Number: <b>P531772</b> Description: <b>Air/Oil Separator</b> Primary Appl.: SULLAIR 250007-139, 250034-130 Dimensions: Outer Dia: 10.62" (270 mm) Inner Dia: 7.12" (181 mm) Length: 20.50" (521 mm) Flange Dia: 13.75" (349 mm) UPC Code: 742330-03865</p>
	<p>Part Number: <b>P530866</b> Description: <b>Air Primary, Konepac</b> Primary Appl.: JEFFREY DRESSER 4110 RAMCAR EXH FILTER 516372 Dimensions: Outer Dia: 12.75" (324 mm) Inner Dia: 8.32" (211 mm) Length: 23.99" (609 mm) UPC Code: 742330-03858</p>		<p>Part Number: <b>P532410</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: Donaldson FHG06, CLARK LIFTTRUCK, 4G64 MITSUBISHI, UL APPROVED USE WITH SAFETY P534885 Dimensions: Outer Dia: 5.08" (129 mm) Inner Dia: 3.20" (81 mm) Length: 11.97" (304 mm) UPC Code: 742330-03869</p>
	<p>Part Number: <b>P530949</b> Description: <b>Air/Oil Separator</b> Primary Appl.: QUINCY NORTHWEST Q1054 Dimensions: Outer Dia: 10.38" (264 mm) Inner Dia: 7.88" (200 mm) Length: 17.12" (435 mm) Flange Dia: 11.75" (298 mm) UPC Code: 742330-03859</p>		<p>Part Number: <b>P532473</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: CATERPILLAR 6L-0273, Safety=P532474 Dimensions: Outer Dia: 11.50" (292 mm) Inner Dia: 7.19" (183 mm) Length: 13.00" (330 mm) UPC Code: 742330-03870</p>























	<p>Part Number: <b>P532474</b> Description: <b>Air Safety, RadialSeal®</b> Primary Appl.: CATERPILLAR 6L-0274, Primary=P532473 Dimensions: Outer Dia: 7.31" (186 mm) Inner Dia: 5.23" (133 mm) Length: 13.16" (334 mm) UPC Code: 742330-03871</p>
	<p>Part Number: <b>P532499</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: CATERPILLAR 6L-2499, Safety=P532500 Dimensions: Outer Dia: 9.22" (234 mm) Inner Dia: 4.61" (117 mm) Length: 12.00" (305 mm) UPC Code: 742330-03873</p>
	<p>Part Number: <b>P532500</b> Description: <b>Air Safety, RadialSeal®</b> Primary Appl.: CATERPILLAR 6L-2500, Primary=P532499 Dimensions: Outer Dia: 4.76" (121 mm) Inner Dia: 3.25" (83 mm) Length: 11.55" (294 mm) UPC Code: 742330-03874</p>
	<p>Part Number: <b>P532501</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: CATERPILLAR 6L-2501, Safety=P532502 Dimensions: Outer Dia: 11.09" (282 mm) Inner Dia: 5.80" (147 mm) Length: 12.88" (327 mm) UPC Code: 742330-03875</p>
	<p>Part Number: <b>P532502</b> Description: <b>Air Safety, RadialSeal®</b> Primary Appl.: CATERPILLAR 6L-2502, Primary=P532501 Dimensions: Outer Dia: 5.94" (151 mm) Inner Dia: 4.40" (112 mm) Length: 12.44" (316 mm) UPC Code: 742330-03876</p>
	<p>Part Number: <b>P532503</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: Donaldson FRG13 RADIALSEAL A/C, CAT 6L-2503, Safety=P532504 Dimensions: Outer Dia: 11.09" (282 mm) Inner Dia: 5.80" (147 mm) Length: 15.94" (405 mm) UPC Code: 742330-03877</p>
	<p>Part Number: <b>P532504</b> Description: <b>Air Safety, RadialSeal®</b> Primary Appl.: Donaldson FRG13 RADIALSEAL A/C, CAT 6L-2504, Primary=P532503 Dimensions: Outer Dia: 5.94" (151 mm) Inner Dia: 4.40" (112 mm) Length: 15.51" (394 mm) UPC Code: 742330-03878</p>
	<p>Part Number: <b>P532505</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: CATERPILLAR 6L-2505, 1P-8482, Safety=P532506 Dimensions: Outer Dia: 12.50" (318 mm) Inner Dia: 8.21" (208 mm) Length: 15.02" (382 mm) UPC Code: 742330-03879</p>
	<p>Part Number: <b>P532506</b> Description: <b>Air Safety, RadialSeal®</b> Primary Appl.: CATERPILLAR 6L-2506, Primary=P532505 Dimensions: Outer Dia: 8.32" (211 mm) Inner Dia: 6.20" (158 mm) Length: 15.18" (386 mm) UPC Code: 742330-03880</p>









	<p>Part Number: <b>P532507</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: CATERPILLAR 6L-2507, 6N-6444, Safety=P532508 Dimensions: Outer Dia: 12.50" (318 mm) Inner Dia: 8.21" (208 mm) Length: 15.02" (382 mm) UPC Code: 742330-03881</p>
	<p>Part Number: <b>P532508</b> Description: <b>Air Safety, RadialSeal®</b> Primary Appl.: CATERPILLAR 6L-2508, Primary=P532507 Dimensions: Outer Dia: 8.32" (211 mm) Inner Dia: 6.20" (158 mm) Length: 11.72" (298 mm) UPC Code: 742330-03882</p>
	<p>Part Number: <b>P532509</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: CATERPILLAR 6L-2509, Safety=P532510 Dimensions: Outer Dia: 8.32" (211 mm) Inner Dia: 8.21" (208 mm) Length: 18.52" (470 mm) UPC Code: 742330-03883</p>
	<p>Part Number: <b>P532510</b> Description: <b>Air Safety, RadialSeal®</b> Primary Appl.: CATERPILLAR 6L-2510, Primary=P532509 Dimensions: Outer Dia: 8.02" (204 mm) Inner Dia: 6.20" (158 mm) Length: 15.18" (386 mm) UPC Code: 742330-03884</p>
	<p>Part Number: <b>P532703</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: CHRYSLER 3242-4713953 Dimensions: Outer Dia: 8.02" (204 mm) Inner Dia: 4.20" (107 mm) Length: 9.47" (241 mm) UPC Code: 742330-03887</p>
	<p>Part Number: <b>P532931</b> Description: <b>Cab Air</b> Primary Appl.: JOHN DEERE AH115833 Dimensions: Outer Dia: 10.87" (276 mm) Inner Dia: 6.50" (165 mm) Length: 7.00" (178 mm) UPC Code: 742330-11109</p>
	<p>Part Number: <b>P532966</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson FRG11 RADIALSEAL AIR CLEANERS, USE P533781 SAFETY, Donaldson Endurance EAF5105 Dimensions: Outer Dia: 9.33" (237 mm) Inner Dia: 5.15" (131 mm) Length: 18.50" (470 mm) UPC Code: 742330-08675</p>
	<p>Part Number: <b>P533109</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: CATERPILLAR LIFTRUCKS V50E, T50E, USE WITH SAFETY P533110 Dimensions: Outer Dia: 8.18" (208 mm) Inner Dia: 4.17" (106 mm) Length: 6.07" (154 mm) UPC Code: 742330-03920</p>









	<p>Part Number: <b>P533110</b> Description: <b>Air Safety, RadialSeal®</b> Primary Appl.: CATERPILLAR 6L-1451, LIFTRUCKS V50E, T50E, USE WITH PRIMARY P533109 Dimensions: Outer Dia: 4.27" (108 mm) Inner Dia: 2.79" (71 mm) Length: 5.61" (142 mm) UPC Code: 742330-03921</p>
	<p>Part Number: <b>P533230</b> Description: <b>Air Primary</b> Primary Appl.: ISUZU 8-94156-052-0 Dimensions: Outer Dia: 7.93" (201 mm) Inner Dia: 5.31" (135 mm) Length: 10.00" (254 mm) UPC Code: 742330-03922</p>
	<p>Part Number: <b>P533232</b> Description: <b>Air Primary</b> Primary Appl.: MITSUBISHI MB120298 Dimensions: Outer Dia: 7.95" (202 mm) Inner Dia: 4.96" (126 mm) Length: 7.09" (180 mm) UPC Code: 742330-03924</p>
	<p>Part Number: <b>P533233</b> Description: <b>Air Primary, Finned</b> Primary Appl.: KOBELCO 2446R255S5, Safety=P533234 Dimensions: Outer Dia: 6.84" (174 mm) Inner Dia: 4.23" (107 mm) Length: 20.00" (508 mm) UPC Code: 742330-03925</p>
	<p>Part Number: <b>P533234</b> Description: <b>Air Safety</b> Primary Appl.: KOBELCO 2446R255S6, USE WITH PRIMARY P533233 Dimensions: Outer Dia: 4.84" (123 mm) Inner Dia: 3.65" (93 mm) Length: 19.25" (489 mm) UPC Code: 742330-03926</p>
	<p>Part Number: <b>P533235</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: NAVISTAR 2005895C1, Donaldson Endurance EAF5104 Dimensions: Outer Dia: 13.09" (332 mm) Inner Dia: 6.78" (172 mm) Length: 18.15" (461 mm) UPC Code: 742330-03927</p>
	<p>Part Number: <b>P533257</b> Description: <b>Air Primary</b> Primary Appl.: CASE 205 STEIGER W/3306 CAT ENG.#90-4233S1 Dimensions: Outer Dia: 9.91" (252 mm) Inner Dia: 6.05" (154 mm) Length: 19.00" (483 mm) UPC Code: 742330-03929</p>
	<p>Part Number: <b>P533308</b> Description: <b>Air Primary</b> Primary Appl.: FREIGHTLINER Dimensions: Outer Dia: 8.84" (225 mm) Inner Dia: 5.48" (139 mm) Length: 22.00" (559 mm) UPC Code: 742330-03930</p>
	<p>Part Number: <b>P533381</b> Description: <b>Air/Oil Separator</b> Primary Appl.: QUINCY NW #Q1920 Dimensions: Outer Dia: 8.00" (203 mm) Inner Dia: 5.88" (149 mm) Length: 13.25" (337 mm) Flange Dia: 15.62" (397 mm) UPC Code: 742330-03931</p>









	<p>Part Number: <b>P533443</b> Description: <b>Air Primary</b> Primary Appl.: KOBELCO 2446R35253 Dimensions: Outer Dia: 10.86" (276 mm) Inner Dia: 6.50" (165 mm) Length: 20.00" (508 mm) UPC Code: 742330-03933</p>
	<p>Part Number: <b>P533444</b> Description: <b>Air Safety</b> Primary Appl.: KOBELCO 2446R2751 Dimensions: Outer Dia: 6.39" (162 mm) Inner Dia: 5.17" (131 mm) Length: 19.00" (483 mm) UPC Code: 742330-03934</p>
	<p>Part Number: <b>P533445</b> Description: <b>Air Primary</b> Primary Appl.: KOBELCO 2446R35353 Dimensions: Outer Dia: 10.86" (276 mm) Inner Dia: 6.50" (165 mm) Length: 15.00" (381 mm) UPC Code: 742330-03935</p>
	<p>Part Number: <b>P533446</b> Description: <b>Air Safety</b> Primary Appl.: KOBELCO 2446R27351 Dimensions: Outer Dia: 6.39" (162 mm) Inner Dia: 5.17" (131 mm) Length: 14.00" (356 mm) UPC Code: 742330-03936</p>
	<p>Part Number: <b>P533559</b> Description: <b>Cab Air</b> Primary Appl.: KOMATSU 421-07-12312 Dimensions: Width: 10.00" (254 mm) Depth: 2.19" (56 mm) Length: 6.00" (152 mm) UPC Code: 742330-03938</p>
	<p>Part Number: <b>P533597</b> Description: <b>Air Primary, Finned</b> Primary Appl.: JOHN DEERE AM108184, Safety=P535366 Dimensions: Outer Dia: 4.09" (104 mm) Inner Dia: 2.48" (63 mm) Length: 8.00" (203 mm) UPC Code: 742330-03939</p>
	<p>Part Number: <b>P533599</b> Description: <b>Air Safety</b> Primary Appl.: CATERPILLAR 7C-1062 Dimensions: Outer Dia: 6.69" (170 mm) Inner Dia: 2.62" (67 mm) Length: 10.08" (256 mm) UPC Code: 742330-03941</p>
	<p>Part Number: <b>P533651</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: CATERPILLAR 102-9388 Dimensions: Outer Dia: 8.18" (208 mm) Inner Dia: 4.17" (106 mm) Length: 6.95" (177 mm) UPC Code: 742330-03942</p>
	<p>Part Number: <b>P533652</b> Description: <b>Air Safety, RadialSeal®</b> Primary Appl.: CATERPILLAR 102-9387 Dimensions: Outer Dia: 4.27" (108 mm) Inner Dia: 2.79" (71 mm) Length: 6.49" (165 mm) UPC Code: 742330-03943</p>



	<p>Part Number: <b>P533653</b> Description: <b>Air Safety, RadialSeal®</b> Primary Appl.: JOHN DEERE RE34967 Dimensions: Outer Dia: 5.30" (135 mm) Inner Dia: 3.78" (96 mm) Length: 14.72" (374 mm) UPC Code: 742330-03944</p>
	<p>Part Number: <b>P533654</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: JOHN DEERE RE34966 Dimensions: Outer Dia: 9.33" (237 mm) Inner Dia: 5.15" (131 mm) Length: 15.15" (385 mm) UPC Code: 742330-03945</p>
	<p>Part Number: <b>P533655</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: JOHN DEERE RE51629 Dimensions: Outer Dia: 11.09" (282 mm) Inner Dia: 5.80" (147 mm) Length: 15.15" (385 mm) UPC Code: 742330-03946</p>
	<p>Part Number: <b>P533723</b> Description: <b>Air Safety, RadialSeal®</b> Primary Appl.: EPG13 AIR CLEANERS Dimensions: Outer Dia: 6.89" (175 mm) Inner Dia: 5.97" (152 mm) Length: 17.52" (445 mm) UPC Code: 742330-03948</p>
	<p>Part Number: <b>P533781</b> Description: <b>Air Safety, RadialSeal®</b> Primary Appl.: Donaldson EPG11 AIR CLEANERS, USE WITH P532966 PRIMARY Dimensions: Outer Dia: 5.30" (135 mm) Inner Dia: 3.78" (96 mm) Length: 18.03" (458 mm) UPC Code: 742330-03950</p>
	<p>Part Number: <b>P533788</b> Description: <b>Cab Air</b> Primary Appl.: HITACHI 4206637, JOHN DEERE AT116077 Dimensions: Width: 17.12" (435 mm) Depth: 2.19" (56 mm) Length: 8.46" (215 mm) UPC Code: 742330-10648</p>
	<p>Part Number: <b>P533814</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: FORD F6HZ9601BA, MOTORCRAFT FA1636 Dimensions: Outer Dia: 13.09" (332 mm) Inner Dia: 6.78" (172 mm) Length: 16.85" (428 mm) UPC Code: 742330-08720</p>
	<p>Part Number: <b>P533882</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: CATERPILLAR 777 ORE TRUCK, 106-3969, Safety=P533884 Dimensions: Outer Dia: 14.28" (363 mm) Inner Dia: 8.98" (228 mm) Length: 17.61" (447 mm) UPC Code: 742330-03953</p>
	<p>Part Number: <b>P533884</b> Description: <b>Air Safety</b> Primary Appl.: CATERPILLAR 777 ORE TRUCK, 106-3973, Primary=P533882 Dimensions: Outer Dia: 9.09" (231 mm) Inner Dia: 7.02" (178 mm) Length: 17.76" (451 mm) UPC Code: 742330-03954</p>










	<p>Part Number: <b>P533890</b> Description: <b>Air Safety, RadialSeal®</b> Primary Appl.: Donaldson EPG13 RADIALSEAL AIR CLEANERS, Primary=P533930 Dimensions: Outer Dia: 5.94" (151 mm) Inner Dia: 5.05" (128 mm) Length: 14.83" (377 mm) UPC Code: 742330-08693</p>
	<p>Part Number: <b>P533930</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: Donaldson EPG13 RADIALSEAL AIR CLEANERS, Safety=P533890 Dimensions: Outer Dia: 11.09" (282 mm) Inner Dia: 5.80" (147 mm) Length: 15.15" (385 mm) UPC Code: 742330-08692</p>
	<p>Part Number: <b>P533938</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: FORD F6HZ9601CA, MOTORCRAFT FA1637 Dimensions: Outer Dia: 13.50" (343 mm) Inner Dia: 8.20" (208 mm) Length: 17.23" (438 mm) UPC Code: 742330-08699</p>
	<p>Part Number: <b>P533946</b> Description: <b>Air Safety, RadialSeal®</b> Primary Appl.: FORD F6HZ9602AA Dimensions: Outer Dia: 8.32" (211 mm) Inner Dia: 6.20" (157 mm) Length: 6.60" (168 mm) UPC Code: 742330-08700</p>
	<p>Part Number: <b>P534096</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: PETERBILT TRUCK, MODEL 385 Dimensions: Outer Dia: 9.33" (237 mm) Inner Dia: 5.80" (147 mm) Length: 23.03" (585 mm) UPC Code: 742330-03957</p>
	<p>Part Number: <b>P534104</b> Description: <b>Air Panel, Engine</b> Primary Appl.: FORD E6AZ9601B Dimensions: Width: 6.18" (157 mm) Depth: 11.24" (285 mm) Length: 1.15" (29 mm) UPC Code: 742330-03958</p>
	<p>Part Number: <b>P534105</b> Description: <b>Air Panel, Engine</b> Primary Appl.: AMC 8953004383 Dimensions: Width: 6.68" (170 mm) Depth: 13.48" (342 mm) Length: 1.59" (40 mm) UPC Code: 742330-03959</p>
	<p>Part Number: <b>P534816</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: KENWORTH &amp; PETERBILT CONVENTIONALS, DONALDSON ERA13 AIR CLEANER, Donaldson Endurance EAF5100 Dimensions: Outer Dia: 11.09" (282 mm) Inner Dia: 6.78" (172 mm) Length: 23.44" (596 mm) UPC Code: 742330-03963</p>









	<b>Part Number:</b> P534885 <b>Description:</b> Air Safety, RadialSeal® <b>Primary Appl.:</b> TOYOTA 17744U210071, FLAME RETARDANT USE WITH PRIMARY P532410 <b>Dimensions:</b> Outer Dia: 3.32" (84 mm) Inner Dia: 2.55" (65 mm) Length: 11.74" (298 mm) <b>UPC Code:</b> 742330-10817
	<b>Part Number:</b> P534925 <b>Description:</b> Air Primary, RadialSeal® <b>Primary Appl.:</b> KENWORTH & PETERBILT CONVENTIONALS, DONALDSON ERA15 AIR CLEANER, Donaldson Endurance EAF5101 <b>Dimensions:</b> Outer Dia: 12.74" (324 mm) Inner Dia: 7.44" (189 mm) Length: 25.44" (646 mm) <b>UPC Code:</b> 742330-03966
	<b>Part Number:</b> P535089 <b>Description:</b> Cab Air <b>Primary Appl.:</b> VOLVO 4771477, 15845753 <b>Dimensions:</b> Width: 7.40" (188 mm) Depth: 1.61" (41 mm) Length: 10.51" (267 mm) <b>UPC Code:</b> 742330-03969
	<b>Part Number:</b> P535114 <b>Description:</b> Air Primary <b>Primary Appl.:</b> CATERPILLAR 4P0710 <b>Dimensions:</b> Outer Dia: 19.29" (490 mm) Inner Dia: 12.93" (328 mm) Length: 13.84" (352 mm) <b>UPC Code:</b> 742330-03970
	<b>Part Number:</b> P535115 <b>Description:</b> Air Safety <b>Primary Appl.:</b> CATERPILLAR 4P0711 <b>Dimensions:</b> Outer Dia: 12.78" (325 mm) Inner Dia: 10.14" (258 mm) Length: 13.81" (351 mm) <b>UPC Code:</b> 742330-03971
	<b>Part Number:</b> P535337 <b>Description:</b> Air Primary, Finned <b>Primary Appl.:</b> HYSTER 1377093, UL APPROVED USE WITH P535338 SAFETY <b>Dimensions:</b> Outer Dia: 4.09" (104 mm) Inner Dia: 2.48" (63 mm) Length: 14.00" (356 mm) <b>UPC Code:</b> 742330-10651
	<b>Part Number:</b> P535338 <b>Description:</b> Air Safety <b>Primary Appl.:</b> HYSTER 1377096, USE WITH P535337 PRIMARY <b>Dimensions:</b> Outer Dia: 2.38" (60 mm) Inner Dia: 1.87" (47 mm) Length: 13.00" (330 mm) <b>UPC Code:</b> 742330-10652
	<b>Part Number:</b> P535360 <b>Description:</b> Air Primary <b>Primary Appl.:</b> KUBOTA 1370111080 <b>Dimensions:</b> Outer Dia: 6.00" (152 mm) Inner Dia: 4.02" (102 mm) Length: 7.50" (190 mm) <b>UPC Code:</b> 742330-03973



















	<b>Part Number:</b> P535361 <b>Description:</b> Air Primary <b>Primary Appl.:</b> KUBOTA 1557111210 <b>Dimensions:</b> Outer Dia: 6.09" (155 mm) Inner Dia: 3.47" (88 mm) Length: 9.25" (235 mm) <b>UPC Code:</b> 742330-03974
	<b>Part Number:</b> P535362 <b>Description:</b> Air Primary <b>Primary Appl.:</b> KUBOTA 1574111080 <b>Dimensions:</b> Outer Dia: 4.09" (104 mm) Inner Dia: 2.48" (63 mm) Length: 10.00" (254 mm) <b>UPC Code:</b> 742330-03975
	<b>Part Number:</b> P535364 <b>Description:</b> Air Primary <b>Primary Appl.:</b> KUBOTA 1572411080 <b>Dimensions:</b> Outer Dia: 6.09" (155 mm) Inner Dia: 4.09" (104 mm) Length: 9.25" (235 mm) <b>UPC Code:</b> 742330-03977
	<b>Part Number:</b> P535365 <b>Description:</b> Air Primary <b>Primary Appl.:</b> KOMATSU 6001816540, R800103 WITH ATTACHED NUT AND GASKET WASHER <b>Dimensions:</b> Outer Dia: 7.36" (187 mm) Inner Dia: 4.78" (121 mm) Length: 15.00" (381 mm) <b>UPC Code:</b> 742330-03978
	<b>Part Number:</b> P535366 <b>Description:</b> Air Safety <b>Primary Appl.:</b> JOHN DEERE AM108185, Primary=P533597 <b>Dimensions:</b> Outer Dia: 2.38" (60 mm) Inner Dia: 1.91" (49 mm) Length: 7.00" (178 mm) <b>UPC Code:</b> 742330-03979
	<b>Part Number:</b> P535396 <b>Description:</b> Air Safety, RadialSeal® <b>Primary Appl.:</b> JOHN DEERE M123378, USE WITH PRIMARY P822686 <b>Dimensions:</b> Outer Dia: 1.82" (46 mm) Inner Dia: 1.22" (31 mm) Length: 6.59" (167 mm) <b>UPC Code:</b> 742330-08218
	<b>Part Number:</b> P535596 <b>Description:</b> Air Primary <b>Primary Appl.:</b> HINO 178012810 <b>Dimensions:</b> Outer Dia: 9.22" (234 mm) Inner Dia: 4.84" (123 mm) Length: 18.00" (457 mm) <b>UPC Code:</b> 742330-03984
	<b>Part Number:</b> P535597 <b>Description:</b> Air Primary <b>Primary Appl.:</b> KOBELCO 2446R254S5, KOBELCO SAFETY 2446R254S6 <b>Dimensions:</b> Outer Dia: 8.12" (206 mm) Inner Dia: 4.84" (123 mm) Length: 21.00" (533 mm) <b>UPC Code:</b> 742330-03985
	<b>Part Number:</b> P535717 <b>Description:</b> Air Primary, PLEXUS, RadialSeal® <b>Primary Appl.:</b> FREIGHTLINER FL112, FOR SAFETY USE P527693 <b>Dimensions:</b> Outer Dia: 13.09" (332 mm) Inner Dia: 6.78" (172 mm)

**Canceled, use EAF5069**











	<p>Part Number: <b>P535770</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: Donaldson FPG07 AIR CLEANERS WITH, UL APPROVED Dimensions: Outer Dia: 5.44" (138 mm) Inner Dia: 3.20" (81 mm) Length: 12.67" (322 mm) UPC Code: 742330-03989</p>
	<p>Part Number: <b>P536036</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: MITSUBISHI ME073821 Dimensions: Outer Dia: 9.33" (237 mm) Inner Dia: 5.15" (131 mm) Length: 15.80" (401 mm) UPC Code: 742330-10627</p>
	<p>Part Number: <b>P536425</b> Description: <b>Air Panel, Engine</b> Primary Appl.: CHEVROLET LIGHT TRUCK, GMC 25096463 Dimensions: Width: 6.05" (154 mm) Depth: 11.56" (294 mm) Length: 1.66" (42 mm) UPC Code: 742330-03992</p>
	<p>Part Number: <b>P536427</b> Description: <b>Air Panel, Engine</b> Primary Appl.: GM LIGHT TRUCK Dimensions: Width: 7.91" (201 mm) Depth: 1.67" (42 mm) Length: 16.00" (406 mm) UPC Code: 742330-03994</p>
	<p>Part Number: <b>P536428</b> Description: <b>Air Breather</b> Primary Appl.: DODGE LIGHT TRUCK, CHRYLSER 5214561 Dimensions: Outer Dia: 3.05" (77 mm) UPC Code: 742330-03995</p>
	<p>Part Number: <b>P536429</b> Description: <b>Air Panel, Engine</b> Primary Appl.: DODGE LIGHT TRUCK, CHRYSLER 4728406 Dimensions: Width: 10.75" (273 mm) Depth: 2.25" (57 mm) Length: 11.82" (300 mm) UPC Code: 742330-03996</p>
	<p>Part Number: <b>P536430</b> Description: <b>Air Panel, Engine</b> Primary Appl.: DODGE LIGHT TRUCK, CHRYSLER 53040025 Dimensions: Width: 5.24" (133 mm) Depth: 2.35" (60 mm) Length: 13.90" (353 mm) UPC Code: 742330-03997</p>
	<p>Part Number: <b>P536431</b> Description: <b>Air Breather</b> Primary Appl.: FORD LIGHT TRUCK, F4TZ9D695A UPC Code: 742330-03998</p>
	<p>Part Number: <b>P536433</b> Description: <b>Air Panel, Engine</b> Primary Appl.: FORD LIGHT TRUCK, F5UZ9601A Dimensions: Width: 6.56" (167 mm) Depth: 1.63" (41 mm) Length: 11.28" (287 mm) UPC Code: 742330-04000</p>

	<p>Part Number: <b>P536434</b> Description: <b>Air Primary, Oval</b> Primary Appl.: FORD LIGHT TRUCK, F5TZ9601A Dimensions: Outer Dia: 7.15 x 2.82" (182 x 72 mm) Inner Dia: 14.00 x 9.67" (356 x 246 mm) Depth: 6.04" (153 mm) UPC Code: 742330-04001</p>
	<p>Part Number: <b>P536442</b> Description: <b>Air Safety, RadialSeal®</b> Primary Appl.: CHRYSLER RAM 6500, Primary= P536448 Dimensions: Outer Dia: 5.94" (151 mm) Inner Dia: 5.05" (128 mm) Length: 9.76" (248 mm) UPC Code: 742330-08695</p>
	<p>Part Number: <b>P536448</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: CHRYSLER RAM 6500, Safety=P536442 Dimensions: Outer Dia: 11.09" (282 mm) Inner Dia: 5.80" (147 mm) Length: 10.15" (258 mm) UPC Code: 742330-08694</p>
	<p>Part Number: <b>P536457</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: Donaldson FRG11 AIR CLEANERS, CAT EXCAVATORS Dimensions: Outer Dia: 9.33" (237 mm) Inner Dia: 5.15" (131 mm) Length: 13.00" (330 mm) UPC Code: 742330-04003</p>
	<p>Part Number: <b>P536492</b> Description: <b>Air Safety, RadialSeal®</b> Primary Appl.: Donaldson FRG11 AIR CLEANER, CAT EXCAVATORS Dimensions: Outer Dia: 5.30" (135 mm) Inner Dia: 3.78" (96 mm) Length: 12.74" (324 mm) UPC Code: 742330-04004</p>
 <p>Shape Cross Section</p>	<p>Part Number: <b>P536493</b> Description: <b>Gasket</b> Compound: Urethane Dimensions: Outer Dia: 11.77" Inner Dia: 10.81" Thickness: .63" Primary Appl.: FREIGHTLINER CF, FL, FLB TRUCKS, ECG Air Cleaner, FOR P535693 FILTER UPC Code: 742330-04005</p>
	<p>Part Number: <b>P536527</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: CASE IH 908300T1 Dimensions: Outer Dia: 12.50" (318 mm) Inner Dia: 8.21" (208 mm) Length: 21.10" (536 mm) UPC Code: 742330-04006</p>
	<p>Part Number: <b>P536529</b> Description: <b>Air Safety, RadialSeal®</b> Primary Appl.: USE WITH PRIMARY P536527 Dimensions: Outer Dia: 8.32" (211 mm) Inner Dia: 6.20" (157 mm) Length: 20.81" (529 mm) UPC Code: 742330-04007</p>









	<p>Part Number: <b>P536577</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: NISSAN D6546Z9100 Dimensions: Outer Dia: 11.09" (282 mm) Inner Dia: 6.78" (172 mm) Length: 14.19" (360 mm) UPC Code: 742330-10625</p>		<p>Part Number: <b>P537374</b> Description: <b>Air Panel, Engine</b> Primary Appl.: FORD LIGHT TRUCK Dimensions: Width: 8.34" (212 mm) Depth: 10.50" (267 mm) Length: 2.36" (60 mm) UPC Code: 742330-08071</p>
	<p>Part Number: <b>P536732</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: GM CK SERIES PICKUPS/VANS, Long Life ELEMENT Dimensions: Outer Dia: 7.24" (184 mm) Inner Dia: 3.58" (91 mm) Length: 10.65" (271 mm) UPC Code: 742330-08034</p>		<p>Part Number: <b>P537375</b> Description: <b>Air Primary</b> Primary Appl.: GM LIGHT TRUCK Dimensions: Outer Dia: 5.75" (146 mm) Inner Dia: 3.50" (89 mm) Length: 5.95" (151 mm) UPC Code: 742330-08072</p>
	<p>Part Number: <b>P536733</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: GM CK SERIES PICKUPS/VANS, STANDARD LIFE ELEMENT Dimensions: Outer Dia: 6.49" (165 mm) Inner Dia: 3.58" (91 mm) Length: 10.65" (271 mm) UPC Code: 742330-08035</p>		<p>Part Number: <b>P537376</b> Description: <b>Air Panel, Engine</b> Primary Appl.: GM LIGHT TRUCK Dimensions: Width: 8.00" (203 mm) Depth: 1.62" (41 mm) Length: 10.00" (254 mm) UPC Code: 742330-08073</p>
	<p>Part Number: <b>P536940</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: CASE/IH 128781A1, Safety=P536941 Dimensions: Outer Dia: 5.44" (138 mm) Inner Dia: 3.20" (81 mm) Length: 15.15" (385 mm) UPC Code: 742330-04008</p>		<p>Part Number: <b>P537377</b> Description: <b>Air Panel, Engine</b> Primary Appl.: CLARK, TOWMOTOR Dimensions: Width: 8.38" (213 mm) Depth: 1.63" (41 mm) Length: 8.38" (213 mm) UPC Code: 742330-08074</p>
	<p>Part Number: <b>P536941</b> Description: <b>Air Safety, RadialSeal®</b> Primary Appl.: CASE/IH 128782A1, Primary=P536940 Dimensions: Outer Dia: 3.32" (84 mm) Inner Dia: 2.55" (65 mm) Length: 14.65" (372 mm) UPC Code: 742330-04009</p>		<p>Part Number: <b>P537405</b> Description: <b>Air Primary</b> Primary Appl.: JOHN DEERE AT175344, Safety=P537716 Dimensions: Outer Dia: 8.18" (208 mm) Inner Dia: 4.17" (106 mm) Length: 11.10" (282 mm) UPC Code: 742330-08701</p>
	<p>Part Number: <b>P537355</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: DONALDSON ERA11 AIR CLNR, FRTLNR CLASSIC XL Dimensions: Outer Dia: 9.64" (245 mm) Inner Dia: 5.15" (131 mm) Length: 24.61" (625 mm) UPC Code: 742330-11129</p>		<p>Part Number: <b>P537447</b> Description: <b>Air Cleaner, Disposable</b> Primary Appl.: FARR ECOLITE 9.75 X 24 Dimensions: Outer Dia: 9.75" (248 mm) Inner Dia: 6.00" (152 mm) Length: 24.00" (610 mm) UPC Code: 742330-08084</p>
	<p>Part Number: <b>P537367</b> Description: <b>Air Breather</b> Primary Appl.: GM LIGHT TRUCK UPC Code: 742330-08063</p>		<p>Part Number: <b>P537448</b> Description: <b>Air Cleaner, Disposable</b> Primary Appl.: FARR ECOLITE 11 X 24 Dimensions: Outer Dia: 11.00" (279 mm) Inner Dia: 7.00" (178 mm) Length: 24.00" (610 mm) UPC Code: 742330-08085</p>
	<p>Part Number: <b>P537369</b> Description: <b>Air Breather</b> Primary Appl.: FORD LIGHT TRUCK UPC Code: 742330-08065</p>		<p>Part Number: <b>P537449</b> Description: <b>Air Cleaner, Disposable</b> Primary Appl.: FARR ECOLITE 13.5 X 24 Dimensions: Outer Dia: 13.50" (343 mm) Inner Dia: 7.00" (178 mm) Length: 24.00" (610 mm) UPC Code: 742330-08086</p>
	<p>Part Number: <b>P537370</b> Description: <b>Air Breather</b> Primary Appl.: JEEP LIGHT TRUCK UPC Code: 742330-08066</p>		<p>Part Number: <b>P537450</b> Description: <b>Air Cleaner, Disposable</b> Primary Appl.: FARR ECO CM 13.5 X 24 Dimensions: Outer Dia: 13.50" (343 mm) Inner Dia: 8.00" (203 mm) Length: 24.00" (610 mm) UPC Code: 742330-08087</p>



	<p><b>Part Number:</b> P537451 <b>Description:</b> Air Cleaner, Disposable <b>Primary Appl.:</b> FARR ECO SE 6.75 X 14 <b>Dimensions:</b> Outer Dia: 6.75" (171 mm) Inner Dia: 2.88" (73 mm) Length: 14.20" (361 mm) <b>UPC Code:</b> 742330-08088</p>
	<p><b>Part Number:</b> P537452 <b>Description:</b> Air Cleaner, Disposable <b>Primary Appl.:</b> FARR ECO SE 7.75 X 17 <b>Dimensions:</b> Outer Dia: 7.75" (197 mm) Inner Dia: 3.88" (99 mm) Length: 17.20" (437 mm) <b>UPC Code:</b> 742330-08089</p>
	<p><b>Part Number:</b> P537453 <b>Description:</b> Air Cleaner, Disposable <b>Primary Appl.:</b> FARR ECO SE 9.75 X 20 <b>Dimensions:</b> Outer Dia: 9.67" (246 mm) Inner Dia: 5.00" (127 mm) Length: 20.20" (513 mm) <b>UPC Code:</b> 742330-08090</p>
	<p><b>Part Number:</b> P537454 <b>Description:</b> Air Cleaner, Disposable <b>Primary Appl.:</b> FARR ECO SE W/SIDE INLET, (SIDE INLET NOT PICTURED) <b>Dimensions:</b> Outer Dia: 9.70" (246 mm) Inner Dia: 5.00" (127 mm) Length: 19.40" (493 mm) <b>UPC Code:</b> 742330-08091</p>
	<p><b>Part Number:</b> P537455 <b>Description:</b> Air Cleaner, Disposable <b>Primary Appl.:</b> FARR ECO SM 13.5 X 15 <b>Dimensions:</b> Outer Dia: 13.50" (343 mm) Inner Dia: 7.00" (178 mm) Length: 16.80" (427 mm) <b>UPC Code:</b> 742330-08092</p>
	<p><b>Part Number:</b> P537456 <b>Description:</b> Air Cleaner, Disposable <b>Primary Appl.:</b> FARR ECO SM 13.5 X 15 <b>Dimensions:</b> Outer Dia: 13.50" (343 mm) Inner Dia: 7.00" (178 mm) Length: 16.80" (427 mm) <b>UPC Code:</b> 742330-08093</p>
	<p><b>Part Number:</b> P537716 <b>Description:</b> Air Safety <b>Primary Appl.:</b> JOHN DEERE AT175345, Primary=P537405 <b>Dimensions:</b> Outer Dia: 4.27" (108 mm) Inner Dia: 3.45" (88 mm) Length: 10.64" (270 mm) <b>UPC Code:</b> 742330-08702</p>
	<p><b>Part Number:</b> P537729 <b>Description:</b> Air Primary, RadialSeal® <b>Primary Appl.:</b> GM 25173425, USES PLEXUS WRAP MATERIAL, P536733, P536732 STANDARD AND HEAVY DUTY W/O WRAP <b>Dimensions:</b> Outer Dia: 7.50" (190 mm) Inner Dia: 3.58" (91 mm) Length: 10.65" (271 mm) <b>UPC Code:</b> 742330-10386</p>

	<p><b>Part Number:</b> P537778 <b>Description:</b> Air Primary, RadialSeal® <b>Primary Appl.:</b> CASE IH 132151A1, USE WITH SAFETY P537779 <b>Dimensions:</b> Outer Dia: 11.09" (282 mm) Inner Dia: 5.80" (147 mm) Length: 21.15" (537 mm) <b>UPC Code:</b> 742330-08964</p>
	<p><b>Part Number:</b> P537779 <b>Description:</b> Air Safety, RadialSeal® <b>Primary Appl.:</b> CASE IH 132149A1, Primary=P537778 <b>Dimensions:</b> Outer Dia: 5.94" (151 mm) Inner Dia: 4.40" (112 mm) Length: 20.88" (530 mm) <b>UPC Code:</b> 742330-10454</p>
	<p><b>Part Number:</b> P537791 <b>Description:</b> Air Primary, Konepac <b>Primary Appl.:</b> Donaldson SHORT ECG11 KONEPAC-STANDARD, PAINTED COVER VERSION OF P153551 <b>Dimensions:</b> Outer Dia: 10.62" (270 mm) Inner Dia: 6.69" (170 mm) Length: 22.02" (559 mm) <b>UPC Code:</b> 742330-08136</p>
	<p><b>Part Number:</b> P537876 <b>Description:</b> Air Primary, RadialSeal® <b>Primary Appl.:</b> CASE IH 275809A1, LINK BELT E3H0146, Safety=P537877 <b>Dimensions:</b> Outer Dia: 11.09" (282 mm) Inner Dia: 5.82" (148 mm) Length: 20.08" (510 mm) <b>UPC Code:</b> 742330-08679</p>
	<p><b>Part Number:</b> P537877 <b>Description:</b> Air Safety <b>Primary Appl.:</b> CASE IH 275810A1, LINK BELT E3H0147, Primary=P537876 <b>Dimensions:</b> Outer Dia: 5.94" (151 mm) Inner Dia: 4.39" (112 mm) Length: 19.02" (483 mm) <b>UPC Code:</b> 742330-08680</p>
	<p><b>Part Number:</b> P538007 <b>Description:</b> Air Primary, RadialSeal® <b>Primary Appl.:</b> CATERPILLAR D11N, 1236855 <b>Dimensions:</b> Outer Dia: 14.28" (363 mm) Inner Dia: 8.98" (228 mm) Length: 15.03" (382 mm) <b>UPC Code:</b> 742330-08170</p>
	<p><b>Part Number:</b> P538008 <b>Description:</b> Air Safety, RadialSeal® <b>Primary Appl.:</b> CATERPILLAR D11N, SHORTER VERSION OF P533884 <b>Dimensions:</b> Outer Dia: 9.09" (231 mm) Inner Dia: 7.02" (178 mm) Length: 15.17" (385 mm) <b>UPC Code:</b> 742330-08189</p>
	<p><b>Part Number:</b> P538392 <b>Description:</b> Air Primary, RadialSeal® <b>Primary Appl.:</b> JOHN DEERE AT178583, USE WITH SAFETY P538393 <b>Dimensions:</b> Outer Dia: 9.33" (237 mm) Inner Dia: 5.15" (131 mm) Length: 21.50" (546 mm) <b>UPC Code:</b> 742330-10807</p>










	<p><b>Part Number:</b> P538393 <b>Description:</b> Air Safety, RadialSeal® <b>Primary Appl.:</b> JOHN DEERE AT178584, USE WITH PRIMARY P538392 <b>Dimensions:</b> Outer Dia: 5.30" (135 mm) Inner Dia: 3.70" (94 mm) Length: 21.21" (539 mm) <b>UPC Code:</b> 742330-10808</p>
	<p><b>Part Number:</b> P538453 <b>Description:</b> Air Primary <b>Primary Appl.:</b> AIR MAZE CD1219610826 <b>Dimensions:</b> Outer Dia: 10.00" (254 mm) Inner Dia: .39" (10 mm) Length: 17.06" (433 mm) <b>UPC Code:</b> 742330-08215</p>
	<p><b>Part Number:</b> P538454 <b>Description:</b> Air Safety <b>Primary Appl.:</b> AIR MAZE CD1219610830 <b>Dimensions:</b> Outer Dia: 5.68" (144 mm) Inner Dia: .64" (16 mm) Length: 15.56" (395 mm) <b>UPC Code:</b> 742330-08216</p>
	<p><b>Part Number:</b> P538455 <b>Description:</b> Air Breather <b>Primary Appl.:</b> SCHROEDER ABF3/10, THREADED ADAPTER INCLUDED (ADAPTER NOT SOLD SEPARATELY) <b>Dimensions:</b> Outer Dia: 3.69" (94 mm) Inner Dia: 3/4-14" Length: 3.20" (81 mm) <b>UPC Code:</b> 742330-08367</p>
	<p><b>Part Number:</b> P538456 <b>Description:</b> Air Safety, RadialSeal® <b>Primary Appl.:</b> JOHN DEERE RE51630 <b>Dimensions:</b> Outer Dia: 5.94" (151 mm) Inner Dia: 4.39" (112 mm) Length: 14.84" (377 mm) <b>UPC Code:</b> 742330-08217</p>
	<p><b>Part Number:</b> P538532 <b>Description:</b> Air Breather <b>Primary Appl.:</b> SCHROEDER ABF3/10, BREATHER ONLY, NO THREADED ADAPTER <b>Dimensions:</b> Outer Dia: 3.69" (94 mm) Inner Dia: 1 1/8-16" Length: 3.20" (81 mm) <b>UPC Code:</b> 742330-08368</p>
	<p><b>Part Number:</b> P538542 <b>Description:</b> Air Safety, RadialSeal® <b>Primary Appl.:</b> FREIGHTLINER FLN SERIES WITH EPG11 HOUSING, USE WITH PRIMARY P532966 <b>Dimensions:</b> Outer Dia: 5.30" (135 mm) Inner Dia: 4.43" (113 mm) Length: 18.03" (458 mm) <b>UPC Code:</b> 742330-10794</p>
	<p><b>Part Number:</b> P538559 <b>Description:</b> Air/Oil Separator <b>Primary Appl.:</b> Atlas Copco 1202-7419, 1613-7306, 1310-2502-33 <b>Dimensions:</b> Outer Dia: 8.62" (219 mm) Inner Dia: 6.19" (157 mm) Length: 13.62" (346 mm) Flange Dia: 11.81" (300 mm) Flange Bolts: Number of Holes: 12.00 Hole Size: .62" (16 mm) Circle: 10.53" (267 mm) <b>UPC Code:</b> 742330-08261</p>



















	<p><b>Part Number:</b> P538582 <b>Description:</b> Air/Oil Separator <b>Primary Appl.:</b> Joy 1223358 <b>Dimensions:</b> Outer Dia: 8.25" (210 mm) Inner Dia: 7.12" (181 mm) Length: 23.69" (602 mm) Flange Dia: 8.25" (210 mm) <b>UPC Code:</b> 742330-08284</p>
	<p><b>Part Number:</b> P538586 <b>Description:</b> Air/Oil Separator <b>Primary Appl.:</b> Ingersoll-Rand 35125541 <b>Dimensions:</b> Outer Dia: 8.38" (213 mm) Inner Dia: 9.50" (241 mm) Length: 29.00" (737 mm) Flange Dia: 11.75" (298 mm) <b>UPC Code:</b> 742330-08288</p>
	<p><b>Part Number:</b> P538592 <b>Description:</b> Air/Oil Separator <b>Primary Appl.:</b> Worthington FLR284 <b>Dimensions:</b> Outer Dia: 10.88" (276 mm) Inner Dia: 9.50" (241 mm) Length: 23.50" (597 mm) <b>UPC Code:</b> 742330-08294</p>
	<p><b>Part Number:</b> P538594 <b>Description:</b> Air/Oil Separator <b>Primary Appl.:</b> Davey 48773 <b>Dimensions:</b> Outer Dia: 8.38" (213 mm) Inner Dia: 5.38" (137 mm) Length: 10.69" (272 mm) Flange Dia: 12.03" (306 mm) Flange Bolts: Number of Holes: 10.00 Hole Size: .62" (16 mm) Circle: 11.00" (279 mm) <b>UPC Code:</b> 742330-08296</p>
	<p><b>Part Number:</b> P538609 <b>Description:</b> Air/Oil Separator <b>Primary Appl.:</b> Ingersoll-Rand 92077601 <b>Dimensions:</b> Outer Dia: 5.25" (133 mm) Inner Dia: 3.50" (89 mm) Length: 12.00" (305 mm) Flange Dia: 7.00" (178 mm) <b>UPC Code:</b> 742330-08311</p>
	<p><b>Part Number:</b> P538611 <b>Description:</b> Air/Oil Separator <b>Primary Appl.:</b> Ingersoll-Rand36762250 <b>Dimensions:</b> Outer Dia: 8.62" (219 mm) Inner Dia: 5.88" (149 mm) Length: 13.00" (330 mm) Flange Dia: 11.75" (298 mm) <b>UPC Code:</b> 742330-08313</p>
	<p><b>Part Number:</b> P538617 <b>Description:</b> Air/Oil Separator <b>Primary Appl.:</b> Gardner Denver 55B31, EBE80132, EBE80131, 115693 <b>Dimensions:</b> Outer Dia: 8.38" (213 mm) Inner Dia: 5.38" (137 mm) Length: 9.25" (235 mm) Flange Dia: 11.50" (292 mm) <b>UPC Code:</b> 742330-08319</p>
	<p><b>Part Number:</b> P538623 <b>Description:</b> Air/Oil Separator <b>Primary Appl.:</b> Gardner Denver 55B30, EAY80129 <b>Dimensions:</b> Outer Dia: 21.00" (533 mm) Inner Dia: 18.00" (457 mm) Length: 32.25" (819 mm) Flange Dia: 25.62" (651 mm) <b>UPC Code:</b> 742330-08325</p>














 R	<p>Part Number: <b>P538636</b> Description: <b>Air/Oil Separator</b> Primary Appl.: Leroi 43-888 Dimensions: Outer Dia: 8.75" (222 mm) Inner Dia: 5.75" (146 mm) Length: 11.25" (286 mm) Flange Dia: 10.75" (273 mm) UPC Code: 742330-08338</p>
 R	<p>Part Number: <b>P538647</b> Description: <b>Air/Oil Separator</b> Primary Appl.: Quincy 127138-001 Dimensions: Outer Dia: 4.12" (105 mm) Inner Dia: 2.30" (58 mm) Length: 5.12" (130 mm) Flange Dia: 5.38" (137 mm) UPC Code: 742330-08349</p>
 R	<p>Part Number: <b>P539186</b> Description: <b>Air Primary, PLEXUS, RadialSeal<sup>®</sup></b> Primary Appl.: KENWORTH T2000 Dimensions: Outer Dia: 11.09" (282 mm) Inner Dia: 5.80" (147 mm) Length: 15.15" (385 mm) UPC Code: 742330-08787</p>
 R	<p>Part Number: <b>P539242</b> Description: <b>Air Safety</b> Primary Appl.: JOHN DEERE AL67195, Primary=P181088 Dimensions: Outer Dia: 3.62" (92 mm) Inner Dia: 2.99" (76 mm) Length: 9.25" (235 mm) UPC Code: 742330-08809</p>
 R	<p>Part Number: <b>P539323</b> Description: <b>Air Primary</b> Primary Appl.: COMET AIR DRYER Dimensions: Outer Dia: 6.09" (155 mm) Inner Dia: 3.48" (88 mm) Length: 8.00" (203 mm) UPC Code: 742330-08419</p>
 R	<p>Part Number: <b>P539455</b> Description: <b>Air Primary</b> Primary Appl.: Case IH 3240383R1, 3252645R91 Dimensions: Outer Dia: 12.08" (307 mm) Inner Dia: 7.73" (196 mm) Length: 18.48" (469 mm) UPC Code: 742330-08483</p>
 R	<p>Part Number: <b>P539457</b> Description: <b>Air Primary</b> Primary Appl.: CASE IH 3252644R91 Dimensions: Outer Dia: 7.27" (185 mm) Inner Dia: .65" (17 mm) Length: 16.38" (416 mm) UPC Code: 742330-08485</p>
 R	<p>Part Number: <b>P539458</b> Description: <b>Air Primary</b> Primary Appl.: LEROI H43651 Dimensions: Outer Dia: 4.42" (112 mm) Inner Dia: 2.98" (76 mm) Length: 4.74" (120 mm) UPC Code: 742330-08486</p>
 R	<p>Part Number: <b>P539459</b> Description: <b>Air Primary</b> Primary Appl.: CASE IH 494730C91 Dimensions: Outer Dia: 12.08" (307 mm) Inner Dia: 7.73" (196 mm) Length: 17.69" (449 mm) UPC Code: 742330-08487</p>

 R	<p>Part Number: <b>P539460</b> Description: <b>Air Primary</b> Primary Appl.: RENAULT/R.V.I. 8983500079 Dimensions: Outer Dia: 9.70" (246 mm) Inner Dia: 7.39" (188 mm) Length: 2.48" (63 mm) UPC Code: 742330-08488</p>
 R	<p>Part Number: <b>P539461</b> Description: <b>Air Primary</b> Primary Appl.: INGERSOLL RAND 59710368 Dimensions: Outer Dia: 15.11" (384 mm) Inner Dia: .85" (22 mm) Length: 27.04" (687 mm) UPC Code: 742330-08489</p>
 R	<p>Part Number: <b>P539462</b> Description: <b>Air Primary</b> Primary Appl.: VOLVO 6888848 Dimensions: Outer Dia: 14.38" (365 mm) Inner Dia: 8.26" (210 mm) Length: 16.69" (424 mm) UPC Code: 742330-08490</p>
 R	<p>Part Number: <b>P539463</b> Description: <b>Air Primary</b> Primary Appl.: TOWMOTOR 333660 Dimensions: Outer Dia: 6.69" (170 mm) Inner Dia: 5.04" (128 mm) Length: 3.00" (76 mm) UPC Code: 742330-08491</p>
 R	<p>Part Number: <b>P539464</b> Description: <b>Air Primary</b> Primary Appl.: GM 5647033 Dimensions: Outer Dia: 5.40" (137 mm) Inner Dia: 3.81" (97 mm) Length: 3.14" (80 mm) UPC Code: 742330-08492</p>
 R	<p>Part Number: <b>P539465</b> Description: <b>Air Primary</b> Primary Appl.: VOLVO 347436 Dimensions: Outer Dia: 8.53" (217 mm) Inner Dia: 6.04" (153 mm) Length: 10.41" (264 mm) UPC Code: 742330-08493</p>
 R	<p>Part Number: <b>P539466</b> Description: <b>Air Primary</b> Primary Appl.: DEUTZ 2339813 Dimensions: Outer Dia: 6.46" (164 mm) Inner Dia: 3.38" (86 mm) Length: 7.95" (202 mm) UPC Code: 742330-08494</p>
 R	<p>Part Number: <b>P539468</b> Description: <b>Air Breather</b> Primary Appl.: FIAT-ALLIS 74835378 Dimensions: Outer Dia: 3.73" (95 mm) Inner Dia: 3/4-14" Length: 3.75" (95 mm) UPC Code: 742330-08496</p>
 R	<p>Part Number: <b>P539469</b> Description: <b>Air Safety</b> Primary Appl.: AIR REFINER ARM900405 Dimensions: Outer Dia: 7.59" (193 mm) Inner Dia: 5.27" (134 mm) Length: 13.06" (332 mm) UPC Code: 742330-08497</p>

	<p>Part Number: <b>P539470</b> Description: <b>Air Primary</b> Primary Appl.: ISUZU 8941042730 Dimensions: Outer Dia: 6.06" (154 mm) Inner Dia: 3.14" (80 mm) Length: 7.81" (198 mm) UPC Code: 742330-08498</p>		<p>Part Number: <b>P539479</b> Description: <b>Air Safety</b> Primary Appl.: ISUZU 1142151570 Dimensions: Outer Dia: 5.80" (147 mm) Inner Dia: 3.51" (89 mm) Length: 10.06" (256 mm) UPC Code: 742330-08507</p>
	<p>Part Number: <b>P539471</b> Description: <b>Air Primary</b> Primary Appl.: METROPLEX M00709102 Dimensions: Outer Dia: 12.08" (307 mm) Inner Dia: 7.73" (196 mm) Length: 21.07" (535 mm) UPC Code: 742330-08499</p>		<p>Part Number: <b>P539480</b> Description: <b>Air Primary</b> Primary Appl.: JOHN DEERE AR45785 Dimensions: Outer Dia: 5.21" (132 mm) Inner Dia: 4.16" (106 mm) Length: 11.23" (285 mm) UPC Code: 742330-08508</p>
	<p>Part Number: <b>P539472</b> Description: <b>Air Primary</b> Primary Appl.: MACK 57MD44M Dimensions: Outer Dia: 8.85" (225 mm) Inner Dia: 5.80" (147 mm) Length: 27.82" (707 mm) UPC Code: 742330-08500</p>		<p>Part Number: <b>P539481</b> Description: <b>Air Primary</b> Primary Appl.: STEIGER 906017S1 Dimensions: Outer Dia: 12.08" (307 mm) Inner Dia: 7.72" (196 mm) Length: 18.49" (470 mm) UPC Code: 742330-08509</p>
	<p>Part Number: <b>P539473</b> Description: <b>Air Primary</b> Primary Appl.: STEIGER 906443T1, USE WITH SAFETY P539474 Dimensions: Outer Dia: 9.21" (234 mm) Inner Dia: 5.87" (149 mm) Length: 17.54" (446 mm) UPC Code: 742330-08501</p>		<p>Part Number: <b>P539482</b> Description: <b>Air Safety</b> Primary Appl.: MITSUBISHI MEO33773 Dimensions: Outer Dia: 5.21" (132 mm) Inner Dia: 4.16" (106 mm) Length: 11.88" (302 mm) UPC Code: 742330-08510</p>
	<p>Part Number: <b>P539474</b> Description: <b>Air Safety</b> Primary Appl.: STEIGER 906444T1, USE WITH PRIMARY P539473 Dimensions: Outer Dia: 5.56" (141 mm) Inner Dia: 4.42" (112 mm) Length: 15.61" (396 mm) UPC Code: 742330-08502</p>		<p>Part Number: <b>P539483</b> Description: <b>Air Safety</b> Primary Appl.: CASE IH A17742 Dimensions: Outer Dia: 8.83" (224 mm) Inner Dia: 4.22" (107 mm) Length: 9.51" (242 mm) UPC Code: 742330-08511</p>
	<p>Part Number: <b>P539475</b> Description: <b>Air Primary</b> Primary Appl.: FRANKLIN 1504917 Dimensions: Outer Dia: 9.01" (229 mm) Inner Dia: 5.71" (145 mm) Length: 13.58" (345 mm) UPC Code: 742330-08503</p>		<p>Part Number: <b>P539484</b> Description: <b>Air Primary</b> Primary Appl.: CASE IH A17741 Dimensions: Outer Dia: 12.00" (305 mm) Inner Dia: 7.32" (186 mm) Length: 10.76" (273 mm) UPC Code: 742330-08512</p>
	<p>Part Number: <b>P539476</b> Description: <b>Air Primary</b> Primary Appl.: SULLAIR 250022888 Dimensions: Outer Dia: 6.70" (170 mm) Inner Dia: 3.68" (93 mm) Length: 11.04" (280 mm) UPC Code: 742330-08504</p>		<p>Part Number: <b>P539485</b> Description: <b>Air Primary</b> Primary Appl.: VERSATILE 22934 Dimensions: Outer Dia: 12.10" (307 mm) Inner Dia: 7.73" (196 mm) Length: 20.36" (517 mm) UPC Code: 742330-08513</p>
	<p>Part Number: <b>P539477</b> Description: <b>Air Primary</b> Primary Appl.: TOYOTA 1780124010 Dimensions: Outer Dia: 7.38" (187 mm) Inner Dia: 4.34" (110 mm) Length: 2.70" (69 mm) UPC Code: 742330-08505</p>		<p>Part Number: <b>P539486</b> Description: <b>Air Safety</b> Primary Appl.: CASE IH 530560C1 Dimensions: Outer Dia: 7.21" (183 mm) Inner Dia: 5.66" (144 mm) Length: 14.49" (368 mm) UPC Code: 742330-08514</p>
	<p>Part Number: <b>P539478</b> Description: <b>Air Safety</b> Primary Appl.: TEREX 9054912 Dimensions: Outer Dia: 10.88" (276 mm) Inner Dia: 8.16" (207 mm) Length: 18.09" (459 mm) UPC Code: 742330-08506</p>		<p>Part Number: <b>P539487</b> Description: <b>Air Primary</b> Primary Appl.: GM 25096001 Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.05" (154 mm) Length: 7.91" (201 mm) UPC Code: 742330-08515</p>





































	<p>Part Number: <b>P539765</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: NAVISTAR 3507421C1, DONALDSON ERA11 AIR CLEANER HOUSINGS Dimensions: Outer Dia: 9.33" (237 mm) Inner Dia: 5.15" (131 mm) Length: 23.26" (591 mm) UPC Code: 742330-10709</p>
	<p>Part Number: <b>P540388</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: VOLVO 8076195 Dimensions: Outer Dia: 13.09" (332 mm) Inner Dia: 7.69" (195 mm) Length: 15.94" (405 mm) UPC Code: 742330-08828</p>
	<p>Part Number: <b>P540731</b> Description: <b>Air Primary, PLEXUS, RadialSeal®</b> Primary Appl.: MACK 57MD46M Dimensions: Outer Dia: 9.33" (237 mm) Inner Dia: 5.80" (147 mm) Length: 25.04" (636 mm) UPC Code: 742330-11110</p>
	<p>Part Number: <b>P540845</b> Description: <b>Cab Air</b> Primary Appl.: General 10.82 X 10.82 X 2.19 Vent Panel Dimensions: Width: 10.82" (275 mm) Depth: 2.19" (56 mm) Length: 10.82" (275 mm) UPC Code: 742330-08778</p>
	<p>Part Number: <b>P541582</b> Description: <b>Air Safety</b> Primary Appl.: JOHN DEERE AL27160, Primary=P130763 Dimensions: Outer Dia: 3.36" (85 mm) Inner Dia: 2.90" (74 mm) Length: 9.00" (229 mm) UPC Code: 742330-10385</p>
	<p>Part Number: <b>P542033</b> Description: <b>Air Safety</b> Primary Appl.: KOBELCO 2446R277S6 Dimensions: Outer Dia: 4.84" (123 mm) Inner Dia: 3.65" (93 mm) Length: 15.25" (387 mm) UPC Code: 742330-10637</p>
	<p>Part Number: <b>P542101</b> Description: <b>Air Primary, PLEXUS, RadialSeal®</b> Primary Appl.: KW T2000 PETERBILT 387 Dimensions: Outer Dia: 11.09" (282 mm) Inner Dia: 6.78" (172 mm) Length: 15.15" (385 mm) UPC Code: 742330-10778</p>
	<p>Part Number: <b>P543107</b> Description: <b>Cab Air</b> Primary Appl.: CATERPILLAR 8C9657, DONALDSON LABELED VERSION OF P525038 Dimensions: Width: 6.00" (152 mm) Depth: 2.31" (59 mm) Length: 17.53" (445 mm) UPC Code: 742330-10706</p>
	<p>Part Number: <b>P543661</b> Description: <b>Air Safety</b> Primary Appl.: HITACHI 4247974, USE WITH PRIMARY P780385 Dimensions: Outer Dia: 5.25" (133 mm) Inner Dia: 4.13" (105 mm) Length: 9.33" (237 mm) UPC Code: 742330-10766</p>

	<p>Part Number: <b>P543662</b> Description: <b>Air Primary</b> Primary Appl.: HITACHI 4285623 <i>Safety=P131394</i> Dimensions: Outer Dia: 6.10" (155 mm) Inner Dia: 4.95" (126 mm) Length: 12.50" (318 mm) UPC Code: 742330-10768</p>
	<p>Part Number: <b>P545613</b> Description: <b>Air Primary</b> Primary Appl.: MITSUBISHI ME073252 Dimensions: Outer Dia: 9.14" (232 mm) Inner Dia: 5.78" (147 mm) Length: 17.16" (436 mm) UPC Code: 742330-10821</p>
	<p>Part Number: <b>P546566</b> Description: <b>Air Primary, Finned</b> Primary Appl.: JOHN DEERE RE45827, NEW HOLLAND 86529587 UPC Code: 742330-11121</p>
	<p>Part Number: <b>P546567</b> Description: <b>Air Primary</b> Primary Appl.: GARDNER DENVER 1157641 Dimensions: Outer Dia: 8.51" (216 mm) Inner Dia: 5.37" (136 mm) Length: 15.00" (381 mm) UPC Code: 742330-11122</p>
	<p>Part Number: <b>P546596</b> Description: <b>Air Panel, Engine</b> Primary Appl.: MOTORCRAFT FA1675, FORD 1999 LIGHT TRUCK Dimensions: Width: 7.22" (183 mm) Depth: 2.30" (58 mm) Length: 13.35" (339 mm) UPC Code: 742330-11119</p>
	<p>Part Number: <b>P546597</b> Description: <b>Air Primary</b> Primary Appl.: FORD LIGHT TRUCK Dimensions: Outer Dia: 8.13" (206 mm) Inner Dia: 4.26" (108 mm) Length: 7.81" (198 mm) UPC Code: 742330-11118</p>
	<p>Part Number: <b>P546598</b> Description: <b>Air Primary</b> Primary Appl.: FORD LIGHT TRUCK 1995 - 1998 Dimensions: Outer Dia: 6.87" (174 mm) Inner Dia: 3.15" (80 mm) Length: 7.90" (201 mm) UPC Code: 742330-11117</p>
	<p>Part Number: <b>P546613</b> Description: <b>Air Safety</b> Primary Appl.: AIR MAZE CD1628610827, USE WITH PRIMARY P546614, LONGER VERSION OF P526511 Dimensions: Outer Dia: 7.38" (187 mm) Inner Dia: 6.12" (155 mm) Length: 25.38" (645 mm) UPC Code: 742330-11127</p>
	<p>Part Number: <b>P546614</b> Description: <b>Air Primary</b> Primary Appl.: AIR MAZE CD1628610826, Safety=P546613, LONGER VERSION OF P526512 Dimensions: Outer Dia: 12.56" (319 mm) Inner Dia: 7.51" (191 mm) Length: 26.81" (681 mm) UPC Code: 742330-11126</p>

	<p>Part Number: <b>P546641</b>          Description: <b>Air Primary</b>          Primary Appl.: CATERPILLAR 1085330, MITSUBISHI 9136113300          Dimensions: Outer Dia: 4.17" (106 mm)          Inner Dia: 2.27" (58 mm)          Length: 8.96" (228 mm)          UPC Code: 742330-11161</p>		<p>Part Number: <b>P550015</b>          Description: <b>Lube Cartridge Full Flow</b>          Primary Appl.: ISUZU 9885111940          Dimensions: Outer Dia: 3.31" (84 mm)          Inner Dia: .65" (17 mm)          Length: 5.63" (143 mm)          UPC Code: 742330-04014</p>
	<p>Part Number: <b>P546761</b>          Description: <b>Air Primary</b>          Primary Appl.: AIR MAZE CD1830610826          Dimensions: Outer Dia: 13.88" (353 mm)          Inner Dia: 9.95" (253 mm)          Length: 29.00" (737 mm)          UPC Code: 742330-11156</p>		<p>Part Number: <b>P550016</b>          Description: <b>Fuel In-Line</b>          Primary Appl.: FORD D7TE9155A, MOTORCRAFT FG778,          Includes 1 hose and 2 clamps          Dimensions: Outer Dia: .75" (19 mm)          Line Size: 5/16" Hose In, 1/8"-27 Out          Length: 2.13" (54 mm)          UPC Code: 742330-04015</p>
	<p>Part Number: <b>P546762</b>          Description: <b>Air Safety</b>          Primary Appl.: AIR MAZE CD1830610827          Dimensions: Outer Dia: 9.88" (251 mm)          Inner Dia: 8.06" (205 mm)          Length: 27.75" (705 mm)          UPC Code: 742330-11155</p>		<p>Part Number: <b>P550017</b>          Description: <b>Lube Cartridge Full Flow</b>          Primary Appl.: ISUZU 9885132630          Dimensions: Outer Dia: 4.17" (106 mm)          Inner Dia: .59" (15 mm)          Length: 4.17" (106 mm)          UPC Code: 742330-04016</p>
	<p>Part Number: <b>P547331</b>          Description: <b>Air Primary, RadialSeal®</b>          Primary Appl.: CASE IH 187471A1          Dimensions: Outer Dia: 8.18" (208 mm)          Inner Dia: 4.17" (106 mm)          Length: 15.09" (383 mm)          UPC Code: 742330-11186</p>		<p>Part Number: <b>P550018</b>          Description: <b>Lube Cartridge Full Flow</b>          Primary Appl.: ISUZU 9885132641          Dimensions: Outer Dia: 4.17" (106 mm)          Inner Dia: .59" (15 mm)          Length: 7.30" (185 mm)          UPC Code: 742330-04017</p>
	<p>Part Number: <b>P547332</b>          Description: <b>Air Safety, RadialSeal®</b>          Primary Appl.: CASE IH 187472A1          Dimensions: Outer Dia: 4.27" (108 mm)          Inner Dia: 3.45" (88 mm)          Length: 15.08" (383 mm)          UPC Code: 742330-11187</p>		<p>Part Number: <b>P550020</b>          Description: <b>Lube Spin-on Full Flow</b>          Primary Appl.: JOHN DEERE AR58956, T19044          Dimensions: Outer Dia: 3.81" (97 mm)          Thread Size: 13/16" - 16          Length: 5.53" (140 mm)          Relief Valve: 18 - 23          UPC Code: 742330-04019</p>
	<p>Part Number: <b>P550007</b>          Description: <b>Fuel Cartridge Primary</b>          Primary Appl.: IHC, DODGE, FORD, JEEP, MELROE          Dimensions: Outer Dia: 1.39" (35 mm)          Inner Dia: .50" (13 mm)          Length: 1.87" (48 mm)          UPC Code: 742330-04010</p>		<p>Part Number: <b>P550021</b>          Description: <b>Lube Cartridge Full Flow</b>          Primary Appl.: NISSAN 15274-99329          Dimensions: Outer Dia: 5.04" (128 mm)          Inner Dia: .61" (15 mm)          Length: 6.30" (160 mm)          UPC Code: 742330-04020</p>
	<p>Part Number: <b>P550008</b>          Description: <b>Lube Spin-on Full Flow</b>          Primary Appl.: FORD, MOTORCRAFT FL1A,          P169071=SYNTEQ Media          Dimensions: Outer Dia: 3.66" (93 mm)          Thread Size: 3/4" - 16          Length: 5.35" (136 mm)          Relief Valve: 8 - 11          Anti-Drain: Yes          UPC Code: 742330-04011</p>		<p>Part Number: <b>P550022</b>          Description: <b>Fuel Cartridge Primary</b>          Primary Appl.: FORD V8-460, GM          Dimensions: Outer Dia: .63" (16 mm)          Inner Dia: .19" (5 mm)          Length: .78" (20 mm)          UPC Code: 742330-04021</p>
	<p>Part Number: <b>P550010</b>          Description: <b>Lube Cartridge Full Flow</b>          Primary Appl.: HINO 15607-1090          Dimensions: Outer Dia: 4.09" (104 mm)          Inner Dia: 1.92" (49 mm)          Length: 6.30" (160 mm)          UPC Code: 742330-04012</p>		<p>Part Number: <b>P550023</b>          Description: <b>Fuel Cartridge Primary</b>          Primary Appl.: NISSAN 16444-90127          Dimensions: Outer Dia: 3.62" (92 mm)          Inner Dia: .59" (15 mm)          Length: 5.31" (135 mm)          UPC Code: 742330-04022</p>
	<p>Part Number: <b>P550012</b>          Description: <b>Fuel In-Line</b>          Primary Appl.: PICKUPS AND CARS, UNIVERSAL 5/16",          includes 2 hoses and 4 clamps          Dimensions: Outer Dia: 1.94" (49 mm)          Line Size: 5/16" Hose In and Out          Length: 3.88" (99 mm)          UPC Code: 742330-04013</p>		<p>Part Number: <b>P550024</b>          Description: <b>Lube Spin-on Full Flow</b>          Primary Appl.: ALLIS CHALMERS, CASE, IHC          Dimensions: Outer Dia: 3.81" (97 mm)          Thread Size: 13/16" - 16          Length: 5.22" (133 mm)          Anti-Drain: Yes          UPC Code: 742330-04023</p>











	<p>Part Number: <b>P550025</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: GMC 6CYL. &amp; V8 GAS Dimensions: Outer Dia: 3.81" (97 mm) Thread Size: 13/16" - 16 Length: 4.22" (107 mm) UPC Code: 742330-04024</p>		<p>Part Number: <b>P550040</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: HITACHI 4514801, ISUZU 1878100270 Dimensions: Outer Dia: 3.53" (90 mm) Inner Dia: .57" (14 mm) Length: 5.31" (135 mm) UPC Code: 742330-04034</p>
	<p>Part Number: <b>P550026</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: ISUZU 9-9885111940 Dimensions: Outer Dia: 2.8" (71 mm) Inner Dia: .62" (16 mm) Length: 4.17" (106 mm) UPC Code: 742330-04025</p>		<p>Part Number: <b>P550041</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: MERCEDES BENZ 001 1843825, M.A.N. Dimensions: Outer Dia: 4.65" (118 mm) Inner Dia: 2.17" (55 mm) Length: 9.49" (241 mm) UPC Code: 742330-04035</p>
	<p>Part Number: <b>P550028</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: NISSAN 16444-99028 Dimensions: Outer Dia: 4.37" (111 mm) Inner Dia: .59" (15 mm) Length: 5.51" (140 mm) UPC Code: 742330-04026</p>		<p>Part Number: <b>P550042</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: ISUZU 1878102070 Dimensions: Outer Dia: 4.00" (102 mm) Inner Dia: .57" (14 mm) Length: 6.32" (161 mm) UPC Code: 742330-04036</p>
	<p>Part Number: <b>P550032</b> Description: <b>Fuel Cartridge Sock</b> Primary Appl.: DETROIT DIESEL Dimensions: Outer Dia: 5.50" (140 mm) Inner Dia: 2.46" (62 mm) Length: 10.00" (254 mm) UPC Code: 742330-04027</p>		<p>Part Number: <b>P550043</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: CUMMINS, HOUGH, MICH 139097, 256834, FURN GASKET: P171175, P171176 Dimensions: Outer Dia: 5.88" (149 mm) Inner Dia: 1.00" (25 mm) Length: 9.84" (250 mm) UPC Code: 742330-04037</p>
	<p>Part Number: <b>P550034</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: NISSAN 15274-99227 Dimensions: Outer Dia: 5.12" (130 mm) Inner Dia: .59" (15 mm) Length: 9.17" (233 mm) UPC Code: 742330-04028</p>		<p>Part Number: <b>P550044</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: MITSUBISHI 30062-65011 Dimensions: Outer Dia: 3.54" (90 mm) Inner Dia: .57" (14 mm) Length: 5.52" (140 mm) UPC Code: 742330-04038</p>
	<p>Part Number: <b>P550035</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: GM, ACPF35, P166564=SYNTEQ Media Dimensions: Outer Dia: 3.81" (97 mm) Thread Size: 13/16" - 16 Length: 5.12" (130 mm) UPC Code: 742330-04029</p>		<p>Part Number: <b>P550045</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: GMC 25010324 Dimensions: Outer Dia: 3.00" (76 mm) Thread Size: 13/16" - 16 Length: 4.74" (120 mm) UPC Code: 742330-04039</p>
	<p>Part Number: <b>P550037</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: MITSUBISHI 68937001001 Dimensions: Outer Dia: 4.47" (114 mm) Inner Dia: 2.87" (73 mm) Length: 14.72" (374 mm) Performance: <math>\beta_{25\mu} = 2</math> <math>\beta_{40\mu} = 20</math> UPC Code: 742330-04031</p>		<p>Part Number: <b>P550047</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: AMC, GMC 25010792 Dimensions: Outer Dia: 3.00" (76 mm) Thread Size: M18 x 1.5 Length: 3.40" (86 mm) Anti-Drain: Yes UPC Code: 742330-04041</p>
	<p>Part Number: <b>P550038</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: HINO 23401-1060 Dimensions: Outer Dia: 2.44" (62 mm) Inner Dia: .43" (11 mm) Length: 2.36" (60 mm) UPC Code: 742330-04032</p>		<p>Part Number: <b>P550048</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: MITSUBISHI ME006066 Dimensions: Outer Dia: 3.74" (95 mm) Thread Size: M20 x 1.5 Length: 3.15" (80 mm) UPC Code: 742330-04042</p>
	<p>Part Number: <b>P550039</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: HITACHI 4020429 Dimensions: Outer Dia: 2.8" (71 mm) Inner Dia: .59" (15 mm) Length: 3.93" (100 mm) UPC Code: 742330-04033</p>		<p>Part Number: <b>P550049</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: MITSUBISHI ME016823 Dimensions: Outer Dia: 3.68" (93 mm) Thread Size: M20 x 1.5 Length: 3.94" (100 mm) UPC Code: 742330-04043</p>


	<p>Part Number: <b>P550050</b> Description: <b>Lube Spin-on Bypass</b> Primary Appl.: CAT, AMC, MF, ALLIS 74512207 Dimensions: Outer Dia: 3.81" (97 mm) Thread Size: 5/8" Length: 5.22" (133 mm) UPC Code: 742330-04044</p>		<p>Part Number: <b>P550059</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: HITACHI 4505384, REPLACES P550019 Dimensions: Outer Dia: 4.10" (104 mm) Inner Dia: .59" (15 mm) Length: 9.13" (232 mm) UPC Code: 742330-04052</p>
	<p>Part Number: <b>P550051</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: GMC 25010908 Dimensions: Outer Dia: 3.00" (76 mm) Thread Size: M18 x 1.5 Length: 4.74" (120 mm) Anti-Drain: Yes UPC Code: 742330-04045</p>		<p>Part Number: <b>P550060</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: DEUTZ, ATLAS COPCO (Pleated Paper), USE P550860 for felt version Dimensions: Outer Dia: 2.22" (56 mm) Inner Dia: .53" (13 mm) Length: 4.49" (114 mm) UPC Code: 742330-04053</p>
	<p>Part Number: <b>P550052</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: MASSEY FERGUSON 101811M91, 1881840M1, 894976M91, FURN GASKET: P171161 Dimensions: Outer Dia: 2.87" (73 mm) Inner Dia: 1.31" (33 mm) Length: 5.56" (141 mm) UPC Code: 742330-04046</p>		<p>Part Number: <b>P550061</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: DEUTZ 1168469, Use P550861 for pleated paper version Dimensions: Outer Dia: 3.18" (81 mm) Inner Dia: .55" (14 mm) Length: 5.79" (147 mm) UPC Code: 742330-04054</p>
	<p>Part Number: <b>P550054</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: MITSUBISHI ME036478 Dimensions: Outer Dia: 3.62" (92 mm) Inner Dia: .59" (15 mm) Length: 4.33" (110 mm) UPC Code: 742330-04047</p>		<p>Part Number: <b>P550062</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: HITACHI 4507886 Dimensions: Outer Dia: 4.09" (104 mm) Inner Dia: .59" (15 mm) Length: 5.67" (144 mm) UPC Code: 742330-04055</p>
	<p>Part Number: <b>P550055</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: NISSAN 16444-99128 Dimensions: Outer Dia: 3.61" (92 mm) Inner Dia: .59" (15 mm) Length: 5.28" (134 mm) UPC Code: 742330-04048</p>		<p>Part Number: <b>P550064</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: ISUZU 1878100791 Dimensions: Outer Dia: 4.45" (113 mm) Inner Dia: .59" (15 mm) Length: 9.17" (233 mm) UPC Code: 742330-04057</p>
	<p>Part Number: <b>P550056</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: NISSAN 16444-29000 Dimensions: Outer Dia: 2.83" (72 mm) Inner Dia: .43" (11 mm) Length: 3.54" (90 mm) UPC Code: 742330-04049</p>		<p>Part Number: <b>P550065</b> Description: <b>Lube Cartridge Kit</b> Primary Appl.: MITSUBISHI ME064356, 2 orings 2 gaskets supplied unattached Dimensions: Outer Dia: 5.12" (130 mm) Inner Dia: .59" (15 mm) Length: 11.79" (299 mm) UPC Code: 742330-04058</p>
	<p>Part Number: <b>P550057</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: TOYOTA 23303-56301 Dimensions: Outer Dia: 3.30" (84 mm) Thread Size: 3/4" - 16 Length: 3.39" (86 mm) UPC Code: 742330-04050</p>		<p>Part Number: <b>P550066</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: MITSUBISHI 31240-53054 Dimensions: Outer Dia: 5.02" (128 mm) Inner Dia: 2.26" (57 mm) Length: 5.59" (142 mm) UPC Code: 742330-04059</p>
	<p>Part Number: <b>P550058</b> Description: <b>Lube Cartridge Bypass</b> Primary Appl.: HINO 15607-1010 Dimensions: Outer Dia: 4.81" (122 mm) Inner Dia: .66" (17 mm) Length: 8.86" (225 mm) UPC Code: 742330-04051</p>		<p>Part Number: <b>P550067</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: MITSUBISHI ME014833 Dimensions: Outer Dia: 4.17" (106 mm) Thread Size: M20 x 1.5 Length: 4.92" (125 mm) Relief Valve: 14 PSI Anti-Drain: Yes UPC Code: 742330-04060</p>










	<p>Part Number: <b>P550068</b>          Description: <b>Lube Cartridge Full Flow</b>          Primary Appl.: MITSUBISHI ME021254          Dimensions: Outer Dia: 3.98" (101 mm)          Inner Dia: 1.10" (28 mm)          Length: 9.25" (235 mm)          UPC Code: 742330-04061</p>		<p>Part Number: <b>P550079</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: IHC 1140079-C1          Dimensions: Outer Dia: 4.51" (115 mm)          Inner Dia: 2.25" (57 mm)          Length: 9.18" (233 mm)          Performance: <math>\beta_{3\mu} = 2</math>          UPC Code: 742330-04070</p>
	<p>Part Number: <b>P550069</b>          Description: <b>Lube Cartridge Full Flow</b>          Primary Appl.: MITSUBISHI ME034161          Dimensions: Outer Dia: 3.98" (101 mm)          Inner Dia: 1.22" (31 mm)          Length: 7.64" (194 mm)          UPC Code: 742330-04062</p>		<p>Part Number: <b>P550080</b>          Description: <b>Lube Cartridge Full Flow</b>          Primary Appl.: HINO 6071-2104-40          Dimensions: Outer Dia: 4.09" (104 mm)          Inner Dia: 1.26" (32 mm)          Length: 6.69" (170 mm)          UPC Code: 742330-04071</p>
	<p>Part Number: <b>P550070</b>          Description: <b>Lube Cartridge Full Flow</b>          Primary Appl.: MITSUBISHI ME034481          Dimensions: Outer Dia: 3.98" (101 mm)          Inner Dia: .65" (17 mm)          Length: 7.68" (195 mm)          UPC Code: 742330-04063</p>		<p>Part Number: <b>P550082</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: KOMATSU DOZERS D50A, 53A, 58-1, P-17          Dimensions: Outer Dia: 2.56" (65 mm)          Inner Dia: 1.00" (25 mm)          Length: 10.94" (278 mm)          Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math>          UPC Code: 742330-04072</p>
	<p>Part Number: <b>P550071</b>          Description: <b>Lube Cartridge Full Flow</b>          Primary Appl.: MITSUBISHI ME064289          Dimensions: Outer Dia: 4.57" (116 mm)          Inner Dia: 2.12" (54 mm)          Length: 12.68" (322 mm)          UPC Code: 742330-04064</p>		<p>Part Number: <b>P550083</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: KOMATSU 198-49-11440          Dimensions: Outer Dia: 4.41" (112 mm)          Inner Dia: 2.76" (70 mm)          Length: 11.50" (292 mm)          Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math>          UPC Code: 742330-04073</p>
	<p>Part Number: <b>P550073</b>          Description: <b>Lube Spin-on Full Flow</b>          Primary Appl.: NISSAN 15208-Z9001          Dimensions: Outer Dia: 4.50" (114 mm)          Thread Size: 1 1/8" - 16          Length: 8.50" (216 mm)          UPC Code: 742330-04065</p>		<p>Part Number: <b>P550084</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: KOMATSU 424-16-11140, Wheel Loaders          Dimensions: Outer Dia: 4.22" (107 mm)          Inner Dia: 1.78" (45 mm)          Length: 9.00" (229 mm)          Performance: <math>\beta_{14\mu} = 2</math> <math>\beta_{25\mu} = 20</math>          UPC Code: 742330-04074</p>
	<p>Part Number: <b>P550074</b>          Description: <b>Lube Cartridge Bypass</b>          Primary Appl.: NISSAN 15274-Z9029          Dimensions: Outer Dia: 3.89" (99 mm)          Inner Dia: .66" (17 mm)          Length: 5.67" (144 mm)          UPC Code: 742330-04066</p>		<p>Part Number: <b>P550085</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: KOMATSU 101-60-15171          Dimensions: Outer Dia: 2.56" (65 mm)          Inner Dia: 1.07" (27 mm)          Length: 5.62" (143 mm)          UPC Code: 742330-04075</p>
	<p>Part Number: <b>P550076</b>          Description: <b>Lube Cartridge Bypass</b>          Primary Appl.: NISSAN 15274-99428          Dimensions: Outer Dia: 3.82" (97 mm)          Inner Dia: 1.73" (44 mm)          Length: 5.74" (146 mm)          UPC Code: 742330-04067</p>		<p>Part Number: <b>P550086</b>          Description: <b>Lube Spin-on Full Flow</b>          Primary Appl.: KOMATSU 6136-51-5120          Dimensions: Outer Dia: 4.26" (108 mm)          Thread Size: 1 1/8" - 16          Length: 6.57" (167 mm)          Relief Valve: 11 - 17          UPC Code: 742330-04076</p>
	<p>Part Number: <b>P550077</b>          Description: <b>Lube Cartridge Full Flow</b>          Primary Appl.: NISSAN 15274-90225          Dimensions: Outer Dia: 3.94" (100 mm)          Inner Dia: 1.73" (44 mm)          Length: 7.24" (184 mm)          UPC Code: 742330-04068</p>		<p>Part Number: <b>P550087</b>          Description: <b>Lube Cartridge Full Flow</b>          Primary Appl.: KOMATSU 6610-50-5100, FURN GASKET:          P171178          Dimensions: Outer Dia: 4.61" (117 mm)          Inner Dia: 2.20" (56 mm)          Length: 8.98" (228 mm)          UPC Code: 742330-04077</p>
	<p>Part Number: <b>P550078</b>          Description: <b>Lube Spin-on Full Flow</b>          Primary Appl.: TOYOTA 15601-33010          Dimensions: Outer Dia: 3.31" (84 mm)          Thread Size: 3/4" - 15          Length: 4.92" (125 mm)          Anti-Drain: Yes          UPC Code: 742330-04069</p>		<p>Part Number: <b>P550088</b>          Description: <b>Fuel/Water Separator Spin-on</b>          Primary Appl.: FORD 6.6L &amp; 7.8L ENG #E7HZ4N184A,          RACOR R26P          Dimensions: Outer Dia: 3.75" (95 mm)          Thread Size: 1" - 14          Length: 4.12" (105 mm)          UPC Code: 742330-04078</p>

















	<p><b>Part Number:</b> P550089 <b>Description:</b> Fuel Spin-on Primary <b>Primary Appl.:</b> DETROIT DIESEL 8.2L ENG, FORD TRK &amp; BUS <b>Dimensions:</b> Outer Dia: 3.81" (97 mm) Thread Size: 1" - 12 Length: 4.25" (108 mm) <b>UPC Code:</b> 742330-04079</p>
	<p><b>Part Number:</b> P550090 <b>Description:</b> Fuel In-Line <b>Primary Appl.:</b> FORD, GMC, Includes 2 hoses and 4 clamps <b>Dimensions:</b> Outer Dia: 1.94" (49 mm) Line Size: 3/8" Hose In and Out Length: 3.88" (99 mm) <b>UPC Code:</b> 742330-04080</p>
	<p><b>Part Number:</b> P550091 <b>Description:</b> Fuel In-Line <b>Primary Appl.:</b> FORD, MOTORCRAFT FG14, Includes 1 hoses and 2 clamps <b>Dimensions:</b> Outer Dia: 1.01" (26 mm) Line Size: 5/16" Hose In, 1/8"-27 Out Length: 2.86" (73 mm) <b>UPC Code:</b> 742330-04081</p>
	<p><b>Part Number:</b> P550092 <b>Description:</b> Lube Cartridge Full Flow <b>Primary Appl.:</b> AC, CASE, CAT, CLARK, FTGD LF503, FURN GSKT: P171180, P171185 <b>Dimensions:</b> Outer Dia: 3.75" (95 mm) Inner Dia: 1.04" (26 mm) Length: 5.94" (151 mm) <b>UPC Code:</b> 742330-04082</p>
	<p><b>Part Number:</b> P550093 <b>Description:</b> Fuel In-Line <b>Primary Appl.:</b> GMC 5651393, GASOLINE ONLY <b>Dimensions:</b> Outer Dia: .70" (18 mm) Line Size: .28 Length: 1.06" (27 mm) <b>UPC Code:</b> 742330-04083</p>
	<p><b>Part Number:</b> P550094 <b>Description:</b> Fuel In-Line <b>Primary Appl.:</b> UNIVERSAL 1/4" O.D. LINES, GASOLINE ONLY <b>Dimensions:</b> Outer Dia: 1.94" (49 mm) Line Size: 1/4" Hose In and Out Length: 3.86" (98 mm) <b>UPC Code:</b> 742330-04084</p>
	<p><b>Part Number:</b> P550095 <b>Description:</b> Lube Spin-on Full Flow <b>Primary Appl.:</b> FORD, ONAN <b>Dimensions:</b> Outer Dia: 3.81" (97 mm) Thread Size: 3/4" - 16 Length: 3.72" (94 mm) <b>Relief Valve:</b> 8 - 11 <b>Anti-Drain:</b> Yes <b>UPC Code:</b> 742330-04085</p>
	<p><b>Part Number:</b> P550096 <b>Description:</b> Fuel Cartridge Primary <b>Primary Appl.:</b> CUMMINS 105211, 299101, FURN GSKT-P171177, P171194, P171153 <b>Dimensions:</b> Outer Dia: 4.00" (102 mm) Inner Dia: .77" (20 mm) Length: 4.90" (124 mm) <b>UPC Code:</b> 742330-04086</p>

















	<p><b>Part Number:</b> P550097 <b>Description:</b> Fuel Spin-on Primary <b>Primary Appl.:</b> BOSCH FSA10A1,3,B <b>Dimensions:</b> Outer Dia: 3.81" (97 mm) Thread Size: 1/4" - 18 Length: 6.40" (163 mm) <b>UPC Code:</b> 742330-04087</p>
	<p><b>Part Number:</b> P550098 <b>Description:</b> Fuel Cartridge Primary <b>Primary Appl.:</b> JOHN DEERE AR28611R <b>Dimensions:</b> Outer Dia: 3.44" (87 mm) Inner Dia: .75" (19 mm) Length: 4.81" (122 mm) <b>UPC Code:</b> 742330-04088</p>
	<p><b>Part Number:</b> P550104 <b>Description:</b> Fuel Spin-on Primary <b>Primary Appl.:</b> CUMMINS 138627, FURN GSKT: P174994, P169093-SYNTEQ Media, Similars: P550105, P550106, P558020 <b>Dimensions:</b> Outer Dia: 3.81" (97 mm) Thread Size: 1" - 14 Length: 4.22" (107 mm) <b>UPC Code:</b> 742330-04089</p>
	<p><b>Part Number:</b> P550105 <b>Description:</b> Fuel Spin-on Primary <b>Primary Appl.:</b> CUMMINS 154709, FURN GSKT: P174994, <del>P551000</del> P551000-SYNTEQ Media, Similars: P550106, P550104, P558000 <b>Dimensions:</b> Outer Dia: 3.66" (93 mm) Thread Size: 1" - 14 Length: 5.35" (136 mm) <b>UPC Code:</b> 742330-04090</p>
	<p><b>Part Number:</b> P550106 <b>Description:</b> Fuel Spin-on Primary <b>Primary Appl.:</b> CUMMINS D156172, 202893, FURN GSKT-P169192, FURN GSKT: P174994, P169090-SYNTEQ Media, Similars: P550105, P550104, P558000 <b>Dimensions:</b> Outer Dia: 3.81" (97 mm) Thread Size: 1" - 14 Length: 7.40" (188 mm) <b>UPC Code:</b> 742330-04091</p>
	<p><b>Part Number:</b> P550108 <b>Description:</b> Fuel Spin-on Primary <b>Primary Appl.:</b> JOHN DEERE AR45098, AR45097 <b>Dimensions:</b> Outer Dia: 3.69" (94 mm) Thread Size: 1" - 14 Length: 5.68" (144 mm) <b>UPC Code:</b> 742330-04092</p>
	<p><b>Part Number:</b> P550109 <b>Description:</b> Fuel Spin-on Primary <b>Primary Appl.:</b> FORD D3HE9176AA <b>Dimensions:</b> Outer Dia: 3.81" (97 mm) Thread Size: 1" - 14 Length: 5.70" (145 mm) <b>UPC Code:</b> 742330-04093</p>
	<p><b>Part Number:</b> P550110 <b>Description:</b> Fuel Spin-on Secondary <b>Primary Appl.:</b> CASE A39867, FURN GSKT-P171183 <b>Dimensions:</b> Outer Dia: 3.81" (97 mm) Thread Size: 15/16" - 16 Length: 4.75" (121 mm) <b>UPC Code:</b> 742330-04094</p>











	<p>Part Number: <b>P550111</b>          Description: <b>Fuel In-Line</b>          Primary Appl.: GMC 3229443, Includes 1 hose and 2 clamps          Dimensions: Outer Dia: 1.72" (44 mm)          Line Size: 5/16" Hose In and Out          Length: 4.56" (116 mm)          UPC Code: 742330-04095</p>
	<p>Part Number: <b>P550115</b>          Description: <b>Fuel Spin-on Primary</b>          Primary Appl.: FUEL DISPENSING PUMPS, P550215=Water Absorbing          Dimensions: Outer Dia: 3.69" (94 mm)          Thread Size: 1" - 12          Length: 5.37" (136 mm)          UPC Code: 742330-04096</p>
	<p>Part Number: <b>P550117</b>          Description: <b>Lube Cartridge Bypass</b>          Primary Appl.: CLARK EUCLID GMC 5572425 (MILITARY SEN.), FURN GSKT-P171153, P171154, Cotton media-P550300          Dimensions: Outer Dia: 4.02" (102 mm)          Inner Dia: .55" (14 mm)          Length: 8.00" (203 mm)          UPC Code: 742330-04097</p>
	<p>Part Number: <b>P550118</b>          Description: <b>Fuel Spin-on Secondary</b>          Primary Appl.: ONAN 122B326          Dimensions: Outer Dia: 3.44" (87 mm)          Thread Size: 3/8" - 24          Length: 3.44" (87 mm)          UPC Code: 742330-04098</p>
	<p>Part Number: <b>P550120</b>          Description: <b>Fuel Cartridge Primary</b>          Primary Appl.: MANN BF700X, FURN GSKT: P175508          Dimensions: Outer Dia: 2.76" (70 mm)          Inner Dia: .53" (13 mm)          Length: 4.06" (103 mm)          UPC Code: 742330-04099</p>
	<p>Part Number: <b>P550125</b>          Description: <b>Fuel Cartridge Primary</b>          Primary Appl.: CUMMINS 130909,299125, FURN GSKT-P171160          Dimensions: Outer Dia: 4.64" (118 mm)          Inner Dia: .87" (22 mm)          Length: 8.39" (213 mm)          UPC Code: 742330-04103</p>
	<p>Part Number: <b>P550126</b>          Description: <b>Fuel In-Line</b>          Primary Appl.: FORD E3FZ9155C, includes clips          Dimensions: Outer Dia: 3.10" (79 mm)          Line Size: 5/16" Tube In and out          Length: 5.70" (145 mm)          UPC Code: 742330-04104</p>
	<p>Part Number: <b>P550127</b>          Description: <b>Fuel Spin-on Primary</b>          Primary Appl.: KUBOTA 70000-43081          Dimensions: Outer Dia: 3.00" (76 mm)          Thread Size: M20 x 1.5          Length: 3.40" (86 mm)          Relief Valve: None          Anti-Drain: None          UPC Code: 742330-04105</p>
	<p>Part Number: <b>P550128</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: IHC 401073R2, 530144R92          Dimensions: Outer Dia: 5.00" (127 mm)          Inner Dia: 3.00" (76 mm)          Length: 3.00" (76 mm)          UPC Code: 742330-04106</p>

	<p>Part Number: <b>P550132</b>          Description: <b>Lube Cartridge Full Flow</b>          Primary Appl.: DET. DIESEL ENG W/CARTRIDGE LUBE, FURN GSKT-P167686, P174631, P174634, P166375-SYNTEQ Media          Dimensions: Outer Dia: 4.32" (110 mm)          Inner Dia: 1.52" (39 mm)          Length: 8.90" (226 mm)          UPC Code: 742330-04107</p>
	<p>Part Number: <b>P550133</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: CASE D43800, D43801          Dimensions: Outer Dia: 2.63" (67 mm)          Inner Dia: 1.25" (32 mm)          Length: 7.25" (184 mm)          UPC Code: 742330-04108</p>
	<p>Part Number: <b>P550134</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: CASE A36524, AS1483          Dimensions: Outer Dia: 2.31" (59 mm)          Inner Dia: 1.36" (35 mm)          Length: 6.00" (152 mm)          Performance: <math>\beta_{25\mu} = 2</math> <math>\beta_{43\mu} = 20</math>          UPC Code: 742330-04109</p>
	<p>Part Number: <b>P550136</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: JOHN DEERE AH76668          Dimensions: Outer Dia: 3.45" (88 mm)          Inner Dia: 2.56" (65 mm)          Length: 8.00" (203 mm)          Performance: <math>\beta_{10\mu} = 2</math>          UPC Code: 742330-04110</p>
	<p>Part Number: <b>P550138</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: GRESSEN 3294, PKGD GASKETS (2) P177050, OPT. GASKETS P177049, P177051          Dimensions: Outer Dia: 4.50" (114 mm)          Inner Dia: 1.78" (45 mm)          Length: 7.00" (178 mm)          Performance: <math>\beta_{26\mu} = 2</math> <math>\beta_{41\mu} = 20</math>          UPC Code: 742330-04111</p>
	<p>Part Number: <b>P550140</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: IHC 612713C91          Dimensions: Outer Dia: 4.51" (115 mm)          Inner Dia: 2.27" (58 mm)          Length: 6.97" (177 mm)          Performance: <math>\beta_{20\mu} = 2</math> <math>\beta_{35\mu} = 20</math>          UPC Code: 742330-04112</p>
	<p>Part Number: <b>P550141</b>          Description: <b>Lube Cartridge Full Flow</b>          Primary Appl.: JOY, GMC 5576054, 5574540, FURN GSKT-P171157, P166364-SYNTEQ Media          Dimensions: Outer Dia: 3.26" (83 mm)          Inner Dia: 1.28" (33 mm)          Length: 5.51" (140 mm)          UPC Code: 742330-04113</p>
	<p>Part Number: <b>P550147</b>          Description: <b>Lube Cartridge Sock</b>          Primary Appl.: GMC 5574978, P166167-SYNTEQ Media          Dimensions: Outer Dia: 4.38" (111 mm)          Inner Dia: 1.44" (37 mm)          Length: 5.75" (146 mm)          UPC Code: 742330-04114</p>
	<p>Part Number: <b>P550148</b>          Description: <b>Hydraulic Spin-on</b>          Primary Appl.: UCC MX1591-4-10          Dimensions: Outer Dia: 5.06" (129 mm)          Thread Size: 1 1/4" - 11          Length: 7.00" (178 mm)          Performance: <math>\beta_{25\mu} = 2</math>          UPC Code: 742330-04115</p>









	<p>Part Number: <b>P550152</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: FIAT ALLIS, A.CHALMERS 4023548-3 Dimensions: Outer Dia: 4.28" (109 mm) Thread Size: 1" - 16 Length: 5.78" (147 mm) UPC Code: 742330-04116</p>		<p>Part Number: <b>P550168</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: GMC 94169778 Dimensions: Outer Dia: 3.81" (97 mm) Thread Size: 3/4" - 16 Length: 5.38" (137 mm) Relief Valve: 27 - 35 Anti-Drain: Yes UPC Code: 742330-04126</p>
	<p>Part Number: <b>P550154</b> Description: <b>Lube Spin-on Bypass</b> Primary Appl.: IHC 538836R1 Dimensions: Outer Dia: 3.81" (97 mm) Thread Size: 5/8" - 18 Length: 4.25" (108 mm) UPC Code: 742330-04117</p>		<p>Part Number: <b>P550170</b> Description: <b>Lube Cartridge Bypass</b> Primary Appl.: FRAM F4, FURN GSKT: P551153 Dimensions: Outer Dia: 4.00" (102 mm) Inner Dia: .56" (14 mm) Length: 5.00" (127 mm) UPC Code: 742330-04127</p>
	<p>Part Number: <b>P550157</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: FORD EDNN6714AA Dimensions: Outer Dia: 5.56" (141 mm) Thread Size: 1/1/8" - 16 Length: 6.00" (152 mm) UPC Code: 742330-04119</p>		<p>Part Number: <b>P550171</b> Description: <b>Lube Cartridge Bypass</b> Primary Appl.: FRAM F21, FURN GSKT-P171154 Dimensions: Outer Dia: 4.00" (102 mm) Inner Dia: .56" (14 mm) Length: 5.00" (127 mm) UPC Code: 742330-04128</p>
	<p>Part Number: <b>P550158</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: FORD E3TZ6731C Dimensions: Outer Dia: 3.81" (97 mm) Thread Size: M20 x 1.5 Length: 3.70" (94 mm) Relief Valve: 8 - 11 Anti-Drain: Yes UPC Code: 742330-04120</p>		<p>Part Number: <b>P550172</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: CASEIH 193187R91, A20822, FURN GSKT-P171171, P171172 Dimensions: Outer Dia: 4.59" (117 mm) Inner Dia: 1.78" (45 mm) Length: 7.00" (178 mm) UPC Code: 742330-04129</p>
	<p>Part Number: <b>P550159</b> Description: <b>Hydraulic/Lube Spin-on</b> Primary Appl.: IHC 995285C1 Dimensions: Outer Dia: 3.81" (97 mm) Thread Size: 13/16" - 16 Length: 4.22" (107 mm) Relief Valve: 8 - 11 UPC Code: 742330-04121</p>		<p>Part Number: <b>P550173</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: CHRYSLER Dimensions: Outer Dia: 3.81" (97 mm) Thread Size: M20 x 1.5 Length: 3.09" (78 mm) Relief Valve: 18 - 20 Anti-Drain: Yes UPC Code: 742330-04130</p>
	<p>Part Number: <b>P550162</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: Kubota 70000-15241 Dimensions: Outer Dia: 3.00" (76 mm) Thread Size: M20 x 1.5 Length: 2.66" (68 mm) Relief Valve: 11 - 17 Anti-Drain: Yes UPC Code: 742330-04122</p>		<p>Part Number: <b>P550174</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: IHC 213445R91, FURN GSKT-P171171, P171172 Dimensions: Outer Dia: 4.59" (117 mm) Inner Dia: 2.25" (57 mm) Length: 7.00" (178 mm) UPC Code: 742330-04131</p>
	<p>Part Number: <b>P550165</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: CAT, LINK BELT 9F6742, LEROI Dimensions: Outer Dia: 2.87" (73 mm) Inner Dia: 1.41" (36 mm) Length: 9.00" (229 mm) UPC Code: 742330-04124</p>		<p>Part Number: <b>P550179</b> Description: <b>Lube Cartridge Bypass</b> Primary Appl.: CASE 08152AB, FURN GSKT-P174995 Dimensions: Outer Dia: 3.52" (89 mm) Inner Dia: .69" (18 mm) Length: 4.16" (106 mm) Performance: <math>\beta_{10\mu} = 2</math> UPC Code: 742330-04132</p>
	<p>Part Number: <b>P550166</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: ONAN 122-0550 Dimensions: Outer Dia: 3.65" (93 mm) Thread Size: M22 x 1.5 Length: 5.38" (137 mm) Relief Valve: 17 - 22 UPC Code: 742330-04125</p>		<p>Part Number: <b>P550181</b> Description: <b>Lube Cartridge Bypass</b> Primary Appl.: IHC 376375R91, FURN GSKT-P171167 Dimensions: Outer Dia: 3.53" (90 mm) Inner Dia: .88" (22 mm) Length: 7.72" (196 mm) UPC Code: 742330-04133</p>









	<p>Part Number: <b>P550182</b> Description: <b>Lube Cartridge Bypass</b> Primary Appl.: IHC 376376R91 Dimensions: Outer Dia: 3.94" (100 mm) Inner Dia: 1.25" (32 mm) Length: 7.25" (184 mm) UPC Code: 742330-04134</p>		<p>Part Number: <b>P550194</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: WISCONSIN RV38 Dimensions: Outer Dia: 3.65" (93 mm) Thread Size: 5/8" - 18 Length: 5.80" (147 mm) Relief Valve: 9 - 12 Anti-Drain: Yes UPC Code: 742330-04142</p>
	<p>Part Number: <b>P550183</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: FORD E1ADKN18662A, FURN GSKT-P171170, P171181, P171169 Dimensions: Outer Dia: 2.75" (70 mm) Inner Dia: 1.31" (33 mm) Length: 6.00" (152 mm) UPC Code: 742330-04135</p>		<p>Part Number: <b>P550196</b> Description: <b>Lube Spin-on Bypass</b> Primary Appl.: FIAT 4083490 Dimensions: Outer Dia: 3.81" (97 mm) Thread Size: 5/8" - 18 Length: 3.72" (94 mm) UPC Code: 742330-04143</p>
	<p>Part Number: <b>P550184</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: FORD A730X6731TA, FURN GSKT-P171169 Dimensions: Outer Dia: 2.87" (73 mm) Inner Dia: .81" (21 mm) Length: 4.57" (116 mm) UPC Code: 742330-04136</p>		<p>Part Number: <b>P550198</b> Description: <b>Coolant Cartridge</b> Primary Appl.: CUMMINS 299001 Dimensions: Outer Dia: 5.00" (127 mm) Length: 3.08" (78 mm) UPC Code: 742330-04145</p>
	<p>Part Number: <b>P550185</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: MASSEY FERGUSON 1852331M1, FURN GSKT-P171192 Dimensions: Outer Dia: 3.53" (90 mm) Inner Dia: 1.33" (34 mm) Length: 4.67" (119 mm) UPC Code: 742330-04137</p>		<p>Part Number: <b>P550199</b> Description: <b>Fuel In-Line</b> Primary Appl.: MOTORCRAFT FG15, FURN GSKT-P171173 Includes 1 hose and 2 clamps Dimensions: Outer Dia: .94" (24 mm) Line Size: 3/8" Hose In, 1/2"-20 Out Length: 2.84" (72 mm) UPC Code: 742330-04146</p>
	<p>Part Number: <b>P550186</b> Description: <b>Lube Cartridge Bypass</b> Primary Appl.: IHC 355009R91, FURN GSKT-P171167 Dimensions: Outer Dia: 3.53" (90 mm) Inner Dia: .88" (22 mm) Length: 5.69" (145 mm) UPC Code: 742330-04138</p>		<p>Part Number: <b>P550200</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: AC GF124, FURN GSKT-P171182 Dimensions: Outer Dia: 1.75" (44 mm) Inner Dia: .50" (13 mm) Length: 1.12" (28 mm) UPC Code: 742330-04147</p>
	<p>Part Number: <b>P550188</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: CUMMINS 170200 Dimensions: Outer Dia: 5.44" (138 mm) Thread Size: 13/16" - 16 Length: 5.44" (138 mm) Relief Valve: 8 - 10 UPC Code: 742330-04139</p>		<p>Part Number: <b>P550201</b> Description: <b>Fuel Cartridge Secondary</b> Primary Appl.: MACK 237-GB-28, FURN GSKT-P174995 Dimensions: Outer Dia: 2.97" (75 mm) Inner Dia: 1.03" (26 mm) Length: 4.53" (115 mm) UPC Code: 742330-04148</p>
	<p>Part Number: <b>P550190</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: GMC 6437562, AC PF166, FURN GSKT-P171157 Dimensions: Outer Dia: 3.56" (90 mm) Inner Dia: 1.28" (33 mm) Length: 8.44" (214 mm) UPC Code: 742330-04140</p>		<p>Part Number: <b>P550202</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: CUMMINS 299202, P169094-SYNTEQ Media, P555007-FFWS w/bowl, P550687-FFWS Dimensions: Outer Dia: 5.06" (129 mm) Thread Size: 1 1/4" - 12 Length: 11.39" (289 mm) UPC Code: 742330-04149</p>
	<p>Part Number: <b>P550192</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: JOHN DEERE AH111RT Dimensions: Outer Dia: 3.34" (85 mm) Inner Dia: 1.06" (27 mm) Length: 4.25" (108 mm) UPC Code: 742330-04141</p>		<p>Part Number: <b>P550203</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: FIAT ALLIS, CASE, CLARK, MF, HYSTER, GALION, FURN GSKT-P171150, P171195 Dimensions: Outer Dia: 3.75" (95 mm) Inner Dia: .56" (14 mm) Length: 4.38" (111 mm) UPC Code: 742330-04150</p>









	<p>Part Number: <b>P550209</b> Description: <b>Fuel In-Line</b> Primary Appl.: AC GF481 Dimensions: Outer Dia: 2.17" (55 mm) Line Size: M16 x 1.5 In and Out Length: 4.29" (109 mm) UPC Code: 742330-04151</p>
	<p>Part Number: <b>P550210</b> Description: <b>Hydraulic/Lube Spin-on</b> Primary Appl.: JOHN DEERE AM39653 Dimensions: Outer Dia: 3.88" (99 mm) Thread Size: 3/4" - 16 Length: 3.80" (97 mm) Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{25\mu} = 20</math> <math>\beta_{40\mu} = 75</math> UPC Code: 742330-04152</p>
	<p>Part Number: <b>P550212</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: HILCO PL718-5 Dimensions: Outer Dia: 6.00" (152 mm) Inner Dia: 2.60" (66 mm) Length: 18.00" (457 mm) Performance: <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{17\mu} = 75</math> UPC Code: 742330-04153</p>
	<p>Part Number: <b>P550213</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: HILCO PL-718-10 Dimensions: Outer Dia: 6.00" (152 mm) Inner Dia: 2.60" (66 mm) Length: 18.00" (457 mm) Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-04154</p>
	<p>Part Number: <b>P550214</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: CLARK, GMC, IHC, AUTO, PICKUP, FURN GSKT-P171149 Dimensions: Outer Dia: 2.14" (54 mm) Inner Dia: .44" (11 mm) Length: 3.47" (88 mm) UPC Code: 742330-04155</p>
	<p>Part Number: <b>P550215</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: WATER ABSORBING, FUEL DISPENSING PUMPS, P550115 is Standard Fuel Dimensions: Outer Dia: 3.69" (94 mm) Thread Size: 1" - 12 Length: 5.37" (136 mm) UPC Code: 742330-04156</p>
	<p>Part Number: <b>P550216</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: HILCO PL-718 Dimensions: Outer Dia: 6.00" (152 mm) Inner Dia: 2.60" (66 mm) Length: 18.00" (457 mm) Performance: <math>\beta_{25\mu} = 2</math> <math>\beta_{50\mu} = 20</math> UPC Code: 742330-04157</p>
	<p>Part Number: <b>P550218</b> Description: <b>Fuel Spin-on Secondary</b> Primary Appl.: MACK 483-GB-218B, P169097=SYNTEQ Media Dimensions: Outer Dia: 4.28" (109 mm) Thread Size: 7/8" - 16 Length: 7.89" (200 mm) UPC Code: 742330-04158</p>
	<p>Part Number: <b>P550219</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: MACK 483-GB-219A, Similars: P555005-FFWS, P558040-FFWS w/drain Dimensions: Outer Dia: 4.28" (109 mm) Thread Size: 13/16" - 18 Length: 7.89" (200 mm) UPC Code: 742330-04159</p>










	<p>Part Number: <b>P550222</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: GMC 25010543 Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: 3/4" - 16 Length: 5.37" (136 mm) Performance: <math>\beta_{20\mu} = 2</math> <math>\beta_{35\mu} = 20</math> <math>\beta_{40\mu} = 75</math> Relief Valve: 7 - 10 UPC Code: 742330-04160</p>
	<p>Part Number: <b>P550223</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: GMC 25010643, AC #HD223, ALLISON TRANS. Dimensions: Outer Dia: 4.87" (124 mm) Thread Size: 1 5/16" - 12 Length: 10.23" (260 mm) Performance: <math>\beta_{15\mu} = 2</math> <math>\beta_{35\mu} = 20</math> <math>\beta_{40\mu} = 75</math> UPC Code: 742330-04161</p>
	<p>Part Number: <b>P550224</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: GM, AMC &amp; LIGHT TRUCKS Dimensions: Outer Dia: 3.81" (97 mm) Thread Size: 13/16" - 16 Length: 4.22" (107 mm) Anti-Drain: Yes UPC Code: 742330-04162</p>
	<p>Part Number: <b>P550225</b> Description: <b>Fuel Spin-on Secondary</b> Primary Appl.: HINO 23401-1332, NISSAN 16403Z9003 Dimensions: Outer Dia: 3.81" (97 mm) Thread Size: 3/4" - 16 Length: 3.94" (100 mm) UPC Code: 742330-04163</p>
	<p>Part Number: <b>P550226</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: IVECO 1902047 Dimensions: Outer Dia: 4.40" (112 mm) Thread Size: 3/4" - 16 Length: 5.70" (145 mm) Relief Valve: 20 - 23 Anti-Drain: Yes UPC Code: 742330-04164</p>
	<p>Part Number: <b>P550227</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: SUBARU, PINTO, DATSUN Dimensions: Outer Dia: 3.31" (84 mm) Thread Size: 3/4" - 16 Length: 3.93" (100 mm) Anti-Drain: Yes UPC Code: 742330-04165</p>
	<p>Part Number: <b>P550229</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: LINDE 009830615 Dimensions: Outer Dia: 3.82" (97 mm) Thread Size: 1" - 12 Length: 7.01" (178 mm) UPC Code: 742330-04166</p>
	<p>Part Number: <b>P550230</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: ZF 0750131007 Dimensions: Outer Dia: 3.82" (97 mm) Thread Size: 1" - 12 Length: 8.23" (209 mm) Performance: <math>\beta_{15\mu} = 2</math> Relief Valve: 32 - 38 UPC Code: 742330-04167</p>











	<p>Part Number: <b>P550232</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: MARVEL 529206-5125, PUROLATOR PM6035          Dimensions: Outer Dia: 2.61" (66 mm)          Inner Dia: 1.50" (38 mm)          Length: 4.80" (122 mm)          UPC Code: 742330-04169</p>
	<p>Part Number: <b>P550242</b>          Description: <b>Lube Spin-on Bypass</b>          Primary Appl.: MITSUBISHI ME014838          Dimensions: Outer Dia: 3.70" (94 mm)          Thread Size: M18 x 1.5          Length: 3.94" (100 mm)          Relief Valve: 8 - 11          Anti-Drain: Yes          UPC Code: 742330-04173</p>
	<p>Part Number: <b>P550248</b>          Description: <b>Fuel/Water Separator Spin-on</b>          Primary Appl.: CUMMINS 3903202          Dimensions: Outer Dia: 2.99" (76 mm)          Thread Size: M16 x 1.5          Length: 5.71" (145 mm)          UPC Code: 742330-04178</p>
	<p>Part Number: <b>P550249</b>          Description: <b>Fuel/Water Separator Spin-on</b>          Primary Appl.: CUMMINS 3912104          Dimensions: Outer Dia: 3.03" (77 mm)          Thread Size: M16 x 1.5          Length: 4.51" (115 mm)          UPC Code: 742330-04179</p>
	<p>Part Number: <b>P550250</b>          Description: <b>Hydraulic Spin-on</b>          Primary Appl.: GRESEN, Donaldson LPS05 ASSY, PACKAGED GASKETS P165461, P170894          Dimensions: Outer Dia: 5.00" (127 mm)          Thread Size: 1 1/2" - 16          Length: 11.39" (289 mm)          Performance: <math>\beta_{3\mu} = 2</math>          UPC Code: 742330-04180</p>
	<p>Part Number: <b>P550251</b>          Description: <b>Hydraulic Spin-on</b>          Primary Appl.: GRESEN, Donaldson LSP05 ASSY, PACKAGED GASKETS P165641, P170894          Dimensions: Outer Dia: 5.00" (127 mm)          Thread Size: 1 1/2" - 16          Length: 11.39" (289 mm)          Performance: <math>\beta_{10\mu} = 2</math>          UPC Code: 742330-04181</p>
	<p>Part Number: <b>P550252</b>          Description: <b>Hydraulic Spin-on</b>          Primary Appl.: GRESEN, Donaldson LPS05 ASSY, 25 MICRON          Dimensions: Outer Dia: 5.00" (127 mm)          Thread Size: 1 1/2" - 16          Length: 11.39" (289 mm)          Performance: <math>\beta_{25\mu} = 2</math>          UPC Code: 742330-04182</p>
	<p>Part Number: <b>P550253</b>          Description: <b>Hydraulic Spin-on</b>          Primary Appl.: GRESEN, Donaldson LPS05 ASSY, 25 MICRON, WATER ABSORBING          Dimensions: Outer Dia: 5.00" (127 mm)          Thread Size: 1 1/2" - 16          Length: 11.39" (289 mm)          UPC Code: 742330-04183</p>

	<p>Part Number: <b>P550255</b>          Description: <b>Hydraulic Spin-on</b>          Primary Appl.: GRESEN, MFP, CROSS, Donaldson LPS04 ASSY, 10 MICRON          Dimensions: Outer Dia: 3.66" (93 mm)          Thread Size: 1" - 12          Length: 8.60" (218 mm)          Performance: <math>\beta_{10\mu} = 2</math>          UPC Code: 742330-04185</p>
	<p>Part Number: <b>P550256</b>          Description: <b>Hydraulic Spin-on</b>          Primary Appl.: GRESEN, MFP, CROSS, Donaldson LPS04 ASSY          Dimensions: Outer Dia: 3.66" (93 mm)          Thread Size: 1" - 12          Length: 8.60" (218 mm)          Performance: <math>\beta_{25\mu} = 2</math>          UPC Code: 742330-04186</p>
	<p>Part Number: <b>P550261</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: VICKERS 398853          Dimensions: Outer Dia: 3.12" (79 mm)          Inner Dia: 1.86" (47 mm)          Length: 4.00" (102 mm)          UPC Code: 742330-04190</p>
	<p>Part Number: <b>P550263</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: VICKERS 398855, 941072          Dimensions: Outer Dia: 3.12" (79 mm)          Inner Dia: 1.86" (47 mm)          Length: 4.02" (102 mm)          UPC Code: 742330-04192</p>
	<p>Part Number: <b>P550264</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: VICKERS 398856          Dimensions: Outer Dia: 3.12" (79 mm)          Inner Dia: 1.86" (47 mm)          Length: 8.00" (203 mm)          Performance: <math>\beta_{16\mu} = 2</math> <math>\beta_{35\mu} = 20</math> <math>\beta_{47\mu} = 75</math>          UPC Code: 742330-04193</p>
<del></del>	<p><del>Part Number: <b>P550265</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: VICKERS 464208          Dimensions: Outer Dia: 4.00" (102 mm)          Inner Dia: 2.23" (57 mm)          Length: 9.00" (229 mm)          UPC Code: 742330-04194</del></p>
	<p>Part Number: <b>P550267</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: VICKERS 404211          Dimensions: Outer Dia: 4.00" (102 mm)          Inner Dia: 2.23" (57 mm)          Length: 18.00" (457 mm)          UPC Code: 742330-04196</p>
	<p>Part Number: <b>P550268</b>          Description: <b>Hydraulic Spin-on</b>          Primary Appl.: UCC MX1518-4-10, PTI F4E-35-CCB          Dimensions: Outer Dia: 3.86" (98 mm)          Thread Size: 3/4" - 14          Length: 5.80" (147 mm)          Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{20\mu} = 20</math> <math>\beta_{30\mu} = 75</math>          UPC Code: 742330-04197</p>







	<p><b>Part Number:</b> P550269 <b>Description:</b> Hydraulic Spin-on <b>Primary Appl.:</b> UCC UC2418 <b>Dimensions:</b> Outer Dia: 5.12" (130 mm) Thread Size: 1 1/4" - 11 Length: 7.05" (179 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{20\mu} = 20</math> <math>\beta_{28\mu} = 75</math> <b>Relief Valve:</b> 15 <b>UPC Code:</b> 742330-04198</p>
	<p><b>Part Number:</b> P550272 <b>Description:</b> Fuel Spin-on Secondary <b>Primary Appl.:</b> CASE IH 3218794R91, BOSCH 1457434099 <b>Dimensions:</b> Outer Dia: 3.46" (88 mm) Thread Size: M16 x 1.5 Length: 4.65" (118 mm) <b>UPC Code:</b> 742330-08394</p>
	<p><b>Part Number:</b> P550274 <b>Description:</b> Hydraulic Spin-on <b>Primary Appl.:</b> ZINGA AE-100, Donaldson LPSO4, 150 MICRON <b>Dimensions:</b> Outer Dia: 3.73" (95 mm) Thread Size: 1" - 12 Length: 5.76" (146 mm) <b>Performance:</b> <math>\beta_{149\mu} = 75</math> <b>UPC Code:</b> 742330-04199</p>
	<p><b>Part Number:</b> P550275 <b>Description:</b> Hydraulic Spin-on <b>Primary Appl.:</b> ZINGA SE-100, Donaldson LPSO5, 150 MICRON <b>Dimensions:</b> Outer Dia: 5.06" (129 mm) Thread Size: 1 1/2" - 16 Length: 6.63" (168 mm) <b>Performance:</b> <math>\beta_{149\mu} = 75</math> <b>UPC Code:</b> 742330-04200</p>
	<p><b>Part Number:</b> P550276 <b>Description:</b> Hydraulic Spin-on <b>Primary Appl.:</b> ZINGA LE-100, Donaldson LPSO5, 150 MICRON <b>Dimensions:</b> Outer Dia: 5.06" (129 mm) Thread Size: 1 1/2" - 16 Length: 10.63" (270 mm) <b>Performance:</b> <math>\beta_{149\mu} = 75</math> <b>UPC Code:</b> 742330-04201</p>
	<p><b>Part Number:</b> P550282 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> VICKERS 426530 <b>Dimensions:</b> Outer Dia: 4.00" (102 mm) Inner Dia: 2.23" (57 mm) Length: 9.00" (229 mm) <b>Performance:</b> <math>\beta_{1\mu} = 2</math> <math>\beta_{8\mu} = 20</math> <math>\beta_{12\mu} = 75</math> <b>UPC Code:</b> 742330-04202</p>
	<p><b>Part Number:</b> P550283 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> VICKERS 426531 <b>Dimensions:</b> Outer Dia: 4.00" (102 mm) Inner Dia: 2.23" (57 mm) Length: 9.00" (229 mm) <b>Performance:</b> <math>\beta_{16\mu} = 2</math> <math>\beta_{35\mu} = 20</math> <math>\beta_{47\mu} = 75</math> <b>UPC Code:</b> 742330-04203</p>
	<p><b>Part Number:</b> P550284 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> VICKERS 404210, DESIGNED FOR WATER GLYCOL APPLICATIONS <b>Dimensions:</b> Outer Dia: 4.00" (102 mm) Inner Dia: 2.23" (57 mm) Length: 9.00" (229 mm) <b>Performance:</b> <math>\beta_{16\mu} = 2</math> <math>\beta_{35\mu} = 20</math> <math>\beta_{47\mu} = 75</math> <b>UPC Code:</b> 742330-04204</p>

	<p><b>Part Number:</b> P550286 <b>Description:</b> Lube Cartridge Full Flow <b>Primary Appl.:</b> MACK 57GC286 <b>Dimensions:</b> Outer Dia: 3.85" (98 mm) Inner Dia: .56" (14 mm) Length: 4.63" (118 mm) <b>UPC Code:</b> 742330-04205</p>
	<p><b>Part Number:</b> P550299 <b>Description:</b> Lube Spin-on Full Flow <b>Primary Appl.:</b> FORD D3HZ6731B, MOTORCRAFT FL788 <b>Dimensions:</b> Outer Dia: 3.66" (93 mm) Thread Size: 3/4" - 16 Length: 6.85" (174 mm) <b>Relief Valve:</b> 7 - 10 <b>Anti-Drain:</b> Yes <b>UPC Code:</b> 742330-04206</p>
	<p><b>Part Number:</b> P550300 <b>Description:</b> Lube Cartridge Full Flow <b>Primary Appl.:</b> DEUTZ 1168469, P550117 is pleated paper version <b>Dimensions:</b> Outer Dia: 4.33" (110 mm) Inner Dia: .56" (14 mm) Length: 7.95" (202 mm) <b>UPC Code:</b> 742330-04207</p>
	<p><b>Part Number:</b> P550308 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> HANOMAG 373952178 <b>Dimensions:</b> Outer Dia: 4.65" (118 mm) Inner Dia: 2.40" (61 mm) Length: 6.50" (165 mm) <b>Performance:</b> <math>\beta_{25\mu} = 2</math> <b>UPC Code:</b> 742330-04208</p>
	<p><b>Part Number:</b> P550309 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> ZF 7632141102 <b>Dimensions:</b> Outer Dia: 2.36" (60 mm) Inner Dia: .71" (18 mm) Length: 3.94" (100 mm) <b>UPC Code:</b> 742330-04209</p>
	<p><b>Part Number:</b> P550310 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> ZF 7633141101 <b>Dimensions:</b> Outer Dia: 3.23" (82 mm) Inner Dia: .75" (19 mm) Length: 4.33" (110 mm) <b>UPC Code:</b> 742330-04210</p>
	<p><b>Part Number:</b> P550311 <b>Description:</b> Lube Cartridge Full Flow <b>Primary Appl.:</b> LEYLAND 602426 <b>Dimensions:</b> Outer Dia: 3.11" (79 mm) Inner Dia: .75" (19 mm) Length: 9.37" (238 mm) <b>UPC Code:</b> 742330-04211</p>
	<p><b>Part Number:</b> P550315 <b>Description:</b> Lube Cartridge Full Flow <b>Primary Appl.:</b> MERCEDES 3661800009 <b>Dimensions:</b> Outer Dia: 3.23" (82 mm) Inner Dia: .94" (24 mm) Length: 7.68" (195 mm) <b>UPC Code:</b> 742330-04215</p>
	<p><b>Part Number:</b> P550316 <b>Description:</b> Fuel/Water Separator Cartridge <b>Primary Appl.:</b> CAT, CUMMINS, GROVE <b>Dimensions:</b> Outer Dia: 5.83" (148 mm) Inner Dia: 1.00" (25 mm) Length: 8.68" (220 mm) <b>UPC Code:</b> 742330-04216</p>




















	<p>Part Number: <b>P550317</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: RENAULT RVI 5000670671 Dimensions: Outer Dia: 3.74" (95 mm) Thread Size: 1" - 12 Length: 8.31" (211 mm) Relief Valve: 34 - 37 Anti-Drain: Yes UPC Code: 742330-04217</p>
	<p>Part Number: <b>P550318</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: SCANIA 173171 Dimensions: Outer Dia: 3.74" (95 mm) Thread Size: 3/4" - 16 Length: 3.62" (92 mm) Relief Valve: 14 - 20 Anti-Drain: Yes UPC Code: 742330-04218</p>
	<p>Part Number: <b>P550319</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: IHC 1811953C1 FOR DT/DTA360 &amp; 466 DIESEL ENG Dimensions: Outer Dia: 4.27" (108 mm) Thread Size: 1" - 12 Length: 8.00" (203 mm) UPC Code: 742330-04219</p>
	<p>Part Number: <b>P550320</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: DRESSER 1214275H1, 1214275H2 Dimensions: Outer Dia: 5.00" (127 mm) Thread Size: 1 1/2" - 16 Length: 11.71" (297 mm) UPC Code: 742330-04220</p>
	<p>Part Number: <b>P550325</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: ONAN 122B325 Dimensions: Outer Dia: 3.03" (77 mm) Thread Size: 7/16" - 20 Length: 4.87" (124 mm) UPC Code: 742330-04221</p>
	<p>Part Number: <b>P550335</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: MOPAR L335, CHYRSLER, CLARK, INTERCEPTOR MARINE Dimensions: Outer Dia: 3.00" (76 mm) Thread Size: 3/4" - 16 Length: 3.40" (86 mm) Relief Valve: 7 - 10 Anti-Drain: Yes UPC Code: 742330-04223</p>
	<p>Part Number: <b>P550341</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: DAF 267714 Dimensions: Outer Dia: 5.55" (141 mm) Thread Size: 1 1/2" - 16 Length: 12.20" (310 mm) Relief Valve: 32 - 40 UPC Code: 742330-04224</p>
	<p>Part Number: <b>P550342</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: IVECO 1902102 Dimensions: Outer Dia: 4.29" (109 mm) Thread Size: M30 x 2 Length: 9.06" (230 mm) UPC Code: 742330-04225</p>




	<p>Part Number: <b>P550345</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: DEUTZ 1174424, MANN WK712/2 Dimensions: Outer Dia: 3.03" (77 mm) Thread Size: M16 x 1.5 Length: 3.15" (80 mm) UPC Code: 742330-04227</p>
	<p>Part Number: <b>P550346</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: IVECO 1901607 Dimensions: Outer Dia: 4.33" (110 mm) Thread Size: 3/4" - 16 Length: 4.92" (125 mm) UPC Code: 742330-04228</p>
	<p>Part Number: <b>P550347</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: FIAT GEOTECH 1909107 Dimensions: Outer Dia: 3.70" (94 mm) Inner Dia: .98" (25 mm) Length: 7.28" (185 mm) UPC Code: 742330-04229</p>
	<p>Part Number: <b>P550348</b> Description: <b>Fuel/Water Separator Spin-on</b> Primary Appl.: DETROIT DIESEL 23512631 Dimensions: Outer Dia: 5.38" (137 mm) Thread Size: 1 3/8" - 16 Length: 11.77" (299 mm) UPC Code: 742330-04230</p>
	<p>Part Number: <b>P550349</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: MERCEDES, MANN BF900X (FELT) Dimensions: Outer Dia: 3.25" (83 mm) Inner Dia: .47" (12 mm) Length: 5.56" (141 mm) UPC Code: 742330-08098</p>
	<p>Part Number: <b>P550350</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: LUBERFINER 750 HSGS IN HYD BYPASS APPS #2091 Dimensions: Outer Dia: 7.66" (195 mm) Inner Dia: .86" (22 mm) Length: 15.08" (383 mm) Performance: <math>\beta_{5\mu} = 2</math> UPC Code: 742330-04231</p>
	<p>Part Number: <b>P550351</b> Description: <b>Fuel/Water Separator Spin-on</b> Primary Appl.: JOHN DEERE RE50455 Dimensions: Outer Dia: 3.27" (83 mm) Inner Dia: 2.73" (69 mm) Length: 4.03" (102 mm) UPC Code: 742330-04232</p>
	<p>Part Number: <b>P550352</b> Description: <b>Fuel/Water Separator Spin-on</b> Primary Appl.: GM 10154635, 6.2L DIESEL Dimensions: Outer Dia: 3.27" (83 mm) Inner Dia: 2.73" (69 mm) Length: 5.23" (133 mm) UPC Code: 742330-04233</p>

	<p>Part Number: <b>P550354</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: MERCEDES 3661840225 Dimensions: Outer Dia: 3.27" (83 mm) Inner Dia: .94" (24 mm) Length: 5.12" (130 mm) UPC Code: 742330-08100</p>		<p>Part Number: <b>P550364</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: LISTER PETER 20113112 Dimensions: Outer Dia: 2.19" (56 mm) Inner Dia: .26" (7 mm) Length: 1.47" (37 mm) UPC Code: 742330-08109</p>
	<p>Part Number: <b>P550356</b> Description: <b>Lube Spin-on Combination</b> Primary Appl.: FORD 826F6714, FULL FLOW/BYPASS Dimensions: Outer Dia: 5.48" (139 mm) Thread Size: M60 x 3 Length: 6.62" (168 mm) Relief Valve: 10 - 15 UPC Code: 742330-08102</p>		<p>Part Number: <b>P550365</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: ROLLS ROYCE OE42873 Dimensions: Outer Dia: 3.78" (96 mm) Thread Size: M24 x 1.5 Length: 7.00" (178 mm) UPC Code: 742330-08110</p>
	<p>Part Number: <b>P550357</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: FORD 844F6716AA Dimensions: Outer Dia: 3.78" (96 mm) Thread Size: M22 x 1.5 Length: 3.78" (96 mm) Relief Valve: 10 - 15 Anti-Drain: Yes UPC Code: 742330-08103</p>		<p>Part Number: <b>P550366</b> Description: <b>Fuel/Water Separator Cartridge</b> Primary Appl.: FORD 844F9176CAB Dimensions: Outer Dia: 3.50" (89 mm) Inner Dia: .63" (16 mm) Length: 6.42" (163 mm) UPC Code: 742330-08111</p>
	<p>Part Number: <b>P550359</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: ROLLS ROYCE OE12448 Dimensions: Outer Dia: 3.62" (92 mm) Inner Dia: .51" (13 mm) Length: 5.83" (148 mm) UPC Code: 742330-08104</p>		<p>Part Number: <b>P550367</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: NAVISTAR 1819452C1 Dimensions: Outer Dia: 5.41" (137 mm) Thread Size: M36 x 1.5 Length: 12.10" (307 mm) UPC Code: 742330-04234</p>
	<p>Part Number: <b>P550360</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: VOLVO 15856180 Dimensions: Outer Dia: 7.66" (195 mm) Inner Dia: .86" (22 mm) Length: 15.08" (383 mm) UPC Code: 742330-08105</p>		<p>Part Number: <b>P550368</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: NAVISTAR 1820749C1 Dimensions: Outer Dia: 3.05" (77 mm) Thread Size: 7/8" - 14 Length: 5.83" (148 mm) UPC Code: 742330-04235</p>
	<p>Part Number: <b>P550361</b> Description: <b>Lube Cartridge Combination</b> Primary Appl.: MERCEDES 6011800009, FULL FLOW/BYPASS Dimensions: Outer Dia: 3.58" (91 mm) Inner Dia: .47" (12 mm) Length: 6.42" (163 mm) UPC Code: 742330-08106</p>		<p>Part Number: <b>P550371</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: NAVISTAR 1822731C1, 1814562C1 Dimensions: Outer Dia: 4.27" (108 mm) Thread Size: 1 1/2" - 16 Length: 8.02" (204 mm) UPC Code: 742330-04237</p>
	<p>Part Number: <b>P550362</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: DEUTZ 1174419 Dimensions: Outer Dia: 3.75" (95 mm) Thread Size: 1" - 12 Length: 6.99" (178 mm) Relief Valve: 30 Anti-Drain: Yes UPC Code: 742330-08107</p>		<p>Part Number: <b>P550372</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: VOLVO 420799 Dimensions: Outer Dia: 3.71" (94 mm) Thread Size: M18 x 1.5 Length: 8.13" (207 mm) UPC Code: 742330-04238</p>
	<p>Part Number: <b>P550363</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: FAIREY ARLON 4A110 Dimensions: Outer Dia: 5.08" (129 mm) Thread Size: 1 1/2" - BSP Length: 6.85" (174 mm) UPC Code: 742330-08108</p>		<p>Part Number: <b>P550378</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: MITSUBISHI ME034605 Dimensions: Outer Dia: 4.33" (110 mm) Inner Dia: .75" (19 mm) Length: 7.56" (192 mm) UPC Code: 742330-08796</p>
	<p>Part Number: <b>P550379</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: HINO 156071560 Dimensions: Outer Dia: 4.09" (104 mm) Inner Dia: 1.26" (32 mm) Length: 7.09" (180 mm) UPC Code: 742330-08797</p>		<p>Part Number: <b>P550379</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: HINO 156071560 Dimensions: Outer Dia: 4.09" (104 mm) Inner Dia: 1.26" (32 mm) Length: 7.09" (180 mm) UPC Code: 742330-08797</p>



















	<p>Part Number: <b>P550380</b>          Description: <b>Lube Cartridge Full Flow</b>          Primary Appl.: ISUZU 1878103141          Dimensions: Outer Dia: 5.04" (128 mm)          Inner Dia: .79" (20 mm)          Length: 7.91" (201 mm)          Performance: <math>\beta_{25\mu} = 2</math> <math>\beta_{40\mu} = 20</math>          UPC Code: 742330-08798</p>
	<p>Part Number: <b>P550381</b>          Description: <b>Lube Cartridge Bypass</b>          Primary Appl.: ISUZU 1878100501          Dimensions: Outer Dia: 6.50" (165 mm)          Inner Dia: 6.50" (165 mm)          Length: 13.00" (330 mm)          UPC Code: 742330-08799</p>
	<p>Part Number: <b>P550382</b>          Description: <b>Lube Cartridge Bypass</b>          Primary Appl.: ISUZU 1878102390          Dimensions: Outer Dia: 6.50" (165 mm)          Thread Size: 16 x 1.0MM          Length: 11.02" (280 mm)          UPC Code: 742330-08800</p>
	<p>Part Number: <b>P550383</b>          Description: <b>Lube Spin-on Full Flow</b>          Primary Appl.: ISUZU 8941145850          Dimensions: Outer Dia: 4.02" (102 mm)          Thread Size: M24 x 1.5          Length: 6.77" (172 mm)          UPC Code: 742330-08801</p>
	<p>Part Number: <b>P550384</b>          Description: <b>Lube Cartridge Bypass</b>          Primary Appl.: ISUZU 1132400560          Dimensions: Outer Dia: 6.50" (165 mm)          Thread Size: 16 x 1.0MM          Length: 12.95" (329 mm)          UPC Code: 742330-08802</p>
	<p>Part Number: <b>P550385</b>          Description: <b>Fuel Spin-on Primary</b>          Primary Appl.: TOYOTA 2330364010          Dimensions: Outer Dia: 3.70" (94 mm)          Thread Size: 3/4" - 16          Length: 5.43" (138 mm)          UPC Code: 742330-08803</p>
	<p>Part Number: <b>P550386</b>          Description: <b>Hydraulic Spin-on</b>          Primary Appl.: GRESEN, Donaldson LPS05, 3 MICRON          Dimensions: Outer Dia: 5.00" (127 mm)          Thread Size: 1 1/2" - 16          Length: 6.85" (174 mm)          Performance: <math>\beta_{3\mu} = 2</math>          UPC Code: 742330-04239</p>
	<p>Part Number: <b>P550387</b>          Description: <b>Hydraulic Spin-on</b>          Primary Appl.: GRESEN, VICKERS, Donaldson LPS05, 25 MICRON, FURN Gskt-P171184          Dimensions: Outer Dia: 4.91" (125 mm)          Thread Size: 1 1/2" - 16          Length: 7.06" (179 mm)          UPC Code: 742330-04240</p>
	<p>Part Number: <b>P550388</b>          Description: <b>Hydraulic Spin-on</b>          Primary Appl.: GRESEN, VICKERS, Donaldson LPS05, 10 MICRON, FURN GSKT-P170894, P171189          Dimensions: Outer Dia: 4.91" (125 mm)          Thread Size: 1 1/2" - 16          Length: 7.06" (179 mm)          UPC Code: 742330-04241</p>

	<p>Part Number: <b>P550389</b>          Description: <b>Lube Spin-on Full Flow</b>          Primary Appl.: ISUZU 8941145840          Dimensions: Outer Dia: 3.15" (80 mm)          Thread Size: M22 x 1.5          Length: 3.94" (100 mm)          Relief Valve: 8 - 11          Anti-Drain: Yes          UPC Code: 742330-08804</p>
	<p>Part Number: <b>P550390</b>          Description: <b>Fuel Spin-on Primary</b>          Primary Appl.: MITSUBISHI MB220900          Dimensions: Outer Dia: 3.90" (99 mm)          Thread Size: M20 x 1.5          Length: 5.43" (138 mm)          UPC Code: 742330-08805</p>
	<p>Part Number: <b>P550391</b>          Description: <b>Fuel Spin-on Primary</b>          Primary Appl.: MITSUBISHI ME056280          Dimensions: Outer Dia: 3.60" (93 mm)          Thread Size: M24 x 1.5          Length: 6.77" (172 mm)          UPC Code: 742330-08806</p>
	<p>Part Number: <b>P550392</b>          Description: <b>Fuel Cartridge Primary</b>          Primary Appl.: HINO 234011090          Dimensions: Outer Dia: 4.09" (104 mm)          Inner Dia: .59" (15 mm)          Length: 4.09" (104 mm)          UPC Code: 742330-10619</p>
	<p>Part Number: <b>P550393</b>          Description: <b>Lube Spin-on Full Flow</b>          Primary Appl.: MERCEDES TRUCK 0031841701          Dimensions: Outer Dia: 4.27" (108 mm)          Thread Size: 1" - 12          Length: 9.09" (231 mm)          UPC Code: 742330-04242</p>
	<p>Part Number: <b>P550394</b>          Description: <b>Fuel Cartridge Primary</b>          Primary Appl.: MASSEY FERGUSON, PERKINS          Dimensions: Outer Dia: 3.50" (89 mm)          Inner Dia: .74" (19 mm)          Length: 5.28" (134 mm)          UPC Code: 742330-10618</p>
	<p>Part Number: <b>P550395</b>          Description: <b>Lube Cartridge Full Flow</b>          Primary Appl.: GARDNER, DAF          Dimensions: Outer Dia: 3.18" (81 mm)          Inner Dia: .42" (11 mm)          Length: 6.22" (158 mm)          UPC Code: 742330-10411</p>
	<p>Part Number: <b>P550396</b>          Description: <b>Lube Cartridge Full Flow</b>          Primary Appl.: Mercedes 001844901, 00184425, Replaces P551284          Dimensions: Outer Dia: 2.35" (60 mm)          Inner Dia: .70" (18 mm)          Length: 3.90" (99 mm)          UPC Code: 742330-08738</p>
	<p>Part Number: <b>P550397</b>          Description: <b>Fuel/Water Separator Spin-on</b>          Primary Appl.: JOHN DEERE RE62419, STANADYNE 31733          Dimensions: Outer Dia: 3.27" (83 mm)          Inner Dia: 2.73" (69 mm)          Length: 5.02" (128 mm)          UPC Code: 742330-08094</p>

	<p>Part Number: <b>P550398</b> Description: <b>Fuel/Water Separator Spin-on</b> Primary Appl.: JOHN DEERE RE62421, STANADYNE 31734DN Dimensions: Outer Dia: 3.27" (83 mm) Inner Dia: 2.73" (69 mm) Length: 6.04" (153 mm) UPC Code: 742330-08095</p>		<p>Part Number: <b>P550417</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: JOHN DEERE 1T172912 Dimensions: Outer Dia: 4.84" (123 mm) Thread Size: 1 1/2" - 16 Length: 11.41" (290 mm) Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{15\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-10439</p>
	<p>Part Number: <b>P550399</b> Description: <b>Fuel/Water Separator Spin-on</b> Primary Appl.: CATERPILLAR 1383100, STANADYNE 32919 Dimensions: Outer Dia: 3.27" (83 mm) Inner Dia: 2.73" (69 mm) Length: 5.02" (128 mm) UPC Code: 742330-08096</p>		<p>Part Number: <b>P550420</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: HITACHI 4296675 Dimensions: Outer Dia: 4.33" (110 mm) Thread Size: 1 1/8" - 16 Length: 6.38" (162 mm) UPC Code: 742330-10762</p>
	<p>Part Number: <b>P550400</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: FORD E1FZ6731A, MOTORCRAFT FL400 Dimensions: Outer Dia: 3.00" (76 mm) Thread Size: 3/4" - 16 Length: 4.74" (120 mm) Relief Valve: 7 - 10 Anti-Drain: Yes UPC Code: 742330-04243</p>		<p>Part Number: <b>P550421</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: HITACHI 4266385, ISUZU 11324010521 Dimensions: Outer Dia: 4.70" (120 mm) Thread Size: 1 3/8" - 16 Length: 9.80" (249 mm) UPC Code: 742330-10764</p>
	<p>Part Number: <b>P550401</b> Description: <b>Fuel/Water Separator Spin-on</b> Primary Appl.: CATERPILLAR 100-5593, 1383098 STANADYNE 30729 Dimensions: Outer Dia: 3.27" (83 mm) Inner Dia: 2.73" (69 mm) Length: 5.77" (147 mm) UPC Code: 742330-08097</p>		<p>Part Number: <b>P550422</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: HITACHI 4183853, ISUZU 8943212191 Dimensions: Outer Dia: 4.00" (102 mm) Thread Size: 1" - 12 Length: 5.92" (150 mm) UPC Code: 742330-10763</p>
	<p>Part Number: <b>P550406</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: HINO 156071480 Dimensions: Outer Dia: 4.02" (102 mm) Thread Size: M26 x 1.5 Length: 6.02" (153 mm) UPC Code: 742330-10659</p>		<p>Part Number: <b>P550423</b> Description: <b>Lube Cartridge Bypass</b> Primary Appl.: HITACHI 4225367 Dimensions: Outer Dia: 6.30" (160 mm) Inner Dia: .67" (17 mm) Length: 10.51" (267 mm) UPC Code: 742330-10765</p>
	<p>Part Number: <b>P550410</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: KOMATSU 600-311-8220 Dimensions: Outer Dia: 3.01" (76 mm) Thread Size: 3/4" - 16 Length: 5.75" (146 mm) UPC Code: 742330-04244</p>		<p>Part Number: <b>P550425</b> Description: <b>Lube Spin-on Bypass</b> Primary Appl.: VOLVO 4775565 Dimensions: Outer Dia: 3.17" (81 mm) Thread Size: 1 3/8" - 16 Length: 10.36" (263 mm) UPC Code: 742330-10774</p>
	<p><del>Part Number: <b>P550411</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: MAZDA 13052802 Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: 1" - 12 Length: 5.83" (148 mm) UPC Code: 742330-10663</del></p>		<p>Part Number: <b>P550427</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: EUCLID, TEREX, PUROLATOR EP114 Dimensions: Outer Dia: 6.00" (152 mm) Inner Dia: 3.52" (89 mm) Length: 8.50" (216 mm) UPC Code: 742330-04245</p>
	<p>Part Number: <b>P550415</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: JOHN DEERE AT140315 Dimensions: Outer Dia: 4.84" (123 mm) Thread Size: 1 1/2" - 16 Length: 11.41" (290 mm) Performance: <math>\beta_{7\mu} = 2</math> <math>\beta_{12\mu} = 20</math> <math>\beta_{20\mu} = 75</math> UPC Code: 742330-10437</p>		<p>Part Number: <b>P550428</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: CUMMINS "98" B SERIES Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: 1 1/8" - 16 Length: 6.85" (174 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-10820</p>
	<p>Part Number: <b>P550416</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: JOHN DEERE AT140030, HITACHI 4230376 Dimensions: Outer Dia: 3.69" (94 mm) Thread Size: 1" - 12 Length: 8.88" (226 mm) Performance: <math>\beta_{25\mu} = 2</math> <math>\beta_{35\mu} = 20</math> <math>\beta_{45\mu} = 75</math> UPC Code: 742330-10438</p>		<p>Part Number: <b>P550429</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: CATERPILLAR 9T9054 Dimensions: Outer Dia: 3.00" (76 mm) Inner Dia: 1.05" (27 mm) Length: 8.11" (206 mm) Anti-Drain: None UPC Code: 742330-11090</p>












	<p>Part Number: <b>P550430</b> Description: <b>Fuel/Water Separator Cartridge</b> Primary Appl.: CUMMINS ISB SERIES ENGINES Dimensions: Outer Dia: 3.41" (87 mm) Inner Dia: 4.07" (103 mm) Length: 1.43" (36 mm) Anti-Drain: None UPC Code: 742330-11104</p>		<p>Part Number: <b>P550446</b> Description: <b>Fuel In-Line</b> Primary Appl.: JOHN DEERE AR103220, CUMMINS 3318919 Dimensions: Outer Dia: 2.00" (51 mm) Line Size: 5/8"-24 In and Out Length: 3.70" (94 mm) UPC Code: 742330-11162</p>
	<p>Part Number: <b>P550431</b> Description: <b>Fuel Spin-on Secondary</b> Primary Appl.: MACK 483-GB-431, P169098=SYNTEQ Media Dimensions: Outer Dia: 4.28" (109 mm) Thread Size: 1 1/16" - 16 Length: 10.31" (262 mm) UPC Code: 742330-04246</p>		<p>Part Number: <b>P550447</b> Description: <b>Fuel/Water Separator Cartridge</b> Primary Appl.: FLEETGUARD FS1011 FOR OPTIGUARD SYSTEM, INCLUDES PACKAGED ORING P179238 Dimensions: Outer Dia: 4.31" (109 mm) Inner Dia: .65" (17 mm) Length: 6.47" (164 mm) Anti-Drain: None UPC Code: 742330-11170</p>
	<p>Part Number: <b>P550433</b> Description: <b>Fuel In-Line</b> Primary Appl.: CASE IH D145357 Dimensions: Outer Dia: 1.94" (49 mm) Line Size: 3/8" Hose In, 3/8" Tube out Length: 3.88" (99 mm) UPC Code: 742330-11106</p>		<p>Part Number: <b>P550448</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: CARRIER 300109001 Dimensions: Outer Dia: 4.26" (108 mm) Thread Size: 1" - 14 Length: 5.93" (151 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11181</p>
	<p>Part Number: <b>P550434</b> Description: <b>Fuel/Water Separator Spin-on</b> Primary Appl.: NEW HOLLAND 87840591 Dimensions: Outer Dia: 3.27" (83 mm) Inner Dia: 2.73" (69 mm) Length: 4.75" (121 mm) UPC Code: 742330-11115</p>		<p>Part Number: <b>P550454</b> Description: <b>Fuel In-Line</b> Primary Appl.: FORD D3FZ9155A, D2RY9155A, Includes 2 hoses and 4 clamps Dimensions: Outer Dia: .94" (24 mm) Line Size: 5/16" Hose In and Out Length: 3.06" (78 mm) UPC Code: 742330-04249</p>
	<p>Part Number: <b>P550435</b> Description: <b>Fuel/Water Separator Spin-on</b> Primary Appl.: NEW HOLLAND 87840590 Dimensions: Outer Dia: 3.27" (83 mm) Inner Dia: 2.73" (69 mm) Length: 6.41" (163 mm) UPC Code: 742330-11116</p>		<p>Part Number: <b>P550455</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: CARRIER 300109000 Dimensions: Outer Dia: 4.26" (108 mm) Thread Size: 1" - 14 Length: 5.90" (150 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-11179</p>
	<p>Part Number: <b>P550436</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: RACOR S3225P Dimensions: Outer Dia: 4.36" (111 mm) Thread Size: 1" - 14 Length: 5.04" (128 mm) UPC Code: 742330-11123</p>		<p>Part Number: <b>P550457</b> Description: <b>Fuel In-Line</b> Primary Appl.: JOHN DEERE T19743 Dimensions: Outer Dia: 1.93" (49 mm) Line Size: 1/8"-27 In, 1/2"-20 Out Length: 3.38" (86 mm) UPC Code:</p>
	<p>Part Number: <b>P550437</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: MOTORCRAFT FD4596, FORD 1999 LIGHT TRUCK Dimensions: Outer Dia: 3.81" (97 mm) Inner Dia: 2.85" (72 mm) Anti-Drain: None UPC Code: 742330-11124</p>		<p>Part Number: <b>P550470</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: GMC 5651802 Dimensions: Outer Dia: .71" (18 mm) Inner Dia: .29" (7 mm) Length: 1.03" (26 mm) UPC Code: 742330-04250</p>
	<p>Part Number: <b>P550440</b> Description: <b>Fuel Spin-on Secondary</b> Primary Appl.: CUMMINS 6C, 6CT SERIES Dimensions: Outer Dia: 3.00" (76 mm) Thread Size: M16 x 1.5 Length: 5.12" (130 mm) UPC Code: 742330-04248</p>		<p>Part Number: <b>P550471</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: GMC 5651803 Dimensions: Outer Dia: .71" (18 mm) Inner Dia: .29" (7 mm) Length: 2.03" (52 mm) UPC Code: 742330-04251</p>
	<p>Part Number: <b>P550445</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: Clark Hurth 247052, Hyster 1315621, P550701 WITH PRESSURE RELIEF VALVE Dimensions: Outer Dia: 5.31" (135 mm) Thread Size: 2" - 16 Length: 6.89" (175 mm) Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{12\mu} = 20</math> <math>\beta_{18\mu} = 75</math> UPC Code: 742330-11163</p>		<p>Part Number: <b>P550474</b> Description: <b>Fuel In-Line</b> Primary Appl.: DODGE 6CYL-225, V8-318, Includes 2 hoses and 4 clamps Dimensions: Outer Dia: 2.00" (51 mm) Line Size: 3/8" Hose In and Out Length: 3.94" (100 mm) UPC Code: 742330-04252</p>

	<p>Part Number: <b>P550475</b> Description: <b>Fuel In-Line</b> Primary Appl.: FORD 6CYL-300, V8-302 E1ZE-9155-A4A Dimensions: Outer Dia: 1.33" (34 mm) Line Size: 1/2"-20 In, 1/8"-27 Out Length: 1.92" (49 mm) UPC Code: 742330-04253</p>		<p>Part Number: <b>P550523</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: CAT 4T-0522, 4T-0523 Dimensions: Outer Dia: 5.07" (129 mm) Inner Dia: 3.34" (85 mm) Length: 7.00" (178 mm) UPC Code: 742330-04260</p>
	<p>Part Number: <b>P550484</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: CAT 1R-0659, 4W-4840, KOMATSU 6610-53-5120, FURN GSKT-P171164, P166482=SYNTEQ Media Dimensions: Outer Dia: 3.98" (101 mm) Inner Dia: 1.63" (41 mm) Length: 9.29" (236 mm) UPC Code: 742330-04254</p>		<p>Part Number: <b>P550534</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: DATSUN, TOYOTA SUZUKI Dimensions: Outer Dia: 3.12" (79 mm) Thread Size: 3/4" - 16 Length: 3.40" (86 mm) Relief Valve: 11 - 17 Anti-Drain: Yes UPC Code: 742330-04261</p>
	<p>Part Number: <b>P550485</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: CAT 1R-0721, 5S-0485, HYSTER 75669, FURN GSKT-P171166, P166481=SYNTEQ Media Dimensions: Outer Dia: 5.08" (129 mm) Inner Dia: 3.37" (86 mm) Length: 8.94" (227 mm) UPC Code: 742330-04255</p>		<p>Part Number: <b>P550540</b> Description: <b>Fuel Cartridge Secondary</b> Primary Appl.: CUMMINS, GMC 5573262, FURN GSKT-P171174, P171162 Dimensions: Outer Dia: 2.98" (76 mm) Inner Dia: 1.03" (26 mm) Length: 7.81" (198 mm) UPC Code: 742330-04262</p>
	<p>Part Number: <b>P550487</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: IHC 279294C92, MACK 485GB3160, POWER STEERING, FURN GSKT-P171154 Dimensions: Outer Dia: 3.47" (88 mm) Inner Dia: 1.39" (35 mm) Length: 2.72" (69 mm) Performance: <math>\beta_{15\mu} = 2</math> <math>\beta_{30\mu} = 20</math> <math>\beta_{40\mu} = 75</math> UPC Code: 742330-04256</p>		<p>Part Number: <b>P550541</b> Description: <b>Fuel Cartridge Sock</b> Primary Appl.: GMC 5574980 Dimensions: Outer Dia: 4.00" (102 mm) Inner Dia: 1.12" (28 mm) Length: 8.75" (222 mm) UPC Code: 742330-04263</p>
	<p>Part Number: <b>P550500</b> Description: <b>Lube Cartridge Bypass</b> Primary Appl.: 500 SERIES BYPASS Dimensions: Outer Dia: 7.72" (196 mm) Inner Dia: .86" (22 mm) Length: 10.06" (256 mm) UPC Code: 742330-04257</p>		<p>Part Number: <b>P550552</b> Description: <b>Fuel Cartridge Sock</b> Primary Appl.: GMC 5574980 Dimensions: Outer Dia: 4.00" (102 mm) Inner Dia: 1.12" (28 mm) Length: 8.75" (222 mm) UPC Code: 742330-04264</p>
	<p>Part Number: <b>P550501</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: PUROLATOR F70100 HOUSING Dimensions: Outer Dia: 3.48" (88 mm) Inner Dia: 1.32" (34 mm) Length: 4.80" (122 mm) UPC Code: 742330-08259</p>		<p>Part Number: <b>P550580</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: FORD, MASSEY FERGUSON, MPLS MOLINE Dimensions: Outer Dia: 4.28" (109 mm) Thread Size: 3/4" - 16 Length: 3.77" (96 mm) Relief Valve: 8 - 11 Anti-Drain: Yes UPC Code: 742330-04265</p>
	<p>Part Number: <b>P550516</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: CUMMINS 158139, P166483=SYNTEQ Media Dimensions: Outer Dia: 5.00" (127 mm) Inner Dia: 1.50" (38 mm) Length: 9.62" (244 mm) UPC Code: 742330-04258</p>		<p>Part Number: <b>P550587</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: DEUTZ 2133558, 2133943, FURN GSKT-P175502, For Rolled Paper version-use P550588 Dimensions: Outer Dia: 3.00" (76 mm) Thread Size: M16 x 1.5 Length: 6.50" (165 mm) UPC Code: 742330-04266</p>
	<p>Part Number: <b>P550522</b> Description: <b>Fuel Cartridge Sock</b> Primary Appl.: GMC 21029 Dimensions: Outer Dia: 3.00" (76 mm) Inner Dia: 1.12" (28 mm) Length: 6.00" (152 mm) UPC Code: 742330-04259</p>		<p>Part Number: <b>P550588</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: BOSCH 1457434056, For pleated paper version use P550587 Dimensions: Outer Dia: 3.31" (84 mm) Thread Size: M16 x 1.5 Length: 6.30" (160 mm) UPC Code: 742330-04267</p>





















	<p>Part Number: <b>P550613</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: CUMMINS 173174, FURN GSKT-P171166 Dimensions: Outer Dia: 4.59" (117 mm) Inner Dia: 1.50" (38 mm) Length: 7.44" (189 mm) UPC Code: 742330-04268</p>
	<p>Part Number: <b>P550637</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: MACK POWER STEERING, OPTIONAL GASKET P167575 Dimensions: Outer Dia: 5.00" (127 mm) Inner Dia: 1.50" (38 mm) Length: 4.12" (105 mm) UPC Code: 742330-04270</p>
	<p>Part Number: <b>P550654</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: IHC 930654-C1 Dimensions: Outer Dia: 4.52" (115 mm) Inner Dia: 1.75" (44 mm) Length: 9.10" (231 mm) Performance: <math>\beta_{4H} = 2</math> UPC Code: 742330-04271</p>
	<p>Part Number: <b>P550671</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: CUMMINS, P167670=SYNTEQ Media, Similar: P551670-10.25"L, P550947-6.1"L Dimensions: Outer Dia: 4.67" (119 mm) Thread Size: 1 1/2" - 12 Length: 8.94" (227 mm) UPC Code: 742330-04272</p>
	<p>Part Number: <b>P550672</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: KOMATSU 600-311-8210 Dimensions: Outer Dia: 2.93" (74 mm) Inner Dia: .62" (16 mm) Length: 4.11" (104 mm) UPC Code: 742330-04273</p>
	<p>Part Number: <b>P550673</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: IHC 478037C1 Dimensions: Outer Dia: 2.93" (74 mm) Inner Dia: .62" (16 mm) Length: 2.20" (56 mm) UPC Code: 742330-04274</p>
	<p>Part Number: <b>P550674</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: BULK FUEL TANK FILTER Dimensions: Outer Dia: 2.96" (75 mm) Thread Size: 1 1/8" - 12 Length: 5.23" (133 mm) UPC Code: 742330-04275</p>
	<p>Part Number: <b>P550677</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: FRAM PS3808, PUROLATOR GP23 Dimensions: Outer Dia: 3.80" (97 mm) Thread Size: 1 1/16" - 16 Length: 4.16" (106 mm) UPC Code: 742330-04277</p>
	<p>Part Number: <b>P550678</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: FORD E6HZ9365B Dimensions: Outer Dia: 3.03" (77 mm) Thread Size: M16 x 1.5 Length: 2.49" (63 mm) UPC Code: 742330-04278</p>









	<p>Part Number: <b>P550679</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: FIAT 74788503 Dimensions: Outer Dia: 4.27" (108 mm) Thread Size: 3/4" - 16 Length: 7.03" (179 mm) UPC Code: 742330-04279</p>
	<p>Part Number: <b>P550681</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: FIAT ALLIS 74321716 Dimensions: Outer Dia: 3.73" (95 mm) Thread Size: 15/16" - 16 Length: 7.73" (196 mm) UPC Code: 742330-04281</p>
	<p>Part Number: <b>P550682</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: MERCEDES 0010920501 Dimensions: Outer Dia: 3.04" (77 mm) Thread Size: M14 x 1.5 Length: 3.42" (87 mm) UPC Code: 742330-04282</p>
	<p>Part Number: <b>P550683</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: HINO 23501-1010 Dimensions: Outer Dia: 3.73" (95 mm) Thread Size: 1" - 14 Length: 5.69" (145 mm) UPC Code: 742330-04283</p>
	<p>Part Number: <b>P550684</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: DAVCO 320/330 SERIES Dimensions: Outer Dia: 3.70" (94 mm) Thread Size: 1" - 14 Length: 4.68" (119 mm) UPC Code: 742330-04284</p>
	<p>Part Number: <b>P550685</b> Description: <b>Fuel/Water Separator Cartridge</b> Primary Appl.: FRAM CC1133PL COALESCER Dimensions: Outer Dia: 3.01" (76 mm) Inner Dia: 1.04" (26 mm) Length: 7.34" (186 mm) UPC Code: 742330-04285</p>
	<p>Part Number: <b>P550686</b> Description: <b>Fuel/Water Separator Cartridge</b> Primary Appl.: FRAM CS1133PL SEPARATOR Dimensions: Outer Dia: 3.01" (76 mm) Inner Dia: 1.04" (26 mm) Length: 4.41" (112 mm) UPC Code: 742330-04286</p>
	<p>Part Number: <b>P550687</b> Description: <b>Fuel/Water Separator Spin-on</b> Primary Appl.: CUMMINS 3309437, P550202=Standard Fuel, P169096=SYNTEQ Media Dimensions: Outer Dia: 4.74" (120 mm) Thread Size: 1 1/4" - 12 Length: 11.80" (300 mm) UPC Code: 742330-04287</p>
	<p>Part Number: <b>P550688</b> Description: <b>Fuel/Water Separator Spin-on</b> Primary Appl.: DEUTZ, P553004=Standard Fuel Dimensions: Outer Dia: 3.06" (78 mm) Thread Size: M16 x 1.5 Length: 6.74" (171 mm) UPC Code: 742330-04288</p>



















	<p><b>Part Number:</b> P550689 <b>Description:</b> Fuel/Water Separator Spin-on <b>Primary Appl.:</b> NAVISTAR 1808623C1, P552603 is Standard Fuel <b>Dimensions:</b> Outer Dia: 4.27" (108 mm) Thread Size: 7/8" - 14 Length: 8.87" (225 mm) <b>UPC Code:</b> 742330-04289</p>
	<p><b>Part Number:</b> P550690 <b>Description:</b> Fuel/Water Separator Spin-on <b>Primary Appl.:</b> CASE J911213 <b>Dimensions:</b> Outer Dia: 3.03" (77 mm) Thread Size: M16 x 1.5 Length: 4.40" (112 mm) <b>UPC Code:</b> 742330-04290</p>
	<p><b>Part Number:</b> P550691 <b>Description:</b> Fuel/Water Separator Spin-on <b>Primary Appl.:</b> CUMMINS 3843447 <b>Dimensions:</b> Outer Dia: 3.69" (94 mm) Thread Size: 1" - 14 Length: 5.85" (149 mm) <b>UPC Code:</b> 742330-04291</p>
	<p><b>Part Number:</b> P550694 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> MICHIGAN 230962, JOHN DEERE AT49249 <b>Dimensions:</b> Outer Dia: 3.48" (88 mm) Inner Dia: 1.14" (29 mm) Length: 5.50" (140 mm) <b>Performance:</b> <math>\beta_{22\mu} = 2</math> <math>\beta_{43\mu} = 20</math> <b>UPC Code:</b> 742330-08970</p>
	<p><b>Part Number:</b> P550695 <b>Description:</b> Hydraulic Spin-on <b>Primary Appl.:</b> PETERBILT 10-960 <b>Dimensions:</b> Outer Dia: 3.73" (95 mm) Thread Size: 1" - 12 Length: 6.83" (173 mm) <b>Performance:</b> <math>\beta_{26\mu} = 2</math> <math>\beta_{41\mu} = 20</math> 20 - 24 <b>UPC Code:</b> 742330-04293</p>
	<p><b>Part Number:</b> P550696 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> VERSATILE 36169 <b>Dimensions:</b> Outer Dia: 3.48" (88 mm) Inner Dia: 1.36" (35 mm) Length: 9.27" (235 mm) <b>Performance:</b> <math>\beta_{22\mu} = 2</math> <math>\beta_{43\mu} = 20</math> Relief Valve: 16 - 19 <b>UPC Code:</b> 742330-04294</p>
	<p><b>Part Number:</b> P550697 <b>Description:</b> Hydraulic Spin-on <b>Primary Appl.:</b> FORD D8N1M903EA, D8N1F914AA <b>Dimensions:</b> Outer Dia: 5.06" (129 mm) Thread Size: 1 1/2" - 16 Length: 8.88" (226 mm) <b>Performance:</b> <math>\beta_{26\mu} = 2</math> <math>\beta_{41\mu} = 20</math> <b>UPC Code:</b> 742330-04295</p>
	<p><b>Part Number:</b> P550698 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> GMC 15513845 <b>Dimensions:</b> Outer Dia: 3.98" (101 mm) Inner Dia: 1.42" (36 mm) Length: 5.00" (127 mm) <b>Performance:</b> <math>\beta_{22\mu} = 2</math> <math>\beta_{43\mu} = 20</math> <b>UPC Code:</b> 742330-04296</p>









	<p><b>Part Number:</b> P550699 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> CLARK 244530 <b>Dimensions:</b> Outer Dia: 3.45" (88 mm) Inner Dia: 1.14" (29 mm) Length: 5.49" (139 mm) <b>Performance:</b> <math>\beta_{13\mu} = 2</math> <math>\beta_{27\mu} = 20</math> <math>\beta_{36\mu} = 75</math> <b>UPC Code:</b> 742330-04297</p>
	<p><b>Part Number:</b> P550700 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> CAT 2P5834 <b>Dimensions:</b> Outer Dia: 2.97" (75 mm) Inner Dia: 1.04" (26 mm) Length: 5.64" (143 mm) <b>Performance:</b> <math>\beta_{18\mu} = 2</math> <math>\beta_{41\mu} = 20</math> <math>\beta_{54\mu} = 75</math> <b>UPC Code:</b> 742330-04298</p>
	<p><b>Part Number:</b> P550701 <b>Description:</b> Hydraulic Spin-on <b>Primary Appl.:</b> CLARK 2366807 <b>Dimensions:</b> Outer Dia: 3.72" (94 mm) Thread Size: 2" - 16 Length: 6.81" (173 mm) <b>Performance:</b> <math>\beta_{6\mu} = 2</math> <math>\beta_{15\mu} = 20</math> <math>\beta_{20\mu} = 75</math> <b>UPC Code:</b> 742330-04299</p>
	<p><b>Part Number:</b> P550702 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> JOHN DEERE AT127608, AT147343 <b>Dimensions:</b> Outer Dia: 5.91" (150 mm) Inner Dia: 4.33" (110 mm) Length: 17.72" (450 mm) <b>UPC Code:</b> 742330-04300</p>
	<p><b>Part Number:</b> P550705 <b>Description:</b> Hydraulic Spin-on <b>Primary Appl.:</b> IHC 1272942C1 <b>Dimensions:</b> Outer Dia: 3.75" (95 mm) Thread Size: 1 1/2" - 16 Length: 8.00" (203 mm) <b>Performance:</b> <math>\beta_{10\mu} = 2</math> <math>\beta_{20\mu} = 20</math> <b>UPC Code:</b> 742330-04303</p>
	<p><b>Part Number:</b> P550707 <b>Description:</b> Lube Spin-on Full Flow <b>Primary Appl.:</b> TOYOTA 15601-68010 <b>Dimensions:</b> Outer Dia: 4.27" (108 mm) Thread Size: M30 x 1.5-6H Length: 5.63" (143 mm) <b>Relief Valve:</b> 18 - 21 Anti-Drain: Yes <b>UPC Code:</b> 742330-04304</p>
	<p><b>Part Number:</b> P550708 <b>Description:</b> Lube Spin-on Full Flow <b>Primary Appl.:</b> KOMATSU 6134-51-5120 <b>Dimensions:</b> Outer Dia: 4.24" (108 mm) Thread Size: 1 1/8" - 15 Length: 6.56" (167 mm) <b>Relief Valve:</b> 27 Anti-Drain: Yes <b>UPC Code:</b> 742330-04305</p>
	<p><b>Part Number:</b> P550710 <b>Description:</b> Lube Spin-on Full Flow <b>Primary Appl.:</b> KOMATSU 600-211-6140 <b>Dimensions:</b> Outer Dia: 3.70" (94 mm) Thread Size: 1" - 12 Length: 3.75" (95 mm) <b>Relief Valve:</b> 34 - 37 Anti-Drain: Yes <b>UPC Code:</b> 742330-04306</p>



















 R	<p>Part Number: <b>P550711</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: NISSAN 15208-H8911 Dimensions: Outer Dia: 3.24" (82 mm) Thread Size: 3/4" - 16 Length: 3.90" (99 mm) Anti-Drain: Yes UPC Code: 742330-04307</p>
 R	<p>Part Number: <b>P550712</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: FIAT ALLIS 74744707 Dimensions: Outer Dia: 4.27" (108 mm) Thread Size: M30 x 2-6H Length: 9.00" (229 mm) Relief Valve: 18 - 21 Anti-Drain: Yes UPC Code: 742330-04308</p>
 R	<p>Part Number: <b>P550713</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: LEYLAND HAJ8423 Dimensions: Outer Dia: 5.38" (137 mm) Thread Size: 1 1/2" - 16 Length: 8.16" (207 mm) UPC Code: 742330-04309</p>
 R	<p>Part Number: <b>P550714</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: WHITE 30-3068145 Dimensions: Outer Dia: 4.27" (108 mm) Thread Size: 7/8" - 18 Length: 8.06" (205 mm) Relief Valve: 18 - 25 Anti-Drain: Yes UPC Code: 742330-04310</p>
 R	<p>Part Number: <b>P550715</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: KUBOTA 15426-32430 Dimensions: Outer Dia: 3.24" (82 mm) Thread Size: 3/4" - 16 Length: 4.40" (112 mm) Relief Valve: 16 - 19 Anti-Drain: Yes UPC Code: 742330-04311</p>
 R	<p>Part Number: <b>P550716</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: AMC 8983501900 Dimensions: Outer Dia: 3.68" (93 mm) Thread Size: M22 x 1.5 Length: 3.19" (81 mm) Relief Valve: 12 - 15 UPC Code: 742330-04312</p>
 R	<p>Part Number: <b>P550718</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: ISUZU 8-9421-7272-0 Dimensions: Outer Dia: 3.70" (94 mm) Thread Size: M22 x 1.5 Length: 4.15" (105 mm) UPC Code: 742330-04314</p>
 R	<p>Part Number: <b>P550719</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: IHC 3136046R93 Dimensions: Outer Dia: 3.73" (95 mm) Thread Size: 1" - 12 Length: 4.22" (107 mm) Relief Valve: 20 - 24 UPC Code: 742330-04315</p>

 R	<p>Part Number: <b>P550726</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: KUBOTA 15841-32430, 15841-32431 Dimensions: Outer Dia: 3.28" (83 mm) Thread Size: M20 x 1.5 Length: 2.78" (71 mm) Relief Valve: 11 - 15 UPC Code: 742330-04320</p>
 R	<p>Part Number: <b>P550727</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: DAF 0267715 Dimensions: Outer Dia: 5.38" (137 mm) Thread Size: 1 1/2" - 16 Length: 9.91" (252 mm) Relief Valve: 32 - 40 UPC Code: 742330-04321</p>
 R	<p>Part Number: <b>P550729</b> Description: <b>Fuel/Water Separator Spin-on</b> Primary Appl.: NAVISTAR 1677004C91 Dimensions: Outer Dia: 4.36" (111 mm) Thread Size: 1" - 14 Length: 5.05" (128 mm) UPC Code: 742330-04322</p>
 R	<p>Part Number: <b>P550730</b> Description: <b>Fuel/Water Separator Spin-on</b> Primary Appl.: FORD F1HZ9365A, CARRIER 30-01079, BOWL NOT INCLUDED Dimensions: Outer Dia: 4.36" (111 mm) Thread Size: 1" - 14 Length: 5.10" (130 mm) UPC Code: 742330-04323</p>
 R	<p>Part Number: <b>P550731</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: FORD E7HZ6731A (BRAZILIAN CAB FORWARD) Dimensions: Outer Dia: 4.25" (108 mm) Thread Size: 1" - 12 Length: 6.00" (152 mm) Relief Valve: 18 - 23 UPC Code: 742330-04324</p>
 R	<p>Part Number: <b>P550750</b> Description: <b>Lube Cartridge Bypass</b> Primary Appl.: 750 SERIES CARTRIDGE BYPASS, OPTIONAL SEALS P167574, P167575, P167576, P550751=SYNTEO Media Dimensions: Outer Dia: 7.72" (196 mm) Inner Dia: .86" (22 mm) Length: 15.06" (383 mm) UPC Code: 742330-04326</p>
 R	<p>Part Number: <b>P550751</b> Description: <b>Lube Cartridge Bypass</b> Primary Appl.: 750 SERIES PREMIUM BYPASS, OPTIONAL SEALS P167574, P167575, P167576, P550750-STANDARD VERSION Dimensions: Outer Dia: 7.72" (196 mm) Inner Dia: .86" (22 mm) Length: 15.06" (383 mm) UPC Code: 742330-04327</p>
 R	<p>Part Number: <b>P550777</b> Description: <b>Lube Spin-on Bypass</b> Primary Appl.: CUMMINS 330432, 3313289 Dimensions: Outer Dia: 4.65" (118 mm) Thread Size: 1 3/8" - 16 Length: 10.24" (260 mm) UPC Code: 742330-04328</p>










	<p>Part Number: <b>P550784</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: FORD E3TZ6731A, IHC 6.9L 1804442C1 Dimensions: Outer Dia: 4.24" (108 mm) Thread Size: 1 1/2" - 16 Length: 5.63" (143 mm) UPC Code: 742330-04329</p>
	<p>Part Number: <b>P550811</b> Description: <b>Fuel Spin-on Secondary</b> Primary Appl.: FORD, IHC 6.9L 1804459C1 Dimensions: Outer Dia: 4.28" (109 mm) Thread Size: 7/8" - 14 Length: 4.60" (117 mm) UPC Code: 742330-04330</p>
	<p>Part Number: <b>P550816</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: CAT 4J-0816, P164203=SYNTEQ Media Dimensions: Outer Dia: 3.12" (79 mm) Inner Dia: 1.83" (46 mm) Length: 9.00" (229 mm) UPC Code: 742330-04331</p>
	<p>Part Number: <b>P550832</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: GMC 6439034 Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: 13/16" - 16 Length: 7.87" (200 mm) UPC Code: 742330-04332</p>
	<p>Part Number: <b>P550860</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: DEUTZ 1160033 (FELT), For pleated paper version—use P550060 Dimensions: Outer Dia: 2.22" (56 mm) Inner Dia: .53" (13 mm) Length: 4.49" (114 mm) UPC Code: 742330-04333</p>
	<p>Part Number: <b>P550861</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: DEUTZ, MERCEDES, ATLAS-COPCO, IHC, Use P550061 for felt version Dimensions: Outer Dia: 3.18" (81 mm) Inner Dia: .47" (12 mm) Length: 5.79" (147 mm) UPC Code: 742330-04334</p>
	<p>Part Number: <b>P550868</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: CASE A39868, DAVID BROWN Dimensions: Outer Dia: 3.81" (97 mm) Thread Size: 13/16" - 18 Length: 4.50" (114 mm) UPC Code: 742330-04335</p>
	<p>Part Number: <b>P550882</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: ATLAS COPCO 10300882, FORD, MACK Dimensions: Outer Dia: 3.81" (97 mm) Thread Size: 3/4" - 16 Length: 3.70" (94 mm) Relief Valve: 11 - 17 Anti-Drain: Yes UPC Code: 742330-04336</p>

	<p>Part Number: <b>P550888</b> Description: <b>Fuel Box Primary</b> Primary Appl.: GMC 25010487, STANADYNE 21631 Dimensions: Width: 2.60" (66 mm) Depth: 2.87" (73 mm) Length: 4.37" (111 mm) UPC Code: 742330-04337</p>
	<p>Part Number: <b>P550928</b> Description: <b>Fuel Spin-on Secondary</b> Primary Appl.: GMC 25010959, P169095=SYNTEQ Media Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: 13/16" - 12 Length: 4.21" (107 mm) UPC Code: 742330-04338</p>
	<p>Part Number: <b>P550936</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: GMC 25011011, 8.2L Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: 1" - 12 Length: 5.35" (136 mm) UPC Code: 742330-04339</p>
	<p>Part Number: <b>P550943</b> Description: <b>Fuel Spin-on Secondary</b> Primary Appl.: GMC 6.2L 25011214 Dimensions: Outer Dia: 3.03" (77 mm) Thread Size: M16 x 1.5 Length: 4.87" (124 mm) UPC Code: 742330-04340</p>
	<p>Part Number: <b>P550944</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: GMC 6.2L 25011285 Dimensions: Outer Dia: 3.81" (97 mm) Thread Size: 1" - 12 Length: 6.08" (154 mm) UPC Code: 742330-04341</p>
	<p>Part Number: <b>P550947</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: GMC 25011106, Detroit Diesel Engines, ELF7947=SYNTEQ Media, OTHER SIMILAR: P551670, P550671 Dimensions: Outer Dia: 4.67" (119 mm) Thread Size: 1 1/2" - 12 Length: 6.27" (159 mm) UPC Code: 742330-04342</p>
	<p>Part Number: <b>P550951</b> Description: <b>Hydraulic/Transmission Cartridge</b> Primary Appl.: DDA AC PF951, FURN GSKT-P177500, P171159, P175516, P166376=SYNTEQ Media Dimensions: Outer Dia: 4.28" (109 mm) Inner Dia: 1.44" (37 mm) Length: 9.06" (230 mm) Performance: <math>\beta_{25\mu} = 2</math> <math>\beta_{45\mu} = 20</math> <math>\beta_{60\mu} = 75</math> UPC Code: 742330-04343</p>
	<p>Part Number: <b>P550955</b> Description: <b>Fuel Box Primary</b> Primary Appl.: GMC 6.2 DIESEL, STANADYNE 23775 Dimensions: Width: 2.83" (72 mm) Depth: 2.43" (62 mm) Length: 4.61" (117 mm) UPC Code: 742330-04344</p>




















	<p>Part Number: <b>P550958</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: DETROIT DIESEL 25011024 Dimensions: Outer Dia: 4.67" (119 mm) Thread Size: 1 1/4" - 12 Length: 8.94" (227 mm) UPC Code: 742330-04345</p>		<p>Part Number: <b>P550967</b> Description: <b>Fuel In-Line</b> Primary Appl.: FORD LIGHT TRUCK, includes clips Dimensions: Outer Dia: 3.08" (78 mm) Line Size: 5/16" Tube In and Out Length: 6.77" (172 mm) UPC Code: 742330-04354</p>
	<p>Part Number: <b>P550959</b> Description: <b>Fuel Spin-on Secondary</b> Primary Appl.: FORD, GMC 25011026, P170047=SYNTEQ Media Dimensions: Outer Dia: 4.67" (119 mm) Thread Size: 1 1/16" - 16 Length: 8.94" (227 mm) UPC Code: 742330-04346</p>		<p>Part Number: <b>P550968</b> Description: <b>Fuel/Water Separator Spin-on</b> Primary Appl.: DODGE LIGHT TRUCK WITH CUMMINS DIESEL Dimensions: Outer Dia: 3.78" (96 mm) Thread Size: M20 x 1.5 Length: 4.65" (118 mm) UPC Code: 742330-04355</p>
	<p>Part Number: <b>P550960</b> Description: <b>Transmission Filter</b> Primary Appl.: GM LIGHT TRUCK UPC Code: 742330-04347</p>		<p>Part Number: <b>P550969</b> Description: <b>Fuel/Water Separator Cartridge</b> Primary Appl.: DAVCO 380 SERIES, FURN GSKT:P174999, P174797, P174798, P176160=SYNTEQ Media Dimensions: Outer Dia: 3.75" (95 mm) Inner Dia: 1.12" (28 mm) Length: 6.77" (172 mm) UPC Code: 742330-04356</p>
	<p>Part Number: <b>P550962</b> Description: <b>Fuel In-Line</b> Primary Appl.: DODGE LIGHT TRUCK Dimensions: Outer Dia: 2.16" (55 mm) Line Size: 5/16" Hose In and Out Length: 4.55" (116 mm) UPC Code: 742330-04349</p>		<p>Part Number: <b>P550971</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: ISUZU 8944637150 Dimensions: Outer Dia: 3.14" (80 mm) Thread Size: 3/4" - 16 Length: 3.87" (98 mm) UPC Code: 742330-08138</p>
	<p>Part Number: <b>P550963</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: DODGE LIGHT TRUCK Dimensions: Outer Dia: 3.67" (93 mm) Thread Size: 3/4" - 16 Length: 3.75" (95 mm) Relief Valve: 8 Anti-Drain: Yes UPC Code: 742330-04350</p>		<p>Part Number: <b>P550972</b> Description: <b>Lube Spin-on Bypass</b> Primary Appl.: ISUZU 8943604190 Dimensions: Outer Dia: 4.17" (106 mm) Thread Size: 5/8" - 18 Length: 3.22" (82 mm) UPC Code: 742330-08139</p>
	<p>Part Number: <b>P550964</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: GM LIGHT TRUCK Dimensions: Outer Dia: 3.78" (96 mm) Thread Size: 13/16" - 16 Length: 5.14" (131 mm) Anti-Drain: Yes UPC Code: 742330-04351</p>		<p>Part Number: <b>P550973</b> Description: <b>Lube Spin-on Combination</b> Primary Appl.: ISUZU 8970492820, FULL FLOW BYPASS COMBO Dimensions: Outer Dia: 4.86" (123 mm) Thread Size: 1 1/2" - 12 Length: 5.87" (149 mm) UPC Code: 742330-08140</p>
	<p>Part Number: <b>P550965</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: FORD LIGHT TRUCK Dimensions: Outer Dia: 3.67" (93 mm) Thread Size: M22 x 1.5 Length: 3.58" (91 mm) Relief Valve: 15 Anti-Drain: Yes UPC Code: 742330-04352</p>		<p>Part Number: <b>P550974</b> Description: <b>Fuel In-Line</b> Primary Appl.: CUMMINS 3826094 Dimensions: Outer Dia: 1.93" (49 mm) Line Size: 3/8" Hose In and Out Length: 3.85" (98 mm) UPC Code: 742330-08173</p>
	<p>Part Number: <b>P550966</b> Description: <b>Fuel/Water Separator Cartridge</b> Primary Appl.: FORD NAVISTAR LIGHT TRUCK Dimensions: Outer Dia: 3.56" (90 mm) Inner Dia: .56" (14 mm) Length: 3.99" (101 mm) UPC Code: 742330-04353</p>		<p>Part Number: <b>P550975</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: VALMET 836136342 Dimensions: Outer Dia: 3.75" (95 mm) Thread Size: 24 x 1.5 MM Length: 6.88" (175 mm) Relief Valve: 34 - 37 Anti-Drain: Yes UPC Code: 742330-08186</p>










	<p><b>Part Number:</b> P551000 <b>Description:</b> Fuel/Water Separator Spin-on <b>Primary Appl.:</b> CUMMINS CELECT &amp; QUANTUM ENG APPLICATIONS, CONTAINS STRATAPORE, Similar: P551001 is shorter than P551000 <b>Dimensions:</b> Outer Dia: 3.68" (93 mm) Thread Size: 1" - 14 Length: 9.80" (249 mm) <b>UPC Code:</b> 742330-04357</p>
	<p><b>Part Number:</b> P551001 <b>Description:</b> Fuel/Water Separator Spin-on <b>Primary Appl.:</b> CUMMINS CELECT &amp; QUANTUM ENGINES FOR, FREIGHTLINER TRUCKS, CONTAINS STRATAPORE, Similar: P551000—longer than P551001 <b>Dimensions:</b> Outer Dia: 3.69" (94 mm) Thread Size: 1" - 14 Length: 7.92" (201 mm) <b>UPC Code:</b> 742330-04358</p>
	<p><b>Part Number:</b> P551014 <b>Description:</b> Lube Cartridge Full Flow <b>Primary Appl.:</b> FORD C5TE6744A, FURN GSKT-P171159, P171163 <b>Dimensions:</b> Outer Dia: 4.59" (117 mm) Inner Dia: .75" (19 mm) Length: 4.87" (124 mm) <b>UPC Code:</b> 742330-04359</p>
	<p><b>Part Number:</b> P551049 <b>Description:</b> Fuel Box Primary <b>Primary Appl.:</b> GMC V8-379, STANADYNE 27611 <b>Dimensions:</b> Width: 3.28" (83 mm) Depth: 2.64" (67 mm) Length: 6.31" (160 mm) <b>UPC Code:</b> 742330-04360</p>
	<p><b>Part Number:</b> P551054 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> KOMATSU 07063-01054, 154-60-12170 <b>Dimensions:</b> Outer Dia: 3.94" (100 mm) Inner Dia: 2.34" (59 mm) Length: 8.27" (210 mm) <b>UPC Code:</b> 742330-04361</p>
	<p><b>Part Number:</b> P551102 <b>Description:</b> Lube Spin-on Full Flow <b>Primary Appl.:</b> DEUTZ 1174420 <b>Dimensions:</b> Outer Dia: 4.33" (110 mm) Thread Size: 1 1/8" - 16 Length: 10.08" (256 mm) <b>Relief Valve:</b> 30 - 42 <b>Anti-Drain:</b> Yes <b>UPC Code:</b> 742330-04363</p>
	<p><b>Part Number:</b> P551106 <b>Description:</b> Lube Spin-on Full Flow <b>Primary Appl.:</b> WISCONSIN ENGINES RV40, -S, -S4 <b>Dimensions:</b> Outer Dia: 3.81" (97 mm) Thread Size: 2.75 x 5.5 Length: 4.81" (122 mm) <b>UPC Code:</b> 742330-04364</p>
	<p><b>Part Number:</b> P551127 <b>Description:</b> Fuel Spin-on Secondary <b>Primary Appl.:</b> CASE A58713, FURN GSKT-P171183 <b>Dimensions:</b> Outer Dia: 3.81" (97 mm) Thread Size: 15/16" - 16 Length: 5.53" (140 mm) <b>UPC Code:</b> 742330-04365</p>









	<p><b>Part Number:</b> P551130 <b>Description:</b> Fuel Box Primary <b>Primary Appl.:</b> JOHN DEERE AR50041, STANADYNE 20014, Has Glass Case, P559803 has metal case <b>Dimensions:</b> Width: 3.71" (94 mm) Depth: 3.15" (80 mm) Length: 4.95" (126 mm) <b>UPC Code:</b> 742330-04366</p>
	<p><b>Part Number:</b> P551142 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> KOMATSU 07063-01142, 195-60-16320 <b>Dimensions:</b> Outer Dia: 5.90" (150 mm) Inner Dia: 4.34" (110 mm) Length: 11.81" (300 mm) <b>Performance:</b> <math>\beta_{14\mu} = 2</math> <math>\beta_{25\mu} = 20</math> <b>UPC Code:</b> 742330-04368</p>
	<p><b>Part Number:</b> P551158 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> KOMATSU 175-49-11580 <b>Dimensions:</b> Outer Dia: 3.94" (100 mm) Inner Dia: 1.65" (42 mm) Length: 9.12" (232 mm) <b>Performance:</b> <math>\beta_{14\mu} = 2</math> <math>\beta_{25\mu} = 20</math> <b>UPC Code:</b> 742330-04369</p>
	<p><b>Part Number:</b> P551160 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> KOMATSU 144-60-11160 <b>Dimensions:</b> Outer Dia: 3.94" (100 mm) Inner Dia: 2.34" (59 mm) Length: 11.06" (281 mm) <b>UPC Code:</b> 742330-04370</p>
	<p><b>Part Number:</b> P551161 <b>Description:</b> Fuel Cartridge Primary <b>Primary Appl.:</b> MACK 237GB13 <b>Dimensions:</b> Outer Dia: 3.95" (100 mm) Inner Dia: .91" (23 mm) Length: 6.29" (160 mm) <b>UPC Code:</b> 742330-08516</p>
	<p><b>Part Number:</b> P551162 <b>Description:</b> Fuel Cartridge Primary <b>Primary Appl.:</b> CONTINENTAL 12395HE <b>Dimensions:</b> Outer Dia: 3.01" (76 mm) Inner Dia: 1.04" (26 mm) Length: 9.70" (246 mm) <b>UPC Code:</b> 742330-08517</p>
	<p><b>Part Number:</b> P551163 <b>Description:</b> Fuel Cartridge Primary <b>Primary Appl.:</b> ALLIS CHALMERS 70090827 <b>Dimensions:</b> Outer Dia: 2.98" (76 mm) Inner Dia: 2.01" (51 mm) Length: 3.90" (99 mm) <b>UPC Code:</b> 742330-08518</p>
	<p><b>Part Number:</b> P551164 <b>Description:</b> Fuel Cartridge Primary <b>Primary Appl.:</b> MASSEY FERGUSON 1006543M91 <b>Dimensions:</b> Outer Dia: 3.97" (101 mm) Inner Dia: .54" (14 mm) Length: 5.00" (127 mm) <b>UPC Code:</b> 742330-08519</p>
	<p><b>Part Number:</b> P551165 <b>Description:</b> Fuel Cartridge Primary <b>Primary Appl.:</b> ALLIS CHALMERS 4348147 <b>Dimensions:</b> Outer Dia: 3.50" (89 mm) Inner Dia: .54" (14 mm) Length: 4.33" (110 mm) <b>UPC Code:</b> 742330-08520</p>



 R	<p>Part Number: <b>P551167</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: CHRYSLER 5037896 Dimensions: Outer Dia: 2.75" (70 mm) Inner Dia: .81" (21 mm) Length: 3.37" (86 mm) UPC Code: 742330-08522</p>
 R	<p>Part Number: <b>P551168</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: PERKINS 31938 Dimensions: Outer Dia: 3.50" (89 mm) Inner Dia: .75" (19 mm) Length: 2.76" (70 mm) UPC Code: 742330-08523</p>
 R	<p>Part Number: <b>P551169</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: FRAM C1102 Dimensions: Outer Dia: 2.97" (75 mm) Inner Dia: .54" (14 mm) Length: 4.09" (104 mm) UPC Code: 742330-08524</p>
 R	<p>Part Number: <b>P551170</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: MACK 237GB21 Dimensions: Outer Dia: 2.98" (76 mm) Thread Size: 3/4" - 16 Length: 6.23" (158 mm) UPC Code: 742330-08525</p>
 R	<p>Part Number: <b>P551174</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: CASE IH 259099C91 Dimensions: Outer Dia: 3.67" (93 mm) Thread Size: 5/8" - 11 Length: 5.32" (135 mm) UPC Code: 742330-08529</p>
 R	<p>Part Number: <b>P551175</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: MANN &amp; HUMMEL P715 Dimensions: Outer Dia: 2.76" (70 mm) Inner Dia: .50" (13 mm) Length: 2.44" (62 mm) UPC Code: 742330-08530</p>
 R	<p>Part Number: <b>P551176</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: TRANSICOLD 3150301 Dimensions: Outer Dia: 3.69" (94 mm) Thread Size: 13/16" - 18 Length: 6.40" (163 mm) UPC Code: 742330-08531</p>
 R	<p>Part Number: <b>P551178</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: NISSAN FL40399008 Dimensions: Outer Dia: 3.68" (93 mm) Thread Size: 1" - 14 Length: 6.85" (174 mm) UPC Code: 742330-08533</p>

 R	<p>Part Number: <b>P551182</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: FIAT-ALLIS 702539526 Dimensions: Outer Dia: 3.68" (93 mm) Thread Size: 13/16" - 16 Length: 6.89" (175 mm) UPC Code: 742330-08537</p>
 R	<p>Part Number: <b>P551183</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: CASE IH A44012 Dimensions: Outer Dia: 4.51" (115 mm) Inner Dia: .66" (17 mm) Length: 7.06" (179 mm) UPC Code: 742330-08538</p>
 R	<p>Part Number: <b>P551184</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: CASE IH A61234 Dimensions: Outer Dia: 3.83" (97 mm) Inner Dia: 1.12" (28 mm) Length: 6.05" (154 mm) UPC Code: 742330-08539</p>
 R	<p>Part Number: <b>P551185</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: CASE IH A65854 Dimensions: Outer Dia: 3.82" (97 mm) Inner Dia: 1.08" (27 mm) Length: 6.05" (154 mm) UPC Code: 742330-08540</p>
 R	<p>Part Number: <b>P551186</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: JOHN DEERE AT24274 Dimensions: Outer Dia: 4.39" (112 mm) Inner Dia: 3.50" (89 mm) Length: 7.19" (183 mm) UPC Code: 742330-08541</p>
 R	<p>Part Number: <b>P551187</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: JOHN DEERE Dimensions: Outer Dia: 4.52" (115 mm) Inner Dia: 2.27" (58 mm) Length: 7.97" (202 mm) UPC Code: 742330-08542</p>
 R	<p>Part Number: <b>P551188</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: CASE IH L72877 Dimensions: Outer Dia: 5.06" (129 mm) Inner Dia: 2.81" (71 mm) Length: 8.97" (228 mm) UPC Code: 742330-08543</p>
 R	<p>Part Number: <b>P551189</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: CASE IH 388085R92 Dimensions: Outer Dia: 7.24" (184 mm) Inner Dia: 1.49" (38 mm) Length: 3.23" (82 mm) UPC Code: 742330-08544</p>
 R	<p>Part Number: <b>P551190</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: CASE IH 113940C1 Dimensions: Outer Dia: 4.87" (124 mm) Inner Dia: 2.87" (73 mm) Length: 8.93" (227 mm) UPC Code: 742330-08545</p>










	<p>Part Number: <b>P551191</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: GM 5997769 Dimensions: Outer Dia: 3.52" (89 mm) Inner Dia: .86" (22 mm) Length: 4.18" (106 mm) UPC Code: 742330-08546</p>
	<p>Part Number: <b>P551192</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: JOHN DEERE AT53999 Dimensions: Outer Dia: 6.01" (153 mm) Inner Dia: 4.48" (114 mm) Length: 9.00" (229 mm) UPC Code: 742330-08547</p>
	<p>Part Number: <b>P551193</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: CASE IH A46403 Dimensions: Outer Dia: 4.52" (115 mm) Inner Dia: 2.27" (58 mm) Length: 7.12" (181 mm) UPC Code: 742330-08548</p>
	<p>Part Number: <b>P551194</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: CASE IH 69878C91 Dimensions: Outer Dia: 2.90" (74 mm) Inner Dia: 1.12" (28 mm) Length: 5.45" (138 mm) UPC Code: 742330-08549</p>
	<p>Part Number: <b>P551195</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: REXNORD 493309 Dimensions: Outer Dia: 3.67" (93 mm) Thread Size: 1" - 12 Length: 5.69" (145 mm) Relief Valve: 12 - 15 UPC Code: 742330-08550</p>
	<p>Part Number: <b>P551196</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: CASE IH 38808R93 Dimensions: Outer Dia: 7.24" (184 mm) Inner Dia: 1.49" (38 mm) Length: 2.48" (63 mm) UPC Code: 742330-08551</p>
	<p>Part Number: <b>P551197</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: ALLIS CHALMERS 70269310 Dimensions: Outer Dia: 5.08" (129 mm) Inner Dia: 2.81" (71 mm) Length: 8.97" (228 mm) UPC Code: 742330-08552</p>
	<p>Part Number: <b>P551198</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: CASE IH 623017C1 Dimensions: Outer Dia: 5.08" (129 mm) Inner Dia: 2.82" (72 mm) Length: 9.00" (229 mm) UPC Code: 742330-08553</p>
	<p>Part Number: <b>P551199</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: ORENSTEIN &amp; KÖPPEL 124926 Dimensions: Outer Dia: 5.17" (131 mm) Inner Dia: 3.75" (95 mm) Length: 6.35" (161 mm) UPC Code: 742330-08554</p>


















	<p>Part Number: <b>P551200</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: GM 7194968 Dimensions: Outer Dia: 2.75" (70 mm) Inner Dia: .31" (8 mm) Length: 3.36" (85 mm) UPC Code: 742330-08555</p>
	<p>Part Number: <b>P551201</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: ZETTELMEYER 2138220 Dimensions: Outer Dia: 3.82" (97 mm) Thread Size: 3/4" - 16 Length: 3.98" (101 mm) Relief Valve: 11 - 17 Anti-Drain: Yes UPC Code: 742330-04371</p>
	<p>Part Number: <b>P551202</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: JOHN DEERE AT69852 Dimensions: Outer Dia: 3.68" (93 mm) Thread Size: 1 1/2" - 16 Length: 8.00" (203 mm) UPC Code: 742330-08556</p>
	<p>Part Number: <b>P551204</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: REXNORD 493308 Dimensions: Outer Dia: 3.67" (93 mm) Thread Size: 1" - 12 Length: 3.75" (95 mm) Relief Valve: 12 - 15 UPC Code: 742330-08558</p>
	<p>Part Number: <b>P551205</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: CLARK 6559458 Dimensions: Outer Dia: 3.67" (93 mm) Thread Size: 1" - 12 Length: 8.00" (203 mm) UPC Code: 742330-08559</p>
	<p>Part Number: <b>P551206</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: JOHN DEERE AT73307 Dimensions: Outer Dia: 3.68" (93 mm) Thread Size: 1 1/2" - 16 Length: 9.33" (237 mm) UPC Code: 742330-08560</p>
	<p>Part Number: <b>P551207</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: CASE IH 502689T91 Dimensions: Outer Dia: 4.52" (115 mm) Inner Dia: 1.80" (46 mm) Length: 7.00" (178 mm) UPC Code: 742330-08561</p>
	<p>Part Number: <b>P551208</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: FORD D8NNM903AA Dimensions: Outer Dia: 5.08" (129 mm) Thread Size: 1 1/2" - 16 Length: 6.70" (170 mm) Relief Valve: 4 - 6 UPC Code: 742330-08562</p>






















	<p>Part Number: <b>P551209</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: FORD D8NMM903CA Dimensions: Outer Dia: 5.08" (129 mm) Thread Size: 1 1/2" - 16 Length: 6.71" (170 mm) Relief Valve: 7 - 9 UPC Code: 742330-08563</p>
	<p>Part Number: <b>P551210</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: KOMATSU 07063-01210, 205-60-51430 Dimensions: Outer Dia: 5.90" (150 mm) Inner Dia: 4.34" (110 mm) Length: 17.72" (450 mm) Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-04372</p>
	<p>Part Number: <b>P551211</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: CASE IH A161845 Dimensions: Outer Dia: 5.08" (129 mm) Thread Size: 1 1/2" - 16 Length: 10.71" (272 mm) Relief Valve: 20 - 24 UPC Code: 742330-08564</p>
	<p>Part Number: <b>P551212</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: HYDRECO 918X14 Dimensions: Outer Dia: 4.03" (102 mm) Thread Size: 1 7/8" - 12 Length: 5.59" (142 mm) UPC Code: 742330-08565</p>
	<p>Part Number: <b>P551213</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: JOHN DEERE AT62042 Dimensions: Outer Dia: 4.52" (115 mm) Inner Dia: 1.75" (44 mm) Length: 7.18" (182 mm) UPC Code: 742330-08566</p>
	<p>Part Number: <b>P551214</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: JOHN DEERE AT63548 Dimensions: Outer Dia: 4.52" (115 mm) Inner Dia: 2.27" (58 mm) Length: 8.08" (205 mm) UPC Code: 742330-08567</p>
	<p>Part Number: <b>P551215</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: CATERPILLAR 349804 Dimensions: Outer Dia: 4.52" (115 mm) Inner Dia: 2.27" (58 mm) Length: 9.00" (229 mm) UPC Code: 742330-08568</p>
	<p>Part Number: <b>P551216</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: CASE IH L52029, DCI VERSION OF P166031 Dimensions: Outer Dia: 4.52" (115 mm) Inner Dia: .54" (14 mm) Length: 9.00" (229 mm) UPC Code: 742330-08569</p>
	<p>Part Number: <b>P551217</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: CASE IH 1240689C91 Dimensions: Outer Dia: 5.08" (129 mm) Inner Dia: 2.86" (73 mm) Length: 2.50" (64 mm) UPC Code: 742330-08570</p>

	<p>Part Number: <b>P551218</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: JOHN DEERE AH91274 Dimensions: Outer Dia: 5.09" (129 mm) Inner Dia: 2.81" (71 mm) Length: 6.10" (155 mm) UPC Code: 742330-08571</p>
	<p>Part Number: <b>P551219</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: JOHN DEERE AH76991 Dimensions: Outer Dia: 5.06" (129 mm) Inner Dia: 2.93" (74 mm) Length: 9.00" (229 mm) UPC Code: 742330-08572</p>
	<p>Part Number: <b>P551220</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FULLER A1781 Dimensions: Outer Dia: 3.01" (76 mm) Inner Dia: 1.04" (26 mm) Length: 2.91" (74 mm) UPC Code: 742330-08573</p>
	<p>Part Number: <b>P551221</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FIAT-ALLIS 70079170 Dimensions: Outer Dia: 3.50" (89 mm) Inner Dia: 1.06" (27 mm) Length: 2.49" (63 mm) UPC Code: 742330-08574</p>
	<p>Part Number: <b>P551222</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: JOHN DEERE AT78414 Dimensions: Outer Dia: 4.52" (115 mm) Inner Dia: 2.27" (58 mm) Length: 8.08" (205 mm) UPC Code: 742330-08575</p>
	<p>Part Number: <b>P551223</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: RIPLEY 4P03 Dimensions: Outer Dia: 2.8" (71 mm) Inner Dia: 1.44" (37 mm) Length: 4.31" (109 mm) UPC Code: 742330-08576</p>
	<p>Part Number: <b>P551225</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: RIPLEY 8P13 Dimensions: Outer Dia: 3.71" (94 mm) Inner Dia: 2.06" (52 mm) Length: 7.72" (196 mm) UPC Code: 742330-08578</p>
	<p>Part Number: <b>P551226</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: FORD D8NMB951AE Dimensions: Outer Dia: 4.64" (118 mm) Inner Dia: 2.26" (57 mm) Length: 7.36" (187 mm) UPC Code: 742330-08579</p>
	<p>Part Number: <b>P551227</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: GM 25010643 Dimensions: Outer Dia: 4.67" (119 mm) Thread Size: 1 5/16" - 12 Length: 10.30" (262 mm) Performance: <math>\beta_{6\mu} = 2</math> <math>\beta_{14\mu} = 20</math> <math>\beta_{16\mu} = 75</math> UPC Code: 742330-08580</p>

















	<p>Part Number: <b>P551228</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: CASE IH A169652 Dimensions: Outer Dia: 5.08" (129 mm) Thread Size: 1 1/2" - 16 Length: 10.71" (272 mm) Relief Valve: 20 - 24 UPC Code: 742330-08581</p>		<p>Part Number: <b>P551238</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: JOHN DEERE AE44880 Dimensions: Outer Dia: 3.68" (93 mm) Thread Size: 1 1/2" - 16 Length: 8.00" (203 mm) UPC Code: 742330-08590</p>
	<p>Part Number: <b>P551229</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: CATERPILLAR 9W2932 Dimensions: Outer Dia: 3.99" (101 mm) Inner Dia: 2.33" (59 mm) Length: 9.37" (238 mm) UPC Code: 742330-08582</p>		<p>Part Number: <b>P551239</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: JOHN DEERE AT133459 Dimensions: Outer Dia: 3.75" (95 mm) Thread Size: 1 1/2" - 16 Length: 8.00" (203 mm) Performance: <math>\beta_{5\mu} = 2</math> <math>\beta_{14\mu} = 20</math> <math>\beta_{18\mu} = 75</math> UPC Code: 742330-08591</p>
	<p>Part Number: <b>P551231</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: JOHN DEERE AET10401 Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: 3/4" - 16 Length: 3.84" (98 mm) UPC Code: 742330-08583</p>		<p>Part Number: <b>P551240</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: PALL HC7500SUP4Z Dimensions: Outer Dia: 5.08" (129 mm) Thread Size: 1 1/2" - 16 Length: 6.67" (169 mm) UPC Code: 742330-08592</p>
	<p>Part Number: <b>P551232</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: NEW HOLLAND 9846407 Dimensions: Outer Dia: 3.67" (93 mm) Thread Size: 1 1/8" - 16 Length: 5.70" (145 mm) UPC Code: 742330-08584</p>		<p>Part Number: <b>P551241</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: MANITOU DMS16AN Dimensions: Outer Dia: 5.08" (129 mm) Thread Size: 1 1/2" - 16 Length: 10.71" (272 mm) Performance: <math>\beta_{14\mu} = 2</math> <math>\beta_{28\mu} = 20</math> <math>\beta_{36\mu} = 75</math> UPC Code: 742330-08593</p>
	<p>Part Number: <b>P551233</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: FLEETGUARD HF6523 Dimensions: Outer Dia: 3.72" (94 mm) Thread Size: 1" - 12 Length: 8.09" (205 mm) UPC Code: 742330-08585</p>		<p>Part Number: <b>P551242</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: JOHN DEERE AT103193 Dimensions: Outer Dia: 4.89" (124 mm) Thread Size: 1 1/2" - 16 Length: 8.22" (209 mm) UPC Code: 742330-08594</p>
	<p>Part Number: <b>P551234</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: JOHN DEERE RE17380 Dimensions: Outer Dia: 3.67" (93 mm) Thread Size: 1" - 12 Length: 5.66" (144 mm) Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{23\mu} = 20</math> <math>\beta_{35\mu} = 75</math> UPC Code: 742330-08586</p>		<p>Part Number: <b>P551244</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: JOHN DEERE AT144879 Dimensions: Outer Dia: 4.89" (124 mm) Thread Size: 1 1/2" - 16 Length: 8.22" (209 mm) UPC Code: 742330-08596</p>
	<p>Part Number: <b>P551235</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: JOHN DEERE AT147496 Dimensions: Outer Dia: 3.86" (98 mm) Thread Size: 1 1/2" - 16 Length: 9.50" (241 mm) UPC Code: 742330-08587</p>		<p>Part Number: <b>P551245</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: HITACHI 3021593 Dimensions: Outer Dia: 2.87" (73 mm) Inner Dia: 1.38" (35 mm) Length: 8.27" (210 mm) UPC Code: 742330-08597</p>
	<p>Part Number: <b>P551236</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: AUSTOFT 17034223 Dimensions: Outer Dia: 3.68" (93 mm) Thread Size: 1 1/2" - 16 Length: 5.83" (148 mm) Performance: <math>\beta_{1\mu} = 2</math> UPC Code: 742330-08588</p>		<p>Part Number: <b>P551246</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: PARKER E01034 Dimensions: Outer Dia: 5.34" (136 mm) Thread Size: M42 x 2-6H Length: 9.52" (242 mm) UPC Code: 742330-08598</p>
	<p>Part Number: <b>P551237</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: CASE IH 254133A1 Dimensions: Outer Dia: 3.68" (93 mm) Thread Size: 1 1/2" - 16 Length: 5.83" (148 mm) Performance: <math>\beta_{10\mu} = 2</math> UPC Code: 742330-08589</p>		<p>Part Number: <b>P551248</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: PARKER E01035 Dimensions: Outer Dia: 5.34" (136 mm) Thread Size: M42 x 2-6H Length: 3.88" (99 mm) UPC Code: 742330-08600</p>



 R	<p>Part Number: <b>P551249</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: WHITE 167143AS Dimensions: Outer Dia: 4.52" (115 mm) Inner Dia: 1.43" (36 mm) Length: 7.12" (181 mm) UPC Code: 742330-08601</p>
 R	<p>Part Number: <b>P551250</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: WHITE 169019A Dimensions: Outer Dia: 3.67" (93 mm) Thread Size: 7/8" - 14 Length: 6.82" (173 mm) Relief Valve: 12 - 15 Anti-Drain: Yes UPC Code: 742330-08602</p>
 R	<p>Part Number: <b>P551251</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: OPEL 2866477 Dimensions: Outer Dia: 3.00" (76 mm) Thread Size: 3/4" - 16 Length: 3.42" (87 mm) UPC Code: 742330-08603</p>
 R	<p>Part Number: <b>P551253</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: ROLLS ROYCE CV2473 Dimensions: Outer Dia: 4.24" (108 mm) Thread Size: M30 x 1.5-6H Length: 7.02" (178 mm) Relief Valve: 18 - 21 UPC Code: 742330-08605</p>
 R	<p>Part Number: <b>P551255</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: MASSEY FERGUSON 3283341M1 Dimensions: Outer Dia: 3.17" (81 mm) Thread Size: 3/4" - 16 Length: 3.12" (79 mm) Relief Valve: 16 - 19 Anti-Drain: Yes UPC Code: 742330-08607</p>
 R	<p>Part Number: <b>P551257</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: ISUZU X13201012 Dimensions: Outer Dia: 4.24" (108 mm) Thread Size: M20 x 1.5-6H Length: 6.52" (166 mm) UPC Code: 742330-08609</p>
 R	<p>Part Number: <b>P551259</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: KOMATSU/KOMATSU DRESSER 6128515030 Dimensions: Outer Dia: 6.30" (160 mm) Inner Dia: .90" (23 mm) Length: 15.08" (383 mm) UPC Code: 742330-08611</p>
 R	<p>Part Number: <b>P551260</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: GM, SYNTHETIC MEDIA VERSION OF P550051 Dimensions: Outer Dia: 3.01" (76 mm) Thread Size: M18 x 1.5-6H Length: 4.50" (114 mm) UPC Code: 742330-08612</p>









 R	<p>Part Number: <b>P551262</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: NAVISTAR 1808896C1 Dimensions: Outer Dia: 3.67" (93 mm) Thread Size: 1" - 12 Length: 8.00" (203 mm) UPC Code: 742330-08614</p>
 R	<p>Part Number: <b>P551263</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: VOLVO 8477416 Dimensions: Outer Dia: 4.24" (108 mm) Thread Size: 1 1/8" - 16 Length: 7.02" (178 mm) UPC Code: 742330-08615</p>
 R	<p>Part Number: <b>P551264</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: KOMATSU/KOMATSU DRESSER Z14020F105 Dimensions: Outer Dia: 4.24" (108 mm) Thread Size: M20 x 1.5-6H Length: 5.62" (143 mm) UPC Code: 742330-08616</p>
 R	<p>Part Number: <b>P551265</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: DAEWOO 65055105009 Dimensions: Outer Dia: 3.67" (93 mm) Thread Size: 1" - 16 Length: 6.87" (174 mm) UPC Code: 742330-08617</p>
 R	<p>Part Number: <b>P551266</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: NISSAN FL201Z9010 Dimensions: Outer Dia: 4.24" (108 mm) Thread Size: 1 1/8" - 16 Length: 6.51" (165 mm) UPC Code: 742330-08618</p>
 R	<p>Part Number: <b>P551267</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: NISSAN 15201Z9008 Dimensions: Outer Dia: 4.24" (108 mm) Thread Size: 3/4" - 16 Length: 6.59" (167 mm) UPC Code: 742330-08619</p>
 R	<p>Part Number: <b>P551268</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: KUBOTA 1732132430 Dimensions: Outer Dia: 3.67" (93 mm) Thread Size: 3/4" - 16 Length: 3.39" (86 mm) UPC Code: 742330-08620</p>
 R	<p>Part Number: <b>P551270</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: MANN &amp; HUMMEL H10501 Dimensions: Outer Dia: 3.82" (97 mm) Inner Dia: 1.19" (30 mm) Length: 6.45" (164 mm) Relief Valve: 13 - 15 UPC Code: 742330-08622</p>
 R	<p>Part Number: <b>P551271</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: FIAT-ALLIS 8806171 Dimensions: Outer Dia: 3.83" (97 mm) Inner Dia: 1.33" (34 mm) Length: 7.71" (196 mm) Relief Valve: 13 - 15 UPC Code: 742330-08623</p>



























	<p><b>Part Number:</b> P551272 <b>Description:</b> Lube Spin-on Full Flow <b>Primary Appl.:</b> CASE IH 3136737R91 <b>Dimensions:</b> Outer Dia: 3.68" (93 mm) Thread Size: 1" - 12 Length: 8.68" (220 mm) <b>Relief Valve:</b> 18 - 21 <b>Anti-Drain:</b> Yes <b>UPC Code:</b> 742330-08624</p>		<p><b>Part Number:</b> P551280 <b>Description:</b> Lube Cartridge Full Flow <b>Primary Appl.:</b> CUMMINS, ALCO 1601198 <b>Dimensions:</b> Outer Dia: 6.18" (157 mm) Inner Dia: 1.72" (44 mm) Length: 30.50" (775 mm) <b>UPC Code:</b> 742330-04373</p>
	<p><b>Part Number:</b> P551273 <b>Description:</b> Lube Cartridge Full Flow <b>Primary Appl.:</b> FORD 105E6731 <b>Dimensions:</b> Outer Dia: 2.84" (72 mm) Inner Dia: .82" (21 mm) Length: 3.19" (81 mm) <b>UPC Code:</b> 742330-08625</p>		<p><b>Part Number:</b> P551282 <b>Description:</b> Lube Cartridge Full Flow <b>Primary Appl.:</b> FRAM F43P <b>Dimensions:</b> Outer Dia: 5.83" (148 mm) Inner Dia: .99" (25 mm) Length: 9.77" (248 mm) <b>UPC Code:</b> 742330-08632</p>
	<p><b>Part Number:</b> P551274 <b>Description:</b> Lube Cartridge Full Flow <b>Primary Appl.:</b> FIAT 61232674 <b>Dimensions:</b> Outer Dia: 3.23" (82 mm) Inner Dia: 1.00" (25 mm) Length: 8.98" (228 mm) <b>UPC Code:</b> 742330-08626</p>		<p><b>Part Number:</b> P551283 <b>Description:</b> Lube Cartridge Full Flow <b>Primary Appl.:</b> FRAM FH1PL <b>Dimensions:</b> Outer Dia: 2.96" (75 mm) Inner Dia: .77" (20 mm) Length: 4.02" (102 mm) <b>UPC Code:</b> 742330-08633</p>
	<p><b>Part Number:</b> P551275 <b>Description:</b> Lube Cartridge Full Flow <b>Primary Appl.:</b> GMC, MAN 5572128 <b>Dimensions:</b> Outer Dia: 3.50" (89 mm) Inner Dia: 1.16" (29 mm) Length: 6.16" (156 mm) <b>UPC Code:</b> 742330-08627</p>		<p><b>Part Number:</b> P551285 <b>Description:</b> Lube Cartridge Full Flow <b>Primary Appl.:</b> PERKINS 101606 <b>Dimensions:</b> Outer Dia: 3.50" (89 mm) Inner Dia: 1.34" (34 mm) Length: 3.78" (96 mm) <b>UPC Code:</b> 742330-08635</p>
	<p><b>Part Number:</b> P551276 <b>Description:</b> Lube Cartridge Full Flow <b>Primary Appl.:</b> ALLIS CHALMERS 70090824 <b>Dimensions:</b> Outer Dia: 3.97" (101 mm) Inner Dia: .71" (18 mm) Length: 6.11" (155 mm) <b>UPC Code:</b> 742330-08628</p>		<p><b>Part Number:</b> P551286 <b>Description:</b> Lube Cartridge Full Flow <b>Primary Appl.:</b> ALLIS CHALMERS 70090825 <b>Dimensions:</b> Outer Dia: 3.50" (89 mm) Inner Dia: .71" (18 mm) Length: 4.14" (105 mm) <b>UPC Code:</b> 742330-08636</p>
	<p><b>Part Number:</b> P551277 <b>Description:</b> Lube Cartridge Full Flow <b>Primary Appl.:</b> DELUXE WD30 <b>Dimensions:</b> Outer Dia: 4.03" (102 mm) Inner Dia: .68" (17 mm) Length: 4.67" (119 mm) <b>UPC Code:</b> 742330-08629</p>		<p><b>Part Number:</b> P551287 <b>Description:</b> Lube Spin-on Full Flow <b>Primary Appl.:</b> CATERPILLAR 9M8755 <b>Dimensions:</b> Outer Dia: 3.67" (93 mm) Thread Size: 7/8" - 14 Length: 3.75" (95 mm) <b>Relief Valve:</b> 17 - 19 <b>Anti-Drain:</b> Yes <b>UPC Code:</b> 742330-08637</p>
	<p><b>Part Number:</b> P551278 <b>Description:</b> Lube Cartridge Full Flow <b>Primary Appl.:</b> FORD C1TZ6731D <b>Dimensions:</b> Outer Dia: 3.50" (89 mm) Inner Dia: .78" (20 mm) Length: 4.74" (120 mm) <b>UPC Code:</b> 742330-08630</p>		<p><b>Part Number:</b> P551289 <b>Description:</b> Lube Cartridge Full Flow <b>Primary Appl.:</b> CASE IH 50310D,50308D <b>Dimensions:</b> Outer Dia: 3.50" (89 mm) Inner Dia: .54" (14 mm) Length: 5.59" (142 mm) <b>UPC Code:</b> 742330-08639</p>
	<p><b>Part Number:</b> P551279 <b>Description:</b> Lube Cartridge Full Flow <b>Primary Appl.:</b> CHRYSLER 1634447 <b>Dimensions:</b> Outer Dia: 2.98" (76 mm) Inner Dia: .78" (20 mm) Length: 4.07" (103 mm) <b>UPC Code:</b> 742330-08631</p>		<p><b>Part Number:</b> P551290 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> KOMATSU 281-16-11290 <b>Dimensions:</b> Outer Dia: 3.94" (100 mm) Inner Dia: 1.62" (41 mm) Length: 9.12" (232 mm) <b>Performance:</b> <math>\beta_{14\mu} = 2</math> <math>\beta_{25\mu} = 20</math> <b>UPC Code:</b> 742330-04374</p>





	<p>Part Number: <b>P551291</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: LEYLAND 134311 Dimensions: Outer Dia: 2.75" (70 mm) Inner Dia: 1.31" (33 mm) Length: 3.33" (85 mm) UPC Code: 742330-08640</p>
	<p>Part Number: <b>P551292</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: ALLIS CHALMERS 74349986 Dimensions: Outer Dia: 4.51" (115 mm) Inner Dia: 1.44" (37 mm) Length: 7.96" (202 mm) UPC Code: 742330-08641</p>
	<p>Part Number: <b>P551293</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: CASE IH 313117C91 Dimensions: Outer Dia: 4.50" (114 mm) Inner Dia: 1.06" (27 mm) Length: 6.76" (172 mm) UPC Code: 742330-08642</p>
	<p>Part Number: <b>P551294</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: CASE IH 376373R91 Dimensions: Outer Dia: 2.30" (58 mm) Inner Dia: .44" (11 mm) Length: 4.63" (118 mm) UPC Code: 742330-08643</p>
	<p>Part Number: <b>P551295</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: ALLIS CHALMERS 70647256 Dimensions: Outer Dia: 3.97" (101 mm) Inner Dia: 1.64" (42 mm) Length: 9.25" (235 mm) UPC Code: 742330-08644</p>
	<p>Part Number: <b>P551296</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: CASE IH A40902 Dimensions: Outer Dia: 2.97" (75 mm) Inner Dia: 1.07" (27 mm) Length: 5.64" (143 mm) UPC Code: 742330-08645</p>
	<p>Part Number: <b>P551297</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: KOMATSU/KOMATSU DRESSER 6002115213 Dimensions: Outer Dia: 3.67" (93 mm) Thread Size: 1" - 12 Length: 6.88" (175 mm) Relief Valve: 18 - 21 Anti-Drain: Yes UPC Code: 742330-08646</p>
	<p>Part Number: <b>P551298</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: MICHIGAN 1810889 Dimensions: Outer Dia: 4.47" (114 mm) Inner Dia: 1.87" (47 mm) Length: 12.29" (312 mm) UPC Code: 742330-08647</p>


















	<p>Part Number: <b>P551299</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: ALLIS CHALMERS 70694662 Dimensions: Outer Dia: 2.61" (66 mm) Inner Dia: 1.01" (26 mm) Length: 7.53" (191 mm) UPC Code: 742330-08648</p>
	<p>Part Number: <b>P551300</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: KUBOTA 1540232090 Dimensions: Outer Dia: 3.67" (93 mm) Thread Size: 3/4" - 16 Length: 4.18" (106 mm) Relief Valve: 34 - 37 Anti-Drain: Yes UPC Code: 742330-08649</p>
	<p>Part Number: <b>P551302</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: MERCEDES 0001800009 Dimensions: Outer Dia: 2.78" (71 mm) Inner Dia: 4.62" (117 mm) Length: 4.62" (117 mm) UPC Code: 742330-08651</p>
	<p>Part Number: <b>P551303</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: M &amp; W 4E023 Dimensions: Outer Dia: 3.67" (93 mm) Thread Size: 5/8" - 18 Length: 5.32" (135 mm) Relief Valve: 7 - 9 UPC Code: 742330-08652</p>
	<p>Part Number: <b>P551304</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: CASE IH A62423 Dimensions: Outer Dia: 4.24" (108 mm) Thread Size: 7/8" - 16 Length: 8.05" (204 mm) Relief Valve: 7 - 9 Anti-Drain: Yes UPC Code: 742330-08653</p>
	<p>Part Number: <b>P551305</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: FORD 113E6713A,14A Dimensions: Outer Dia: 2.81" (71 mm) Inner Dia: 1.31" (33 mm) Length: 4.19" (106 mm) UPC Code: 742330-08654</p>
	<p>Part Number: <b>P551306</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: HONDA, ISUZU, MAZDA Dimensions: Outer Dia: 3.67" (93 mm) Thread Size: M20 x 1.5-6H Length: 3.16" (80 mm) Relief Valve: 12 - 15 UPC Code: 742330-08655</p>
	<p>Part Number: <b>P551307</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: GM 6439857,25010325 Dimensions: Outer Dia: 2.99" (76 mm) Thread Size: 13/16" - 16 Length: 3.41" (87 mm) Anti-Drain: Yes UPC Code: 742330-08656</p>
	<p>Part Number: <b>P551308</b> Description: <b>Coolant Cartridge</b> Primary Appl.: PERRY 5020 Dimensions: Outer Dia: 4.89" (124 mm) Inner Dia: 4.47" (114 mm) Length: 5.95" (151 mm) UPC Code: 742330-08657</p>

	<p>Part Number: <b>P551309</b> Description: <b>Coolant Spin-on</b> Primary Appl.: MACK NO CHEMICAL Dimensions: Outer Dia: 3.67" (93 mm) Thread Size: 3/4" - 20 Length: 5.32" (135 mm) UPC Code: 742330-08658</p>		<p>Part Number: <b>P551317</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: Caterpillar 1R0756 Dimensions: Outer Dia: 3.90" (99 mm) Inner Dia: 1.61" (41 mm) Length: 9.23" (234 mm) UPC Code: 742330-08735</p>
	<p>Part Number: <b>P551310</b> Description: <b>Fuel/Water Separator Cartridge</b> Primary Appl.: CHRYSLER 0488396AA Dimensions: Outer Dia: 4.12" (105 mm) Inner Dia: 1.71" (43 mm) Length: 4.31" (109 mm) UPC Code: 742330-08721</p>		<p>Part Number: <b>P551318</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: Navistar 1822588C1 Dimensions: Outer Dia: 4.24" (108 mm) Thread Size: 7/8" - 14 Length: 7.14" (181 mm) UPC Code: 742330-08737</p>
	<p>Part Number: <b>P551311</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: Caterpillar 1R0749 Dimensions: Outer Dia: 3.68" (93 mm) Thread Size: 1" - 14 Length: 9.43" (240 mm) Relief Valve: None Anti-Drain: NA UPC Code: 742330-08724</p>		<p>Part Number: <b>P551323</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: FORD Dimensions: Outer Dia: 3.69" (94 mm) Thread Size: 1 1/8" - 16 Length: 5.26" (134 mm) Performance: <math>\beta_{20\mu} = 2</math> <math>\beta_{35\mu} = 20</math> <math>\beta_{45\mu} = 75</math> Relief Valve: 7 - 9 UPC Code: 742330-08076</p>
	<p>Part Number: <b>P551312</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: Caterpillar 1R0753 Dimensions: Outer Dia: 3.68" (93 mm) Thread Size: 7/8" - 14 Length: 9.43" (240 mm) UPC Code: 742330-08725</p>		<p>Part Number: <b>P551324</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: CATERPILLAR, Replaces P551328 Dimensions: Outer Dia: 3.75" (95 mm) Thread Size: 13/16" - 16 Length: 4.57" (116 mm) Relief Valve: 16 - 19 UPC Code: 742330-08077</p>
	<p>Part Number: <b>P551313</b> Description: <b>Fuel Spin-on Secondary</b> Primary Appl.: Caterpillar 1R0750 Dimensions: Outer Dia: 3.68" (93 mm) Thread Size: 1" - 14 Length: 6.95" (177 mm) UPC Code: 742330-08726</p>		<p>Part Number: <b>P551327</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: HYSTER Dimensions: Outer Dia: 3.82" (97 mm) Thread Size: 3/4" - 16 Length: 5.56" (141 mm) Performance: <math>\beta_{20\mu} = 2</math> <math>\beta_{35\mu} = 20</math> <math>\beta_{40\mu} = 75</math> Relief Valve: 23 PSID UPC Code: 742330-08081</p>
	<p>Part Number: <b>P551314</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: Caterpillar 1R0751 Dimensions: Outer Dia: 3.68" (93 mm) Thread Size: 7/8" - 14 Length: 6.91" (176 mm) UPC Code: 742330-08727</p>		<p>Part Number: <b>P551329</b> Description: <b>Fuel/Water Separator Spin-on</b> Primary Appl.: CASE, CUMMINS Dimensions: Outer Dia: 3.76" (96 mm) Thread Size: 13/16" - 18 Length: 6.01" (153 mm) UPC Code: 742330-08075</p>
	<p>Part Number: <b>P551315</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: Caterpillar 1R0759 Dimensions: Outer Dia: 3.18" (81 mm) Thread Size: 7/8" - 14 Length: 7.09" (180 mm) UPC Code: 742330-08728</p>		<p>Part Number: <b>P551330</b> Description: <b>Fuel In-Line</b> Primary Appl.: JEEP LIGHT TRUCK Dimensions: Outer Dia: 1.95" (50 mm) Line Size: 5/16" Hose In, 1/4" Hose Out Length: 3.20" (81 mm) UPC Code: 742330-08083</p>
	<p>Part Number: <b>P551316</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: Caterpillar 1R0755 Dimensions: Outer Dia: 5.34" (136 mm) Thread Size: 1 3/8" - 16 Length: 12.19" (310 mm) UPC Code: 742330-08729</p>		<p>Part Number: <b>P551331</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: ALLISON TRANS Dimensions: Outer Dia: 2.87" (73 mm) Inner Dia: 1.18" (30 mm) Length: 8.44" (214 mm) UPC Code: 742330-04375</p>












	<p>Part Number: <b>P551333</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: HITACHI 4206705, KOBELCO 24046Z73, SAME AS P551210 BUT INCLUDES P171465 O-RING Dimensions: Outer Dia: 5.90" (150 mm) Inner Dia: 4.34" (110 mm) Length: 17.72" (450 mm) Performance: <math>\beta_{14\mu} = 2</math> <math>\beta_{25\mu} = 20</math> UPC Code: 742330-08820</p>
	<p>Part Number: <b>P551334</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: HITACHI 4219713, SAME AS P551210 BUT INCLUDES P171221 O-RING Dimensions: Outer Dia: 5.90" (150 mm) Inner Dia: 4.34" (110 mm) Length: 17.72" (450 mm) Performance: <math>\beta_{14\mu} = 2</math> <math>\beta_{25\mu} = 20</math> UPC Code: 742330-08821</p>
	<p>Part Number: <b>P551335</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: DAVCO 320120 Dimensions: Outer Dia: 4.25" (108 mm) Thread Size: 1" - 14 Length: 7.91" (201 mm) UPC Code: 742330-08911</p>
	<p>Part Number: <b>P551336</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: FLEETLIFE FP614-40 Dimensions: Outer Dia: 6.01" (153 mm) Inner Dia: 3.50" (89 mm) Length: 14.50" (368 mm) UPC Code: 742330-10445</p>
	<p>Part Number: <b>P551338</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: NISSAN 16444Z9027 Dimensions: Outer Dia: 3.60" (91 mm) Inner Dia: .59" (15 mm) Length: 7.91" (201 mm) UPC Code: 742330-10670</p>
	<p>Part Number: <b>P551343</b> Description: <b>Lube Spin-on Bypass</b> Primary Appl.: MITSUBISHI MD069782 Dimensions: Outer Dia: 4.02" (102 mm) Thread Size: M26 x 1.5 Length: 5.31" (135 mm) Relief Valve: 12 - 16 Anti-Drain: Yes UPC Code: 742330-10698</p>
	<p>Part Number: <b>P551344</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: HITACHI 4208241, 4 PACKAGED SEALS REQUIRED Dimensions: Outer Dia: 6.50" (165 mm) Inner Dia: 1.69" (43 mm) Length: 7.56" (192 mm) UPC Code: 742330-10672</p>
	<p>Part Number: <b>P551345</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: HITACHI 4231195, 3 PACKAGED GASKETS REQUIRED Dimensions: Outer Dia: 6.30" (160 mm) Inner Dia: .28" (7 mm) Length: 5.20" (132 mm) UPC Code: 742330-10671</p>









	<p>Part Number: <b>P551347</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: CATERPILLAR 997352 Dimensions: Outer Dia: 2.01" (51 mm) Inner Dia: .91" (23 mm) Length: 2.95" (75 mm) UPC Code: 742330-10675</p>
	<p>Part Number: <b>P551348</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: MITSUBISHI C45702411, WP110 Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: 1 1/8" - 16 Length: 6.81" (173 mm) UPC Code: 742330-10673</p>
	<p>Part Number: <b>P551352</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: JOHN DEERE RE59754 Dimensions: Outer Dia: 3.69" (94 mm) Thread Size: 1 1/2" - 16 Length: 5.76" (146 mm) UPC Code: 742330-10770</p>
	<p>Part Number: <b>P551369</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: VME 4786819, PACKAGED GASKET P761122 Dimensions: Outer Dia: 3.78" (96 mm) Inner Dia: 1.92" (49 mm) Length: 10.00" (254 mm) Performance: <math>\beta_{25\mu} = 75</math> UPC Code: 742330-04376</p>
	<p>Part Number: <b>P551381</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: HINO 15607-1381 Dimensions: Outer Dia: 4.67" (119 mm) Thread Size: 1 1/2" - 12 Length: 7.84" (199 mm) UPC Code: 742330-04377</p>
	<p>Part Number: <b>P551400</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: DETROIT DIESEL 4000 SERIES ENGINE, REPLACES P550655 Dimensions: Outer Dia: 5.33" (135 mm) Thread Size: M45 x 1.5 Length: 12.13" (308 mm) Relief Valve: NA Anti-Drain: None UPC Code: 742330-11105</p>
	<p>Part Number: <b>P551402</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: DD 2000 SERIES AND MARINE VERSION 4000 SERIES, REPLACES P550341 Dimensions: Outer Dia: 5.33" (135 mm) Thread Size: 1 1/2" - 15 Length: 12.13" (308 mm) UPC Code: 742330-11164</p>
	<p>Part Number: <b>P551475</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: CASE A21475, A, CHALMERS, AUSTIN-WEST, FURN GSKT-P167685, P171156 Dimensions: Outer Dia: 3.93" (100 mm) Inner Dia: .81" (21 mm) Length: 4.81" (122 mm) UPC Code: 742330-04378</p>
	<p>Part Number: <b>P551550</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: GRESER, MFP, CROSS, Donaldson LPS04, 3 MICRON Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: 1" - 12 Length: 5.35" (136 mm) Performance: <math>\beta_{4\mu} = 2</math> <math>\beta_{12\mu} = 20</math> <math>\beta_{16\mu} = 75</math> UPC Code: 742330-04379</p>

















	<p>Part Number: <b>P551551</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: GRESEN, CROSS, Donaldson LPS04, 10 MICRON Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: 1" - 12 Length: 5.35" (136 mm) Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{21\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-04380</p>		<p>Part Number: <b>P551712</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: CATERPILLAR 1R-0712, Smaller dia version of P555823 Dimensions: Outer Dia: 3.72" (94 mm) Thread Size: 1" - 14 Length: 9.43" (240 mm) UPC Code: 742330-04388</p>
	<p>Part Number: <b>P551553</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: GRESEN, CROSS, Donaldson LPS04, 25 MICRON Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: 1" - 12 Length: 5.35" (136 mm) Performance: <math>\beta_{20\mu} = 2</math> <math>\beta_{35\mu} = 20</math> UPC Code: 742330-04381</p>		<p>Part Number: <b>P551723</b> Description: <b>Fuel/Water Separator Spin-on</b> Primary Appl.: JOHN DEERE RE61723, RE62424 Dimensions: Outer Dia: 3.27" (83 mm) Inner Dia: 2.73" (69 mm) Length: 6.04" (153 mm) UPC Code: 742330-08214</p>
	<p>Part Number: <b>P551554</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: GRESEN, Donaldson LPS04, 25 MICRON, WATER ABSORBING Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: 1" - 12 Length: 5.21" (132 mm) UPC Code: 742330-04382</p>		<p>Part Number: <b>P551740</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: CATERPILLAR 1R-0740, Smaller dia version of P557440 Dimensions: Outer Dia: 3.34" (85 mm) Thread Size: 1" - 14 Length: 7.09" (180 mm) UPC Code: 742330-04389</p>
	<p>Part Number: <b>P551603</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: FIAT 71909101, IVECO 01901603, HESSTON Dimensions: Outer Dia: 4.26" (108 mm) Thread Size: 3/4" - 16 Length: 7.37" (187 mm) Relief Valve: 30 Anti-Drain: Yes UPC Code: 742330-04383</p>		<p>Part Number: <b>P551915</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: BULK FUEL TANKS WITH SEDIMENT DRAIN, Similar: P554347 w/o Drain Dimensions: Outer Dia: 3.69" (94 mm) Thread Size: 1" - 12 Length: 7.44" (189 mm) UPC Code: 742330-04390</p>
	<p>Part Number: <b>P551604</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: FIAT 71909137, IVECO 01901604 Dimensions: Outer Dia: 4.37" (111 mm) Thread Size: 1" - 12 Length: 8.98" (228 mm) Relief Valve: 18 - 20 Anti-Drain: Yes UPC Code: 742330-04384</p>		<p>Part Number: <b>P552000</b> Description: <b>Fuel/Water Separator Cartridge</b> Primary Appl.: RACOR 2000SM Dimensions: Outer Dia: 1.78" (45 mm) Inner Dia: .50" (13 mm) Length: 2.68" (68 mm) UPC Code: 742330-04391</p>
	<p>Part Number: <b>P551605</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: IVECO 1901605 Dimensions: Outer Dia: 4.29" (109 mm) Thread Size: M16 x 1.5 Length: 7.20" (183 mm) UPC Code: 742330-04385</p>		<p>Part Number: <b>P552010</b> Description: <b>Fuel/Water Separator Cartridge</b> Primary Appl.: RACOR 2010SM Dimensions: Outer Dia: 3.25" (83 mm) Inner Dia: .63" (16 mm) Length: 2.44" (62 mm) UPC Code: 742330-04392</p>
	<p>Part Number: <b>P551624</b> Description: <b>Fuel Cartridge Secondary</b> Primary Appl.: AC TP624 w/Pleated Paper, PKGD GASKET P177751, OPTIONAL GASKET P177752 Dimensions: Outer Dia: 4.53" (115 mm) Inner Dia: 1.94" (49 mm) Length: 8.90" (226 mm) UPC Code: 742330-04386</p>		<p>Part Number: <b>P552015</b> Description: <b>Coolant Spin-on</b> Primary Appl.: MACK TRUCK, Contains 8 units of DCA4 Dimensions: Outer Dia: 3.70" (94 mm) Thread Size: 3/4" - 20 Length: 5.32" (135 mm) UPC Code: 742330-04393</p>
	<p>Part Number: <b>P551670</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: CUMMINS 3313279, DET DIESEL ENG, <del>P167670</del> SYNTEQ Media, Other Similar: P550671, P550947 Dimensions: Outer Dia: 4.65" (118 mm) Thread Size: 1 1/2" - 12 Length: 10.24" (260 mm) UPC Code: 742330-04387</p>		<p>Part Number: <b>P552020</b> Description: <b>Fuel/Water Separator Cartridge</b> Primary Appl.: RACOR 2020SM, FURN GSKT-P167821, P167822, P167823 Dimensions: Outer Dia: 4.28" (109 mm) Inner Dia: .81" (21 mm) Length: 9.63" (245 mm) UPC Code: 742330-04394</p>
			<p>Part Number: <b>P552022</b> Description: <b>Coolant Spin-on</b> Primary Appl.: MACK TRUCK, Contains 11 units of DCA4 Dimensions: Outer Dia: 4.24" (108 mm) Thread Size: 1" - 16 Length: 5.63" (143 mm) UPC Code: 742330-04395</p>





















	<p>Part Number: <b>P552040</b> Description: <b>Fuel/Water Separator Cartridge</b> Primary Appl.: RACOR 2040SM Dimensions: Outer Dia: 4.28" (109 mm) Inner Dia: .81" (21 mm) Length: 4.63" (118 mm) UPC Code: 742330-04397</p>
	<p>Part Number: <b>P552041</b> Description: <b>Lube Cartridge Bypass</b> Primary Appl.: ISUZU/GMC CAB FORWARD HOUSING, Filter has bail handle attached Dimensions: Outer Dia: 6.50" (165 mm) Thread Size: 3/8" - 24 Length: 8.75" (222 mm) UPC Code: 742330-04398</p>
	<p>Part Number: <b>P552050</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: HINO 156072050, P551381 (1-1/2" - 12) BUT WITH (1-1/2" - 16) THREAD Dimensions: Outer Dia: 4.65" (118 mm) Thread Size: 1 1/2" - 16 Length: 7.83" (199 mm) UPC Code: 742330-10700</p>
	<p>Part Number: <b>P552055</b> Description: <b>Coolant Spin-on</b> Primary Appl.: CUMMINS 3305371, Contains 23 units of SCA Dimensions: Outer Dia: 4.28" (109 mm) Thread Size: 11/16" - 16 Length: 7.89" (200 mm) UPC Code: 742330-04399</p>
	<p>Part Number: <b>P552070</b> Description: <b>Coolant Spin-on</b> Primary Appl.: CUMMINS 3318157, Contains 2 units of DCA4 Dimensions: Outer Dia: 3.70" (94 mm) Thread Size: 11/16" - 16 Length: 4.07" (103 mm) UPC Code: 742330-04401</p>
	<p>Part Number: <b>P552071</b> Description: <b>Coolant Spin-on</b> Primary Appl.: CUMMINS 3315116, Contains 4 units of DCA4 Dimensions: Outer Dia: 3.69" (94 mm) Thread Size: 11/16" - 16 Length: 4.15" (105 mm) UPC Code: 742330-04402</p>
	<p>Part Number: <b>P552072</b> Description: <b>Coolant Spin-on</b> Primary Appl.: CUMMINS 3318201, Contains 6 units of DCA4 Dimensions: Outer Dia: 3.70" (94 mm) Thread Size: 11/16" - 16 Length: 4.07" (103 mm) UPC Code: 742330-04403</p>
	<p>Part Number: <b>P552073</b> Description: <b>Coolant Spin-on</b> Primary Appl.: CUMMINS 3315115, Contains 8 units of DCA4 Dimensions: Outer Dia: 3.70" (94 mm) Thread Size: 11/16" - 16 Length: 5.32" (135 mm) UPC Code: 742330-04404</p>
	<p>Part Number: <b>P552074</b> Description: <b>Coolant Spin-on</b> Primary Appl.: CUMMINS 3316053, Contains 12 units of DCA4 Dimensions: Outer Dia: 3.70" (94 mm) Thread Size: 11/16" - 16 Length: 5.32" (135 mm) UPC Code: 742330-04405</p>


















	<p>Part Number: <b>P552075</b> Description: <b>Coolant Spin-on</b> Primary Appl.: CUMMINS 3318318, Contains 15 units of DCA4 Dimensions: Outer Dia: 3.70" (94 mm) Thread Size: 11/16" - 16 Length: 5.32" (135 mm) UPC Code: 742330-04406</p>
	<p>Part Number: <b>P552076</b> Description: <b>Coolant Spin-on</b> Primary Appl.: CUMMINS 3318319, Contains 23 units of DCA4 Dimensions: Outer Dia: 3.70" (94 mm) Thread Size: 11/16" - 16 Length: 7.48" (190 mm) UPC Code: 742330-04407</p>
	<p>Part Number: <b>P552088</b> Description: <b>Coolant Spin-on</b> Primary Appl.: NALCO NF2008, PENRAY NR2088, FLEETGUARD WF2131, SCA FORMULA WITH TIME RELEASE FOR EXTENDED SERVICE Dimensions: Outer Dia: 3.69" (94 mm) Thread Size: 11/16" - 16 Length: 5.44" (138 mm) UPC Code: 742330-08717</p>
	<p>Part Number: <b>P552096</b> Description: <b>Coolant Spin-on</b> Primary Appl.: VOLVO 1661964, 1699830, CONTAINS 4 UNITS SCA, P554071 but with M16 x 1.5mm Thread Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: M16 x 1.5 Length: 5.35" (136 mm) UPC Code: 742330-10654</p>
	<p>Part Number: <b>P552100</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: DET. DIESEL 50 &amp; 60 SERIES ENGINES, 23518480 Dimensions: Outer Dia: 4.65" (118 mm) Thread Size: 1 5/8" - 12 Length: 10.24" (260 mm) UPC Code: 742330-04409</p>
	<p>Part Number: <b>P552106</b> Description: <b>Coolant Spin-on</b> Primary Appl.: NAVISTAR, Contains 4 units of DCA4 Dimensions: Outer Dia: 3.69" (94 mm) Thread Size: 11/16" - 16 Length: 5.32" (135 mm) Anti-Drain: Yes UPC Code: 742330-04410</p>
	<p>Part Number: <b>P552250</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: IHC 702256C1, Similar: P552251-Fuel primary, P555004-FFWS Dimensions: Outer Dia: 3.81" (97 mm) Thread Size: 1" - 14 Length: 7.81" (198 mm) UPC Code: 742330-04412</p>
	<p>Part Number: <b>P552251</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: IHC 702250C1, Similar: P552250-Fuel primary, P555004-FFWS Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: 1" - 14 Length: 5.35" (136 mm) UPC Code: 742330-04413</p>

	<p>Part Number: <b>P552253</b> Description: <b>Fuel Spin-on Secondary</b> Primary Appl.: IHC 702253C1 Dimensions: Outer Dia: 3.69" (94 mm) Thread Size: 1" - 14 Length: 8.69" (221 mm) UPC Code: 742330-04414</p>		<p>Part Number: <b>P552564</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: ISUZU 1-13240-074-0, HITACHI 4206080 Dimensions: Outer Dia: 3.68" (93 mm) Thread Size: 3/4" - 16 Length: 4.92" (125 mm) UPC Code: 742330-04422</p>
	<p>Part Number: <b>P552290</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: CASE, DAVID BROWN, TOYOTA Dimensions: Outer Dia: 3.69" (94 mm) Thread Size: 3/4" - 16 Length: 4.36" (111 mm) Relief Valve: 18 - 20 Anti-Drain: Yes UPC Code: 742330-04415</p>		<p>Part Number: <b>P552603</b> Description: <b>Fuel Spin-on Secondary</b> Primary Appl.: IHC 672603C1, P550689=FFWS Dimensions: Outer Dia: 4.28" (109 mm) Thread Size: 7/8" - 14 Length: 7.98" (203 mm) UPC Code: 742330-04423</p>
	<p>Part Number: <b>P552311</b> Description: <b>Lube Cartridge Combination</b> Primary Appl.: MACK 236GB311A, WGB S118CP Dimensions: Outer Dia: 7.50" (190 mm) Inner Dia: .72" (18 mm) Length: 15.00" (381 mm) UPC Code: 742330-04416</p>		<p>Part Number: <b>P552819</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: DEUTZ, CLARK, HYSTER Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: 1" - 12 Length: 5.35" (136 mm) Relief Valve: 18 - 23 Anti-Drain: Yes UPC Code: 742330-04424</p>
	<p>Part Number: <b>P552341</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: CAT 5M-7650 Dimensions: Outer Dia: 2.31" (59 mm) Inner Dia: .72" (18 mm) Length: 3.00" (76 mm) UPC Code: 742330-04417</p>		<p>Part Number: <b>P552849</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: FORD, MAZDA Dimensions: Outer Dia: 3.00" (76 mm) Thread Size: M20 x 1.5 Length: 4.74" (120 mm) Relief Valve: 7 - 9 Anti-Drain: Yes UPC Code: 742330-04425</p>
	<p>Part Number: <b>P552518</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: DODGE 6CYL-225,V8-318, CHRYSLER, FORD &amp; OTHERS Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: 3/4" - 16 Length: 4.21" (107 mm) Relief Valve: 7 - 10 Anti-Drain: Yes UPC Code: 742330-04418</p>		<p>Part Number: <b>P552850</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: CLARK #234099-MODEL 35C &amp; 45C, MB GCS20-30 Dimensions: Outer Dia: 3.69" (94 mm) Thread Size: 2" - 16 Length: 5.56" (141 mm) Performance: <math>\beta_{125} = 2</math> Relief Valve: 8 - 12 UPC Code: 742330-04426</p>
	<p>Part Number: <b>P552561</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: MITSUBISHI ME035393, ME035829 Dimensions: Outer Dia: 3.70" (94 mm) Thread Size: M20 x 1.5 Length: 4.72" (120 mm) UPC Code: 742330-04419</p>		<p>Part Number: <b>P553000</b> Description: <b>Lube Spin-on Combination</b> Primary Appl.: CUMMINS ENGINES, Donaldson Endurance Version is ELF7300 Dimensions: Outer Dia: 4.65" (118 mm) Thread Size: 2 1/4" - 12 Length: 11.75" (298 mm) Relief Valve: 75 UPC Code: 742330-04427</p>
	<p>Part Number: <b>P552562</b> Description: <b>Lube Spin-on Combination</b> Primary Appl.: MITSUBISHI ME074013 Dimensions: Outer Dia: 5.12" (130 mm) Thread Size: M36 x 1.5 Length: 8.66" (220 mm) UPC Code: 742330-04420</p>		<p>Part Number: <b>P553004</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: VOLVO 243004, FFWS=P550688 Dimensions: Outer Dia: 3.11" (79 mm) Thread Size: M16 x 1.5 Length: 4.80" (122 mm) UPC Code: 742330-04428</p>
	<p>Part Number: <b>P552563</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: ISUZU 5-878100500 Dimensions: Outer Dia: 2.83" (72 mm) Inner Dia: .57" (14 mm) Length: 3.35" (85 mm) UPC Code: 742330-04421</p>		<p>Part Number: <b>P553080</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: CAT 8N-3080, 3500 SERIES ENGINE Dimensions: Outer Dia: 5.38" (137 mm) Thread Size: 1 3/8" - 16 Length: 12.13" (308 mm) UPC Code: 742330-04429</p>











	<p>Part Number: <b>P553191</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: MACK 485GB3191, RENAULT, VOLVO &amp; ON HWY TRUCKS, P167404=SYNTEQ Media Dimensions: Outer Dia: 4.24" (108 mm) Thread Size: 1 1/8" - 16 Length: 10.39" (264 mm) UPC Code: 742330-04430</p>
	<p>Part Number: <b>P553261</b> Description: <b>Fuel Cartridge Secondary</b> Primary Appl.: GMC 5573261, FURN GSKT-P171162, P171168 Dimensions: Outer Dia: 2.98" (76 mm) Inner Dia: 1.03" (26 mm) Length: 3.75" (95 mm) UPC Code: 742330-04433</p>
	<p>Part Number: <b>P553287</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: DEUTZ 3363287 Dimensions: Outer Dia: 3.07" (78 mm) Thread Size: M14 x 1.5 Length: 5.03" (128 mm) UPC Code: 742330-08213</p>
	<p>Part Number: <b>P553293</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: GRESEN 3293, A.CHALMERS, CASE, PKGD GASKETS 2-P177050-OPT GASKETS P177049, P177051 Dimensions: Outer Dia: 4.52" (115 mm) Inner Dia: 1.80" (46 mm) Length: 7.00" (178 mm) Performance: <math>\beta_{16\mu} = 2</math> <math>\beta_{35\mu} = 20</math> <math>\beta_{47\mu} = 75</math> UPC Code: 742330-04434</p>
	<p>Part Number: <b>P553315</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: FORD 785F-6714-AA3A Dimensions: Outer Dia: 3.82" (97 mm) Thread Size: M22 x 1.5 Length: 5.51" (140 mm) UPC Code: 742330-04435</p>
	<p>Part Number: <b>P553335</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: IHC, GALION, HOUGH, TOWMOTOR, FURN GSKT-P171165 Dimensions: Outer Dia: 4.06" (103 mm) Inner Dia: 1.62" (41 mm) Length: 5.50" (140 mm) UPC Code: 742330-04436</p>
	<p>Part Number: <b>P553375</b> Description: <b>Fuel/Water Separator Spin-on</b> Primary Appl.: FORD 7.3L W/NAVISTAR ENG #F2TZ-9N184A-A Dimensions: Outer Dia: 4.39" (112 mm) Thread Size: 1" - 14 Length: 4.02" (102 mm) UPC Code: 742330-04437</p>
	<p>Part Number: <b>P553404</b> Description: <b>Lube Spin-on Bypass</b> Primary Appl.: CARRIER TRANSICOLD 30.00304.00 Dimensions: Outer Dia: 3.81" (97 mm) Thread Size: 5/8" - 18 Length: 7.91" (201 mm) UPC Code: 742330-04438</p>









	<p>Part Number: <b>P553411</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: ALLIS CHALMERS, WORTHINGTON, FORD Dimensions: Outer Dia: 4.28" (109 mm) Thread Size: 3/4" - 16 Length: 5.78" (147 mm) Relief Valve: 18 - 20 Anti-Drain: Yes UPC Code: 742330-04439</p>
	<p>Part Number: <b>P553548</b> Description: <b>Lube Spin-on Combination</b> Primary Appl.: CASE IH J919562, Short version of P553000 Dimensions: Outer Dia: 4.65" (118 mm) Thread Size: 2 1/4" - 12 Length: 8.94" (227 mm) UPC Code: 742330-08718</p>
	<p>Part Number: <b>P553634</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: MICH FP, JOHN DEERE AR43634, FURN GSKT=P171184 Dimensions: Outer Dia: 5.00" (127 mm) Thread Size: 1 1/2" - 16 Length: 6.85" (174 mm) UPC Code: 742330-04440</p>
	<p>Part Number: <b>P553693</b> Description: <b>Fuel Spin-on Secondary</b> Primary Appl.: CARRIER, THERMOKING 11.3693 Dimensions: Outer Dia: 3.81" (97 mm) Thread Size: 7/8" - 14 Length: 5.22" (133 mm) UPC Code: 742330-04441</p>
	<p>Part Number: <b>P553712</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: CARRIER, ATLS COPCO, THERMOKING 11.3712 Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: 1" - 12 Length: 6.85" (174 mm) UPC Code: 742330-04442</p>
	<p>Part Number: <b>P553746</b> Description: <b>Lube Spin-on Bypass</b> Primary Appl.: THERMO KING 11.3746 Dimensions: Outer Dia: 4.28" (109 mm) Thread Size: 3/4" - 20 Length: 7.89" (200 mm) UPC Code: 742330-04443</p>
	<p>Part Number: <b>P553771</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: DEUTZ 1174421, CASE IH, REPLACES P557624 Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: 1" - 12 Length: 7.87" (200 mm) Relief Valve: 35 Anti-Drain: Yes UPC Code: 742330-04444</p>
	<p>Part Number: <b>P553854</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: CARRIER, IHC, THERMOKING 11.3854 Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: 1" - 14 Length: 6.85" (174 mm) UPC Code: 742330-04446</p>

















	<p><b>Part Number:</b> P553855 <b>Description:</b> Fuel Spin-on Secondary <b>Primary Appl.:</b> IHC, THERMOKING 11.3855 <b>Dimensions:</b> Outer Dia: 3.78" (96 mm) Thread Size: 7/8" - 14 Length: 8.70" (221 mm) <b>UPC Code:</b> 742330-04447</p>		<p><b>Part Number:</b> P554073 <b>Description:</b> Coolant Spin-on <b>Primary Appl.:</b> CUMMINS 3315115, Contains 8 units of SCA <b>Dimensions:</b> Outer Dia: 3.66" (93 mm) Thread Size: 11/16" - 16 Length: 5.35" (136 mm) <b>UPC Code:</b> 742330-04459</p>
	<p><b>Part Number:</b> P553871 <b>Description:</b> Lube Spin-on Full Flow <b>Primary Appl.:</b> THERMOKING 11.3871 <b>Dimensions:</b> Outer Dia: 4.29" (109 mm) Thread Size: 1" - 12 Length: 7.00" (178 mm) <b>UPC Code:</b> 742330-04448</p>		<p><b>Part Number:</b> P554074 <b>Description:</b> Coolant Spin-on <b>Primary Appl.:</b> CUMMINS 3316053, Contains 12 units of SCA <b>Dimensions:</b> Outer Dia: 3.66" (93 mm) Thread Size: 11/16" - 16 Length: 5.35" (136 mm) <b>UPC Code:</b> 742330-04460</p>
	<p><b>Part Number:</b> P553925 <b>Description:</b> Lube Cartridge Full Flow <b>Primary Appl.:</b> MERCEDES BENZ 0011843925, OPTIONAL GASKET P17 <b>Dimensions:</b> Outer Dia: 4.84" (123 mm) Inner Dia: 2.25" (57 mm) Length: 8.86" (225 mm) <b>UPC Code:</b> 742330-04449</p>		<p><b>Part Number:</b> P554075 <b>Description:</b> Coolant Spin-on <b>Primary Appl.:</b> CUMMINS 3318318, Contains 15 units of SCA <b>Dimensions:</b> Outer Dia: 3.66" (93 mm) Thread Size: 11/16" - 16 Length: 5.35" (136 mm) <b>UPC Code:</b> 742330-04461</p>
	<p><b>Part Number:</b> P554004 <b>Description:</b> Lube Spin-on Full Flow <b>Primary Appl.:</b> CATERPILLAR 1R-0658, 2P-4004, P167404=SYNTEQ Media <b>Dimensions:</b> Outer Dia: 4.25" (108 mm) Thread Size: 1 1/8" - 16 Length: 10.31" (262 mm) <b>UPC Code:</b> 742330-04450</p>		<p><b>Part Number:</b> P554105 <b>Description:</b> Lube Spin-on Full Flow <b>Primary Appl.:</b> 4-5/8" DIA. VERSION OF CATERPILLAR #2P4005 <b>Dimensions:</b> Outer Dia: 4.67" (119 mm) Thread Size: 1 1/2" - 16 Length: 11.75" (298 mm) <b>UPC Code:</b> 742330-04462</p>
	<p><b>Part Number:</b> P554005 <b>Description:</b> Lube Spin-on Full Flow <b>Primary Appl.:</b> CAT 1R-0716, 2P-4005, STGR, SULLAIR, P167405=SYNTEQ Media <i>ELF7405</i> <b>Dimensions:</b> Outer Dia: 5.33" (135 mm) Thread Size: 1 1/2" - 16 Length: 12.13" (308 mm) <b>UPC Code:</b> 742330-04451</p>		<p><b>Part Number:</b> P554136 <b>Description:</b> Lube Cartridge Full Flow <b>Primary Appl.:</b> CAT 1W-4136 <b>Dimensions:</b> Outer Dia: 7.42" (188 mm) Inner Dia: 3.43" (87 mm) Length: 13.38" (340 mm) <b>UPC Code:</b> 742330-04463</p>
	<p><b>Part Number:</b> P554019 <b>Description:</b> Coolant Spin-on <b>Primary Appl.:</b> VOLVO 3945411, 8 UNITS SCA <b>Dimensions:</b> Outer Dia: 3.66" (93 mm) Thread Size: M16 x 1.5 Length: 5.35" (136 mm) <b>UPC Code:</b> 742330-11159</p>		<p><b>Part Number:</b> P554206 <b>Description:</b> Lube Spin-on Full Flow <b>Primary Appl.:</b> IHC 684206C1 <b>Dimensions:</b> Outer Dia: 5.58" (142 mm) Thread Size: 1 1/2" - 16 Length: 9.62" (244 mm) <b>UPC Code:</b> 742330-04464</p>
	<p><b>Part Number:</b> P554056 <b>Description:</b> Fuel Cartridge Primary <b>Primary Appl.:</b> CAT 1W-4056 <b>Dimensions:</b> Outer Dia: 5.07" (129 mm) Inner Dia: 2.28" (58 mm) Length: 10.29" (261 mm) <b>UPC Code:</b> 742330-04456</p>		<p><b>Part Number:</b> P554347 <b>Description:</b> Fuel Spin-on Primary <b>Primary Appl.:</b> BULK FUEL, W/O DRAIN, Similar-P551915 with drain <b>Dimensions:</b> Outer Dia: 3.66" (93 mm) Thread Size: 1" - 12 Length: 6.85" (174 mm) <b>UPC Code:</b> 742330-04465</p>
	<p><b>Part Number:</b> P554071 <b>Description:</b> Coolant Spin-on <b>Primary Appl.:</b> CUMMINS 3315116, Contains 4 units SCA <b>Dimensions:</b> Outer Dia: 3.66" (93 mm) Thread Size: 11/16" - 16 Length: 4.21" (107 mm) <b>UPC Code:</b> 742330-04457</p>		<p><b>Part Number:</b> P554400 <b>Description:</b> Lube Spin-on Full Flow <b>Primary Appl.:</b> A.CHALMERS 3000 SER ENG <b>Dimensions:</b> Outer Dia: 4.25" (108 mm) Thread Size: 1" - 16 Length: 7.37" (187 mm) <b>UPC Code:</b> 742330-04466</p>
	<p><b>Part Number:</b> P554072 <b>Description:</b> Coolant Spin-on <b>Primary Appl.:</b> CUMMINS 3318201, Contains 6 units of SCA <b>Dimensions:</b> Outer Dia: 3.66" (93 mm) Thread Size: 11/16" - 16 Length: 4.21" (107 mm) <b>UPC Code:</b> 742330-04458</p>		





















	<p>Part Number: <b>P554403</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: PERKINS 2654403, MF Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: 3/4" - 16 Length: 5.35" (136 mm) 7 - 10 Relief Valve: Yes Anti-Drain: Yes UPC Code: 742330-04467</p>
	<p>Part Number: <b>P554407</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: PERKINS 2654407, Equipped with standpipe Dimensions: Outer Dia: 3.81" (97 mm) Thread Size: 3/4" - 16 Length: 6.78" (172 mm) 8 - 11 Relief Valve: Yes Anti-Drain: Yes UPC Code: 742330-08167</p>
	<p>Part Number: <b>P554408</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: PERKINS 2654408, MF Dimensions: Outer Dia: 3.07" (78 mm) Thread Size: 3/4" - 16 Length: 5.71" (145 mm) 8 - 11 Relief Valve: Yes Anti-Drain: Yes UPC Code: 742330-04468</p>
	<p>Part Number: <b>P554422</b> Description: <b>Coolant Spin-on</b> Primary Appl.: MACK 25MF422, Contains 11 units of SCA Dimensions: Outer Dia: 4.28" (109 mm) Thread Size: 1" - 16 Length: 5.78" (147 mm) UPC Code: 742330-04469</p>
	<p>Part Number: <b>P554470</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: MACK 483GB470M, METRIC THREAD VERSION OF P550219 Dimensions: Outer Dia: 4.25" (108 mm) Thread Size: M22 x 1.5-6H Length: 7.95" (202 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-10818</p>
	<p>Part Number: <b>P554471</b> Description: <b>Fuel Spin-on Secondary</b> Primary Appl.: MACK 483GB471M, METRIC THREAD VERSION OF P550431 Dimensions: Outer Dia: 4.25" (108 mm) Thread Size: M30 x 1.5-6H Length: 10.30" (262 mm) Relief Valve: None Anti-Drain: None UPC Code: 742330-10819</p>
	<p>Part Number: <b>P554620</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: DEUTZ 1174422 Dimensions: Outer Dia: 3.82" (97 mm) Thread Size: M16 x 1.5 Length: 5.47" (139 mm) UPC Code: 742330-04470</p>
	<p>Part Number: <b>P554636</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: INT'L 390560-R91, 527507-R91, AND -R92 Dimensions: Outer Dia: 5.00" (127 mm) Inner Dia: 2.81" (71 mm) Length: 6.12" (155 mm) UPC Code: 742330-04471</p>



















	<p>Part Number: <b>P554685</b> Description: <b>Coolant Spin-on</b> Primary Appl.: CUMMINS without chemicals, Contains no chemical Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: 1 1/16" - 16 Length: 5.35" (136 mm) UPC Code: 742330-04472</p>
	<p>Part Number: <b>P554731</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: IHC 214731R91, FORD, FURN GSKT: P171171, P171172 Dimensions: Outer Dia: 4.59" (117 mm) Inner Dia: .53" (13 mm) Length: 5.00" (127 mm) UPC Code: 742330-04473</p>
	<p>Part Number: <b>P554770</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: JOHN DEERE AM34770 Dimensions: Outer Dia: 2.99" (76 mm) Thread Size: 3/4" - 16 Length: 4.72" (120 mm) 11 - 17 Relief Valve: Yes Anti-Drain: Yes UPC Code: 742330-04475</p>
	<p>Part Number: <b>P554860</b> Description: <b>Coolant Spin-on</b> Primary Appl.: MACK 25-MF-314A, Contains 8 units of SCA Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: 3/4" - 20 Length: 5.35" (136 mm) UPC Code: 742330-04476</p>
	<p>Part Number: <b>P555001</b> Description: <b>Fuel/Water Separator Assembly</b> Primary Appl.: RACOR B32001, INCLUDES BOWL, P169090-SYNTEQ Media, OTHERS: P550105, P550106, P558000-FFWS w/drain Dimensions: Outer Dia: 3.81" (97 mm) Thread Size: 1" - 14 Length: 9.94" (252 mm) UPC Code: 742330-04478</p>
	<p>Part Number: <b>P555002</b> Description: <b>Fuel/Water Separator Assembly</b> Primary Appl.: RACOR B32002, INCLUDES BOWL, P550915-FUEL, P558010-FFWS W/DRAIN Dimensions: Outer Dia: 3.81" (97 mm) Thread Size: 1" - 12 Length: 9.94" (252 mm) UPC Code: 742330-04479</p>
	<p>Part Number: <b>P555003</b> Description: <b>Fuel/Water Separator Assembly</b> Primary Appl.: RACOR B32003, INCLUDES BOWL, P169096-SYNTEQ Media, P555627 &amp; P557440-FUEL, P558030-W/Drain Dimensions: Outer Dia: 3.81" (97 mm) Thread Size: 1" - 14 Length: 8.06" (205 mm) UPC Code: 742330-04480</p>
	<p>Part Number: <b>P555004</b> Description: <b>Fuel/Water Separator Assembly</b> Primary Appl.: RACOR B32004, INCLUDES BOWL, P552250 &amp; P552251-STD FUEL Dimensions: Outer Dia: 3.81" (97 mm) Thread Size: 1" - 14 Length: 6.56" (167 mm) UPC Code: 742330-04481</p>

	<p><b>Part Number:</b> P555006 <b>Description:</b> Fuel/Water Separator Assembly <b>Primary Appl.:</b> RACOR B32006, INCLUDES BOWL, P169092-SYNTEQ Media, P555823-FUEL SPIN-ON <b>Dimensions:</b> Outer Dia: 4.38" (111 mm) Thread Size: 1" - 14 Length: 11.38" (289 mm) <b>UPC Code:</b> 742330-04483</p>
	<p><b>Part Number:</b> P555010 <b>Description:</b> Fuel/Water Separator Spin-on <b>Primary Appl.:</b> RACOR S32002, P169090-SYNTEQ, OTHERS: P550105, P550106, P558000-FFWS w/drain <b>Dimensions:</b> Outer Dia: 3.81" (97 mm) Thread Size: 1" - 14 Length: 7.40" (188 mm) <b>UPC Code:</b> 742330-04485</p>
	<p><b>Part Number:</b> P555020 <b>Description:</b> Fuel/Water Separator Spin-on <b>Primary Appl.:</b> RACOR S3202, P558002-FFWS W/DRAIN, P550915-FUEL SPIN-ON <b>Dimensions:</b> Outer Dia: 3.81" (97 mm) Thread Size: 1" - 12 Length: 7.40" (188 mm) <b>UPC Code:</b> 742330-04487</p>
	<p><b>Part Number:</b> P555030 <b>Description:</b> Fuel/Water Separator Spin-on <b>Primary Appl.:</b> RACOR S32, P169096-SYNTEQ Media, P555627-FUEL, P558030-FFWS/DRN <b>Dimensions:</b> Outer Dia: 3.81" (97 mm) Thread Size: 1" - 14 Length: 5.52" (140 mm) <b>UPC Code:</b> 742330-04488</p>
	<p><b>Part Number:</b> P555040 <b>Description:</b> Fuel/Water Separator Spin-on <b>Primary Appl.:</b> RACOR S32, Similar fuel spin-ons P552250 &amp; P552251 <b>Dimensions:</b> Outer Dia: 3.81" (97 mm) Thread Size: 1" - 14 Length: 4.02" (102 mm) <b>UPC Code:</b> 742330-04489</p>
	<p><b>Part Number:</b> P555060 <b>Description:</b> Fuel/Water Separator Spin-on <b>Primary Appl.:</b> RACOR S3206, P555823-STD FUEL, P169092-SYNTEQ Media <b>Dimensions:</b> Outer Dia: 4.38" (111 mm) Thread Size: 1" - 14 Length: 8.56" (217 mm) <b>UPC Code:</b> 742330-04491</p>
	<p><b>Part Number:</b> P555088 <b>Description:</b> Lube Cartridge Full Flow <b>Primary Appl.:</b> JOHN DEERE AT15088T, PURO R14 <b>Dimensions:</b> Outer Dia: 3.34" (85 mm) Inner Dia: 1.62" (41 mm) Length: 6.50" (165 mm) <b>UPC Code:</b> 742330-04493</p>
	<p><b>Part Number:</b> P555095 <b>Description:</b> Fuel Spin-on Primary <b>Primary Appl.:</b> FORD #E67HZ9365A (BRAZILIAN CAB FORWARD) <b>Dimensions:</b> Outer Dia: 3.01" (76 mm) Thread Size: M16 x 1.5 Length: 3.46" (88 mm) <b>UPC Code:</b> 742330-04494</p>
	<p><b>Part Number:</b> P555110 <b>Description:</b> Fuel/Water Separator Spin-on <b>Primary Appl.:</b> RACOR S32011, P550104-STD FUEL, P169093-SYNTEQ Media, P558020-FFWS <b>Dimensions:</b> Outer Dia: 3.81" (97 mm) Thread Size: 1" - 14 Length: 5.52" (140 mm) <b>UPC Code:</b> 742330-04495</p>
	<p><b>Part Number:</b> P555150 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> AC, CLARK, JD, FORD, ALLIS 70679513-2 <b>Dimensions:</b> Outer Dia: 4.50" (114 mm) Inner Dia: 2.22" (56 mm) Length: 7.25" (184 mm) <b>UPC Code:</b> 742330-04496</p>
	<p><b>Part Number:</b> P555400 <b>Description:</b> Lube Cartridge Full Flow <b>Primary Appl.:</b> LISTER, PETTER <b>Dimensions:</b> Outer Dia: 2.00" (51 mm) Inner Dia: .81" (21 mm) Length: 2.12" (54 mm) <b>UPC Code:</b> 742330-04497</p>
	<p><b>Part Number:</b> P555422 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> JOHN DEERE AT45422 <b>Dimensions:</b> Outer Dia: 4.37" (111 mm) Inner Dia: .68" (17 mm) Length: 9.56" (243 mm) <b>UPC Code:</b> 742330-04498</p>
	<p><b>Part Number:</b> P555461 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> CAT 9J-5461, P164241-SYNTAQ Media <b>Dimensions:</b> Outer Dia: 5.07" (129 mm) Inner Dia: 3.58" (91 mm) Length: 11.00" (279 mm) <b>Performance:</b> <math>\beta_{20\mu} = 2</math> <math>\beta_{35\mu} = 20</math> <b>UPC Code:</b> 742330-04499</p>
	<p><b>Part Number:</b> P555522 <b>Description:</b> Lube Spin-on Full Flow <b>Primary Appl.:</b> THERMOKING 11.5522, J.DEERE, YANMAR <b>Dimensions:</b> Outer Dia: 3.12" (79 mm) Thread Size: M20 x 1.5 Length: 3.87" (98 mm) <b>Relief Valve:</b> 11 - 17 <b>Anti-Drain:</b> Yes <b>UPC Code:</b> 742330-04500</p>
	<p><b>Part Number:</b> P555570 <b>Description:</b> Lube Spin-on Full Flow <b>Primary Appl.:</b> CAT 8N-9586, 9N-5570, P166508-SYNTAQ Media <b>Dimensions:</b> Outer Dia: 3.81" (97 mm) Thread Size: 1 1/8" - 16 Length: 5.22" (133 mm) <b>UPC Code:</b> 742330-04501</p>
	<p><b>Part Number:</b> P555603 <b>Description:</b> Hydraulic Cartridge <b>Primary Appl.:</b> JOHN DEERE AR75603, AR75601, P174997 Gasket included. Optional Gasket P179322 <b>Dimensions:</b> Outer Dia: 4.61" (117 mm) Inner Dia: 2.20" (56 mm) Length: 5.29" (134 mm) <b>Performance:</b> <math>\beta_{20\mu} = 2</math> <math>\beta_{35\mu} = 20</math> <b>UPC Code:</b> 742330-04503</p>











	<p>Part Number: <b>P555616</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: IHC 675616C91, CASE, Donaldson Endurance ELF7616 Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: 1" - 12 Length: 6.85" (174 mm) Anti-Drain: Yes UPC Code: 742330-04504</p>
	<p>Part Number: <b>P555625</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: MERCEDES 0011845625 Dimensions: Outer Dia: 3.86" (98 mm) Inner Dia: 1.57" (40 mm) Length: 9.53" (242 mm) UPC Code: 742330-04505</p>
	<p>Part Number: <b>P555627</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: IHC 625627C1, P169096=SYNTEQ Media, OTHERS: P557440, P558030=FFWS W/DRAIN Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: 1" - 14 Length: 7.87" (200 mm) UPC Code: 742330-04506</p>
	<p>Part Number: <b>P555680</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: CAT 9N5680, Donaldson Endurance ELF7680 Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: 1" - 12 Length: 5.35" (136 mm) Relief Valve: 18 - 23 UPC Code: 742330-04507</p>
	<p>Part Number: <b>P555823</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: CAT 4N-5823, <del>P169092</del>-SYNTEQ Media, P555006=FFWS ASSY <b>ELF9092</b> Dimensions: Outer Dia: 4.31" (109 mm) Thread Size: 1" - 14 Length: 10.60" (269 mm) UPC Code: 742330-04508</p>
	<p>Part Number: <b>P555935</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: CAT 8B-5935, USE AS LUBE OR HYDRAULIC Dimensions: Outer Dia: 3.66" (93 mm) Inner Dia: 1.41" (36 mm) Length: 5.90" (150 mm) UPC Code: 742330-04509</p>
	<p>Part Number: <b>P556001</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: IHC, EATON, RACINE Dimensions: Outer Dia: 4.50" (114 mm) Inner Dia: .53" (13 mm) Length: 9.06" (230 mm) UPC Code: 742330-04510</p>
	<p>Part Number: <b>P556004</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: IHC, TOWMOTOR, CHRYSLER, FORD, REXNORD 4931343, FURN GSKT-P171171, P171172 Dimensions: Outer Dia: 4.50" (114 mm) Inner Dia: .53" (13 mm) Length: 5.00" (127 mm) UPC Code: 742330-04511</p>

	<p>Part Number: <b>P556005</b> Description: <b>Hydraulic Spin-on</b> Primary Appl.: CESSNA 62200-A,VCKRS 350577,573082,573083, Dimensions: Outer Dia: 3.69" (94 mm) Thread Size: 1 1/8" - 16 Length: 5.37" (136 mm) Performance: <math>\beta_{10\mu} = 2</math> <math>\beta_{18\mu} = 20</math> <math>\beta_{25\mu} = 75</math> UPC Code: 742330-04512</p>
	<p>Part Number: <b>P556007</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: CAT 9N-6007 Dimensions: Outer Dia: 4.28" (109 mm) Thread Size: 1 1/8" - 16 Length: 5.78" (147 mm) UPC Code: 742330-04513</p>
	<p>Part Number: <b>P556064</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: CAT 4J-6064, 4J-0806, P164205=SYNTEQ Media Dimensions: Outer Dia: 5.08" (129 mm) Inner Dia: 3.35" (85 mm) Length: 9.02" (229 mm) Performance: <math>\beta_{20\mu} = 2</math> <math>\beta_{35\mu} = 20</math> UPC Code: 742330-04514</p>
	<p>Part Number: <b>P556219</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: IHC 666219-C1 Dimensions: Outer Dia: 6.50" (165 mm) Inner Dia: 5.50" (140 mm) Length: 12.16" (309 mm) UPC Code: 742330-04515</p>
	<p>Part Number: <b>P556220</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: IHC 666220-C1 Dimensions: Outer Dia: 6.50" (165 mm) Inner Dia: 5.50" (140 mm) Length: 15.06" (383 mm) UPC Code: 742330-04516</p>
	<p>Part Number: <b>P556245</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: CASE, JOHN DEERE, IHC, MF, ROOSAMASTER, FURN GSKT- P171186, P171190, P171191 Dimensions: Outer Dia: 3.46" (88 mm) Inner Dia: .56" (14 mm) Length: 2.80" (71 mm) UPC Code: 742330-04517</p>
	<p>Part Number: <b>P556285</b> Description: <b>Fuel Box Primary</b> Primary Appl.: THERMOKING 116285 Dimensions: Width: 2.83" (72 mm) Depth: 2.46" (62 mm) Length: 4.62" (117 mm) UPC Code: 742330-04518</p>
	<p>Part Number: <b>P556286</b> Description: <b>Fuel/Water Separator Box</b> Primary Appl.: THERMOKING 116286 Dimensions: Width: 2.83" (72 mm) Depth: 2.46" (62 mm) Length: 4.62" (117 mm) UPC Code: 742330-04519</p>










	<p>Part Number: <b>P556287</b>          Description: <b>Fuel Cartridge Primary</b>          Primary Appl.: C.A.V. 7111/792, ROLLED PAPER VERSION          Dimensions: Outer Dia: 3.46" (88 mm)          Inner Dia: 1.53" (39 mm)          Length: 4.45" (113 mm)          UPC Code: 742330-04520</p>		<p>Part Number: <b>P557115</b>          Description: <b>Transmission Filter</b>          Primary Appl.: FORD TRUCK, UNIQUE SHAPE          UPC Code: 742330-04528</p>
	<p>Part Number: <b>P556700</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: CAT 7J-0670, KOMATSU, P164207=SYNTEQ Media          Dimensions: Outer Dia: 6.84" (174 mm)          Inner Dia: 3.94" (100 mm)          Length: 9.00" (229 mm)          Performance: <math>\beta_{15\mu} = 2</math>   <math>\beta_{30\mu} = 20</math>   <math>\beta_{35\mu} = 75</math>          UPC Code: 742330-04521</p>		<p>Part Number: <b>P557117</b>          Description: <b>Transmission Filter</b>          Primary Appl.: FORD TRUCK C4, E &amp; F SERIES, UNIQUE SHAPE          UPC Code: 742330-04529</p>
	<p>Part Number: <b>P556745</b>          Description: <b>Fuel Box Primary</b>          Primary Appl.: JOHN DEERE AR86745, STANADYNE 26667          Dimensions: Width: 3.71" (94 mm)          Depth: 3.28" (83 mm)          Length: 5.04" (128 mm)          UPC Code: 742330-04522</p>		<p>Part Number: <b>P557124</b>          Description: <b>Transmission Filter</b>          Primary Appl.: FORD TRUCK E SERIES, UNIQUE SHAPE          UPC Code: 742330-04530</p>
	<p>Part Number: <b>P556915</b>          Description: <b>Fuel Spin-on Primary</b>          Primary Appl.: DET DIESEL 23517471, AC T915D, P555002=FFWS ASSY, P558010=FFWS W/DRAIN          Dimensions: Outer Dia: 3.81" (97 mm)          Thread Size: 1" - 12          Length: 7.97" (202 mm)          UPC Code: 742330-04523</p>		<p>Part Number: <b>P557146</b>          Description: <b>Transmission Filter</b>          Primary Appl.: CHEV, GMC TRUCK, UNIQUE SHAPE          UPC Code: 742330-04531</p>
	<p>Part Number: <b>P556916</b>          Description: <b>Fuel Spin-on Secondary</b>          Primary Appl.: DET. DIESEL 23518530, AC TP916D, P169091=SYNTEQ Media          Dimensions: Outer Dia: 3.81" (97 mm)          Thread Size: 13/16" - 12          Length: 6.78" (172 mm)          UPC Code: 742330-04524</p>		<p>Part Number: <b>P557151</b>          Description: <b>Transmission Filter</b>          Primary Appl.: FORD F SERIES TRUCK, UNIQUE SHAPE          UPC Code: 742330-04532</p>
	<p>Part Number: <b>P557104</b>          Description: <b>Transmission Filter</b>          Primary Appl.: JEEP, DODGE, IVECO, UNIQUE SHAPE          UPC Code: 742330-04525</p>		<p>Part Number: <b>P557153</b>          Description: <b>Transmission Filter</b>          Primary Appl.: CHEV, FORD, DODGE, GMC TRUCK/BUS, MERCEDES, UNIQUE SHAPE          UPC Code: 742330-04533</p>
	<p>Part Number: <b>P557106</b>          Description: <b>Transmission Filter</b>          Primary Appl.: CHEV, DODGE, FORD TRUCK/BUS, UNIQUE SHAPE          UPC Code: 742330-04526</p>		<p>Part Number: <b>P557156</b>          Description: <b>Transmission Filter</b>          Primary Appl.: CHEV, GMC LIGHT TRUCK, UNIQUE SHAPE          UPC Code: 742330-04534</p>
	<p>Part Number: <b>P557112</b>          Description: <b>Transmission Filter</b>          Primary Appl.: CHEV, DODGE, FORD TRUCK/BUS, UNIQUE SHAPE          UPC Code: 742330-04527</p>		<p>Part Number: <b>P557159</b>          Description: <b>Transmission Filter</b>          Primary Appl.: FORD F SERIES, UNIQUE SHAPE          UPC Code: 742330-04535</p>
	<p>Part Number: <b>P557169</b>          Description: <b>Transmission Filter</b>          Primary Appl.: FORD, GMC, DODGE TRUCK/BUS, UNIQUE SHAPE          UPC Code: 742330-04536</p>		<p>Part Number: <b>P557169</b>          Description: <b>Transmission Filter</b>          Primary Appl.: FORD, GMC, DODGE TRUCK/BUS, UNIQUE SHAPE          UPC Code: 742330-04536</p>









	<p>Part Number: <b>P557207</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: IHC 427207C2 Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: 1" - 12 Length: 6.85" (174 mm) 7 - 10 Relief Valve: UPC Code: 742330-04537</p>
	<p>Part Number: <b>P557264</b> Description: <b>Fuel/Water Separator Box</b> Primary Appl.: THERMOKING 117264 Dimensions: Width: 2.83" (72 mm) Depth: 2.46" (62 mm) Length: 4.62" (117 mm) UPC Code: 742330-04539</p>
	<p>Part Number: <b>P557373</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: GALION B67373, B67373A Dimensions: Outer Dia: 5.00" (127 mm) Inner Dia: 2.50" (64 mm) Length: 11.87" (301 mm) UPC Code: 742330-04540</p>
	<p>Part Number: <b>P557380</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: KOMATSU 175-60-27380 Dimensions: Outer Dia: 5.12" (130 mm) Inner Dia: 3.40" (86 mm) Length: 11.50" (292 mm) Performance: <math>\beta_{1\mu} = 2</math> <math>\beta_{25\mu} = 20</math> UPC Code: 742330-04541</p>
	<p>Part Number: <b>P557382</b> Description: <b>Lube Spin-on Combination</b> Primary Appl.: THERMO KING 117382, FULL FLOW/BYPASS Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: M26 x 1.5 Length: 6.92" (176 mm) UPC Code: 742330-08114</p>
	<p>Part Number: <b>P557424</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: IR 35107424, FURN GSKT-P174995 Dimensions: Outer Dia: 3.75" (95 mm) Inner Dia: 1.03" (26 mm) Length: 5.56" (141 mm) UPC Code: 742330-04542</p>
	<p>Part Number: <b>P557440</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: CAT 1R-0711, 1P-2299, 6L-7440, KTSU 600-311-8290, P169096=SYNTEQ Media, P558030=FFWS/DRAIN Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: 1" - 14 Length: 6.85" (174 mm) UPC Code: 742330-04543</p>
	<p>Part Number: <b>P557500</b> Description: <b>Lube Cartridge Full Flow</b> Primary Appl.: CAT 7N-7500 Dimensions: Outer Dia: 7.42" (188 mm) Inner Dia: 2.63" (67 mm) Length: 10.00" (254 mm) UPC Code: 742330-04544</p>

	<p>Part Number: <b>P557780</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: ISUZU, NISSAN Dimensions: Outer Dia: 3.66" (93 mm) Thread Size: 3/4" - 16 Length: 5.35" (136 mm) 18 - 23 Relief Valve: Anti-Drain: UPC Code: Yes 742330-04546</p>
	<p>Part Number: <b>P557826</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: HOUGH, IHC, MICHIGAN Dimensions: Outer Dia: 6.00" (152 mm) Inner Dia: 2.62" (67 mm) Length: 17.94" (456 mm) Performance: <math>\beta_{5\mu} = 2</math> <math>\beta_{13\mu} = 20</math> <math>\beta_{17\mu} = 75</math> UPC Code: 742330-04547</p>
	<p>Part Number: <b>P557841</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: CASE, CAT, FORD, IHC 267841C91, GARRISON 32446 Dimensions: Outer Dia: 2.52" (64 mm) Inner Dia: 1.06" (27 mm) Length: 3.70" (94 mm) UPC Code: 742330-04548</p>
	<p>Part Number: <b>P558000</b> Description: <b>Fuel/Water Separator Spin-on</b> Primary Appl.: WITH DRAIN, FURN GSKT-P174994, Standard Fuel=P550105 or P550106, P551001=10 Micron Alternative Dimensions: Outer Dia: 3.81" (97 mm) Thread Size: 1" - 14 Length: 9.65" (245 mm) UPC Code: 742330-04549</p>
	<p>Part Number: <b>P558010</b> Description: <b>Fuel/Water Separator Spin-on</b> Primary Appl.: WITH DRAIN, P550915=Standard fuel, P555002=FFWS ASSY Dimensions: Outer Dia: 3.81" (97 mm) Thread Size: 1" - 12 Length: 9.54" (242 mm) UPC Code: 742330-04550</p>
	<p>Part Number: <b>P558020</b> Description: <b>Fuel/Water Separator Spin-on</b> Primary Appl.: WITH DRAIN, FURN GSKT-P174994, P550104=STD FUEL, P169093=SYNTEQ Media Dimensions: Outer Dia: 3.81" (97 mm) Thread Size: 1" - 14 Length: 7.81" (198 mm) UPC Code: 742330-04551</p>
	<p>Part Number: <b>P558030</b> Description: <b>Fuel/Water Separator Spin-on</b> Primary Appl.: WITH DRAIN, P169096=SYNTEQ Media, OTHERS: P557440=STD, P555003=FFWS ASSY Dimensions: Outer Dia: 3.81" (97 mm) Thread Size: 1" - 14 Length: 7.81" (198 mm) UPC Code: 742330-04552</p>
	<p>Part Number: <b>P558040</b> Description: <b>Fuel/Water Separator Spin-on</b> Primary Appl.: WITH DRAIN, P550219 STANDARD FUEL, P555005=FFWS ASSY Dimensions: Outer Dia: 4.28" (109 mm) Thread Size: 13/16" - 18 Length: 8.84" (225 mm) UPC Code: 742330-04553</p>

	<p>Part Number: <b>P558050</b>          Description: <b>Fuel/Water Separator Spin-on WITH DRAIN, P169096=SYNTEO Media, OTHERS:P555627,P555003=FFWS ASSY</b>          Primary Appl.:          Dimensions: Outer Dia: 3.81" (97 mm)          Thread Size: 1" - 14          Length: 7.81" (198 mm)          UPC Code: 742330-04554</p>
	<p>Part Number: <b>P558250</b>          Description: <b>Lube Spin-on Full Flow</b>          Primary Appl.: IHC 528250R91,          Dimensions: Outer Dia: 3.81" (97 mm)          Thread Size: 1" - 12          Length: 6.78" (172 mm)          Relief Valve: 11 - 17          Anti-Drain: Yes          UPC Code: 742330-04555</p>
	<p>Part Number: <b>P558329</b>          Description: <b>Lube Spin-on Full Flow</b>          Primary Appl.: JOHN DEERE AR98329, FURN GSKT: P171184          Dimensions: Outer Dia: 5.02" (128 mm)          Thread Size: 1 1/2" - 12          Length: 6.89" (175 mm)          UPC Code: 742330-04556</p>
	<p>Part Number: <b>P558425</b>          Description: <b>Lube Cartridge Full Flow</b>          Primary Appl.: MERCEDES 4011840025          Dimensions: Outer Dia: 4.65" (118 mm)          Inner Dia: 2.20" (56 mm)          Length: 7.52" (191 mm)          UPC Code: 742330-04557</p>
	<p>Part Number: <b>P558462</b>          Description: <b>Lube Cartridge Full Flow</b>          Primary Appl.: IHC 268462R91, CUMMINS 104428, FURN GSKT-P171158          Dimensions: Outer Dia: 4.47" (114 mm)          Inner Dia: 1.75" (44 mm)          Length: 9.06" (230 mm)          UPC Code: 742330-04558</p>
	<p>Part Number: <b>P558467</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: VICKERS 228467,270562,922788,923115 IHC, NEW HOL          Dimensions: Outer Dia: 2.87" (73 mm)          Inner Dia: .47" (12 mm)          Length: 4.37" (111 mm)          UPC Code: 742330-04559</p>
	<p>Part Number: <b>P558600</b>          Description: <b>Fuel Cartridge Primary</b>          Primary Appl.: KOMATSU 6610-79-8600          Dimensions: Outer Dia: 5.00" (127 mm)          Inner Dia: .97" (25 mm)          Length: 9.75" (248 mm)          UPC Code: 742330-04560</p>
	<p>Part Number: <b>P558615</b>          Description: <b>Lube Spin-on Full Flow</b>          Primary Appl.: CUMMINS 3932217, 3908615, Donaldson Endurance Part ELF7439          Dimensions: Outer Dia: 3.66" (93 mm)          Thread Size: 1" - 16          Length: 6.85" (174 mm)          UPC Code: 742330-04561</p>
	<p>Part Number: <b>P558616</b>          Description: <b>Lube Spin-on Full Flow</b>          Primary Appl.: CUMMINS 3903224, 3908616, Donaldson Endurance ELF7345          Dimensions: Outer Dia: 3.66" (93 mm)          Thread Size: 1" - 16          Length: 5.35" (136 mm)          UPC Code: 742330-04562</p>

	<p>Part Number: <b>P558712</b>          Description: <b>Fuel Spin-on Primary</b>          Primary Appl.: CASE IH A58712          Dimensions: Outer Dia: 3.81" (97 mm)          Thread Size: 13/16" - 18          Length: 6.28" (160 mm)          UPC Code: 742330-11175</p>
	<p>Part Number: <b>P558792</b>          Description: <b>Fuel Cartridge Primary</b>          Primary Appl.: CAT 4H-8792, 9H-4729, 6H-5932          Dimensions: Outer Dia: 3.37" (86 mm)          Inner Dia: 1.12" (28 mm)          Length: 6.50" (165 mm)          UPC Code: 742330-04564</p>
	<p>Part Number: <b>P558877</b>          Description: <b>Hydraulic Cartridge</b>          Primary Appl.: CAT 5J-8877          Dimensions: Outer Dia: 5.12" (130 mm)          Inner Dia: 3.37" (86 mm)          Length: 6.00" (152 mm)          UPC Code: 742330-04565</p>
	<p>Part Number: <b>P559000</b>          Description: <b>Lube Spin-on Combination</b>          Primary Appl.: FLEETGUARD LF9000, LF9001 CUMMINS SIGNATURE 600          Dimensions: Outer Dia: 4.66" (118 mm)          Thread Size: M95 x 2.5-6H          Length: 11.75" (298 mm)          Performance: <math>\beta_{7\mu} = 2</math> <math>\beta_{17\mu} = 20</math> <math>\beta_{22\mu} = 75</math>          Relief Valve: None          UPC Code: 742330-11103</p>
	<p>Part Number: <b>P559001</b>          Description: <b>Liquid Filter Kit - Mack Engine</b>          Contents or Usage: For kit contents, refer to pages 5-10          UPC Code: 742330-04566</p>
	<p>Part Number: <b>P559002</b>          Description: <b>Liquid Filter Kit - Mack Engine</b>          Contents or Usage: For kit contents, refer to pages 5-10          UPC Code: 742330-04567</p>
	<p>Part Number: <b>P559003</b>          Description: <b>Liquid Filter Kit - Mack Engine</b>          Contents or Usage: For kit contents, refer to pages 5-10          UPC Code: 742330-04568</p>
	<p>Part Number: <b>P559004</b>          Description: <b>Liquid Filter Kit - Mack Engine</b>          Contents or Usage: For kit contents, refer to pages 5-10          UPC Code: 742330-04569</p>
	<p>Part Number: <b>P559007</b>          Description: <b>Liquid Filter Kit - Mack Engine</b>          Contents or Usage: For kit contents, refer to pages 5-10          UPC Code: 742330-04570</p>
	<p>Part Number: <b>P559008</b>          Description: <b>Liquid Filter Kit - Detroit Diesel Engine</b>          Contents or Usage: For kit contents, refer to pages 5-10          UPC Code: 742330-04571</p>
	<p>Part Number: <b>P559009</b>          Description: <b>Liquid Filter Kit - Navistar/IH Engine</b>          Contents or Usage: For kit contents, refer to pages 5-10          UPC Code: 742330-04572</p>



Part Number: <b>P559010</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04573	Part Number: <b>P559026</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04589
Part Number: <b>P559011</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04574	Part Number: <b>P559027</b> Description: <b>Liquid Filter Kit – Caterpillar Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04590
Part Number: <b>P559014</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04577	Part Number: <b>P559028</b> Description: <b>Liquid Filter Kit – Detroit Diesel Series 60 Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04591
Part Number: <b>P559015</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04578	Part Number: <b>P559029</b> Description: <b>Liquid Filter Kit – Detroit Diesel Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04592
Part Number: <b>P559016</b> Description: <b>Liquid Filter Kit – Caterpillar Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04579	Part Number: <b>P559030</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04593
Part Number: <b>P559017</b> Description: <b>Liquid Filter Kit – Caterpillar Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04580	Part Number: <b>P559031</b> Description: <b>Liquid Filter Kit – Mack Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04594
Part Number: <b>P559018</b> Description: <b>Liquid Filter Kit – Caterpillar Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04581	Part Number: <b>P559032</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04595
Part Number: <b>P559019</b> Description: <b>Liquid Filter Kit – Caterpillar Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04582	Part Number: <b>P559033</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04596
Part Number: <b>P559020</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04583	Part Number: <b>P559034</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04597
Part Number: <b>P559022</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04585	Part Number: <b>P559035</b> Description: <b>Liquid Filter Kit – Detroit Diesel Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04598
Part Number: <b>P559023</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04586	Part Number: <b>P559036</b> Description: <b>Liquid Filter Kit – Detroit Diesel Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04599
Part Number: <b>P559024</b> Description: <b>Liquid Filter Kit – Caterpillar Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04587	Part Number: <b>P559037</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04600
Part Number: <b>P559025</b> Description: <b>Liquid Filter Kit – Navistar/IH Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04588	Part Number: <b>P559038</b> Description: <b>Liquid Filter Kit – Detroit Diesel Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04601




<p>Part Number: <b>P559039</b> Description: <b>Liquid Filter Kit – Caterpillar Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04602</p>	<p>Part Number: <b>P559054</b> Description: <b>Liquid Filter Kit – Detroit Diesel Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04614</p>
<p>Part Number: <b>P559043</b> Description: <b>Liquid Filter Kit – Detroit Diesel Series 60 Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04603</p>	<p>Part Number: <b>P559055</b> Description: <b>Liquid Filter Kit – Detroit Diesel Engine</b> Contents or Usage: For kit contents, refer to pages 5–10, 4685, P550487 UPC Code: 742330–04615</p>
<p>Part Number: <b>P559044</b> Description: <b>Liquid Filter Kit – Detroit Diesel Series 60 Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04604</p>	<p>Part Number: <b>P559056</b> Description: <b>Liquid Filter Kit – Detroit Diesel Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04616</p>
<p>Part Number: <b>P559045</b> Description: <b>Liquid Filter Kit – ThermoKing</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04605</p>	<p>Part Number: <b>P559059</b> Description: <b>Liquid Filter Kit – Detroit Diesel Engine</b> Contents or Usage: For kit contents, refer to pages 5–10, P550223, P554685 UPC Code: 742330–04617</p>
<p>Part Number: <b>P559046</b> Description: <b>Liquid Filter Kit – Carrier</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04606</p>	<p>Part Number: <b>P559063</b> Description: <b>Liquid Filter Kit – Caterpillar Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04618</p>
<p>Part Number: <b>P559047</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04607</p>	<p>Part Number: <b>P559069</b> Description: <b>Liquid Filter Kit – Mack Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04619</p>
<p>Part Number: <b>P559048</b> Description: <b>Liquid Filter Kit – Navistar/IH Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04608</p>	<p>Part Number: <b>P559070</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04620</p>
<p>Part Number: <b>P559049</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04609</p>	<p>Part Number: <b>P559074</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04621</p>
<p>Part Number: <b>P559050</b> Description: <b>Liquid Filter Kit – Caterpillar Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04610</p>	<p>Part Number: <b>P559075</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04622</p>
<p>Part Number: <b>P559051</b> Description: <b>Liquid Filter Kit – Mack Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04611</p>	<p>Part Number: <b>P559076</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04623</p>
<p>Part Number: <b>P559052</b> Description: <b>Liquid Filter Kit – Detroit Diesel Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04612</p>	<p>Part Number: <b>P559078</b> Description: <b>Liquid Filter Kit – Caterpillar Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04624</p>
<p>Part Number: <b>P559053</b> Description: <b>Liquid Filter Kit – Detroit Diesel Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04613</p>	<p>Part Number: <b>P559079</b> Description: <b>Liquid Filter Kit – Navistar Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04625</p>





Part Number: <b>P559080</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330-04626
Part Number: <b>P559083</b> Description: <b>Liquid Filter Kit – Ford Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330-04628
Part Number: <b>P559085</b> Description: <b>Liquid Filter Kit – Caterpillar Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330-04629
Part Number: <b>P559086</b> Description: <b>Liquid Filter Kit – Detroit Diesel Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330-04630
Part Number: <b>P559087</b> Description: <b>Liquid Filter Kit – Caterpillar Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330-04631
Part Number: <b>P559088</b> Description: <b>Liquid Filter Kit – Caterpillar Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330-04632
Part Number: <b>P559089</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330-04633
Part Number: <b>P559090</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330-04634
Part Number: <b>P559091</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330-04635
Part Number: <b>P559092</b> Description: <b>Liquid Filter Kit – Detroit Diesel Series 60 Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330-04636
Part Number: <b>P559093</b> Description: <b>Liquid Filter Kit – Caterpillar Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330-04637
Part Number: <b>P559094</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330-04638
Part Number: <b>P559095</b> Description: <b>Liquid Filter Kit – Detroit Diesel Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330-04639

Part Number: <b>P559096</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330-04640
Part Number: <b>P559097</b> Description: <b>Liquid Filter Kit – Caterpillar Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330-04641
Part Number: <b>P559098</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330-04642
 Part Number: <b>P559100</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: CAT 9L-9100, 9L-8794, FURN GSKT-P171179 Dimensions: Outer Dia: 3.81" (97 mm) Thread Size: 15/16" – 16 Length: 5.53" (140 mm) UPC Code: 742330-04643
Part Number: <b>P559101</b> Description: <b>Liquid Filter Kit – Detroit Diesel Series 60 Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330-08219
Part Number: <b>P559104</b> Description: <b>Liquid Filter Kit – Caterpillar Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330-10772
Part Number: <b>P559105</b> Description: <b>Liquid Filter Kit – Caterpillar Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330-10773
Part Number: <b>P559200</b> Description: <b>Liquid Filter Kit – ThermoKing</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330-04644
Part Number: <b>P559201</b> Description: <b>Liquid Filter Kit – Carrier</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330-04645
Part Number: <b>P559202</b> Description: <b>Liquid Filter Kit – Detroit Diesel Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330-04646
Part Number: <b>P559203</b> Description: <b>Liquid Filter Kit – Detroit Diesel Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330-04647
Part Number: <b>P559204</b> Description: <b>Liquid Filter Kit – Detroit Diesel Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330-04648
Part Number: <b>P559205</b> Description: <b>Liquid Filter Kit – Mack Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330-04649



Part Number: Description: Contents or Usage: UPC Code:	<b>P559206</b> Liquid Filter Kit – Detroit Diesel Engine For kit contents, refer to pages 5–10 742330–04650
Part Number: Description: Contents or Usage: UPC Code:	<b>P559207</b> Liquid Filter Kit – ThermoKing For kit contents, refer to pages 5–10 742330–04651
Part Number: Description: Contents or Usage: UPC Code:	<b>P559208</b> Liquid Filter Kit – Transcold For kit contents, refer to pages 5–10 742330–04652
Part Number: Description: Contents or Usage: UPC Code:	<b>P559210</b> Liquid Filter Kit – Caterpillar Engine For kit contents, refer to pages 5–10 742330–04653
Part Number: Description: Contents or Usage: UPC Code:	<b>P559211</b> Liquid Filter Kit – Transcold For kit contents, refer to pages 5–10 742330–04654
Part Number: Description: Contents or Usage: UPC Code:	<b>P559212</b> Liquid Filter Kit – Detroit Diesel Engine For kit contents, refer to pages 5–10 742330–04655
Part Number: Description: Contents or Usage: UPC Code:	<b>P559214</b> Liquid Filter Kit – Caterpillar Engine For kit contents, refer to pages 5–10 742330–04657
Part Number: Description: Contents or Usage: UPC Code:	<b>P559215</b> Liquid Filter Kit – ThermoKing For kit contents, refer to pages 5–10 742330–04658
Part Number: Description: Contents or Usage: UPC Code:	<b>P559217</b> Liquid Filter Kit – Navistar/IH Engine For kit contents, refer to pages 5–10 742330–04659
Part Number: Description: Contents or Usage: UPC Code:	<b>P559218</b> Liquid Filter Kit – Cummins Engine For kit contents, refer to pages 5–10 742330–04660
Part Number: Description: Contents or Usage: UPC Code:	<b>P559219</b> Liquid Filter Kit – Cummins Engine For kit contents, refer to pages 5–10 742330–04661
Part Number: Description: Contents or Usage: UPC Code:	<b>P559220</b> Liquid Filter Kit – Cummins Engine For kit contents, refer to pages 5–10 742330–04662

Part Number: Description: Contents or Usage: UPC Code:	<b>P559221</b> Liquid Filter Kit – Detroit Diesel Series 60 Engine For kit contents, refer to pages 5–10 742330–04663
Part Number: Description: Contents or Usage: UPC Code:	<b>P559222</b> Liquid Filter Kit – Mack Engine For kit contents, refer to pages 5–10 742330–04664
Part Number: Description: Contents or Usage: UPC Code:	<b>P559235</b> Liquid Filter Kit – Cummins Engine For kit contents, refer to pages 5–10 742330–04665
Part Number: Description: Contents or Usage: UPC Code:	<b>P559236</b> Liquid Filter Kit – ThermoKing For kit contents, refer to pages 5–10 742330–04666
Part Number: Description: Contents or Usage: UPC Code:	<b>P559237</b> Liquid Filter Kit – Cummins Engine For kit contents, refer to pages 5–10 742330–04667
Part Number: Description: Contents or Usage: UPC Code:	<b>P559238</b> Liquid Filter Kit – Cummins Engine For kit contents, refer to pages 5–10 742330–04668
Part Number: Description: Contents or Usage: UPC Code:	<b>P559239</b> Liquid Filter Kit – Cummins Engine For kit contents, refer to pages 5–10 742330–04669
Part Number: Description: Contents or Usage: UPC Code:	<b>P559240</b> Liquid Filter Kit – Navistar/IH Engine For kit contents, refer to pages 5–10 742330–04670
Part Number: Description: Contents or Usage: UPC Code:	<b>P559242</b> Liquid Filter Kit – Cummins Engine For kit contents, refer to pages 5–10 742330–04671
Part Number: Description: Contents or Usage: UPC Code:	<b>P559243</b> Liquid Filter Kit – Cummins Engine For kit contents, refer to pages 5–10 742330–04672
Part Number: Description: Contents or Usage: UPC Code:	<b>P559244</b> Liquid Filter Kit – Cummins Engine For kit contents, refer to pages 5–10 742330–04673
Part Number: Description: Contents or Usage: UPC Code:	<b>P559245</b> Liquid Filter Kit – Detroit Diesel Series 60 Engine For kit contents, refer to pages 5–10 742330–04674



Part Number: Description: Contents or Usage: UPC Code:	<b>P559246</b> <b>Liquid Filter Kit – Detroit Diesel Series 60 Engine</b> For kit contents, refer to pages 5–10, 1993 ON 742330–04675
Part Number: Description: Contents or Usage: UPC Code:	<b>P559247</b> <b>Liquid Filter Kit – Detroit Diesel Series 60 Engine</b> For kit contents, refer to pages 5–10, PRE 1993 742330–04676
Part Number: Description: Contents or Usage: UPC Code:	<b>P559248</b> <b>Liquid Filter Kit – Detroit Diesel Engine</b> For kit contents, refer to pages 5–10 742330–04677
Part Number: Description: Contents or Usage: UPC Code:	<b>P559249</b> <b>Liquid Filter Kit – ThermoKing</b> For kit contents, refer to pages 5–10 742330–04678
Part Number: Description: Contents or Usage: UPC Code:	<b>P559250</b> <b>Liquid Filter Kit – Detroit Diesel Series 60 Engine</b> For kit contents, refer to pages 5–10 742330–04679
Part Number: Description: Contents or Usage: UPC Code:	<b>P559251</b> <b>Liquid Filter Kit – Detroit Diesel Series 60 Engine</b> For kit contents, refer to pages 5–10 742330–04680
Part Number: Description: Contents or Usage: UPC Code:	<b>P559252</b> <b>Liquid Filter Kit – Mack Engine</b> For kit contents, refer to pages 5–10 742330–04681
Part Number: Description: Contents or Usage: UPC Code:	<b>P559254</b> <b>Liquid Filter Kit – Detroit Diesel Engine</b> For kit contents, refer to pages 5–10 742330–04682
Part Number: Description: Contents or Usage: UPC Code:	<b>P559255</b> <b>Liquid Filter Kit – Cummins Engine</b> For kit contents, refer to pages 5–10 742330–04683
Part Number: Description: Contents or Usage: UPC Code:	<b>P559256</b> <b>Liquid Filter Kit – Cummins Engine</b> For kit contents, refer to pages 5–10 742330–04684
Part Number: Description: Contents or Usage: UPC Code:	<b>P559257</b> <b>Liquid Filter Kit – Cummins Engine</b> For kit contents, refer to pages 5–10 742330–04685
Part Number: Description: Contents or Usage: UPC Code:	<b>P559258</b> <b>Liquid Filter Kit – Cummins Engine</b> For kit contents, refer to pages 5–10 742330–04686

Part Number: Description: Contents or Usage: UPC Code:	<b>P559259</b> <b>Liquid Filter Kit – Caterpillar Engine</b> For kit contents, refer to pages 5–10 742330–04687
Part Number: Description: Contents or Usage: UPC Code:	<b>P559260</b> <b>Liquid Filter Kit – Caterpillar Engine</b> For kit contents, refer to pages 5–10 742330–04688
Part Number: Description: Contents or Usage: UPC Code:	<b>P559261</b> <b>Liquid Filter Kit – Caterpillar Engine</b> For kit contents, refer to pages 5–10 742330–04689
Part Number: Description: Contents or Usage: UPC Code:	<b>P559262</b> <b>Liquid Filter Kit – Cummins Engine</b> For kit contents, refer to pages 5–10 742330–04690
Part Number: Description: Contents or Usage: UPC Code:	<b>P559263</b> <b>Liquid Filter Kit – Detroit Diesel Engine</b> For kit contents, refer to pages 5–10 742330–04691
Part Number: Description: Contents or Usage: UPC Code:	<b>P559264</b> <b>Liquid Filter Kit – Caterpillar Engine</b> For kit contents, refer to pages 5–10, 0(6), P556064 742330–04692
Part Number: Description: Contents or Usage: UPC Code:	<b>P559265</b> <b>Liquid Filter Kit – Cummins Engine</b> For kit contents, refer to pages 5–10 742330–04693
Part Number: Description: Contents or Usage: UPC Code:	<b>P559266</b> <b>Liquid Filter Kit – Cummins Engine</b> For kit contents, refer to pages 5–10 742330–04694
Part Number: Description: Contents or Usage: UPC Code:	<b>P559267</b> <b>Liquid Filter Kit – Mack Engine</b> For kit contents, refer to pages 5–10 742330–04695
Part Number: Description: Contents or Usage: UPC Code:	<b>P559268</b> <b>Liquid Filter Kit – Mack Engine</b> For kit contents, refer to pages 5–10 742330–04696
Part Number: Description: Contents or Usage: UPC Code:	<b>P559269</b> <b>Liquid Filter Kit – Mack Engine</b> For kit contents, refer to pages 5–10, P528211 742330–04697
Part Number: Description: Contents or Usage: UPC Code:	<b>P559270</b> <b>Liquid Filter Kit – Mack Engine</b> For kit contents, refer to pages 5–10 742330–04698






<p>Part Number: <b>P559271</b> Description: <b>Liquid Filter Kit – Mack Engine</b> Contents or Usage: For kit contents, refer to pages 5–10, P550637 UPC Code: 742330–04699</p>	<p>Part Number: <b>P559284</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–08137</p>
<p>Part Number: <b>P559272</b> Description: <b>Liquid Filter Kit – Caterpillar Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04700</p>	<p>Part Number: <b>P559285</b> Description: <b>Liquid Filter Kit – Caterpillar Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–08168</p>
<p>Part Number: <b>P559273</b> Description: <b>Liquid Filter Kit – Navistar Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04701</p>	<p>Part Number: <b>P559286</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–08042</p>
<p>Part Number: <b>P559274</b> Description: <b>Liquid Filter Kit – GM Engine</b> Contents or Usage: For kit contents, refer to pages 5–10, 8.2L UPC Code: 742330–04702</p>	<p>Part Number: <b>P559287</b> Description: <b>Liquid Filter Kit – Detroit Diesel Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–08043</p>
<p>Part Number: <b>P559275</b> Description: <b>Liquid Filter Kit – Navistar Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04703</p>	<p>Part Number: <b>P559288</b> Description: <b>Liquid Filter Kit – Caterpillar Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–10453</p>
<p>Part Number: <b>P559276</b> Description: <b>Liquid Filter Kit – Mack Engine</b> Contents or Usage: For kit contents, refer to pages 5–10, P550637 UPC Code: 742330–04704</p>	<p>Part Number: <b>P559289</b> Description: <b>Liquid Filter Kit – Volvo</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–08411</p>
<p>Part Number: <b>P559277</b> Description: <b>Liquid Filter Kit – Mack Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04705</p>	<p>Part Number: <b>P559290</b> Description: <b>Liquid Filter Kit – Caterpillar Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–08414</p>
<p>Part Number: <b>P559278</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04706</p>	<p>Part Number: <b>P559291</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04712</p>
<p>Part Number: <b>P559279</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04707</p>	<p>Part Number: <b>P559292</b> Description: <b>Liquid Filter Kit – Mack Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–05080</p>
<p>Part Number: <b>P559280</b> Description: <b>Liquid Filter Kit – Caterpillar Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04708</p>	<p>Part Number: <b>P559293</b> Description: <b>Liquid Filter Kit – ThermoKing</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–08038</p>
<p>Part Number: <b>P559281</b> Description: <b>Liquid Filter Kit – Caterpillar Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04709</p>	<p>Part Number: <b>P559294</b> Description: <b>Liquid Filter Kit – Caterpillar Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–08039</p>
<p>Part Number: <b>P559282</b> Description: <b>Liquid Filter Kit – ThermoKing</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04710</p>	<p>Part Number: <b>P559295</b> Description: <b>Liquid Filter Kit – Caterpillar Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–08040</p>
<p>Part Number: <b>P559283</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–04711</p>	<p>Part Number: <b>P559299</b> Description: <b>Liquid Filter Kit – Detroit Diesel Series 60 Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–08036</p>





Part Number: Description: Contents or Usage: UPC Code:	<b>P559300</b> <b>Liquid Filter Kit – Detroit Diesel Series 60 Engine</b> For kit contents, refer to pages 5–10 742330–08041
Part Number: Description: Contents or Usage: UPC Code:	<b>P559302</b> <b>Liquid Filter Kit – Caterpillar Engine</b> For kit contents, refer to pages 5–10 742330–08117
Part Number: Description: Contents or Usage: UPC Code:	<b>P559303</b> <b>Liquid Filter Kit – Cummins Engine</b> For kit contents, refer to pages 5–10 742330–08118
Part Number: Description: Contents or Usage: UPC Code:	<b>P559305</b> <b>Liquid Filter Kit – Ottawa w/Cummins Engine</b> For kit contents, refer to pages 5–10 742330–08124
Part Number: Description: Contents or Usage: UPC Code:	<b>P559306</b> <b>Liquid Filter Kit – Ford Engine</b> For kit contents, refer to pages 5–10 742330–08125
Part Number: Description: Contents or Usage: UPC Code:	<b>P559307</b> <b>Liquid Filter Kit – Carrier</b> For kit contents, refer to pages 5–10 742330–08126
Part Number: Description: Contents or Usage: UPC Code:	<b>P559308</b> <b>Liquid Filter Kit – Caterpillar Engine</b> For kit contents, refer to pages 5–10 742330–08127
Part Number: Description: Contents or Usage: UPC Code:	<b>P559309</b> <b>Liquid Filter Kit – Detroit Diesel Engine</b> For kit contents, refer to pages 5–10 742330–08128
Part Number: Description: Contents or Usage: UPC Code:	<b>P559310</b> <b>Liquid Filter Kit – Cummins Engine</b> For kit contents, refer to pages 5–10 742330–08134
Part Number: Description: Contents or Usage: UPC Code:	<b>P559311</b> <b>Liquid Filter Kit – Caterpillar Engine</b> For kit contents, refer to pages 5–10 742330–08133
Part Number: Description: Contents or Usage: UPC Code:	<b>P559331</b> <b>Liquid Filter Kit – Mack Engine</b> For kit contents, refer to pages 5–10, MACK–S, MACK–A, 1992 MACK ENGINES 742330–10623
Part Number: Description: Contents or Usage: UPC Code:	<b>P559398</b> <b>Liquid Filter Kit – Ford Engine</b> For kit contents, refer to pages 5–10, 7.3L Diesel NA (1988–1994) 742330–08710
Part Number: Description: Contents or Usage: UPC Code:	<b>P559399</b> <b>Liquid Filter Kit – Ford Engine</b> For kit contents, refer to pages 5–10, 7.3L Power Stroke Diesel (1994–up) 742330–08711

Part Number: Description: Contents or Usage: UPC Code:	<b>P559400</b> <b>Liquid Filter Kit – Ford Engine</b> For kit contents, refer to pages 5–10, 7.3L IDI Turbo Diesel (1994–up) 742330–10622
Part Number: Description: Contents or Usage: UPC Code:	<b>P559401</b> <b>Liquid Filter Kit – Caterpillar Engine</b> For kit contents, refer to pages 5–10 742330–08719
Part Number: Description: Contents or Usage: UPC Code:	<b>P559409</b> <b>Liquid Filter Kit – Detroit Diesel Series 60 Engine</b> For kit contents, refer to pages 5–10 742330–08746
Part Number: Description: Contents or Usage: UPC Code:	<b>P559410</b> <b>Liquid Filter Kit – Caterpillar Engine</b> For kit contents, refer to pages 5–10 742330–08747
Part Number: Description: Contents or Usage: UPC Code:	<b>P559411</b> <b>Liquid Filter Kit – Cummins Engine</b> For kit contents, refer to pages 5–10 742330–08788
Part Number: Description: Contents or Usage: UPC Code:	<b>P559412</b> <b>Liquid Filter Kit – Cummins Engine</b> For kit contents, refer to pages 5–10 742330–08789
 R	<b>P559418</b> <b>Lube Spin-on Full Flow</b> Description: DEUTZ 1174418 Primary Appl.: Outer Dia: 3.74" (95 mm) Dimensions: Thread Size: 1" – 12 Length: 5.47" (139 mm) Relief Valve: 36 Anti-Drain: Yes UPC Code: 742330–04713
 R	<b>P559419</b> <b>Fuel Spin-on Primary</b> Description: RENAULT RV1 0003036404 Primary Appl.: Outer Dia: 3.82" (97 mm) Dimensions: Thread Size: 3/4" – 16 Length: 5.47" (139 mm) UPC Code: 742330–04714
 R	<b>P559434</b> <b>Hydraulic Cartridge</b> Description: FIAT ALLIS 70669434, A.CHALMERS 676022, PKGD GASKETS P177374, P177376, P177375 Primary Appl.: Outer Dia: 4.39" (112 mm) Dimensions: Inner Dia: 1.75" (44 mm) Length: 12.75" (324 mm) UPC Code: 742330–04716
Part Number: Description: Contents or Usage: UPC Code:	<b>P559463</b> <b>Liquid Filter Kit – Cummins Engine</b> For kit contents, refer to pages 5–10 742330–08790
Part Number: Description: Contents or Usage: UPC Code:	<b>P559465</b> <b>Liquid Filter Kit – Cummins Engine</b> For kit contents, refer to pages 5–10 742330–08792



















Part Number: Description: Contents or Usage: UPC Code:	<b>P559466</b> Liquid Filter Kit – Detroit Diesel Series 60 Engine For kit contents, refer to pages 5–10 742330–08793
Part Number: Description: Contents or Usage: UPC Code:	<b>P559467</b> Liquid Filter Kit – Caterpillar Engine For kit contents, refer to pages 5–10 742330–08794
Part Number: Description: Contents or Usage: UPC Code:	<b>P559468</b> Liquid Filter Kit – Cummins Engine For kit contents, refer to pages 5–10 742330–08795
Part Number: Description: Contents or Usage: UPC Code:	<b>P559469</b> Liquid Filter Kit – Detroit Diesel Engine For kit contents, refer to pages 5–10 742330–08958
Part Number: Description: Contents or Usage: UPC Code:	<b>P559470</b> Liquid Filter Kit – Detroit Diesel Engine For kit contents, refer to pages 5–10 742330–08959
Part Number: Description: Contents or Usage: UPC Code:	<b>P559471</b> Liquid Filter Kit – Detroit Diesel Engine For kit contents, refer to pages 5–10 742330–08960
Part Number: Description: Contents or Usage: UPC Code:	<b>P559472</b> Liquid Filter Kit – Cummins Engine For kit contents, refer to pages 5–10 742330–08961
Part Number: Description: Contents or Usage: UPC Code:	<b>P559473</b> Liquid Filter Kit – Detroit Diesel Engine For kit contents, refer to pages 5–10 742330–08962
Part Number: Description: Contents or Usage: UPC Code:	<b>P559474</b> Liquid Filter Kit – Detroit Diesel Engine For kit contents, refer to pages 5–10 742330–08966
Part Number: Description: Contents or Usage: UPC Code:	<b>P559475</b> Liquid Filter Kit – Detroit Diesel Engine For kit contents, refer to pages 5–10 742330–10440
Part Number: Description: Contents or Usage: UPC Code:	<b>P559476</b> Liquid Filter Kit – Detroit Diesel Series 60 Engine For kit contents, refer to pages 5–10 742330–10441
Part Number: Description: Contents or Usage: UPC Code:	<b>P559477</b> Liquid Filter Kit – Detroit Diesel Series 60 Engine For kit contents, refer to pages 5–10 742330–10442

Part Number: Description: Contents or Usage: UPC Code:	<b>P559478</b> Liquid Filter Kit – Detroit Diesel Series 60 Engine For kit contents, refer to pages 5–10 742330–10413
Part Number: Description: Contents or Usage: UPC Code:	<b>P559479</b> Liquid Filter Kit – Detroit Diesel Series 60 Engine For kit contents, refer to pages 5–10 742330–10414
Part Number: Description: Contents or Usage: UPC Code:	<b>P559480</b> Liquid Filter Kit – Caterpillar Engine For kit contents, refer to pages 5–10 742330–10415
Part Number: Description: Contents or Usage: UPC Code:	<b>P559481</b> Liquid Filter Kit – Cummins Engine For kit contents, refer to pages 5–10 742330–10416
Part Number: Description: Contents or Usage: UPC Code:	<b>P559482</b> Liquid Filter Kit – Cummins Engine For kit contents, refer to pages 5–10 742330–10417
Part Number: Description: Contents or Usage: UPC Code:	<b>P559501</b> Liquid Filter Kit – Detroit Diesel Series 60 Engine For kit contents, refer to pages 5–10 742330–10632
Part Number: Description: Contents or Usage: UPC Code:	<b>P559502</b> Liquid Filter Kit – Detroit Diesel Engine For kit contents, refer to pages 5–10 742330–10633
Part Number: Description: Contents or Usage: UPC Code:	<b>P559503</b> Liquid Filter Kit – Detroit Diesel Series 60 Engine For kit contents, refer to pages 5–10 742330–10634
Part Number: Description: Contents or Usage: UPC Code:	<b>P559504</b> Liquid Filter Kit – Cummins Engine For kit contents, refer to pages 5–10 742330–10685
Part Number: Description: Contents or Usage: UPC Code:	<b>P559505</b> Liquid Filter Kit – Caterpillar Engine For kit contents, refer to pages 5–10 742330–10686
Part Number: Description: Contents or Usage: UPC Code:	<b>P559506</b> Liquid Filter Kit – Caterpillar Engine For kit contents, refer to pages 5–10 742330–10687
Part Number: Description: Contents or Usage: UPC Code:	<b>P559509</b> Liquid Filter Kit – Cummins Engine For kit contents, refer to pages 5–10 742330–10690




<p>Part Number: <b>P559510</b> Description: <b>Liquid Filter Kit – Mack Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–10691</p>	<p>Part Number: <b>P559528</b> Description: <b>Liquid Filter Kit – Navistar Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–10805</p>
<p>Part Number: <b>P559512</b> Description: <b>Liquid Filter Kit – Mack Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–10703</p>	<p>Part Number: <b>P559529</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–10806</p>
<p>Part Number: <b>P559513</b> Description: <b>Liquid Filter Kit – Caterpillar Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–10702</p>	<p>Part Number: <b>P559530</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–10811</p>
<p>Part Number: <b>P559514</b> Description: <b>Liquid Filter Kit – Mack Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–10752</p>	<p>Part Number: <b>P559531</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–10809</p>
<p>Part Number: <b>P559515</b> Description: <b>Liquid Filter Kit – Mack Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–10753</p>	<p>Part Number: <b>P559532</b> Description: <b>Liquid Filter Kit – Caterpillar Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–10822</p>
<p>Part Number: <b>P559516</b> Description: <b>Liquid Filter Kit – Detroit Diesel Series 60 Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–10754</p>	<p>Part Number: <b>P559538</b> Description: <b>Liquid Filter Kit – Caterpillar Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–10842</p>
<p>Part Number: <b>P559517</b> Description: <b>Liquid Filter Kit – Caterpillar Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–10755</p>	<p>Part Number: <b>P559539</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–10843</p>
<p>Part Number: <b>P559518</b> Description: <b>Liquid Filter Kit – Cummins Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–10756</p>	<p>Part Number: <b>P559545</b> Description: <b>Liquid Filter Kit – ThermoKing</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–10854</p>
<p>Part Number: <b>P559519</b> Description: <b>Liquid Filter Kit – Caterpillar Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–10782</p>	<p>Part Number: <b>P559546</b> Description: <b>Liquid Filter Kit – Mack Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–11111</p>
<p>Part Number: <b>P559520</b> Description: <b>Liquid Filter Kit – Caterpillar Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–10783</p>	<p>Part Number: <b>P559547</b> Description: <b>Liquid Filter Kit – Mack Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–11112</p>
<p>Part Number: <b>P559526</b> Description: <b>Liquid Filter Kit – Mack Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–10795</p>	<p>Part Number: <b>P559550</b> Description: <b>Liquid Filter Kit – Volvo</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–11169</p>
<p>Part Number: <b>P559527</b> Description: <b>Liquid Filter Kit – Caterpillar Engine</b> Contents or Usage: For kit contents, refer to pages 5–10 UPC Code: 742330–10796</p>	<p>Part Number: <b>P559624</b> Description: <b>Fuel Spin-on Primary</b> Primary Appl.: DAF 247138 Dimensions: Outer Dia: 3.82" (97 mm) Thread Size: M16 x 1.5 Length: 8.27" (210 mm) UPC Code: 742330–04717</p>



























	<p>Part Number: <b>P559740</b> Description: <b>Hydraulic Cartridge</b> Primary Appl.: CAT 9M-9740, P164200=SYNTEQ Media Dimensions: Outer Dia: 4.00" (102 mm) Inner Dia: 2.27" (58 mm) Length: 9.25" (235 mm) Performance: <math>\beta_{20\mu} = 2</math> <math>\beta_{35\mu} = 20</math> UPC Code: 742330-04718</p>		<p>Part Number: <b>P770678</b> Description: <b>Air Safety</b> Primary Appl.: Donaldson FLB AIR CLEANER B120260, FLB PRMY-P772520, FLG PRMY-P772531/P772550 Dimensions: Outer Dia: 5.95" (151 mm) Inner Dia: 4.85" (123 mm) Length: 15.00" (381 mm) UPC Code: 742330-04728</p>
	<p>Part Number: <b>P559803</b> Description: <b>Fuel Box Primary</b> Primary Appl.: CAT 8N-9850, STANADYNE 21167, Has Metal Case, P551130 is Glass Case Dimensions: Width: 3.71" (94 mm) Depth: 3.34" (85 mm) Length: 4.95" (126 mm) UPC Code: 742330-04719</p>		<p>Part Number: <b>P770735</b> Description: <b>Air Safety</b> Primary Appl.: MASSEY FERGUSON 3595501M1, Primary=P770829 Dimensions: Outer Dia: 3.36" (85 mm) Inner Dia: 2.93" (74 mm) Length: 9.00" (229 mm) UPC Code: 742330-04729</p>
	<p>Part Number: <b>P559850</b> Description: <b>Fuel Cartridge Primary</b> Primary Appl.: CAT 8N-9850 Dimensions: Outer Dia: 3.93" (100 mm) Inner Dia: 1.62" (41 mm) Length: 9.25" (235 mm) UPC Code: 742330-04720</p>		<p>Part Number: <b>P770828</b> Description: <b>Air Primary</b> Primary Appl.: DEUTZ 4353103, Safety=P127787 Dimensions: Outer Dia: 6.10" (155 mm) Inner Dia: 3.46" (88 mm) Length: 13.46" (342 mm) UPC Code: 742330-04730</p>
	<p>Part Number: <b>P770035</b> Description: <b>Air Primary</b> Primary Appl.: VOLVO 475755 Dimensions: Outer Dia: 10.63" (270 mm) Inner Dia: 6.18" (157 mm) Length: 22.75" (578 mm) UPC Code: 742330-04722</p>		<p>Part Number: <b>P770960</b> Description: <b>Air Primary</b> Primary Appl.: JOHN DEERE AL30395, Primary=P771548 Dimensions: Outer Dia: 3.38" (86 mm) Inner Dia: 2.93" (74 mm) Length: 13.07" (332 mm) UPC Code: 742330-04732</p>
	<p>Part Number: <b>P770181</b> Description: <b>Air Safety</b> Primary Appl.: MASSEY FERGUSON 3595519M1, FLG Primary-P772549, ELB Primary-P772552 Dimensions: Outer Dia: 2.76" (70 mm) Inner Dia: 2.40" (61 mm) Length: 10.02" (254 mm) UPC Code: 742330-04723</p>		<p>Part Number: <b>P771003</b> Description: <b>Air Primary, Konepac</b> Primary Appl.: RENAULT RVI 5010039162, MACK, EON=EAF5074 Dimensions: Outer Dia: 8.66" (220 mm) Inner Dia: 5.20" (132 mm) Length: 15.00" (381 mm) UPC Code: 742330-04733</p>
	<p>Part Number: <b>P770207</b> Description: <b>Air Safety</b> Primary Appl.: FIAT GEOTECH 1930537, RENAULT 5010140506, Primary=P772565 Dimensions: Outer Dia: 2.76" (70 mm) Inner Dia: 2.40" (61 mm) Length: 12.13" (308 mm) UPC Code: 742330-04724</p>		<p>Part Number: <b>P771073</b> Description: <b>Air Safety</b> Primary Appl.: FIAT GEOTECH 1930901, Primary=P772536 Dimensions: Outer Dia: 7.28" (185 mm) Inner Dia: 6.22" (158 mm) Length: 19.29" (490 mm) UPC Code: 742330-04734</p>
	<p>Part Number: <b>P770397</b> Description: <b>Air Primary, Konepac</b> Primary Appl.: FIAT, SAME, Safety=P770398 Dimensions: Outer Dia: 5.83" (148 mm) Inner Dia: 3.32" (82 mm) Length: 12.42" (315 mm) UPC Code: 742330-04726</p>		<p>Part Number: <b>P771502</b> Description: <b>Air Primary</b> Primary Appl.: DRONNINGBORG 46422200 Dimensions: Outer Dia: 7.95" (202 mm) Inner Dia: 3.54" (90 mm) Length: 13.54" (344 mm) UPC Code: 742330-04735</p>
	<p>Part Number: <b>P770398</b> Description: <b>Air Safety</b> Primary Appl.: Donaldson EUROPE AIR CLEANERS, Primary=P770397 Dimensions: Outer Dia: 3.64" (92 mm) Inner Dia: 2.40" (61 mm) Length: 11.14" (283 mm) UPC Code: 742330-04727</p>		<p>Part Number: <b>P771504</b> Description: <b>Air Primary</b> Primary Appl.: FORD 83DB-9601-AA, IVECO 7980508, IHC 3372006R1 Dimensions: Outer Dia: 9.21" (234 mm) Inner Dia: 4.86" (123 mm) Length: 16.57" (421 mm) UPC Code: 742330-04736</p>













	<p>Part Number: <b>P771505</b> Description: <b>Air Primary</b> Primary Appl.: LEYLAND-DAF 10906067 Dimensions: Outer Dia: 7.95" (202 mm) Inner Dia: 3.54" (90 mm) Length: 13.54" (344 mm) UPC Code: 742330-04737</p>
	<p>Part Number: <b>P771508</b> Description: <b>Air Primary</b> Primary Appl.: MERCEDES-BENZ 0010944704, KHD 42216-5054, Safety=P776696 Dimensions: Outer Dia: 8.94" (227 mm) Inner Dia: 4.58" (116 mm) Length: 14.61" (371 mm) UPC Code: 742330-04739</p>
	<p>Part Number: <b>P771509</b> Description: <b>Air Primary</b> Primary Appl.: M.A.N. 81.05504.0033 Dimensions: Outer Dia: 9.53" (242 mm) Inner Dia: 5.20" (132 mm) Length: 19.69" (500 mm) UPC Code: 742330-04740</p>
	<p>Part Number: <b>P771510</b> Description: <b>Air Primary</b> Primary Appl.: MERCEDES-BENZ 0010949304 Dimensions: Outer Dia: 10.91" (277 mm) Inner Dia: 6.30" (160 mm) Length: 10.12" (257 mm) UPC Code: 742330-04741</p>
	<p>Part Number: <b>P771511</b> Description: <b>Air Primary, Finned</b> Primary Appl.: FIAT 920007502 Dimensions: Outer Dia: 7.95" (202 mm) Inner Dia: 3.54" (90 mm) Length: 14.09" (358 mm) UPC Code: 742330-04742</p>
	<p>Part Number: <b>P771512</b> Description: <b>Air Primary</b> Primary Appl.: LEYLAND DAF ABU1475 Dimensions: Outer Dia: 8.40" (213 mm) Inner Dia: 4.04" (103 mm) Length: 21.81" (554 mm) UPC Code: 742330-04743</p>
	<p>Part Number: <b>P771514</b> Description: <b>Air Primary</b> Primary Appl.: LEYLAND-DAF BBU7280 Dimensions: Outer Dia: 9.21" (234 mm) Inner Dia: 4.86" (123 mm) Length: 16.57" (421 mm) UPC Code: 742330-04744</p>
	<p>Part Number: <b>P771516</b> Description: <b>Air Primary</b> Primary Appl.: IVECO-FIAT 1902128, KHD 422168629 Dimensions: Outer Dia: 8.90" (226 mm) Inner Dia: 4.57" (116 mm) Length: 11.69" (297 mm) UPC Code: 742330-04746</p>
	<p>Part Number: <b>P771520</b> Description: <b>Air Primary</b> Primary Appl.: Donaldson FLB12 Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.04" (153 mm) Length: 15.98" (406 mm) UPC Code: 742330-04747</p>

	<p>Part Number: <b>P771521</b> Description: <b>Air Primary</b> Primary Appl.: RENAULT/RVI 5010066304 Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.71" (196 mm) Length: 18.54" (471 mm) UPC Code: 742330-04748</p>
	<p>Part Number: <b>P771522</b> Description: <b>Air Primary</b> Primary Appl.: FIAT GEOTECH 1930784, ATLAS COPCO 3216708201 Dimensions: Outer Dia: 9.21" (234 mm) Inner Dia: 4.86" (123 mm) Length: 15.98" (406 mm) UPC Code: 742330-04749</p>
	<p>Part Number: <b>P771523</b> Description: <b>Air Primary</b> Primary Appl.: MACK/RVI FRI COACH Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.71" (196 mm) Length: 16.22" (412 mm) UPC Code: 742330-04750</p>
	<p>Part Number: <b>P771524</b> Description: <b>Air Primary</b> Primary Appl.: ATLAS COPCO 3216707901 Dimensions: Outer Dia: 10.39" (264 mm) Inner Dia: 6.06" (154 mm) Length: 15.98" (406 mm) UPC Code: 742330-04751</p>
	<p>Part Number: <b>P771527</b> Description: <b>Air Primary</b> Primary Appl.: FIAT GEOTECH 1930174 Dimensions: Outer Dia: 9.21" (234 mm) Inner Dia: 4.86" (123 mm) Length: 13.54" (344 mm) UPC Code: 742330-04752</p>
	<p>Part Number: <b>P771529</b> Description: <b>Air Primary</b> Primary Appl.: VOLVO 475230, ATLAS 3216708001, LISTER 38207906 Dimensions: Outer Dia: 6.97" (177 mm) Inner Dia: 3.46" (88 mm) Length: 15.51" (394 mm) UPC Code: 742330-04753</p>
	<p>Part Number: <b>P771530</b> Description: <b>Air Primary</b> Primary Appl.: FIAT GEOTECH 1930786 Dimensions: Outer Dia: 8.35" (212 mm) Inner Dia: 4.86" (123 mm) Length: 16.54" (420 mm) UPC Code: 742330-04754</p>
	<p>Part Number: <b>P771531</b> Description: <b>Air Primary, Finned</b> Primary Appl.: BENFRA 40199 Dimensions: Outer Dia: 10.40" (264 mm) Inner Dia: 6.04" (153 mm) Length: 15.98" (406 mm) UPC Code: 742330-04755</p>
	<p>Part Number: <b>P771532</b> Description: <b>Air Primary</b> Primary Appl.: MASSEY FERGUSON 3385733M1 Dimensions: Outer Dia: 8.34" (212 mm) Inner Dia: 4.84" (123 mm) Length: 12.99" (330 mm) UPC Code: 742330-04756</p>










	<p>Part Number: <b>P771537</b>          Description: <b>Air Primary</b>          Primary Appl.: LEYLAND-DAF 37H2004          Dimensions: Outer Dia: 4.72" (120 mm)          Inner Dia: 2.12" (54 mm)          Length: 11.73" (298 mm)          UPC Code: 742330-04757</p>		<p>Part Number: <b>P771551</b>          Description: <b>Air Primary</b>          Primary Appl.: VOLVO 475339          Dimensions: Outer Dia: 10.55" (268 mm)          Inner Dia: 7.68" (195 mm)          Length: 11.18" (284 mm)          UPC Code: 742330-04767</p>
	<p>Part Number: <b>P771538</b>          Description: <b>Air Primary</b>          Primary Appl.: MASSEY FERGUSON 2871928M1          Dimensions: Outer Dia: 6.10" (155 mm)          Inner Dia: 3.46" (88 mm)          Length: 12.60" (320 mm)          UPC Code: 742330-04758</p>		<p>Part Number: <b>P771552</b>          Description: <b>Air Primary</b>          Primary Appl.: SAME 2.4229.200.1, LISTER 38207898          Dimensions: Outer Dia: 5.51" (140 mm)          Inner Dia: 2.83" (72 mm)          Length: 12.01" (305 mm)          UPC Code: 742330-04768</p>
	<p>Part Number: <b>P771540</b>          Description: <b>Air Primary</b>          Primary Appl.: CASE P0150502          Dimensions: Outer Dia: 6.10" (155 mm)          Inner Dia: 3.46" (88 mm)          Length: 12.60" (320 mm)          UPC Code: 742330-04759</p>		<p>Part Number: <b>P771553</b>          Description: <b>Air Primary</b>          Primary Appl.: FIAT GEOTECH 71405431, USE WITH SAFETY P127787          Dimensions: Outer Dia: 6.10" (155 mm)          Inner Dia: 3.46" (88 mm)          Length: 13.94" (354 mm)          UPC Code: 742330-04769</p>
	<p>Part Number: <b>P771542</b>          Description: <b>Air Primary</b>          Primary Appl.: IHC 3073012R1          Dimensions: Outer Dia: 6.85" (174 mm)          Inner Dia: 4.24" (108 mm)          Length: 9.06" (230 mm)          UPC Code: 742330-04760</p>		<p>Part Number: <b>P771555</b>          Description: <b>Air Primary, Finned</b>          Primary Appl.: FIAT GEOTECH 1930603          Dimensions: Outer Dia: 7.91" (201 mm)          Inner Dia: 5.32" (135 mm)          Length: 16.54" (420 mm)          UPC Code: 742330-04770</p>
	<p>Part Number: <b>P771544</b>          Description: <b>Air Primary</b>          Primary Appl.: IVECO 8190945          Dimensions: Outer Dia: 6.10" (155 mm)          Inner Dia: 3.46" (88 mm)          Length: 12.60" (320 mm)          UPC Code: 742330-04761</p>		<p>Part Number: <b>P771556</b>          Description: <b>Air Primary</b>          Primary Appl.: FIAT GEOTECH 1930787          Dimensions: Outer Dia: 6.10" (155 mm)          Inner Dia: 3.46" (88 mm)          Length: 16.54" (420 mm)          UPC Code: 742330-04771</p>
	<p>Part Number: <b>P771545</b>          Description: <b>Air Primary</b>          Primary Appl.: MASSEY FERGUSON 1426451M91, DRESSER 924279C1          Dimensions: Outer Dia: 7.91" (201 mm)          Inner Dia: 5.32" (135 mm)          Length: 16.54" (420 mm)          UPC Code: 742330-04762</p>		<p>Part Number: <b>P771557</b>          Description: <b>Air Primary</b>          Primary Appl.: DEUTZ 2323855, KHD 422339823, USE WITH SAFETY P778131          Dimensions: Outer Dia: 6.46" (164 mm)          Inner Dia: 3.41" (87 mm)          Length: 13.07" (332 mm)          UPC Code: 742330-04772</p>
	<p>Part Number: <b>P771547</b>          Description: <b>Air Primary, Finned</b>          Primary Appl.: FIAT GEOTECH 1909139          Dimensions: Outer Dia: 5.24" (133 mm)          Inner Dia: 2.62" (67 mm)          Length: 11.57" (294 mm)          UPC Code: 742330-04763</p>		<p>Part Number: <b>P771558</b>          Description: <b>Air Primary</b>          Primary Appl.: M.A.N. 81.08304.0044, Safety=P777551          Dimensions: Outer Dia: 11.89" (302 mm)          Inner Dia: 7.52" (191 mm)          Length: 18.66" (474 mm)          UPC Code: 742330-04773</p>
	<p>Part Number: <b>P771548</b>          Description: <b>Air Primary, Finned</b>          Primary Appl.: JOHN DEERE AL30394, Safety=P770960          Dimensions: Outer Dia: 6.09" (155 mm)          Inner Dia: 3.48" (88 mm)          Length: 14.11" (358 mm)          UPC Code: 742330-04764</p>		<p>Part Number: <b>P771560</b>          Description: <b>Air Primary</b>          Primary Appl.: LEYLAND-DAF 37H6581          Dimensions: Outer Dia: 5.43" (138 mm)          Inner Dia: 2.83" (72 mm)          Length: 19.13" (486 mm)          UPC Code: 742330-04775</p>
	<p>Part Number: <b>P771549</b>          Description: <b>Air Primary</b>          Primary Appl.: BOMAG, PERKINS          Dimensions: Outer Dia: 5.44" (138 mm)          Inner Dia: 2.86" (73 mm)          Length: 11.46" (291 mm)          UPC Code: 742330-04765</p>		<p>Part Number: <b>P771561</b>          Description: <b>Air Primary</b>          Primary Appl.: DAF, SCANIA, DEUTZ, KHD 42216-5049, Safety=P776695          Dimensions: Outer Dia: 7.80" (198 mm)          Inner Dia: 4.44" (113 mm)          Length: 14.40" (366 mm)          UPC Code: 742330-04776</p>



	<p>Part Number: <b>P771563</b> Description: <b>Air Primary</b> Primary Appl.: MERCEDES-BENZ 0010948304 Dimensions: Outer Dia: 5.43" (138 mm) Inner Dia: 2.83" (72 mm) Length: 11.54" (293 mm) UPC Code: 742330-04777</p>
	<p>Part Number: <b>P771572</b> Description: <b>Air Primary</b> Primary Appl.: LISTER 38207903 Dimensions: Outer Dia: 5.51" (140 mm) Inner Dia: 2.83" (72 mm) Length: 13.98" (355 mm) UPC Code: 742330-04778</p>
	<p>Part Number: <b>P771573</b> Description: <b>Air Primary, Konepac</b> Primary Appl.: SCANIA #261185, MANN &amp; H C30880/1 Dimensions: Outer Dia: 11.89" (302 mm) Inner Dia: 7.52" (191 mm) Length: 19.06" (484 mm) UPC Code: 742330-04779</p>
	<p>Part Number: <b>P771575</b> Description: <b>Air Primary</b> Primary Appl.: DAF 667078 Dimensions: Outer Dia: 11.89" (302 mm) Inner Dia: 7.52" (191 mm) Length: 14.98" (380 mm) UPC Code: 742330-04781</p>
	<p>Part Number: <b>P771576</b> Description: <b>Air Primary</b> Primary Appl.: MERCEDES-BENZ 0020947304 Dimensions: Outer Dia: 7.80" (198 mm) Inner Dia: 4.11" (104 mm) Length: 10.12" (257 mm) UPC Code: 742330-04782</p>
	<p>Part Number: <b>P771582</b> Description: <b>Air Primary</b> Primary Appl.: MERCEDES-BENZ 0020942404 Dimensions: Outer Dia: 12.83" (326 mm) Inner Dia: 6.57" (167 mm) Length: 13.94" (354 mm) UPC Code: 742330-04783</p>
	<p>Part Number: <b>P771583</b> Description: <b>Air Primary</b> Primary Appl.: MERCEDES-BENZ 0010948304 Dimensions: Outer Dia: 12.83" (326 mm) Inner Dia: 7.60" (193 mm) Length: 10.16" (258 mm) UPC Code: 742330-04784</p>
	<p>Part Number: <b>P771584</b> Description: <b>Air Primary</b> Primary Appl.: CLARK 3339355, HYSTER 3049299, Safety=P775373 Dimensions: Outer Dia: 6.10" (155 mm) Inner Dia: 3.46" (88 mm) Length: 11.57" (294 mm) UPC Code: 742330-04785</p>
	<p>Part Number: <b>P771588</b> Description: <b>Air Primary</b> Primary Appl.: TOYOTA 17752-20540-71A Dimensions: Outer Dia: 5.24" (133 mm) Inner Dia: 2.62" (67 mm) Length: 11.57" (294 mm) UPC Code: 742330-04786</p>

	<p>Part Number: <b>P771589</b> Description: <b>Air Primary</b> Primary Appl.: MASSEY FERGUSON 3515586-M1 Dimensions: Outer Dia: 6.10" (155 mm) Inner Dia: 3.46" (88 mm) Length: 11.10" (282 mm) UPC Code: 742330-04787</p>
	<p>Part Number: <b>P771590</b> Description: <b>Air Primary</b> Primary Appl.: MASSEY FERGUSON 3595500M1 Dimensions: Outer Dia: 6.97" (177 mm) Inner Dia: 3.46" (88 mm) Length: 11.10" (282 mm) UPC Code: 742330-04788</p>
	<p>Part Number: <b>P771591</b> Description: <b>Air Primary</b> Primary Appl.: MASSEY FERGUSON 3595518-M1 Dimensions: Outer Dia: 6.43" (164 mm) Inner Dia: 2.83" (72 mm) Length: 12.01" (305 mm) UPC Code: 742330-04789</p>
	<p>Part Number: <b>P771593</b> Description: <b>Air Primary</b> Primary Appl.: FENDT F178201090020 Dimensions: Outer Dia: 6.46" (164 mm) Inner Dia: 3.41" (87 mm) Length: 9.37" (238 mm) UPC Code: 742330-04790</p>
	<p>Part Number: <b>P771594</b> Description: <b>Air Primary</b> Primary Appl.: DEUTZ 2319813, Safety=P775704 Dimensions: Outer Dia: 6.46" (164 mm) Inner Dia: 3.41" (87 mm) Length: 8.35" (212 mm) UPC Code: 742330-04791</p>
	<p>Part Number: <b>P771595</b> Description: <b>Air Primary</b> Primary Appl.: MERCEDES-BENZ 0030944204 Dimensions: Outer Dia: 12.87" (327 mm) Inner Dia: 6.33" (161 mm) Length: 10.16" (258 mm) UPC Code: 742330-04792</p>
	<p>Part Number: <b>P772503</b> Description: <b>Air Primary</b> Primary Appl.: COMPAIR C115541430 Dimensions: Outer Dia: 7.95" (202 mm) Inner Dia: 3.54" (90 mm) Length: 13.54" (344 mm) UPC Code: 742330-04793</p>
	<p>Part Number: <b>P772504</b> Description: <b>Air Primary</b> Primary Appl.: LEYLAND-DAF ABU9896 Dimensions: Outer Dia: 9.21" (234 mm) Inner Dia: 4.84" (123 mm) Length: 16.57" (421 mm) UPC Code: 742330-04794</p>
	<p>Part Number: <b>P772506</b> Description: <b>Air Primary</b> Primary Appl.: O&amp;K HR120C EXCAVATOR, Safety=P139293 Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.72" (196 mm) Length: 23.00" (584 mm) UPC Code: 742330-04795</p>



	<p><b>Part Number:</b> P772507 <b>Description:</b> Air Primary <b>Primary Appl.:</b> Mercedes 0010948004, Replaces P771507 <b>Dimensions:</b> Outer Dia: 9.53" (242 mm) Inner Dia: 5.18" (132 mm) Length: 19.13" (486 mm) <b>UPC Code:</b> 742330-08786</p>
	<p><b>Part Number:</b> P772512 <b>Description:</b> Air Primary <b>Primary Appl.:</b> LEYLAND-DAF ABU9145 <b>Dimensions:</b> Outer Dia: 8.43" (214 mm) Inner Dia: 4.00" (102 mm) Length: 22.91" (582 mm) <b>UPC Code:</b> 742330-04796</p>
	<p><b>Part Number:</b> P772519 <b>Description:</b> Air Primary <b>Primary Appl.:</b> RENAULT 0003564135 <b>Dimensions:</b> Outer Dia: 12.76" (324 mm) Inner Dia: 8.38" (213 mm) Length: 21.10" (536 mm) <b>UPC Code:</b> 742330-04797</p>
	<p><b>Part Number:</b> P772520 <b>Description:</b> Air Primary <b>Primary Appl.:</b> FIAT 1930783, MF 3580723M1, Safety=P770678 <b>Dimensions:</b> Outer Dia: 10.39" (264 mm) Inner Dia: 6.06" (154 mm) Length: 16.54" (420 mm) <b>UPC Code:</b> 742330-04798</p>
	<p><b>Part Number:</b> P772521 <b>Description:</b> Air Primary <b>Primary Appl.:</b> LONG LIFE VERSION OF P771521 <b>Dimensions:</b> Outer Dia: 7.72" (196 mm) Inner Dia: 12.09" (307 mm) Length: 18.54" (471 mm) <b>UPC Code:</b> 742330-04799</p>
	<p><b>Part Number:</b> P772522 <b>Description:</b> Air Primary <b>Primary Appl.:</b> JOHN DEERE DOX18913, FIAT 300138019, Safety=P133138 <b>Dimensions:</b> Outer Dia: 9.22" (234 mm) Inner Dia: 4.84" (123 mm) Length: 15.98" (406 mm) <b>UPC Code:</b> 742330-04800</p>
	<p><b>Part Number:</b> P772523 <b>Description:</b> Air Primary <b>Primary Appl.:</b> IHC-DRESSER 1201733H1, FIAT 321549350 <b>Dimensions:</b> Outer Dia: 12.09" (307 mm) Inner Dia: 7.72" (196 mm) Length: 16.20" (411 mm) <b>UPC Code:</b> 742330-04801</p>
	<p><b>Part Number:</b> P772524 <b>Description:</b> Air Primary <b>Primary Appl.:</b> FIAT AGRI 700056048, OREN &amp; KOPPEL 8300375, Safety=P770678 <b>Dimensions:</b> Outer Dia: 10.40" (264 mm) Inner Dia: 6.04" (153 mm) Length: 15.98" (406 mm) <b>UPC Code:</b> 742330-04802</p>
	<p><b>Part Number:</b> P772527 <b>Description:</b> Air Primary <b>Primary Appl.:</b> FIAT GEOTECH, Safety=P123828, Use P771527 for Scheduled Maintenance <b>Dimensions:</b> Outer Dia: 9.21" (234 mm) Inner Dia: 4.84" (123 mm) Length: 12.99" (330 mm) <b>UPC Code:</b> 742330-08975</p>



















	<p><b>Part Number:</b> P772529 <b>Description:</b> Air Primary <b>Primary Appl.:</b> LONG LIFE VERSION OF P771529, Safety=P119410 <b>Dimensions:</b> Outer Dia: 6.97" (177 mm) Inner Dia: 3.46" (88 mm) Length: 15.51" (394 mm) <b>UPC Code:</b> 742330-04803</p>
	<p><b>Part Number:</b> P772530 <b>Description:</b> Air Primary <b>Primary Appl.:</b> FIAT AGRI 22190599, Safety=P133138 <b>Dimensions:</b> Outer Dia: 9.22" (234 mm) Inner Dia: 4.84" (123 mm) Length: 15.98" (406 mm) <b>UPC Code:</b> 742330-04804</p>
	<p><b>Part Number:</b> P772531 <b>Description:</b> Air Primary <b>Primary Appl.:</b> FIAT 1930602, Safety=P770678 <b>Dimensions:</b> Outer Dia: 10.39" (264 mm) Inner Dia: 6.06" (154 mm) Length: 16.54" (420 mm) <b>UPC Code:</b> 742330-04805</p>
	<p><b>Part Number:</b> P772532 <b>Description:</b> Air Primary <b>Primary Appl.:</b> MASSEY FERGUSON 3385733M1 <b>Dimensions:</b> Outer Dia: 9.21" (234 mm) Inner Dia: 4.84" (123 mm) Length: 13.54" (344 mm) <b>UPC Code:</b> 742330-04806</p>
	<p><b>Part Number:</b> P772535 <b>Description:</b> Air Primary <b>Primary Appl.:</b> FIAT GEOTECH 1930138 <b>Dimensions:</b> Outer Dia: 6.97" (177 mm) Inner Dia: 3.46" (88 mm) Length: 13.54" (344 mm) <b>UPC Code:</b> 742330-04807</p>
	<p><b>Part Number:</b> P772536 <b>Description:</b> Air Primary <b>Primary Appl.:</b> FIAT GEOTECH 1930900, PEGASO, Safety=P771073 <b>Dimensions:</b> Outer Dia: 12.09" (307 mm) Inner Dia: 7.73" (196 mm) Length: 20.55" (522 mm) <b>UPC Code:</b> 742330-04808</p>
	<p><b>Part Number:</b> P772545 <b>Description:</b> Air Primary <b>Primary Appl.:</b> FIAT 1930794 <b>Dimensions:</b> Outer Dia: 7.91" (201 mm) Inner Dia: 5.32" (135 mm) Length: 16.54" (420 mm) <b>UPC Code:</b> 742330-04809</p>
	<p><b>Part Number:</b> P772549 <b>Description:</b> Air Primary <b>Primary Appl.:</b> CAT 100-6844, FIAT 1930764, PERKINS 26510313, Safety=P770181 <b>Dimensions:</b> Outer Dia: 5.43" (138 mm) Inner Dia: 2.83" (72 mm) Length: 12.01" (305 mm) <b>UPC Code:</b> 742330-04810</p>
	<p><b>Part Number:</b> P772550 <b>Description:</b> Air Primary, Fined <b>Primary Appl.:</b> FIAT 79072797, VOLVO 3576571, Safety=P119410 <b>Dimensions:</b> Outer Dia: 6.09" (155 mm) Inner Dia: 3.48" (88 mm) Length: 14.98" (380 mm) <b>UPC Code:</b> 742330-04811</p>













	<p>Part Number: <b>P772552</b> Description: <b>Air Primary</b> Primary Appl.: MACOSULLAIR 529054, OK 1499157, Safety=P770181 Dimensions: Outer Dia: 5.51" (140 mm) Inner Dia: 2.83" (72 mm) Length: 12.01" (305 mm) UPC Code: 742330-04812</p>
	<p>Part Number: <b>P772553</b> Description: <b>Air Primary</b> Primary Appl.: FIAT 1930824, Safety=P127787 Dimensions: Outer Dia: 6.10" (155 mm) Inner Dia: 3.46" (88 mm) Length: 13.94" (354 mm) UPC Code: 742330-04813</p>
	<p>Part Number: <b>P772554</b> Description: <b>Air Primary, Finned</b> Primary Appl.: Donaldson FLG08 AIR CLEANER HOUSINGS Dimensions: Outer Dia: 6.10" (155 mm) Inner Dia: 3.46" (88 mm) Length: 14.96" (380 mm) UPC Code: 742330-08980</p>
	<p>Part Number: <b>P772555</b> Description: <b>Air Primary, Finned</b> Primary Appl.: CAT 100-6846, FIAT 1930603, PERKINS 26510317 Dimensions: Outer Dia: 7.91" (201 mm) Inner Dia: 5.32" (135 mm) Length: 16.54" (420 mm) UPC Code: 742330-04814</p>
	<p>Part Number: <b>P772556</b> Description: <b>Air Primary</b> Primary Appl.: FIAT AGRI 320498750 Dimensions: Outer Dia: 6.09" (155 mm) Inner Dia: 3.48" (88 mm) Length: 15.96" (405 mm) UPC Code: 742330-04815</p>
	<p>Part Number: <b>P772564</b> Description: <b>Air Primary</b> Primary Appl.: FIAT GEOTECH 1909116, Safety=P127787 Dimensions: Outer Dia: 6.10" (155 mm) Inner Dia: 3.46" (88 mm) Length: 13.46" (342 mm) UPC Code: 742330-04816</p>
	<p>Part Number: <b>P772565</b> Description: <b>Air Primary</b> Primary Appl.: FIAT GEOTECH 1930536, Safety=P770207 Dimensions: Outer Dia: 5.43" (138 mm) Inner Dia: 2.83" (72 mm) Length: 13.98" (355 mm) UPC Code: 742330-04817</p>
	<p>Part Number: <b>P772567</b> Description: <b>Air Primary</b> Primary Appl.: LEYLAND-DAF MKZ2802 Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.73" (196 mm) Length: 18.58" (472 mm) UPC Code: 742330-04818</p>
	<p>Part Number: <b>P772577</b> Description: <b>Air Primary</b> Primary Appl.: IVECO-PEGASO 171686 Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.73" (196 mm) Length: 20.55" (522 mm) UPC Code: 742330-04819</p>


	<p>Part Number: <b>P772578</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: FIAT 1930591, L.PETTER 36608105, Safety=P775298 Dimensions: Outer Dia: 4.13" (105 mm) Inner Dia: 2.68" (68 mm) Length: 11.81" (300 mm) UPC Code: 742330-04820</p>
	<p>Part Number: <b>P772579</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: FIAT 1930587, L.PETTER 366-08109, Safety=P775300 Dimensions: Outer Dia: 5.59" (142 mm) Inner Dia: 3.62" (92 mm) Length: 12.99" (330 mm) UPC Code: 742330-04821</p>
	<p>Part Number: <b>P772580</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: FIAT 1930589, CAT 110-6326, IR 92793025, Safety=P775302 Dimensions: Outer Dia: 6.50" (165 mm) Inner Dia: 3.96" (101 mm) Length: 13.90" (353 mm) UPC Code: 742330-04822</p>
	<p>Part Number: <b>P772581</b> Description: <b>Air Primary</b> Primary Appl.: PERLINI 350087A Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.73" (196 mm) Length: 24.57" (624 mm) UPC Code: 742330-04823</p>
	<p>Part Number: <b>P772585</b> Description: <b>Air Primary</b> Primary Appl.: RENAULT RVI 5010094146, Safety=P123007 Dimensions: Outer Dia: 11.10" (282 mm) Inner Dia: 6.73" (171 mm) Length: 15.35" (390 mm) UPC Code: 742330-04824</p>
	<p>Part Number: <b>P772586</b> Description: <b>Air Primary</b> Primary Appl.: RENAULT RVI 5000814797 Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.73" (196 mm) Length: 15.35" (390 mm) UPC Code: 742330-04825</p>
	<p>Part Number: <b>P772587</b> Description: <b>Air Primary</b> Primary Appl.: FIAT 1930604 Dimensions: Outer Dia: 9.65" (245 mm) Inner Dia: 6.04" (153 mm) Length: 16.54" (420 mm) UPC Code: 742330-04826</p>
	<p>Part Number: <b>P772597</b> Description: <b>Air Primary</b> Primary Appl.: KOMATSU 205-01-73570, Safety=P776019 Dimensions: Outer Dia: 7.91" (201 mm) Inner Dia: 5.32" (135 mm) Length: 17.87" (454 mm) UPC Code: 742330-04827</p>
	<p>Part Number: <b>P773605</b> Description: <b>Air Primary, Finned</b> Primary Appl.: JCB 32/903601 Dimensions: Outer Dia: 6.10" (155 mm) Inner Dia: 3.46" (88 mm) Length: 15.51" (394 mm) UPC Code: 742330-04828</p>

	<p>Part Number: <b>P775026</b> Description: <b>Air Primary</b> Primary Appl.: JOHN DEERE AZ45868 Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.73" (196 mm) Length: 22.56" (573 mm) UPC Code: 742330-04829</p>		<p>Part Number: <b>P775631</b> Description: <b>Air Safety, RadialSeal®</b> Primary Appl.: GEHL 781360775631 Dimensions: Outer Dia: 4.13" (105 mm) Inner Dia: 2.68" (68 mm) Length: 11.81" (300 mm) UPC Code: 742330-04846</p>
	<p>Part Number: <b>P775298</b> Description: <b>Air Safety, RadialSeal®</b> Primary Appl.: FIAT GEOTECH 1930592, L. PETTER 366-08106, Primary=P772578 Dimensions: Outer Dia: 2.40" (61 mm) Inner Dia: 1.89" (48 mm) Length: 11.42" (290 mm) UPC Code: 742330-04831</p>		<p>Part Number: <b>P775681</b> Description: <b>Air Primary</b> Primary Appl.: TOYOTA 17801-23000-71 Dimensions: Outer Dia: 5.24" (133 mm) Inner Dia: 2.62" (67 mm) Length: 11.10" (282 mm) UPC Code: 742330-04847</p>
	<p>Part Number: <b>P775300</b> Description: <b>Air Safety, RadialSeal®</b> Primary Appl.: FIAT 1930588, L.PETTER 366-08110, MACOSLR 560938, Primary=P772579 Dimensions: Outer Dia: 3.31" (84 mm) Inner Dia: 2.62" (67 mm) Length: 12.56" (319 mm) UPC Code: 742330-04832</p>		<p>Part Number: <b>P775687</b> Description: <b>Air Primary</b> Primary Appl.: KOMATSU Z76-01-18130, JCB KAP0482 Dimensions: Outer Dia: 5.09" (133 mm) Inner Dia: 2.49" (63 mm) Length: 10.55" (268 mm) UPC Code: 742330-04848</p>
	<p>Part Number: <b>P775302</b> Description: <b>Air Safety, RadialSeal®</b> Primary Appl.: FIAT GEOTECH 1930590, CATERPILLAR 110-6331, Primary=P772580 Dimensions: Outer Dia: 3.70" (94 mm) Inner Dia: 3.03" (77 mm) Length: 13.54" (344 mm) UPC Code: 742330-04833</p>		<p>Part Number: <b>P775688</b> Description: <b>Air Primary</b> Primary Appl.: KOMATSU Z76-01-17130 Dimensions: Outer Dia: 3.27" (83 mm) Inner Dia: 1.68" (43 mm) Length: 7.56" (192 mm) UPC Code: 742330-04849</p>
	<p>Part Number: <b>P775339</b> Description: <b>Air Safety</b> Primary Appl.: PERLINI 350088A Dimensions: Outer Dia: 7.28" (185 mm) Inner Dia: 6.22" (158 mm) Length: 23.82" (605 mm) UPC Code: 742330-04834</p>		<p>Part Number: <b>P775704</b> Description: <b>Air Safety</b> Primary Appl.: FENDT X810270072, Primary=P771594 Dimensions: Outer Dia: 2.87" (73 mm) Inner Dia: 2.86" (73 mm) Length: 7.48" (190 mm) UPC Code: 742330-04850</p>
	<p>Part Number: <b>P775373</b> Description: <b>Air Safety</b> Primary Appl.: JCB 321906802, Primary=P771584 Dimensions: Outer Dia: 3.39" (86 mm) Inner Dia: 2.93" (74 mm) Length: 10.16" (258 mm) UPC Code: 742330-04842</p>		<p>Part Number: <b>P775732</b> Description: <b>Air Primary, Finned</b> Primary Appl.: HINO 17801-1080 Dimensions: Outer Dia: 7.95" (202 mm) Inner Dia: 4.57" (116 mm) Length: 11.81" (300 mm) UPC Code: 742330-04851</p>
	<p>Part Number: <b>P775457</b> Description: <b>Air Safety</b> Primary Appl.: FIAT ALLIS 71406283, USE WITH PRIMARY P778702 Dimensions: Outer Dia: 3.39" (86 mm) Inner Dia: 2.93" (74 mm) Length: 12.13" (308 mm) UPC Code: 742330-04843</p>		<p>Part Number: <b>P775749</b> Description: <b>Air Primary, Finned</b> Primary Appl.: NISSAN 16546-05H10 Dimensions: Outer Dia: 4.09" (104 mm) Inner Dia: 2.49" (63 mm) Length: 8.03" (204 mm) UPC Code: 742330-04852</p>
	<p>Part Number: <b>P775500</b> Description: <b>Air Safety</b> Primary Appl.: RENAULT RVI 5000814798 Dimensions: Outer Dia: 7.28" (185 mm) Inner Dia: 6.22" (158 mm) Length: 14.57" (370 mm) UPC Code: 742330-04844</p>		<p>Part Number: <b>P775792</b> Description: <b>Air Primary</b> Primary Appl.: IVECO 1904581 Dimensions: Outer Dia: 5.83" (148 mm) Inner Dia: 2.83" (72 mm) Length: 13.07" (332 mm) UPC Code: 742330-04853</p>
	<p>Part Number: <b>P775510</b> Description: <b>Air Safety</b> Primary Appl.: FIAT GEOTECH 1930606 Dimensions: Outer Dia: 5.94" (151 mm) Inner Dia: 4.84" (123 mm) Length: 14.37" (365 mm) UPC Code: 742330-04845</p>		<p>Part Number: <b>P775804</b> Description: <b>Air Primary</b> Primary Appl.: RENAULT RVI 5010094154 Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.73" (196 mm) Length: 15.75" (400 mm) UPC Code: 742330-04854</p>











	<p>Part Number: <b>P775843</b> Description: <b>Air Primary</b> Primary Appl.: IVECO 1905710 Dimensions: Outer Dia: 12.87" (327 mm) Inner Dia: 8.50" (216 mm) Length: 18.66" (474 mm) UPC Code: 742330-04855</p>
	<p>Part Number: <b>P775896</b> Description: <b>Air Primary</b> Primary Appl.: SCANIA 370750 Dimensions: Outer Dia: 9.53" (242 mm) Inner Dia: 5.21" (132 mm) Length: 20.87" (530 mm) UPC Code: 742330-04856</p>
	<p>Part Number: <b>P775918</b> Description: <b>Air Primary</b> Primary Appl.: SCANIA 395776-7087 Dimensions: Outer Dia: 12.09" (307 mm) Inner Dia: 7.73" (196 mm) Length: 17.24" (438 mm) UPC Code: 742330-04857</p>
	<p>Part Number: <b>P775945</b> Description: <b>Air Primary, Konepac</b> Primary Appl.: VOLVO 6792554 Dimensions: Outer Dia: 7.36" (187 mm) Inner Dia: 4.68" (119 mm) Length: 23.31" (592 mm) UPC Code: 742330-04858</p>
	<p>Part Number: <b>P776019</b> Description: <b>Air Safety</b> Primary Appl.: KOMATSU 205-01-K1480, Primary=P772597 Dimensions: Outer Dia: 4.57" (116 mm) Inner Dia: 3.46" (88 mm) Length: 16.54" (420 mm) UPC Code: 742330-04859</p>
	<p>Part Number: <b>P776102</b> Description: <b>Air Safety</b> Primary Appl.: JOHN DEERE AZ45867 Dimensions: Outer Dia: 7.28" (185 mm) Inner Dia: 6.22" (158 mm) Length: 21.89" (556 mm) UPC Code: 742330-04860</p>
	<p>Part Number: <b>P776157</b> Description: <b>Air Primary, Konepac</b> Primary Appl.: LEYLAND-DAF BBU8384 Dimensions: Outer Dia: 11.50" (292 mm) Inner Dia: 6.57" (167 mm) Length: 19.72" (501 mm) UPC Code: 742330-04861</p>
	<p>Part Number: <b>P776158</b> Description: <b>Air Primary, Konepac</b> Primary Appl.: FORD 81DB-9601-TB Dimensions: Outer Dia: 7.01" (178 mm) Inner Dia: 3.62" (92 mm) Length: 15.63" (397 mm) UPC Code: 742330-04862</p>
	<p>Part Number: <b>P776159</b> Description: <b>Air Primary, Konepac</b> Primary Appl.: E.R.F. 95708-8, LEYLAND-DAF Dimensions: Outer Dia: 8.27" (210 mm) Inner Dia: 4.74" (120 mm) Length: 18.58" (472 mm) UPC Code: 742330-04863</p>










	<p>Part Number: <b>P776198</b> Description: <b>Air Primary</b> Primary Appl.: IVECO PEGASO 172150 Dimensions: Outer Dia: 9.53" (242 mm) Inner Dia: 5.21" (132 mm) Length: 16.54" (420 mm) UPC Code: 742330-04864</p>
	<p>Part Number: <b>P776251</b> Description: <b>Air Primary</b> Primary Appl.: RENAULT 5000807196 Dimensions: Outer Dia: 11.73" (298 mm) Inner Dia: 7.40" (188 mm) Length: 15.78" (401 mm) UPC Code: 742330-08981</p>
	<p>Part Number: <b>P776252</b> Description: <b>Air Primary</b> Primary Appl.: MAN 81.08304.0072 Dimensions: Outer Dia: 11.89" (302 mm) Inner Dia: 7.52" (191 mm) Length: 13.31" (338 mm) UPC Code: 742330-04865</p>
	<p>Part Number: <b>P776260</b> Description: <b>Air Primary</b> Primary Appl.: IVECO 1905983 Dimensions: Outer Dia: 9.53" (242 mm) Inner Dia: 5.21" (132 mm) Length: 11.81" (300 mm) UPC Code: 742330-04866</p>
	<p>Part Number: <b>P776286</b> Description: <b>Air Safety</b> Primary Appl.: SCANIA 297814-7087 Dimensions: Outer Dia: 6.38" (162 mm) Inner Dia: 5.26" (134 mm) Length: 15.83" (402 mm) UPC Code: 742330-04867</p>
	<p>Part Number: <b>P776302</b> Description: <b>Air Primary</b> Primary Appl.: FIAT ALLIS 1930740 Dimensions: Outer Dia: 8.74" (222 mm) Inner Dia: 6.16" (156 mm) Length: 8.19" (208 mm) UPC Code: 742330-04868</p>
	<p>Part Number: <b>P776303</b> Description: <b>Air Safety</b> Primary Appl.: FIAT ALLIS 1930758 Dimensions: Outer Dia: 5.35" (136 mm) Inner Dia: 4.00" (102 mm) Length: 6.93" (176 mm) UPC Code: 742330-04869</p>
	<p>Part Number: <b>P776341</b> Description: <b>Air Primary</b> Primary Appl.: CASE K200379, Safety=P526864 Dimensions: Outer Dia: 5.28" (134 mm) Inner Dia: 3.22" (82 mm) Length: 11.57" (294 mm) UPC Code: 742330-04870</p>
	<p>Part Number: <b>P776356</b> Description: <b>Air Primary, Fined</b> Primary Appl.: JCB 32/905301, Safety=P776357 Dimensions: Outer Dia: 4.09" (104 mm) Inner Dia: 2.49" (63 mm) Length: 8.54" (217 mm) UPC Code: 742330-04871</p>



















	<p>Part Number: <b>P776357</b> Description: <b>Air Safety</b> Primary Appl.: JCB 32/905302, Primary=P776356 Dimensions: Outer Dia: 2.28" (58 mm) Inner Dia: 2.04" (52 mm) Length: 7.13" (181 mm) UPC Code: 742330-04872</p>		<p>Part Number: <b>P776567</b> Description: <b>Air Primary</b> Primary Appl.: CASE E43790 Dimensions: Outer Dia: 5.28" (134 mm) Inner Dia: 3.22" (82 mm) Length: 11.50" (292 mm) UPC Code: 742330-04881</p>
	<p>Part Number: <b>P776358</b> Description: <b>Air Primary, Fined</b> Primary Appl.: JCB 32/206002 Dimensions: Outer Dia: 5.24" (133 mm) Inner Dia: 2.83" (72 mm) Length: 13.98" (355 mm) UPC Code: 742330-04873</p>		<p>Part Number: <b>P776568</b> Description: <b>Air Primary</b> Primary Appl.: CASE E46373 Dimensions: Outer Dia: 5.24" (133 mm) Inner Dia: 3.65" (93 mm) Length: 15.59" (396 mm) UPC Code: 742330-04882</p>
	<p>Part Number: <b>P776360</b> Description: <b>Air Primary, Fined</b> Primary Appl.: ARRF ARM27-50, FRAM CA4412, FTGD AF1829 Dimensions: Outer Dia: 5.24" (133 mm) Inner Dia: 2.83" (72 mm) Length: 8.50" (216 mm) UPC Code: 742330-04874</p>		<p>Part Number: <b>P776615</b> Description: <b>Air Primary, Fined</b> Primary Appl.: TOYOTA 17803-23001-71 Dimensions: Outer Dia: 5.24" (133 mm) Inner Dia: 3.30" (84 mm) Length: 11.57" (294 mm) UPC Code: 742330-04883</p>
	<p>Part Number: <b>P776386</b> Description: <b>Air Primary</b> Primary Appl.: MERCEDES 0010947304 Dimensions: Outer Dia: 10.47" (266 mm) Inner Dia: 5.25" (133 mm) Length: 9.13" (232 mm) UPC Code: 742330-04875</p>		<p>Part Number: <b>P776623</b> Description: <b>Air Safety</b> Primary Appl.: TOYOTA 17804-23000-71 Dimensions: Outer Dia: 3.19" (81 mm) Inner Dia: 2.50" (64 mm) Length: 10.39" (264 mm) UPC Code: 742330-04884</p>
	<p>Part Number: <b>P776490</b> Description: <b>Air Panel, Engine</b> Primary Appl.: FIAT 1930782 Dimensions: Width: 6.00" (152 mm) Depth: 2.20" (56 mm) Length: 17.17" (436 mm) UPC Code: 742330-04876</p>		<p>Part Number: <b>P776636</b> Description: <b>Air Primary, Fined</b> Primary Appl.: TOYOTA 17801-23001-71 Dimensions: Outer Dia: 5.24" (133 mm) Inner Dia: 2.50" (64 mm) Length: 11.57" (294 mm) UPC Code: 742330-04885</p>
	<p>Part Number: <b>P776497</b> Description: <b>Air Primary</b> Primary Appl.: FIAT 1930782 Dimensions: Outer Dia: 9.65" (245 mm) Inner Dia: 6.04" (153 mm) Length: 13.58" (345 mm) UPC Code: 742330-04877</p>		<p>Part Number: <b>P776694</b> Description: <b>Air Safety</b> Primary Appl.: MANN &amp; HUMMEL CF800, Primary=P181088 Dimensions: Outer Dia: 3.62" (92 mm) Inner Dia: 2.80" (71 mm) Length: 13.46" (342 mm) UPC Code: 742330-05081</p>
	<p>Part Number: <b>P776498</b> Description: <b>Air Safety</b> Primary Appl.: FIAT GEOTECH 1930601 Dimensions: Outer Dia: 5.94" (151 mm) Inner Dia: 4.84" (123 mm) Length: 12.01" (305 mm) UPC Code: 742330-04878</p>		<p>Part Number: <b>P776695</b> Description: <b>Air Safety</b> Primary Appl.: MANN &amp; HUMMEL CF1000, Primary=P771561 Dimensions: Outer Dia: 4.37" (111 mm) Inner Dia: 3.54" (90 mm) Length: 14.65" (372 mm) UPC Code: 742330-05084</p>
	<p>Part Number: <b>P776565</b> Description: <b>Air Safety</b> Primary Appl.: CASE E41535 Dimensions: Outer Dia: 2.60" (66 mm) Inner Dia: 2.12" (54 mm) Length: 10.39" (264 mm) UPC Code: 742330-04879</p>		<p>Part Number: <b>P776696</b> Description: <b>Air Safety</b> Primary Appl.: MANN &amp; HUMMEL CF1200, Primary=P771508 Dimensions: Outer Dia: 4.76" (121 mm) Inner Dia: 3.94" (100 mm) Length: 14.93" (379 mm) UPC Code: 742330-05082</p>
	<p>Part Number: <b>P776566</b> Description: <b>Air Safety</b> Primary Appl.: CASE E43789 Dimensions: Outer Dia: 2.91" (74 mm) Inner Dia: 1.89" (48 mm) Length: 10.20" (259 mm) UPC Code: 742330-04880</p>		<p>Part Number: <b>P776697</b> Description: <b>Air Safety</b> Primary Appl.: MANN &amp; HUMMEL CF1300, Primary=P181137 Dimensions: Outer Dia: 5.55" (141 mm) Inner Dia: 4.65" (118 mm) Length: 18.64" (473 mm) UPC Code: 742330-05083</p>





















	<p>Part Number: <b>P776730</b> Description: <b>Air Primary, Finned</b> Primary Appl.: TOYOTA 17806-23800-71 Dimensions: Outer Dia: 5.24" (133 mm) Inner Dia: 3.22" (82 mm) Length: 11.42" (290 mm) UPC Code: 742330-04886</p>
	<p>Part Number: <b>P776765</b> Description: <b>Air Primary, Konepac</b> Primary Appl.: E.R.F. 95518-0 Dimensions: Outer Dia: 9.88" (251 mm) Inner Dia: 6.22" (158 mm) Length: 19.53" (496 mm) UPC Code: 742330-04887</p>
	<p>Part Number: <b>P776830</b> Description: <b>Air Primary, Finned</b> Primary Appl.: JCB 32/906801 Dimensions: Outer Dia: 6.10" (155 mm) Inner Dia: 3.46" (88 mm) Length: 11.77" (299 mm) UPC Code: 742330-04888</p>
	<p>Part Number: <b>P776837</b> Description: <b>Air Primary</b> Primary Appl.: COMPAIR 98262/84 Dimensions: Outer Dia: 8.46" (215 mm) Inner Dia: 4.88" (124 mm) Length: 4.88" (124 mm) UPC Code: 742330-04889</p>
	<p>Part Number: <b>P776895</b> Description: <b>Air Safety</b> Primary Appl.: JCB 32/905002 Dimensions: Outer Dia: 2.76" (70 mm) Inner Dia: 2.40" (61 mm) Length: 7.24" (184 mm) UPC Code: 742330-04890</p>
	<p>Part Number: <b>P776993</b> Description: <b>Air Primary</b> Primary Appl.: RANGE ROVER NTC 6660 Dimensions: Outer Dia: 5.24" (133 mm) Inner Dia: 2.62" (67 mm) Length: 11.57" (294 mm) UPC Code: 742330-04891</p>
	<p>Part Number: <b>P776995</b> Description: <b>Air Primary</b> Primary Appl.: COMPAIR 98262/109 Dimensions: Outer Dia: 6.50" (165 mm) Inner Dia: 4.05" (103 mm) Length: 10.04" (255 mm) UPC Code: 742330-04892</p>
	<p>Part Number: <b>P777105</b> Description: <b>Air Primary</b> Primary Appl.: VOLVO 1544428, 1600375, 475755 Dimensions: Outer Dia: 10.66" (271 mm) Inner Dia: 6.22" (158 mm) Length: 22.44" (570 mm) UPC Code: 742330-08982</p>









	<p>Part Number: <b>P777152</b> Description: <b>Air Primary</b> Primary Appl.: VOLVO 1542743, 1660619, 475386 Dimensions: Outer Dia: 12.24" (311 mm) Inner Dia: 7.87" (200 mm) Length: 14.13" (359 mm) UPC Code: 742330-08983</p>
<del></del>	<p><del>Part Number: <b>P777154</b> Description: <b>Air Primary</b> Primary Appl.: VOLVO 1660376, 16609763 Dimensions: Outer Dia: 10.66" (271 mm) Inner Dia: 7.01" (178 mm) Length: 22.36" (568 mm) UPC Code: 742330-08984</del></p>
	<p>Part Number: <b>P777177</b> Description: <b>Air Primary</b> Primary Appl.: ERF TRUCK 936201 Dimensions: Outer Dia: 8.26" (210 mm) Inner Dia: 4.72" (120 mm) Length: 17.99" (457 mm) UPC Code: 742330-08985</p>
	<p>Part Number: <b>P777179</b> Description: <b>Air Primary</b> Primary Appl.: BEDFORD 91107151 Dimensions: Outer Dia: 6.47" (164 mm) Inner Dia: 3.86" (98 mm) Length: 14.09" (358 mm) UPC Code: 742330-08986</p>
	<p>Part Number: <b>P777240</b> Description: <b>Air Primary</b> Primary Appl.: KUBOTA 1735111080 Dimensions: Outer Dia: 5.23" (133 mm) Inner Dia: 2.87" (73 mm) Length: 11.02" (280 mm) UPC Code: 742330-08987</p>
	<p>Part Number: <b>P777241</b> Description: <b>Air Primary</b> Primary Appl.: DAF TRUCK 265045 Dimensions: Outer Dia: 7.79" (198 mm) Inner Dia: 4.09" (104 mm) Length: 14.37" (365 mm) UPC Code: 742330-08988</p>
	<p>Part Number: <b>P777242</b> Description: <b>Air Primary</b> Primary Appl.: DAF 667078 Dimensions: Outer Dia: 11.88" (302 mm) Inner Dia: 7.52" (191 mm) Length: 14.37" (365 mm) UPC Code: 742330-08989</p>
	<p>Part Number: <b>P777243</b> Description: <b>Air Primary</b> Primary Appl.: DAF 0112294 Dimensions: Outer Dia: 8.89" (226 mm) Inner Dia: 4.61" (117 mm) Length: 14.61" (371 mm) UPC Code: 742330-08990</p>
	<p>Part Number: <b>P777279</b> Description: <b>Air Primary</b> Primary Appl.: DAF 1295090, PERKINS CV20948 Dimensions: Outer Dia: 11.06" (281 mm) Inner Dia: 6.77" (172 mm) Length: 20.08" (510 mm) UPC Code: 742330-08991</p>



	<p>Part Number: <b>P777357</b> Description: <b>Air Primary</b> Primary Appl.: VIRGIS CH12826 Dimensions: Outer Dia: 8.39" (213 mm) Inner Dia: 4.13" (105 mm) Length: 10.83" (275 mm) UPC Code: 742330-08993</p>		<p>Part Number: <b>P777524</b> Description: <b>Air Safety</b> Primary Appl.: MERCEDES 0020943304, Primary=P181089 Dimensions: Outer Dia: 3.15" (80 mm) Inner Dia: 2.25" (57 mm) Length: 12.83" (326 mm) UPC Code: 742330-10610</p>
	<p>Part Number: <b>P777358</b> Description: <b>Air Primary</b> Primary Appl.: VOLVO 347138 Dimensions: Outer Dia: 9.17" (233 mm) Inner Dia: 4.84" (123 mm) Length: 10.59" (269 mm) UPC Code: 742330-08994</p>		<p>Part Number: <b>P777525</b> Description: <b>Air Safety</b> Primary Appl.: MANN &amp; HUMMEL CF1620 Dimensions: Outer Dia: 6.37" (162 mm) Inner Dia: 5.71" (145 mm) Length: 13.19" (335 mm) UPC Code: 742330-10387</p>
	<p>Part Number: <b>P777409</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: VOLVO 11110022 Dimensions: Outer Dia: 11.10" (282 mm) Inner Dia: 6.77" (172 mm) Length: 20.08" (510 mm) UPC Code: 742330-08995</p>		<p>Part Number: <b>P777526</b> Description: <b>Air Safety</b> Primary Appl.: MANN &amp; HUMMEL CF1610 Dimensions: Outer Dia: 6.37" (162 mm) Inner Dia: 5.71" (145 mm) Length: 14.76" (375 mm) UPC Code: 742330-10388</p>
	<p>Part Number: <b>P777483</b> Description: <b>Air Primary</b> Primary Appl.: LISTER PETTER 36606227 Dimensions: Outer Dia: 5.74" (146 mm) Inner Dia: 4.09" (104 mm) Length: 2.52" (64 mm) UPC Code: 742330-08997</p>		<p>Part Number: <b>P777551</b> Description: <b>Air Safety</b> Primary Appl.: ATLAS CÖPCO 161956900, Primary=P771558 Dimensions: Outer Dia: 6.38" (162 mm) Inner Dia: 5.47" (139 mm) Length: 18.54" (471 mm) UPC Code: 742330-10448</p>
	<p>Part Number: <b>P777485</b> Description: <b>Air Primary</b> Primary Appl.: FORD 87HX9601AA Dimensions: Outer Dia: 9.52" (242 mm) Inner Dia: 7.24" (184 mm) Length: 3.74" (95 mm) UPC Code: 742330-08998</p>		<p>Part Number: <b>P777576</b> Description: <b>Cab Air</b> Primary Appl.: CATERPILLAR 6C9926 Dimensions: Width: 9.84" (250 mm) Depth: .95" (24 mm) Length: 11.81" (300 mm) UPC Code: 742330-10389</p>
	<p>Part Number: <b>P777486</b> Description: <b>Air Primary</b> Primary Appl.: PERKINS PE322 Dimensions: Outer Dia: 6.81" (173 mm) Inner Dia: 5.07" (129 mm) Length: 3.03" (77 mm) UPC Code: 742330-08999</p>		<p>Part Number: <b>P777577</b> Description: <b>Air Safety, RadialSeal®</b> Primary Appl.: FENDT Dimensions: Outer Dia: 3.72" (94 mm) Inner Dia: 3.22" (82 mm) Length: 12.95" (329 mm) UPC Code: 742330-10390</p>
	<p>Part Number: <b>P777487</b> Description: <b>Air Primary</b> Primary Appl.: FORD 81DB9601DB Dimensions: Outer Dia: 12.08" (307 mm) Inner Dia: 8.50" (216 mm) Length: 4.33" (110 mm) UPC Code: 742330-10620</p>		<p>Part Number: <b>P777578</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: FENDT H3112000901 Dimensions: Outer Dia: 7.52" (191 mm) Inner Dia: 3.90" (99 mm) Length: 13.31" (338 mm) UPC Code: 742330-10566</p>
	<p>Part Number: <b>P777488</b> Description: <b>Air Primary</b> Primary Appl.: GM 7980474, 7980585 Dimensions: Outer Dia: 12.75" (324 mm) Inner Dia: 10.00" (254 mm) Length: 4.88" (124 mm) UPC Code: 742330-10617</p>		<p>Part Number: <b>P777579</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: M.A.N. 81083040083 Dimensions: Outer Dia: 12.01" (305 mm) Inner Dia: 6.65" (169 mm) Length: 18.58" (472 mm) UPC Code: 742330-10567</p>
	<p>Part Number: <b>P777523</b> Description: <b>Air Safety</b> Primary Appl.: FENDT F345200090010, Primary=P140131 Dimensions: Outer Dia: 2.76" (70 mm) Inner Dia: 1.97" (50 mm) Length: 11.16" (283 mm) UPC Code: 742330-10607</p>		<p>Part Number: <b>P777588</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: M.A.N. Dimensions: Outer Dia: 7.95" (202 mm) Inner Dia: 4.84" (123 mm) Length: 14.57" (370 mm) UPC Code: 742330-10568</p>





















	<p>Part Number: <b>P777592</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: DAF ACHD040 Dimensions: Outer Dia: 7.95" (202 mm) Inner Dia: 4.84" (123 mm) Length: 20.35" (517 mm) UPC Code: 742330-10569</p>
	<p>Part Number: <b>P777638</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: FENDT, JCB, LIEBHERR Dimensions: Outer Dia: 8.19" (208 mm) Inner Dia: 4.33" (110 mm) Length: 16.14" (410 mm) UPC Code: 742330-10570</p>
	<p>Part Number: <b>P777639</b> Description: <b>Air Safety, RadialSeal®</b> Primary Appl.: Donaldson FRG 10 AIR CLEANER Dimensions: Outer Dia: 4.27" (108 mm) Inner Dia: 3.45" (88 mm) Length: 15.79" (401 mm) UPC Code: 742330-08199</p>
	<p>Part Number: <b>P777759</b> Description: <b>Air Safety</b> Primary Appl.: DEUTZ 4308634 Dimensions: Outer Dia: 3.15" (80 mm) Inner Dia: 2.24" (57 mm) Length: 7.87" (200 mm) UPC Code: 742330-10571</p>
	<p>Part Number: <b>P777767</b> Description: <b>Air Primary</b> Primary Appl.: VOLVO 1080918, 10809184 Dimensions: Outer Dia: 10.67" (271 mm) Inner Dia: 6.22" (158 mm) Length: 23.19" (589 mm) UPC Code: 742330-10572</p>
	<p>Part Number: <b>P777776</b> Description: <b>Air Primary</b> Primary Appl.: KOMATSU 20701K1190 Dimensions: Outer Dia: 10.87" (276 mm) Inner Dia: 6.50" (165 mm) Length: 15.00" (381 mm) UPC Code: 742330-10573</p>
	<p>Part Number: <b>P777777</b> Description: <b>Air Safety</b> Primary Appl.: KOMATSU 20701K1210 Dimensions: Outer Dia: 6.43" (163 mm) Inner Dia: 5.28" (134 mm) Length: 13.98" (355 mm) UPC Code: 742330-10574</p>
	<p>Part Number: <b>P777779</b> Description: <b>Air Safety, RadialSeal®</b> Primary Appl.: ATLAS WEYHAUSEN 2998145 Dimensions: Outer Dia: 4.13" (105 mm) Inner Dia: 3.58" (91 mm) Length: 14.06" (357 mm) UPC Code: 742330-10575</p>







	<p>Part Number: <b>P777868</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: TEREX 15270188, USE WITH SAFETY P777869 Dimensions: Outer Dia: 12.31" (313 mm) Inner Dia: 6.99" (178 mm) Length: 20.08" (510 mm) UPC Code: 742330-08179</p>
	<p>Part Number: <b>P777869</b> Description: <b>Air Safety, RadialSeal®</b> Primary Appl.: TEREX 15270189, USE WITH PRIMARY P777868 Dimensions: Outer Dia: 7.08" (180 mm) Inner Dia: 5.90" (150 mm) Length: 19.72" (501 mm) UPC Code: 742330-08180</p>
	<p>Part Number: <b>P777871</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: VOLVO, VAN HOOL, USE WITH SAFETY P777875 Dimensions: Outer Dia: 12.32" (313 mm) Inner Dia: 7.01" (178 mm) Length: 22.44" (570 mm) UPC Code: 742330-10576</p>
	<p>Part Number: <b>P777875</b> Description: <b>Air Safety, RadialSeal®</b> Primary Appl.: TEREX 15272253, VOLVO 110339999, USE WITH PRIMARY P777871 Dimensions: Outer Dia: 6.85" (174 mm) Inner Dia: 5.82" (148 mm) Length: 21.97" (558 mm) UPC Code: 742330-10823</p>
	<p>Part Number: <b>P777938</b> Description: <b>Air Safety</b> Primary Appl.: RENAULT 5010269967 Dimensions: Outer Dia: 7.28" (185 mm) Inner Dia: 6.20" (157 mm) Length: 17.24" (438 mm) UPC Code: 742330-10577</p>
	<p>Part Number: <b>P777948</b> Description: <b>Air Primary</b> Primary Appl.: DAF 1318919, 754713 Dimensions: Outer Dia: 9.53" (242 mm) Inner Dia: 5.12" (130 mm) Length: 16.26" (413 mm) UPC Code: 742330-10578</p>
	<p>Part Number: <b>P778081</b> Description: <b>Air Primary</b> Primary Appl.: FIAT 1907695 Dimensions: Outer Dia: 12.87" (327 mm) Inner Dia: 8.50" (216 mm) Length: 19.69" (500 mm) UPC Code: 742330-10579</p>
	<p>Part Number: <b>P778090</b> Description: <b>Air Safety</b> Primary Appl.: MASSEY FERGUSON 1678295M1 Dimensions: Outer Dia: 2.95" (75 mm) Inner Dia: 1.89" (48 mm) Length: 11.18" (284 mm) UPC Code: 742330-10471</p>
	<p>Part Number: <b>P778096</b> Description: <b>Air Primary</b> Primary Appl.: LEYLAND DAF ACU8456 Dimensions: Outer Dia: 11.10" (282 mm) Inner Dia: 6.69" (170 mm) Length: 14.01" (356 mm) UPC Code: 742330-10472</p>










	<p>Part Number: <b>P778100</b> Description: <b>Air Primary</b> Primary Appl.: DAF 19G101, BAU1475 Dimensions: Outer Dia: 5.24" (133 mm) Inner Dia: 2.83" (72 mm) Length: 17.99" (457 mm) UPC Code: 742330-10473</p>
	<p>Part Number: <b>P778108</b> Description: <b>Air Primary</b> Primary Appl.: BEDFORD 91138957 Dimensions: Outer Dia: 6.10" (155 mm) Inner Dia: 3.46" (88 mm) Length: 7.80" (198 mm) UPC Code: 742330-10474</p>
	<p>Part Number: <b>P778109</b> Description: <b>Air Primary</b> Primary Appl.: ROVER NRC9238 Dimensions: Outer Dia: 5.24" (133 mm) Inner Dia: 2.83" (72 mm) Length: 8.27" (210 mm) UPC Code: 742330-10475</p>
	<p>Part Number: <b>P778113</b> Description: <b>Air Primary</b> Primary Appl.: DODGE 25179000 Dimensions: Outer Dia: 5.43" (138 mm) Inner Dia: 2.87" (73 mm) Length: 18.03" (458 mm) UPC Code: 742330-10476</p>
	<p>Part Number: <b>P778116</b> Description: <b>Air Primary</b> Primary Appl.: AWD 91133369 Dimensions: Outer Dia: 6.10" (155 mm) Inner Dia: 3.46" (88 mm) Length: 7.75" (197 mm) UPC Code: 742330-10477</p>
	<p>Part Number: <b>P778124</b> Description: <b>Air Primary</b> Primary Appl.: LEYLAND DAF ACU8498 Dimensions: Outer Dia: 9.21" (234 mm) Inner Dia: 4.84" (123 mm) Length: 15.00" (381 mm) UPC Code: 742330-10479</p>
	<p>Part Number: <b>P778131</b> Description: <b>Air Safety</b> Primary Appl.: MANN &amp; HUMMEL CF811, USE WITH PRIMARY P771557 Dimensions: Outer Dia: 3.62" (92 mm) Inner Dia: 2.80" (71 mm) Length: 12.76" (324 mm) UPC Code: 742330-10480</p>
	<p>Part Number: <b>P778174</b> Description: <b>Air Primary</b> Primary Appl.: LEYLAND Dimensions: Outer Dia: 4.09" (104 mm) Inner Dia: 2.52" (64 mm) Length: 10.00" (254 mm) UPC Code: 742330-10481</p>


	<p>Part Number: <b>P778214</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: Donaldson FRG10 AIR CLEANER Dimensions: Outer Dia: 8.18" (208 mm) Inner Dia: 4.17" (106 mm) Length: 16.12" (409 mm) UPC Code: 742330-08198</p>
	<p>Part Number: <b>P778320</b> Description: <b>Air Primary</b> Primary Appl.: FARYMAN DIESEL 5410612 Dimensions: Outer Dia: 5.00" (127 mm) Inner Dia: 2.52" (64 mm) Length: 6.46" (164 mm) UPC Code: 742330-10482</p>
	<p>Part Number: <b>P778335</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: SCANIA 1335679 Dimensions: Outer Dia: 11.96" (304 mm) Inner Dia: 6.81" (173 mm) Length: 17.09" (434 mm) UPC Code: 742330-10483</p>
	<p>Part Number: <b>P778336</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: SCANIA 1335678 Dimensions: Outer Dia: 12.00" (305 mm) Inner Dia: 6.65" (169 mm) Length: 20.24" (514 mm) UPC Code: 742330-10484</p>
	<p>Part Number: <b>P778337</b> Description: <b>Air Primary</b> Primary Appl.: KOMATSU 6001819470 Dimensions: Outer Dia: 6.11" (155 mm) Inner Dia: 3.38" (86 mm) Length: 11.85" (301 mm) UPC Code: 742330-10580</p>
	<p>Part Number: <b>P778339</b> Description: <b>Air Safety</b> Primary Appl.: KOMATSU 6001819480 Dimensions: Outer Dia: 3.31" (84 mm) Inner Dia: 2.60" (66 mm) Length: 11.02" (280 mm) UPC Code: 742330-10581</p>
	<p>Part Number: <b>P778340</b> Description: <b>Air Primary</b> Primary Appl.: KOMATSU Z760125830 Dimensions: Outer Dia: 4.09" (104 mm) Inner Dia: 2.48" (63 mm) Length: 10.00" (254 mm) UPC Code: 742330-10582</p>
	<p>Part Number: <b>P778359</b> Description: <b>Air Primary</b> Primary Appl.: RENAULT 5001826454 Dimensions: Outer Dia: 6.57" (167 mm) Inner Dia: 4.13" (105 mm) Length: 12.40" (315 mm) UPC Code: 742330-10583</p>
	<p>Part Number: <b>P778361</b> Description: <b>Air Safety</b> Primary Appl.: JCB 32203703 Dimensions: Outer Dia: 2.76" (70 mm) Inner Dia: 2.40" (61 mm) Length: 10.98" (279 mm) UPC Code: 742330-10584</p>




	<p>Part Number: <b>P778375</b>          Description: <b>Air Primary</b>          Primary Appl.: LANCER BOSS P15324          Dimensions: Outer Dia: 11.54" (293 mm)          Inner Dia: .71" (18 mm)          Length: 14.88" (378 mm)          UPC Code: 742330-10585</p>		<p>Part Number: <b>P778462</b>          Description: <b>Air Primary</b>          Primary Appl.: MERCEDES BENZ 0010949604          Dimensions: Outer Dia: 6.50" (165 mm)          Inner Dia: 3.43" (87 mm)          Length: 13.39" (340 mm)          UPC Code: 742330-10593</p>
	<p>Part Number: <b>P778399</b>          Description: <b>Air Primary</b>          Primary Appl.: MANITOU 177130          Dimensions: Outer Dia: 6.10" (155 mm)          Inner Dia: 3.46" (88 mm)          Length: 11.73" (298 mm)          UPC Code: 742330-10586</p>		<p>Part Number: <b>P778472</b>          Description: <b>Air Primary</b>          Primary Appl.: MERCEDES BENZ 0010949604          Dimensions: Outer Dia: 8.31" (211 mm)          Inner Dia: 4.06" (103 mm)          Length: 8.27" (210 mm)          UPC Code: 742330-10594</p>
	<p>Part Number: <b>P778403</b>          Description: <b>Air Safety</b>          Primary Appl.: VOLVO 1660377, 1661808          Dimensions: Outer Dia: 6.89" (175 mm)          Inner Dia: 5.43" (138 mm)          Length: 21.22" (539 mm)          UPC Code: 742330-10587</p>		<p>Part Number: <b>P778507</b>          Description: <b>Air Primary, RadialSeal®</b>          Primary Appl.: IVECO 1908234          Dimensions: Outer Dia: 6.14" (156 mm)          Inner Dia: 3.15" (80 mm)          Length: 9.80" (249 mm)          UPC Code: 742330-10595</p>
	<p>Part Number: <b>P778404</b>          Description: <b>Air Primary</b>          Primary Appl.: DEUTZ          Dimensions: Outer Dia: 4.33" (110 mm)          Inner Dia: 1.99" (51 mm)          Length: 8.53" (217 mm)          UPC Code: 742330-10426</p>		<p>Part Number: <b>P778509</b>          Description: <b>Air Primary, RadialSeal®</b>          Primary Appl.: IVECO 1908233          Dimensions: Outer Dia: 6.14" (156 mm)          Inner Dia: 3.15" (80 mm)          Length: 13.54" (344 mm)          UPC Code: 742330-10596</p>
	<p>Part Number: <b>P778415</b>          Description: <b>Air Safety</b>          Primary Appl.: MASSEY FERGUSON 1678294M1,          1678296M1          Dimensions: Outer Dia: 5.22" (133 mm)          Inner Dia: 2.95" (75 mm)          Length: 12.28" (312 mm)          UPC Code: 742330-10588</p>		<p>Part Number: <b>P778601</b>          Description: <b>Air Primary, Konepac</b>          Primary Appl.: DEUTZ 91091764          Dimensions: Outer Dia: 11.50" (292 mm)          Inner Dia: 8.11" (206 mm)          Length: 20.08" (510 mm)          UPC Code: 742330-10597</p>
	<p>Part Number: <b>P778436</b>          Description: <b>Air Primary</b>          Primary Appl.: VOLVO 1660600, 16606606, USE WITH          SAFETY P780321          Dimensions: Outer Dia: 10.16" (258 mm)          Inner Dia: 6.30" (160 mm)          Length: 20.98" (533 mm)          UPC Code: 742330-10589</p>		<p>Part Number: <b>P778605</b>          Description: <b>Air Primary</b>          Primary Appl.: VOLVO 15444490          Dimensions: Outer Dia: 13.82" (351 mm)          Inner Dia: 8.27" (210 mm)          Length: 14.09" (358 mm)          UPC Code: 742330-10598</p>
	<p>Part Number: <b>P778441</b>          Description: <b>Air Primary</b>          Primary Appl.: DAF 393561          Dimensions: Outer Dia: 9.57" (243 mm)          Inner Dia: 5.20" (132 mm)          Length: 14.33" (364 mm)          UPC Code: 742330-10590</p>		<p>Part Number: <b>P778613</b>          Description: <b>Air Primary</b>          Primary Appl.: MERCEDES BENZ 0030941504          Dimensions: Outer Dia: 11.89" (302 mm)          Inner Dia: 7.52" (191 mm)          Length: 18.15" (461 mm)          UPC Code: 742330-10599</p>
	<p>Part Number: <b>P778453</b>          Description: <b>Air Safety, RadialSeal®</b>          Primary Appl.: M.A.N. 81083040084          Dimensions: Outer Dia: 6.75" (171 mm)          Inner Dia: 5.29" (134 mm)          Length: 18.17" (462 mm)          UPC Code: 742330-10591</p>		<p>Part Number: <b>P778628</b>          Description: <b>Air Primary</b>          Primary Appl.: DEUTZ 91107152          Dimensions: Outer Dia: 7.76" (197 mm)          Inner Dia: 5.06" (129 mm)          Length: 13.90" (353 mm)          UPC Code: 742330-10600</p>
	<p>Part Number: <b>P778457</b>          Description: <b>Air Primary</b>          Primary Appl.: RENAULT 5430027451          Dimensions: Outer Dia: 7.95" (202 mm)          Inner Dia: 4.57" (116 mm)          Length: 13.74" (349 mm)          UPC Code: 742330-10592</p>		<p>Part Number: <b>P778636</b>          Description: <b>Air Primary</b>          Primary Appl.: DEUTZ 91112964          Dimensions: Outer Dia: 7.76" (197 mm)          Inner Dia: 5.08" (129 mm)          Length: 13.90" (353 mm)          UPC Code: 742330-10601</p>

	<p>Part Number: <b>P778637</b>          Description: <b>Air Safety, RadialSeal®</b>          Primary Appl.: DYNAPAC 908400          Dimensions: Outer Dia: 4.12" (105 mm)          Inner Dia: 3.58" (91 mm)          Length: 14.21" (361 mm)          UPC Code: 742330-10602</p>
	<p>Part Number: <b>P778638</b>          Description: <b>Air Safety, RadialSeal®</b>          Primary Appl.: DYNAPAC 908401          Dimensions: Outer Dia: 8.19" (208 mm)          Inner Dia: 4.84" (123 mm)          Length: 14.57" (370 mm)          UPC Code: 742330-10603</p>
	<p>Part Number: <b>P778674</b>          Description: <b>Air Primary, RadialSeal®</b>          Primary Appl.: Van Hool Bus 10591354          Dimensions: Outer Dia: 12.34" (313 mm)          Inner Dia: 7.00" (178 mm)          Length: 22.44" (570 mm)          UPC Code: 742330-08736</p>
	<p>Part Number: <b>P778779</b>          Description: <b>Air Primary</b>          Primary Appl.: VOLVO 1665898          Dimensions: Outer Dia: 13.09" (332 mm)          Inner Dia: 7.99" (203 mm)          Length: 16.22" (412 mm)          UPC Code: 742330-10604</p>
	<p>Part Number: <b>P778832</b>          Description: <b>Air Safety</b>          Primary Appl.: JCB 32903202, USE WITH PRIMARY P780310          Dimensions: Outer Dia: 3.74" (95 mm)          Inner Dia: 2.93" (74 mm)          Length: 10.08" (256 mm)          UPC Code: 742330-10605</p>
	<p>Part Number: <b>P778833</b>          Description: <b>Air Safety</b>          Primary Appl.: ATLAS COPCO 1613740700, USE WITH PRIMARY P780272          Dimensions: Outer Dia: 2.76" (70 mm)          Inner Dia: 2.40" (61 mm)          Length: 9.06" (230 mm)          UPC Code: 742330-10606</p>
	<p>Part Number: <b>P778856</b>          Description: <b>Air Primary</b>          Primary Appl.: KOMATSU 20801K1210          Dimensions: Outer Dia: 12.09" (307 mm)          Inner Dia: 7.71" (196 mm)          Length: 15.65" (398 mm)          UPC Code: 742330-10608</p>
	<p>Part Number: <b>P778857</b>          Description: <b>Air Safety</b>          Primary Appl.: KOMATSU 20801K1220          Dimensions: Outer Dia: 7.28" (185 mm)          Inner Dia: 6.20" (157 mm)          Length: 15.18" (386 mm)          UPC Code: 742330-10609</p>


	<p>Part Number: <b>P778924</b>          Description: <b>Air Primary, RadialSeal®</b>          Primary Appl.: KAESSBOHRER 83191471870          Dimensions: Outer Dia: 11.98" (304 mm)          Inner Dia: 6.64" (169 mm)          Length: 18.00" (457 mm)          UPC Code: 742330-10611</p>
	<p>Part Number: <b>P778979</b>          Description: <b>Air Primary</b>          Primary Appl.: MANN &amp; HUMMEL C11100          Dimensions: Outer Dia: 4.48" (114 mm)          Inner Dia: 2.64" (67 mm)          Length: 9.43" (240 mm)          UPC Code: 742330-10613</p>
	<p>Part Number: <b>P778994</b>          Description: <b>Air Primary</b>          Primary Appl.: MANN &amp; HUMMEL C20500          Dimensions: Outer Dia: 7.44" (189 mm)          Inner Dia: 4.61" (117 mm)          Length: 15.23" (387 mm)          UPC Code: 742330-10614</p>
	<p>Part Number: <b>P780006</b>          Description: <b>Air Primary</b>          Primary Appl.: LIEBHERR 7368216          Dimensions: Outer Dia: 12.88" (327 mm)          Inner Dia: 8.50" (216 mm)          Length: 23.77" (604 mm)          UPC Code: 742330-10615</p>
	<p>Part Number: <b>P780135</b>          Description: <b>Cab Air</b>          Primary Appl.: CAT 3E0410          Dimensions: Width: 7.00" (178 mm)          Depth: 1.02" (26 mm)          Length: 9.00" (229 mm)          UPC Code: 742330-10695</p>
	<p>Part Number: <b>P780163</b>          Description: <b>Cab Air</b>          Primary Appl.: CAT 9X3352          Dimensions: Width: 9.06" (230 mm)          Depth: 2.19" (56 mm)          Length: 9.06" (230 mm)          UPC Code: 742330-10694</p>
	<p>Part Number: <b>P780164</b>          Description: <b>Pad</b>          Contents or Usage: CATERPILLAR 3E0411          UPC Code: 742330-11125</p>
	<p>Part Number: <b>P780165</b>          Description: <b>Air Primary</b>          Primary Appl.: DAF 0693076          Dimensions: Outer Dia: 8.40" (213 mm)          Inner Dia: 4.02" (102 mm)          Length: 11.83" (300 mm)          UPC Code: 742330-10455</p>
	<p>Part Number: <b>P780175</b>          Description: <b>Air Primary</b>          Primary Appl.: RENAULT 5010317060          Dimensions: Outer Dia: 12.09" (307 mm)          Inner Dia: 7.71" (196 mm)          Length: 18.22" (463 mm)          UPC Code: 742330-10456</p>


**Part Number: P780272**  
Description: **Air Primary**  
Primary Appl.: JCB 32903001, USE WITH SAFETY P778833  
Dimensions: Outer Dia: 6.26" (159 mm)  
Inner Dia: 2.81" (71 mm)  
Length: 10.91" (277 mm)  
UPC Code: 742330-10701




**Part Number: P814749**  
Description: **Air Primary, Fined**  
Primary Appl.: FENDT F278201090020, KOMATSU, Z76-01-11630, Safety=P123160  
Dimensions: Outer Dia: 5.25" (133 mm)  
Inner Dia: 2.62" (67 mm)  
Length: 11.00" (279 mm)  
UPC Code: 742330-04894




**Part Number: P780298**  
Description: **Cab Air**  
Primary Appl.: CAT 7X6041  
Dimensions: Width: 9.50" (241 mm)  
Depth: 2.19" (56 mm)  
Length: 12.25" (311 mm)  
UPC Code: 742330-10693



**Part Number: P815288**  
Description: **Air Primary, Fined**  
Primary Appl.: Donaldson FHG AIR CLEANER G088237  
Dimensions: Outer Dia: 6.09" (155 mm)  
Inner Dia: 3.47" (88 mm)  
Length: 15.00" (381 mm)  
UPC Code: 742330-04895




**Part Number: P780310**  
Description: **Air Primary**  
Primary Appl.: JCB 32903201, USE WITH SAFETY P778832  
Dimensions: Outer Dia: 7.62" (194 mm)  
Inner Dia: 3.64" (92 mm)  
Length: 10.90" (277 mm)  
UPC Code: 742330-10844




**Part Number: P821575**  
Description: **Air Primary, RadialSeal®**  
Primary Appl.: Donaldson FPG05® AIR CLEANERS, Safety=P822858  
Dimensions: Outer Dia: 4.16" (106 mm)  
Inner Dia: 2.36" (60 mm)  
Length: 10.43" (265 mm)  
UPC Code: 742330-04896




**Part Number: P780321**  
Description: **Air Safety**  
Primary Appl.: VOLVO 1665886, USE WITH PRIMARY P778436  
Dimensions: Outer Dia: 6.36" (162 mm)  
Inner Dia: 4.90" (124 mm)  
Length: 20.16" (512 mm)  
UPC Code: 742330-10798




**Part Number: P821883**  
Description: **Air Primary, RadialSeal®**  
Primary Appl.: HITACHI 4283861, Safety=P821908  
Dimensions: Outer Dia: 8.18" (208 mm)  
Inner Dia: 4.82" (122 mm)  
Length: 14.06" (357 mm)  
UPC Code: 742330-04897




**Part Number: P780385**  
Description: **Air Primary**  
Primary Appl.: HITACHI 4206098, USE WITH P543661 SAFETY  
Dimensions: Outer Dia: 7.94" (202 mm)  
Inner Dia: 6.38" (162 mm)  
Length: 10.39" (264 mm)  
UPC Code: 742330-10767



**Part Number: P821908**  
Description: **Air Safety, RadialSeal®**  
Primary Appl.: HITACHI 4287060, Primary=P821883  
Dimensions: Outer Dia: 4.95" (126 mm)  
Inner Dia: 4.10" (104 mm)  
Length: 13.78" (350 mm)  
UPC Code: 742330-04898




**Part Number: P781398**  
Description: **Air Primary, RadialSeal®**  
Primary Appl.: VOLVO 11110217, USE WITH SAFETY P781399  
Dimensions: Outer Dia: 14.28" (363 mm)  
Inner Dia: 8.98" (228 mm)  
Length: 18.90" (480 mm)  
UPC Code: 742330-10839




**Part Number: P821938**  
Description: **Air Primary, RadialSeal®**  
Primary Appl.: HITACHI 4286128  
Dimensions: Outer Dia: 9.33" (237 mm)  
Inner Dia: 5.15" (131 mm)  
Length: 14.06" (357 mm)  
UPC Code: 742330-04899




**Part Number: P781399**  
Description: **Air Safety, RadialSeal®**  
Primary Appl.: VOLVO 11110218, USE WITH PRIMARY P781398  
Dimensions: Outer Dia: 9.09" (231 mm)  
Inner Dia: 6.94" (176 mm)  
Length: 19.06" (484 mm)  
UPC Code: 742330-10840




**Part Number: P821963**  
Description: **Air Safety, RadialSeal®**  
Primary Appl.: HITACHI 4286130  
Dimensions: Outer Dia: 4.77" (121 mm)  
Inner Dia: 4.43" (113 mm)  
Length: 13.65" (347 mm)  
UPC Code: 742330-04900



**Part Number: P812901**  
Description: **Air Primary**  
Primary Appl.: KOMATSU 3EE0221320  
Dimensions: Outer Dia: 7.36" (187 mm)  
Inner Dia: 4.78" (121 mm)  
Length: 10.81" (275 mm)  
UPC Code: 742330-08169




















**Part Number: P822686**  
Description: **Air Primary, RadialSeal®**  
Primary Appl.: Donaldson FPG04 AIR CLEANERS, USE WITH SAFETY P535396  
Dimensions: Outer Dia: 3.54" (90 mm)  
Inner Dia: 1.77" (45 mm)  
Length: 7.05" (179 mm)  
UPC Code: 742330-04901



**Part Number: P814723**  
Description: **Air Primary, Fined**  
Primary Appl.: KOMATSU FORKLIFT 3EA-01-18130  
Dimensions: Outer Dia: 4.09" (104 mm)  
Inner Dia: 2.48" (63 mm)  
Length: 10.00" (254 mm)  
UPC Code: 742330-04893











**Part Number: P822768**  
Description: **Air Primary, RadialSeal®**  
Primary Appl.: Donaldson FPG06 A/C, Safety=P822769 i  
Dimensions: Outer Dia: 5.08" (129 mm)  
Inner Dia: 3.20" (81 mm)  
Length: 11.97" (304 mm)  
UPC Code: 742330-04902











	<p>Part Number: <b>P822769</b> Description: <b>Air Safety, RadialSeal®</b> Primary Appl.: Donaldson FPG06 A/C, Primary= P822768 Dimensions: Outer Dia: 3.32" (84 mm) Inner Dia: 2.55" (65 mm) Length: 11.74" (298 mm) UPC Code: 742330-04903</p>		<p>Part Number: <b>P831079</b> Description: <b>Air Safety, RadialSeal®</b> Primary Appl.: TOYOTA, Donaldson FPG07 A/C, USE WITH PRIMARY P827655 Dimensions: Outer Dia: 3.32" (84 mm) Inner Dia: 2.55" (65 mm) Length: 10.42" (265 mm) UPC Code: 742330-08143</p>
	<p>Part Number: <b>P822858</b> Description: <b>Air Safety, RadialSeal®</b> Primary Appl.: Donaldson FPG05 AIR CLEANERS, Primary=P821575 Dimensions: Outer Dia: 2.44" (62 mm) Inner Dia: 1.77" (45 mm) Length: 10.22" (260 mm) UPC Code: 742330-04904</p>		<p>Part Number: <b>P831424</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: Donaldson FPG05 AIR CLEANER, UL APPROVED Dimensions: Outer Dia: 4.16" (106 mm) Inner Dia: 2.36" (60 mm) Length: 10.43" (265 mm) UPC Code: 742330-04909</p>
	<p>Part Number: <b>P827653</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: Donaldson FPG07 AIR CLEANERS Dimensions: Outer Dia: 5.44" (138 mm) Inner Dia: 3.20" (81 mm) Length: 12.67" (322 mm) UPC Code: 742330-04905</p>		<p>Part Number: <b>P832150</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: HINO 178013000 Dimensions: Outer Dia: 9.33" (237 mm) Inner Dia: 5.15" (131 mm) Length: 13.15" (334 mm) UPC Code: 742330-10650</p>
	<p>Part Number: <b>P827655</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: TOYOTA 177432360071, 177412360071, USE WITH SAFETY P831079 Dimensions: Outer Dia: 5.44" (138 mm) Inner Dia: 3.20" (81 mm) Length: 10.71" (272 mm) UPC Code: 742330-08142</p>		<p>Part Number: <b>P900333</b> Description: <b>Cab Air</b> Primary Appl.: AUSTOFT SUGAR CANE HARVESTORS Dimensions: Width: 6.50" (165 mm) Depth: 2.19" (56 mm) Length: 12.12" (308 mm) UPC Code: 742330-08412</p>
	<p>Part Number: <b>P828889</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: Donaldson FPG08 AIR CLEANERS, Safety=P829333 Dimensions: Outer Dia: 6.48" (165 mm) Inner Dia: 3.58" (91 mm) Length: 13.66" (347 mm) UPC Code: 742330-04906</p>		<p>Part Number: <b>P920681</b> Description: <b>Fuel/Water Separator Accessory</b> Contents or Usage: ELECTRONIC WATER LEVEL SERVICE INDICATOR UPC Code: 742330-04912</p>
	<p>Part Number: <b>P829332</b> Description: <b>Air Safety, RadialSeal®</b> Primary Appl.: Donaldson FPG07 AIR CLEANERS Dimensions: Outer Dia: 3.32" (84 mm) Inner Dia: 2.55" (65 mm) Length: 12.38" (314 mm) UPC Code: 742330-04907</p>		<p>Part Number: <b>P920682</b> Description: <b>Fuel/Water Separator Accessory</b> Contents or Usage: MOUNTING HEAD/BACKET UPC Code: 742330-04913</p>
	<p>Part Number: <b>P829333</b> Description: <b>Air Safety, RadialSeal®</b> Primary Appl.: Donaldson FPG08 AIR CLEANERS, Primary=P828889 Dimensions: Outer Dia: 3.73" (95 mm) Inner Dia: 2.92" (74 mm) Length: 13.36" (339 mm) UPC Code: 742330-04908</p>		<p>Part Number: <b>P920683</b> Description: <b>Fuel/Water Separator Spin-on</b> Primary Appl.: 3 GPM HIGH PERF FF/WS, P920711=1 GPM (shorter version) Dimensions: Outer Dia: 4.38" (111 mm) Thread Size: 1 1/4" - 12 Length: 11.75" (298 mm) UPC Code: 742330-04914</p>
	<p>Part Number: <b>P829964</b> Description: <b>Air Primary, RadialSeal®</b> Primary Appl.: TOYOTA 17743U110071, UL APPROVED FLAME RETARDANT VERSION OF P827655 - USE WITH SAFETY P831079 Dimensions: Outer Dia: 5.44" (138 mm) Inner Dia: 3.20" (81 mm) Length: 10.71" (272 mm) UPC Code: 742330-10656</p>		<p>Part Number: <b>P920711</b> Description: <b>Fuel/Water Separator Spin-on</b> Primary Appl.: 1 GPM HIGH PERF FF/WS, P920683=3 GPM (longer version) Dimensions: Outer Dia: 4.38" (111 mm) Thread Size: 1 1/4" - 12 Length: 7.44" (189 mm) UPC Code: 742330-04915</p>
			<p>Part Number: <b>P920730</b> Description: <b>Fuel/Water Separator Accessory</b> Contents or Usage: SERVICE GAUGE FOR P92 FFWS'S UPC Code: 742330-04916</p>





	Part Number: <b>R800103</b> Description: <b>Air Primary</b> Primary Appl.: HITACHI EXCAVATOR, Safety=P119374 Dimensions: Outer Dia: 7.36" (187 mm) Inner Dia: 4.78" (121 mm) Length: 15.00" (381 mm) UPC Code: 742330-04917
	Part Number: <b>R804523</b> Description: <b>Air Safety</b> Primary Appl.: KOMATSU 3EB-02-25550, USE PRIMARY P771559 Dimensions: Outer Dia: 3.13" (80 mm) Inner Dia: 2.15" (55 mm) Length: 10.00" (254 mm) UPC Code: 742330-04919
	Part Number: <b>R804759</b> Description: <b>Air Primary</b> Primary Appl.: ISUZU NPR Dimensions: Outer Dia: 8.71" (221 mm) Inner Dia: 5.35" (136 mm) Length: 13.02" (331 mm) UPC Code: 742330-04920
	Part Number: <b>X005582</b> Description: <b>Air Filter Kit</b> Contents or Usage: MACK 215-SB-194, CONTAINS P181004 & P181005 UPC Code: 742330-05011
	Part Number: <b>X005820</b> Description: <b>Air Filter Kit</b> Contents or Usage: P182004, P182005, (2)P116891, MACK UPC Code: 742330-05012
	Part Number: <b>X006136</b> Description: <b>Coolant Additive</b> Primary Appl.: 1 PINT / 16 OZ. UPC Code: 742330-05026
	Part Number: <b>X006137</b> Description: <b>Coolant Additive</b> Primary Appl.: 5-GALLON PAIL UPC Code: 742330-05027
	Part Number: <b>X006138</b> Description: <b>Coolant Additive</b> Primary Appl.: 55-GALLON DRUM UPC Code: 742330-05028
	Part Number: <b>X006229</b> Description: <b>Air Filter Kit</b> Contents or Usage: THERMOKING #11-5978 UPC Code: 742330-05043
	Part Number: <b>X006244</b> Description: <b>Air Filter Kit</b> Contents or Usage: P145702, P145701, P806363, P119314, KOMATSU 6128-81-7042 UPC Code: 742330-05044

	Part Number: <b>X006245</b> Description: <b>Air Filter Kit</b> Contents or Usage: P526420, P159036, R801706, P119314, KOMATSU 6115-81-7602 UPC Code: 742330-05045
	Part Number: <b>X006246</b> Description: <b>Air Filter Kit</b> Contents or Usage: P526421, P522452, P806362, P119314, KOMATSU 600-181-6740 UPC Code: 742330-05046
	Part Number: <b>X006247</b> Description: <b>Air Filter Kit</b> Contents or Usage: P526422, P119373, P806362, P119314, P806363, KOMATSU 6125-81-7032 UPC Code: 742330-05047
	Part Number: <b>X006249</b> Description: <b>Air Filter Kit</b> Contents or Usage: P526424, P145701, P806362, P119314, KOMATSU 6128-81-7051 UPC Code: 742330-05048
	Part Number: <b>X006251</b> Description: <b>Air Filter Kit</b> Contents or Usage: P526426, P119375, P522392, P119314, KOMATSU 6131-81-7011 UPC Code: 742330-05050
	Part Number: <b>X006252</b> Description: <b>Air Filter Kit</b> Contents or Usage: P526427, P522450, P522392 NUT, P119314 GSKT, KOMATSU 6114-80-7101 UPC Code: 742330-05051
	Part Number: <b>X006253</b> Description: <b>Air Filter Kit</b> Contents or Usage: P526428, P526432, P806363, P119314, KOMATSU 600-181-1600 UPC Code: 742330-05052
	Part Number: <b>X006254</b> Description: <b>Air Filter Kit</b> Contents or Usage: P526429, P112212, P522392, P119314, KOMATSU 600-181-9500 UPC Code: 742330-05053
	Part Number: <b>X006986</b> Description: <b>Engine Liquid Test Kit</b> Contents or Usage: DURAFAXX—Reports & Analyzes coolant system by o. ff—Site lab. UPC Code: 742330-05057
	Part Number: <b>X007030</b> Description: <b>RadialSeal<sup>®</sup> Adapter Kit</b> Contents or Usage: CATERPILLAR 6I-3830, USE WITH P532501, P532502, P532503, P532504 FILTERS UPC Code: 742330-05060
	Part Number: <b>X007033</b> Description: <b>RadialSeal<sup>®</sup> Adapter Kit</b> Contents or Usage: CATERPILLAR 6I-3833, USE WITH P532505, P532506, P532507, P532508, P532509, P532510 FILTERS UPC Code: 742330-05063

	<p>Part Number: <b>X007036</b> Description: <b>Coolant Additive</b> Primary Appl.: 1 QUART/32 OZ. UPC Code: 742330-05064</p>		<p>Part Number: <b>X007374</b> Description: <b>Engine Liquid Test Kit</b> Contents or Usage: BASIC SPECTROCHEMICAL OIL ANALYSIS UPC Code: 742330-08812</p>
	<p>Part Number: <b>X007037</b> Description: <b>Coolant Additive</b> Primary Appl.: 2 QUART/64 OZ UPC Code: 742330-05065</p>		<p>Part Number: <b>X007377</b> Description: <b>Engine Liquid Test Kit</b> Contents or Usage: INDUSTRIAL HYDRAULIC PACKAGE UPC Code: 742330-08815</p>
	<p>Part Number: <b>X007038</b> Description: <b>Coolant Additive</b> Primary Appl.: 1 GALLON/128 OZ UPC Code: 742330-05066</p>		<p>Part Number: <b>X770088</b> Description: <b>Air Filter Kit</b> Contents or Usage: VOLVO PENTA 823701 UPC Code: 742330-08112</p>
 R	<p>Part Number: <b>X007099</b> Description: <b>Coolant Additive</b> Primary Appl.: 1 PINT DCA4 FORMULA UPC Code: 742330-05069</p>		<p>Part Number: <b>X770132</b> Description: <b>Air Filter Kit</b> Contents or Usage: VOLVO PENTA 842280 UPC Code: 742330-08113</p>
 R	<p>Part Number: <b>X007100</b> Description: <b>Coolant Additive</b> Primary Appl.: 1/2 GAL DCA4 FORMULA UPC Code: 742330-05070</p>		<p>Part Number: <b>XLP4105</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: SYNTEQ MEDIA VERSION OF P554105, FOR OFF-ROAD APPLICATIONS Dimensions: Outer Dia: 4.65" (118 mm) Thread Size: 1 1/2 - 16 Length: 11.73" (298 mm) UPC Code: 742330-11183</p>
 R	<p>Part Number: <b>X007101</b> Description: <b>Coolant Additive</b> Primary Appl.: 5 GAL DCA4 FORMULA UPC Code: 742330-05071</p>		<p>Part Number: <b>XLP7670</b> Description: <b>Lube Spin-on Full Flow</b> Primary Appl.: SYNTEQ MEDIA VERSION OF P551670, FOR OFF-ROAD APPLICATIONS Dimensions: Outer Dia: 4.65" (118 mm) Thread Size: 1 1/2" - 12 Length: 10.24" (260 mm) UPC Code: 742330-11182</p>
	<p>Part Number: <b>X007102</b> Description: <b>Coolant Additive</b> Primary Appl.: 55 GAL DCA4 FORMULA UPC Code: 742330-05072</p>		
	<p>Part Number: <b>X007103</b> Description: <b>Engine Liquid Test Kit</b> Primary Appl.: COOLANT 3-WAY TEST STRIPS, EACH KIT CONTAINS STRIPS FOR 50 TESTS, (NITRITE-MOLYBDATE-FREEZE PT) UPC Code: 742330-05073</p>		
	<p>Part Number: <b>X007297</b> Description: <b>Air Filter Kit</b> Contents or Usage: P535365, P119374 AND HARDWARE, KOMATSU 600-181-6050 UPC Code: 742330-08212</p>		

Air Breather .....	238
Air Cleaner, Disposable .....	238
Air Filter Kit .....	238-239
Air Panel .....	239-240
Air Primary .....	240-257
Air Safety .....	257-261
Air Vee-Pac .....	261
Air/Oil Separator .....	261-263
Breather, Spin-on .....	263
Cab Air .....	263-264
Coolant Products .....	264-265
Engine Liquid Filter Kits .....	5-10
Engine Liquid Test Kits .....	265-266
Fuel Box Primary .....	266
Fuel Cartridge Primary .....	266-267
Fuel Cartridge Secondary .....	267
Fuel Cartridge Sock .....	267
Fuel In-line .....	267-268
Fuel Spin-on .....	268-270
Fuel/Water Separator .....	270-272
Gasket, Grommet .....	272-273
Head Assembly .....	273-275
Hydraulic Breather Adapter .....	275
Hydraulic Cartridge .....	275-288
Hydraulic Seal .....	288
Hydraulic Spin-on .....	288-291
Hydraulic Strainer .....	291-292
Hydraulic/Lube Spin-on .....	292
Hydraulic/Transmission Cartridge .....	292
Lube Cartridge .....	292-296
Lube Spin-on .....	296-303
O-Ring .....	303
Transmission Filter .....	304
Washer, Gasket .....	304

<b>Section key words</b> <b>Palabras claves</b> <b>Rubriques</b> <b>Schlüsselwörter</b> <b>Parole chiavi</b>	
<b>Part No. =</b>	
Número de pieza	Teilenummer
Numéro de pièce	Disegno
<b>Description =</b>	
Descripción	Beschreibung
Description	Descrizione
<b>Primary Application/Contents =</b>	
Aplicación principal y contenido	Hauptanwendung/Inhalt
Utilisation principale/contenu	Applicazione principale/contenuto
<b>Outer Diameter =</b>	
Diámetro externo	Außendurchmesser
Diamètre extérieur	Diametro esterno
<b>I.D. or Thread Size =</b>	
Diámetro interno o rosca	Innendurchmesser oder Gewinde
Diamètre intérieur ou pas de vis	Diametro interno o filettatura
<b>Length =</b>	
Largo	Länge
Longueur	Lunghezza
<b>Panel Width =</b>	
Ancho del panel	Plattenbreite
Largeur du panneau	Larghezza del pannello
<b>Panel Depth =</b>	
Profundidad del panel	Plattentiefe
Profondeur de panneau	Profondità del pannello
<b>Panel Length =</b>	
Largo del panel	Plattenlänge
Longueur du panneau	Lunghezza del pannello
<b>Flange Diameter =</b>	
Diámetro de reborde	Flanschdurchmesser
Diamètre de la bride	Diametro della flangia
<b>Flange Bolt Holes =</b>	
Agujeros de pernos de reborde	Schraubenlöcher
Trous de montage de la bride	Fori di montaggio della flangia
<b>Flange Bolt Hole Size =</b>	
Tamaño agujeros pernos reborde	Schraubenlochgröße
Diamètre trous de montage bride	Diametro fori montaggio flangia
<b>Flange Bolt Hole Circle =</b>	
Círculo agujeros pernos reborde	Schraubenlochanordnung
Périmètre trous de montage bride	Perimetro fori montaggio flangia
<b>Beta<sub>(ω)</sub> = 2/20/75 =</b>	
Beta <sub>(ω)</sub> = 2/2075	Beta <sub>(ω)</sub> = 2/20/75
Beta <sub>(ω)</sub> = 2/20/75	Beta <sub>(ω)</sub> = 2/20/75
<b>Relief Valve Setting =</b>	
Graduación de la válvula de alivio	Ventileinstellung
Réglage soupape de sûreté	Regolazione valvola limitatrice
<b>Anti Drain (Yes/No) =</b>	
Antidrenaje (Si/No)	Rückflußventil (Ja/Nein)
Clapet anti-retour (Oui/Non)	Valvola anti-scarico (Si/No)

## Air Breather

PART NUMBER	PRIMARY APPLICATION
P537369	FORD LIGHT TRUCK
P537370	JEEP LIGHT TRUCK
P524380	FORD, GM 6484966
P524383	FORD D8AZ906951, FURN GASKET: P175513

OUTER DIA. IN MM	INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION
			P524388	GM, BENDIX AIR COMPRESSORS
			P524392	BENDIX AIR COMPRESSOR
			P526412	CUMMINS 155065
			P526413	CUMMINS 255963

PART NUMBER	PRIMARY APPLICATION
P528211	MACK 2MD3131

OUTER DIA. IN MM	INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION
			P528234	CHRYSLER 1929429

PART NUMBER	PRIMARY APPLICATION
P537367	GM LIGHT TRUCK
P536431	FORD LIGHT TRUCK, F4TZ9D695A

OUTER DIA. IN MM	INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION
3.05	77		P536428	DODGE LIGHT TRUCK, CHRYLSEY 5214561
3.69	94	1 1/8-16	P538532	SCHROEDER ABF3/10, BREATHER ONLY, NO THREADED ADAPTER
3.69	94	3/4-14	P538455	SCHROEDER ABF3/10, THREADED ADAPTER INCLUDED (ADAPTER NOT SOLD SEPARATELY)
3.73	95	3/4-14	P539468	FIAT-ALLIS 74835378

## Air Cleaner, Disposable

OUTER DIA. IN MM	INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION
6.75	171	2.88 73	14.20 361	P537451 FARR ECO SE 6.75 X 14
7.75	197	3.88 99	17.20 437	P537452 FARR ECO SE 7.75 X 17
9.67	246	5.00 127	20.20 513	P537453 FARR ECO SE 9.75 X 20
9.70	246	5.00 127	19.40 493	P537454 FARR ECO SE W/SIDE INLET, (SIDE INLET NOT PICTURED)
9.75	248	6.00 152	24.00 610	P537447 FARR ECOLITE 9.75 X 24
11.00	279	7.00 178	24.00 610	P537448 FARR ECOLITE 11 X 24
13.50	343	7.00 178	16.80 427	P537456 FARR ECO SM 13.5 X 15
13.50	343	7.00 178	16.80 427	P537455 FARR ECO SM 13.5 X 15
13.50	343	7.00 178	24.00 610	P537449 FARR ECOLITE 13.5 X 24
13.50	343	8.00 203	24.00 610	P537450 FARR ECO CM 13.5 X 24

## Air Filter Kit

PART NUMBER	CONTENTS OR USAGE
X006247	P526422, P119373, P806362, P119314, P806363, KOMATSU 6125-81-7032
X005820	P182004, P182005, (2)P116891, MACK
X007297	P535365, P119374 AND HARDWARE, KOMATSU 600-181-6050
X006229	THERMOKING #11-5978
X006252	P526427, P522450, P522392 NUT, P119314 GSKT, KOMATSU 6114-80-7101
X006244	P145702, P145701, P806363, P119314, KOMATSU 6128-81-7042
X006253	P526428, P526432, P806363, P119314, KOMATSU 600-181-1600



PART NUMBER	CONTENTS OR USAGE
X006249	P526424, P145701, P806362, P119314, KOMATSU 6128-81-7051
X006245	P526420, P159036, R801706, P119314, KOMATSU 6115-81-7602
X006251	P526426, P119375, P522392, P119314, KOMATSU 6131-81-7011
X005582	MACK 215-SB-194, CONTAINS P181004 & P181005
X006254	P526429, P112212, P522392, P119314, KOMATSU 600-181-9500
X006246	P526421, P522452, P806362, P119314, KOMATSU-600-181-6740
X770088	VOLVO PENTA 823701
X770132	VOLVO PENTA 842280

## Air Panel, Engine

WIDTH		DEPTH		LENGTH		PART NUMBER	PRIMARY APPLICATION
IN	MM	IN	MM	IN	MM		
9.44	240	4.22	107	1.58	40	P528224	GM 25043334, AC A875C
13.90	353	5.24	133	2.35	60	P536430	DODGE LIGHT TRUCK, CHRYSLER 53040025
1.65	42	5.26	134	10.68	271	P528225	CHRYSLER 4241042, FORD E4FZ9601A, E59Z9601A
8.07	205	5.30	135	1.62	41	P524382	CHRYSLER 4227087
12.87	327	5.86	149	1.65	42	P525130	FORD F100/F150 TRUCKS
19.75	502	5.95	151	7.79	198	P142798	FARR PAMIC P-16-28, UNITED F-16-28, FILTER HAS TUBES
5.95	151	5.95	151	7.79	198	P142792	FARR PAMIC P-4, UNITED F-4, FILTER HAS TUBES
8.25	210	5.95	151	7.79	198	P142793	FARR PAMIC P-6, UNITED F-6, FILTER HAS TUBES
15.09	383	5.95	151	7.79	198	P142796	FARR PAMIC P-12-26, UNITED F-12-26, FILTER HAS TUBES
17.17	436	6.00	152	2.20	56	P776490	FIAT 1930782
1.66	42	6.05	154	11.56	294	P536425	CHEVROLET LIGHT TRUCK, GMC 25096463
37.00	940	6.12	155	2.19	56	P115690	JOHN DEERE AH80920
1.15	29	6.18	157	11.24	285	P534104	FORD E6AZ9601B
10.94	278	6.22	158	1.38	35	P500082	NISSAN 16546-N4200
11.28	287	6.56	167	1.63	41	P536433	FORD LIGHT TRUCK, F5UZ9601A
8.21	209	6.57	167	1.89	48	P500009	MITSUBISHI MD603816
11.10	282	6.63	168	1.34	34	P500063	ISUZU 8941516143
1.59	40	6.68	170	13.48	342	P534105	AMC 8953004383
1.54	39	7.03	179	7.88	200	P528226	MOTORCRAFT FA1071, FA971
13.35	339	7.22	183	2.30	58	P546596	MOTORCRAFT FA1675, FORD 1999 LIGHT TRUCK
11.28	287	7.59	193	1.51	38	P528228	FORD E5TE9601AB, MTRCRFT FA1032
16.00	406	7.91	201	1.67	42	P536427	GM LIGHT TRUCK
10.00	254	8.00	203	1.62	41	P537376	GM LIGHT TRUCK
10.48	266	8.15	207	7.79	198	P142795	FARR PAMIC P-12, UNITED F-12, FILTER HAS TUBES
8.25	210	8.25	210	7.79	198	P142794	FARR PAMIC P-9, UNITED F-9, FILTER HAS TUBES
19.78	502	8.25	210	7.79	198	P142802	FARR PAMIC P-24-38, UNITED F-24-38, FILTER HAS TUBES
15.15	385	8.28	210	7.79	198	P142799	FARR PAMIC P-18, UNITED F-18, FILTER HAS TUBES
2.36	60	8.34	212	10.50	267	P537374	FORD LIGHT TRUCK
8.38	213	8.38	213	1.63	41	P537377	CLARK, TOWMOTOR
28.00	711	10.50	267	.88	22	P136400	POLYESTER OUTER WRAP FOR P136412
15.09	383	10.50	267	7.79	198	P142801	FARR PAMIC P-24, UNITED F-24, FILTER HAS TUBES
19.75	502	10.50	267	7.79	198	P142803	FARR PAMIC P-32, UNITED F-32, FILTER HAS TUBES
10.50	267	10.50	267	7.79	198	P142797	FARR PAMIC P-16, UNITED F-16, FILTER HAS TUBES
12.78	325	10.53	267	7.79	198	P142800	FARR PAMIC P-20, UNITED F-20, FILTER HAS TUBES
11.82	300	10.75	273	2.25	57	P536429	DODGE LIGHT TRUCK, CHRYSLER 4728406
19.74	501	12.84	326	7.79	198	P142805	FARR PAMIC P-40, UNITED F-40, FILTER HAS TUBES
23.25	591	14.31	363	8.00	203	P142813	FARR DYNACELL T-528D, UNITED F-528D
20.00	508	15.00	381	2.19	56	P528464	BROOKS & PERKINS SWEEPERS 300390, 305645
19.74	501	15.14	385	7.79	198	P142806	FARR PAMIC P-48, UNITED F-48, FILTER HAS TUBES
15.19	386	15.19	386	7.79	198	P142804	FARR PAMIC P-36, UNITED F-36, FILTER HAS TUBES
20.00	508	18.00	457	2.19	56	P528465	BROOKS & PERKINS SWEEPERS 300391, 305646
18.74	476	18.74	476	7.79	198	P142807	FARR PAMIC P-64, UNITED F-64, FILTER HAS TUBES
28.50	724	19.00	483	5.00	127	P142812	FARR DYNACELL T-528, UNITED F-528
19.00	483	19.00	483	5.00	127	P142811	FARR DYNACELL T-519D, UNITED F-519D
19.00	483	19.00	483	5.00	127	P142810	FARR DYNACELL T-519, UNITED F-519
30.00	762	20.00	508	3.19	81	P531017	TENNANT 04600, 81363
24.00	610	24.00	610	2.19	56	P111098	CAT 6L-4714, USE P103688 FOR VENTILATION APPLICATION

## Air Panel, Engine – Continued

OUTER DIA.		INNER DIA.		LENGTH		PART NUMBER	PRIMARY APPLICATION
IN	MM	IN	MM	IN	MM		
6.61	168	5.31	135	2.36	60	P500036	DAIHATSU 1780187710000, 1780187714000

## Air Primary

OUTER DIA.		INNER DIA.		LENGTH		PART NUMBER	PRIMARY APPLICATION
IN	MM	IN	MM	IN	MM		
2.46	62	1.91	49	8.26	210	P118785	CLARK, MASSEY FERGUSON
2.75	70	1.25	32	2.78	71	P530631	BRIGGS & STRATTON 392308
3.12	79	1.5	38	3.25	83	P113720	CAT, WABCO
3.27	83	1.68	43	7.56	192	P775688	KOMATSU Z76-01-17130
3.30	84	2.15	55	13.25	337	P520509	MASSEY FERGUSON 1039045M91
3.36	85	2.03	52	10.44	265	P528236	TMTR 343008
3.38	86	2.93	74	13.07	332	P770960	JOHN DEERE AL30395, Primary-P771548
3.50	89	2.08	53	10.35	263	P133702	UNITED 250C3S, HYSTER, TOWMOTOR, IHC
3.82	97	2.37	60	2.76	70	P530645	STIHL 4201-1410300
4.00	102	2.75	70	3.15	80	P530643	ONAN 140-1891
4.08	104	1.5	38	6.02	153	P131321	IHC 547159R2
4.08	104	2.49	63	7.00	178	P130769	JOHN DEERE AL27160
4.08	104	2.49	63	9.00	229	P106950	MF 1029945M92
4.09	104	2.48	63	10.00	254	P535362	KUBOTA 1574111080
4.09	104	2.48	63	10.00	254	P778340	KOMATSU Z760125830
4.09	104	2.49	63	10.55	268	P775687	KOMATSU Z76-01-18130, JCB KAP0482
4.09	104	2.52	64	10.00	254	P778174	LEYLAND
4.16	106	3.65	93	14.55	370	P120484	WHITE FARM
4.17	106	2.27	58	8.96	228	P546641	CATERPILLAR 1085330, MITSUBISHI 9136113300
4.25	108	1.56	40	4.50	114	P181128	CAT 8M-3120
4.25	108	2.00	51	3.76	96	P530630	BRIGGS & STRATTON 390930
4.25	108	2.00	51	6.19	157	P530634	TECUMSEH 35066, DEERE AM100137, GRAVELY 21333
4.30	109	1.98	50	2.55	65	P530636	HOMELITE 46073
4.30	109	1.98	50	3.50	89	P530637	HOMELITE 49512
4.33	110	1.99	51	8.53	217	P778404	DEUTZ
4.38	111	3.00	76	1.53	39	P530633	IHC 385163R1,R2,R91, KOHLER 23048,TECUMSEH 30804
4.38	111	3.00	76	4.76	121	P528205	JOHN DEERE AM3100
4.38	111	3.00	76	7.00	178	P526873	CLARK IR, THERMOKING, YALE & TOWNE
4.39	112	3.00	76	2.34	59	P528206	JOHN DEERE AM30800
4.42	112	2.21	56	10.35	263	P136390	UNITED 250C5S, IHC, FORD
4.42	112	2.21	56	12.25	311	P133706	UNITED 250C4S, IHC, TOWMOTOR
4.42	112	2.98	76	4.74	120	P539458	LEROI H43651
4.44	113	3.25	83	4.50	114	P528221	PETTER JF35/6
4.48	114	2.64	67	9.43	240	P778979	MANN & HUMMEL C11100
4.50	114	3.00	76	3.34	85	P528220	ONAN 140-0495
4.53	115	2.50	64	13.11	333	P119492	JOHN DEERE AL19152
4.72	120	2.12	54	11.73	298	P771537	LEYLAND-DAF 37H2004
4.72	120	2.68	68	5.94	151	P500034	DAIHATSU 1780187705000, 178018704000
4.74	120	2.60	66	5.20	132	P500048	SUZUKI 1378067022
4.74	120	2.60	66	6.30	160	P500051	SUZUKI 1378077300
4.74	120	2.60	66	7.20	183	P500050	SUZUKI 1378077500
4.98	126	.28	7	6.65	169	P500083	NISSAN 16546-76000
5.00	127	2.52	64	6.46	164	P778320	FARYMAN DIESEL 5410612
5.00	127	2.52	64	11.22	285	P140131	DEUTZ 2165031, KHD 42216-5034, Safety=P777523
5.04	128	2.60	66	6.42	163	P500049	SUZUKI 1378079210
5.21	132	4.16	106	11.23	285	P539480	JOHN DEERE AR45785
5.23	133	2.87	73	11.02	280	P777240	KUBOTA 1735111080
5.24	133	2.62	67	11.10	282	P775681	TOYOTA 17801-23000-71
5.24	133	2.62	67	11.57	294	P771588	TOYOTA 17752-20540-71A
5.24	133	2.62	67	11.57	294	P776993	RANGE ROVER NTC 6660
5.24	133	2.83	72	8.27	210	P778109	ROVER NRC9238
5.24	133	2.83	72	17.99	457	P778100	DAF 19G101, BAU1475
5.24	133	3.65	93	15.59	396	P776568	CASE E46373
5.25	133	2.64	67	6.00	152	P270333	INDUSTRIAL BLOWER
5.25	133	2.64	67	8.00	203	P118342	CASE, CLARK, SULLAIR

OUTER DIA.		INNER DIA.		LENGTH		PART NUMBER	PRIMARY APPLICATION
IN	MM	IN	MM	IN	MM		
5.25	133	3.25	83	15.00	381	P148932	HYSTER 336567, UL APPROVED VERSION OF P181062
5.25	133	3.26	83	11.00	279	P522449	KOMATSU #600-181-7300
5.26	134	2.81	71	11.06	281	P500123	NISSAN 16546-02N00
5.28	134	3.03	77	7.09	180	P500028	TOYOTA 17801-54100
5.28	134	3.22	82	11.50	292	P776567	CASE E43790
5.28	134	3.22	82	11.57	294	P776341	CASE K200379, Safety=P526864
5.30	135	3.00	76	14.19	360	P520508	UAC 250C142WS
5.31	135	2.22	56	10.50	267	P520510	UAC 250C124 MF 1094056M91
5.31	135	3.08	78	11.25	286	P526500	FORD D6NN-9601-A
5.31	135	3.08	78	14.69	373	P526505	FORD D6NN-9601-B, Safety=P522504
5.38	137	4.12	105	15.69	399	P526507	IHC 702642-C1, GMC 8994975
5.40	137	3.81	97	3.14	80	P539464	GM 5647033
5.42	138	4.02	102	19.25	489	P526493	IHC 925762C1
5.43	138	2.83	72	11.54	293	P771563	MERCEDES-BENZ 0010948304
5.43	138	2.83	72	12.01	305	P772549	CAT 100-6844, FIAT 1930764, PERKINS 26510313, Safety=P770181
5.43	138	2.83	72	12.01	305	P771591	MASSEY FERGUSON 3595518-M1
5.43	138	2.83	72	13.98	355	P772565	FIAT GEOTECH 1930536, Safety=P770207
5.43	138	2.83	72	19.13	486	P771560	LEYLAND-DAF 37H6581
5.43	138	2.87	73	18.03	458	P778113	DODGE 25179000
5.44	138	2.86	73	11.46	291	P771549	BOMAG, PERKINS
5.44	138	3.21	82	17.00	432	P133703	UNITED 250C13S, IHC, WAYNE
5.51	140	2.83	72	12.01	305	P772552	MACOSULLAIR 529054, OK 1499157, Safety=P770181
5.51	140	2.83	72	12.01	305	P771552	SAME 2.4229.200.1, LISTER 38207898
5.51	140	2.83	72	13.98	355	P771572	LISTER 38207903
5.62	143	3.55	90	5.00	127	P528227	GM 25043119, AC 905C
5.74	146	4.09	104	2.52	64	P777483	LISTER PETTER 36606227
5.75	146	3.50	89	5.95	151	P537375	GM LIGHT TRUCK
5.83	148	2.83	72	12.80	325	P181089	MANN & HUMMEL C15165/3, Safety=P777524
5.83	148	2.83	72	12.80	325	P181086	MANN & HUMMEL C15165
5.83	148	2.83	72	13.07	332	P775792	IVECO 1904581
5.87	149	4.37	111	6.71	170	P500008	mitsubishi MD603932
5.94	151	3.25	83	4.00	102	P528235	PURULATOR AF71, FURN GASKET: P175512
5.94	151	4.86	123	11.00	279	P526416	JOHN DEERE AT75036
5.95	151	4.85	123	14.00	356	P525944	CASE A171256
6.00	152	4.02	102	7.50	190	P535360	KUBOTA 1730111080
6.00	152	4.62	117	8.56	217	P524348	INT'L 180287R91, AMERICAN LAFRANCE, MERCEDES, HAS ONE CLOSED END
6.00	152	4.70	119	4.06	103	P530641	KOHLER 277138
6.00	152	4.75	121	1.88	48	P528231	IHC 385168R2
6.00	152	4.75	121	3.00	76	P528215	ONAN 140-1216
6.06	154	3.13	80	5.94	151	P500064	ISUZU 8943349060
6.06	154	3.14	80	7.81	198	P539470	ISUZU 8941042730
6.08	154	3.49	89	7.00	178	P181131	CAT 7G-8116
6.08	154	3.49	89	12.00	305	P130766	JOHN DEERE AR46481, USE WITH SAFETY P131394
6.08	154	3.49	89	13.00	330	P131324	IHC 537334R1
6.08	154	3.49	89	14.00	356	P113703	CASE L35975
6.08	154	3.49	89	15.00	381	P131283	IHC 529851R2, Safety=P114500
6.08	154	3.49	89	16.00	406	P131357	IHC 383711R93
6.08	154	4.11	104	10.45	265	P526749	CASE K945043
6.09	155	3.47	88	9.25	235	P535361	KUBOTA 1557111210
6.09	155	3.47	88	9.29	236	P500113	NISSAN 16546-J5570
6.09	155	3.48	88	8.00	203	P539323	COMET AIR DRYER
6.09	155	3.48	88	15.00	381	P525423	Donaldson CYCLOPAC AIR CLEANER MODEL:G080502, Safety=P114500
6.09	155	3.48	88	15.96	405	P772556	FIAT AGRI 320498750
6.09	155	4.09	104	9.25	235	P535364	KUBOTA 1572411080
6.10	155	.47	12	5.91	150	P500078	MAZDA R20523603
6.10	155	3.10	79	9.25	235	P500061	ISUZU 5142150380
6.10	155	3.10	79	10.43	265	P500110	ISUZU 5-14215-030-0, 5142150060, WAS P533231
6.10	155	3.38	86	7.76	197	P500021	TOYOTA 17801-31050, ISUZU 9942320590
6.10	155	3.39	86	5.79	147	P500033	DAIHATSU 1780187204001
6.10	155	3.39	86	7.48	190	P500120	mitsubishi MD620563
6.10	155	3.46	88	7.75	197	P778116	AWD 91133369
6.10	155	3.46	88	7.78	198	P500032	DAIHATSU 1780187304000
6.10	155	3.46	88	7.80	198	P500121	DAIHATSU 1780187304000
6.10	155	3.46	88	7.80	198	P778108	BEDFORD 91138957

## Air Primary – Continued

OUTER DIA.		INNER DIA.		LENGTH		PART NUMBER	PRIMARY APPLICATION
IN	MM	IN	MM	IN	MM		
6.10	155	3.46	88	11.10	282	P771589	MASSEY FERGUSON 3515586-M1
6.10	155	3.46	88	11.57	294	P771584	CLARK 3339355, HYSTER 3049299, Safety=P775373
6.10	155	3.46	88	11.73	298	P778399	MANITOU 177130
6.10	155	3.46	88	12.60	320	P771538	MASSEY FERGUSON 2871928M1
6.10	155	3.46	88	12.60	320	P771540	CASE P0150502
6.10	155	3.46	88	12.60	320	P771544	IVECO 8190945
6.10	155	3.46	88	13.46	342	P770828	DEUTZ 4353103, Safety=P127787
6.10	155	3.46	88	13.46	342	P772564	FIAT GEOTECH 1909116, Safety=P127787
6.10	155	3.46	88	13.94	354	P772553	FIAT 1930824, Safety=P127787
6.10	155	3.46	88	13.94	354	P771553	FIAT GEOTECH 71405431, USE WITH SAFETY P127787
6.10	155	3.46	88	16.54	420	P771556	FIAT GEOTECH 1930787
6.10	155	4.95	126	12.50	318	P543662	HITACHI 4285623 <i>Use with Safety P313194</i>
6.11	155	3.38	86	11.85	301	P778337	KOMATSU 6001819470
6.14	156	12.20	310	1.85	47	P500031	TOYOTA 17801-64010
6.20	157	3.00	76	5.67	144	P500027	TOYOTA 17801-35030
6.26	159	2.81	71	10.91	277	P780272	JCB 32903001, USE WITH SAFETY P778833
6.30	160	3.11	79	5.91	150	P500122	MAZDA AF14200
6.41	163	3.00	76	4.17	106	P500015	TOYOTA 17801-23020, 17801-23030, 17801-31060
6.46	164	3.38	86	7.95	202	P539466	DEUTZ 2339813
6.46	164	3.41	87	8.35	212	P771594	DEUTZ 2319813, Safety=P775704
6.46	164	3.41	87	9.37	238	P771593	FENDT F178201090020
6.46	164	3.41	87	13.07	332	P771557	DEUTZ 2323855, KHD 422339823, USE WITH SAFETY P778131
6.47	164	3.41	87	13.38	340	P181088	MANN & HUMMEL C17225/3, Safety=P776694
6.47	164	3.86	98	14.09	358	P777179	BEDFORD 91107151
6.50	165	3.43	87	13.39	340	P778462	MERCEDES BENZ 0010949604
6.50	165	4.05	103	10.04	255	P776995	COMPAIR 98262/109
6.57	167	4.13	105	12.40	315	P778359	RENAULT 5001826454
6.67	169	4.49	114	2.56	65	P500001	MINIBUS MITSUBISHI MD017284
6.68	170	3.75	95	14.75	375	P181204	FORD DINN-9601-A, Safety=P181208
6.69	170	5.04	128	3.00	76	P539463	TOWMOTOR 333660
6.70	170	3.68	93	11.04	280	P539476	SULLAIR 250022888
6.71	170	4.53	115	5.47	139	P500003	MITSUBISHI MD603354
6.75	171	5.56	141	6.00	152	P526497	CASE A43735, Primary filter is P526496
6.81	173	5.07	129	3.03	77	P777486	PERKINS PE322
6.84	174	3.48	88	12.00	305	P181119	CAT 4N-0326
6.84	174	3.48	88	13.00	330	P123990	ROOF DRILL DUST COLLECTOR
6.84	174	3.49	89	12.00	305	P136254	JOHN DEERE AR43941
6.84	174	3.49	89	12.00	305	P181163	JOHN DEERE AT65296
6.84	174	3.49	89	14.00	356	P150706	IVECO TRUCK 4249-1619
6.84	174	3.49	89	14.00	356	P130771	JOHN DEERE AR46976, IVECO 1902040
6.84	174	4.24	108	4.65	118	P526411	LIFT TRUCK
6.84	174	4.24	108	8.00	203	P015835	IHC, PACCAR
6.84	174	4.24	108	9.00	229	P182068	LONG LIFE VERSION OF P181068, Safety=P122521
6.84	174	4.24	108	9.00	229	P181130	CAT 2V-0036
6.84	174	4.24	108	9.00	229	P181068	Donaldson SBG08 DONACLONE A/C, P122521-Flame Retardant Version, Long Life Primary=P182068
6.84	174	4.24	108	9.00	229	P181132	CAT 9G-1518
6.84	174	4.24	108	12.00	305	P181129	CAT 6P-6664
6.85	174	4.24	108	9.06	230	P771542	IHC 3073012R1
6.87	174	3.15	80	7.90	201	P546598	FORD LIGHT TRUCK 1995 - 1998
6.87	174	5.56	141	14.38	365	P526510	MF 1044274M91
6.88	175	5.41	137	19.06	484	P526513	MF 1051375M91, KOMATSU 600-181-2460
6.89	175	4.53	115	5.20	132	P500002	MITSUBISHI MT202713
6.9	175	5.55	141	2.18	55	P530628	BRIGGS & STRATTON 394018
6.92	176	4.44	113	9.00	229	P136828	UNITED 250C14S, HOUGH, HYSTER
6.96	177	5.56	141	2.50	64	P530639	DEERE M47494, KOHLER 4708303
6.97	177	3.46	88	11.10	282	P771590	MASSEY FERGUSON 3595500M1
6.97	177	3.46	88	13.54	344	P772535	FIAT GEOTECH 1930138
6.97	177	3.46	88	15.51	394	P772529	LONG LIFE VERSION OF P771529, Safety=P119410
6.97	177	3.46	88	15.51	394	P771529	VOLVO 475230, ATLAS 3216708001, LISTER 38207906
7.00	178	5.40	137	1.90	48	P530635	KOHLER 4708301, IHC 11721C1
7.02	178	4.39	112	19.76	502	P108158	IHC 702244C1
7.07	180	3.98	101	11.77	299	P500094	KOMATSU 6001817210



OUTER DIA.		INNER DIA.		LENGTH		PART NUMBER	PRIMARY APPLICATION
IN	MM	IN	MM	IN	MM		
7.08	180	3.70	94	8.62	219	P500022	TOYOTA 17801-54050
7.09	180	3.70	94	8.62	219	P500014	MITSUBISHI ME017242
7.24	184	4.64	118	3.98	101	P500056	SUZUKI 1378083000
7.27	185	.65	17	16.38	416	P539457	CASE IH 3252644R91
7.32	186	3.07	78	4.92	125	P500020	TOYOTA 17801-54010
7.32	186	3.54	90	10.00	254	P136836	VORTEX VF100A
7.32	186	3.96	101	14.88	378	P133765	JOHN DEERE AR54336, AR79941
7.32	186	4.29	109	2.20	56	P500016	TOYOTA 17801-13010, 17801-33011
7.32	186	4.29	109	2.20	56	P500025	TOYOTA 17801-13020
7.32	186	5.40	137	13.38	340	P526966	FORD F1HZ0601A, MOTORCRAFT FA1076
7.32	186	5.40	137	23.00	584	P520925	Donaldson EBB09, FORD FOHZ9601A, MTRCRFT FA1078, EON=EAF5058
7.36	187	4.78	121	10.81	275	P812901	KOMATSU 3EE0221320
7.36	187	4.78	121	13.00	330	P526911	HINO 17801-2620
7.36	187	4.78	121	15.00	381	P535365	KOMATSU 6001816540, R800103 WITH ATTACHED NUT AND GASKET WASHER
7.36	187	4.78	121	15.00	381	R800103	HITACHI EXCAVATOR, Safety=P119374
7.38	187	4.34	110	2.70	69	P539477	TOYOTA 1780124010
7.44	189	4.61	117	15.23	387	P778994	MANN & HUMMEL C20500
7.48	190	4.13	105	9.29	236	P500043	HINO 178012410
7.48	190	4.13	105	11.02	280	P500041	HINO 178012440A
7.56	192	5.83	148	2.05	52	P500087	NISSAN 16546-01B00
7.62	194	3.64	92	10.90	277	P780310	JCB 32903201, USE WITH SAFETY P778832
7.63	194	4.29	109	16.00	406	P182092	FIAT 1930725, HANOMAG 3074304M1, 3074305M1
7.63	194	4.29	109	16.00	406	P114241	ATLAS COPCO, WORTHINGTON
7.63	194	4.29	109	16.00	406	P181092	Donaldson EGB09 A/C, TEREX 9059577, Safety=P130772, Long Life Primary=P182091
7.64	194	3.35	85	5.71	145	P500017	TOYOTA 17801-48010, 17801-48011
7.64	194	3.35	85	5.71	145	P500024	TOYOTA 1780-156020
7.72	196	12.09	307	18.54	471	P772521	LONG LIFE VERSION OF P771521
7.76	197	5.06	129	13.90	353	P778628	DEUTZ 91107152
7.76	197	5.08	129	13.90	353	P778636	DEUTZ 91112964
7.78	198	4.33	110	5.47	139	P500023	TOYOTA 17801-54060
7.79	198	4.09	104	14.37	365	P777241	DAF TRUCK 265045
7.80	198	4.08	104	14.39	366	P140132	DEUTZ 2241034
7.80	198	4.11	104	10.12	257	P771576	MERCEDES-BENZ 0020947304
7.80	198	4.44	113	14.40	366	P771561	DAF, SCANIA, DEUTZ, KHD 42216-5049, Safety=P776695
7.80	198	4.44	113	20.00	508	P181165	VOLVO 6872683
7.88	200	4.53	115	23.75	603	P527829	VOLVO 475975, FURN GASKET: P171198
7.91	201	5.32	135	16.54	420	P771545	MASSEY FERGUSON 1426451M91, DRESSER 924279C1
7.91	201	5.32	135	16.54	420	P772545	FIAT 1930794
7.91	201	5.32	135	17.87	454	P772597	KOMATSU 205-01-73570, Safety=P776019
7.93	201	3.57	91	16.00	406	P150464	SPEC. BLAST HOLE DRILL DUST COLL.
7.93	201	5.31	135	10.00	254	P533230	ISUZU 8-94156-052-0
7.93	201	5.32	135	12.00	305	P130764	JOHN DEERE AT35155, IHC 634269C1
7.93	201	5.32	135	16.00	406	P158852	FORD E6HZ9601A
7.94	202	3.82	97	9.45	240	P500039	HINO 17801-1960
7.94	202	6.38	162	10.39	264	P780385	HITACHI 4206098, USE WITH P543661 SAFETY
7.95	202	3.54	90	13.54	344	P772503	COMPAIR C115541430
7.95	202	3.54	90	13.54	344	P771505	LEYLAND-DAF 10906067
7.95	202	3.54	90	13.54	344	P771502	DRONNINGBORG 46422200
7.95	202	4.57	116	13.74	349	P778457	RENAULT 5430027451
7.95	202	4.96	126	7.09	180	P533232	MITSUBISHI MB120298
7.98	203	4.64	118	9.28	236	P530355	DODGE PICKUPS WITH CUMMINS 5.9 TURBO DIESEL
8.00	203	6.50	165	2.12	54	P530642	ONAN 140-1228, VOLKSWAGEN 125129605
8.04	204	6.06	154	11.00	279	P123347	Donaldson ECG10 AIR CLEANER
8.06	205	5.75	146	7.62	194	P524346	INT'L 150868R91
8.06	205	5.78	147	4.00	102	P133705	IHC, MACK
8.12	206	4.84	123	21.00	533	P535597	KOBELCO 2446R254S5, KOBELCO SAFETY 2446R254S6
8.12	206	6.62	168	3.25	83	P524350	FORD 6CYL-300, C40Z9601A
8.13	206	4.26	108	7.81	198	P546597	FORD LIGHT TRUCK
8.15	207	7.24	184	1.48	38	P500074	HONDA 17220P07000
8.18	208	4.17	106	11.10	282	P537405	JOHN DEERE AT175344, Safety=P537716
8.24	209	4.20	107	12.58	320	P181141	KOMATSU 600-181-9220, USE WITH SAFETY P159037
8.25	210	6.40	163	3.80	97	P530644	ONAN 140-1911
8.25	210	6.50	165	3.00	76	P524390	CHRYSLER 1739548
8.26	210	4.72	120	17.99	457	P777177	ERF TRUCK 936201

## Air Primary – Continued

OUTER DIA.		INNER DIA.		LENGTH		PART NUMBER	PRIMARY APPLICATION
IN	MM	IN	MM	IN	MM		
8.31	211	4.06	103	8.27	210	P778472	MERCEDES BENZ 0010949404
8.34	212	4.84	123	12.99	330	P771532	MASSEY FERGUSON 3385733M1
8.35	212	4.86	123	16.54	420	P771530	FIAT GEOTECH 1930786
8.37	213	6.30	160	1.79	45	P500052	SUZUKI 1378078100
8.38	213	4.56	116	15.00	381	P181205	IHC 537337R1, AIR MAZE C01017502826, USE WITH SAFETY P526408
8.39	213	4.13	105	10.83	275	P777357	VIRGIS CH12826
8.40	213	4.02	102	11.83	300	P780165	DAF 0693076
8.40	213	4.04	103	5.35	136	P181125	CAT 7N-9028, Safety=P527530
8.40	213	4.04	103	10.00	254	P181105	CAT 4M-9378
8.40	213	4.04	103	21.81	554	P771512	LEYLAND DAF ABU1475
8.40	213	5.79	147	9.00	229	P270332	INDUSTRIAL BLOWER
8.40	213	5.79	147	9.00	229	P017665	IHC, MACK, TEREX, WABCO
8.40	213	5.79	147	11.00	279	P182071	LONG LIFE VERSION OF P181071
8.40	213	5.79	147	11.00	279	P181071	Donaldson SBG10 DONACLONE A/C, Long Life Primary=P182071
8.42	214	4.21	107	16.25	413	P181142	KOMATSU
8.43	214	4.00	102	22.91	582	P772512	LEYLAND-DAF ABU9145
8.46	215	4.88	124	4.88	124	P776837	COMPAIR 98262/84
8.46	215	5.43	138	2.36	60	P500037	DAIHATSU 1780187506000
8.46	215	6.14	156	2.36	60	P500091	FIAT 7414198, 7422739
8.50	216	5.39	137	12.40	315	P500042	HINO 17801-2200
8.50	216	6.97	177	2.46	62	P524386	GM 1982+ MODELS
8.51	216	5.37	136	15.00	381	P546567	GARDNER DENVER 1157641
8.53	217	6.04	153	10.41	264	P539465	VOLVO 347436
8.54	217	4.29	109	5.75	146	P526756	TOYOTA 1780168020
8.62	219	4.27	108	4.70	119	P500124	TOYOTA 17801-54170
8.62	219	4.27	108	5.67	144	P500125	TOYOTA 17801-67060
8.64	219	7.06	179	20.66	525	P133045	STEIGER 01-3899
8.66	220	7.20	183	2.24	57	P500006	MINISUBISHI MD604802
8.68	220	6.13	156	1.38	35	P500116	TIMOR OK2091320
8.71	221	5.35	136	13.02	331	R804759	ISUZU NPR
8.71	221	5.35	136	13.02	331	P181191	MINISUBISHI ME033603, Safety=P522452
8.74	222	6.16	156	8.19	208	P776302	FIAT ALLIS 1930740
8.84	225	5.48	139	7.00	178	P181084	Donaldson EAD11 A/C, MACK 57MD32
8.84	225	5.48	139	14.00	356	P130884	GMC 2014573
8.84	225	5.48	139	21.60	549	P181098	UNITED 250D31S, GMC 2034763
8.84	225	5.48	139	22.00	559	P181003	Donaldson EBA11 A/C, MACK, PACCAR, EON=EAF5003
8.84	225	5.48	139	22.00	559	P533308	FREIGHTLINER
8.84	225	5.48	139	27.50	698	P181097	UNITED 250D32S, GMC 2034764
8.84	225	5.48	139	28.00	711	P182146	LONG LIFE VERSION OF P181146
8.84	225	5.48	139	28.00	711	P182017	LONG LIFE VERSION OF P181017
8.84	225	5.48	139	28.00	711	P181146	Donaldson ECG11 AC, MACK, GMC
8.84	225	5.48	139	28.00	711	P181017	Donaldson EBA11 A/C, Long Life Primary=P182017
8.85	225	5.80	147	27.82	707	P539472	MACK 57MD44M
8.86	225	5.75	146	5.00	127	P500007	MINISUBISHI MT421158
8.88	226	5.00	127	10.25	260	P528219	VORTOX VF120A
8.89	226	4.33	110	10.00	254	P133713	IHC, BROS
8.89	226	4.61	117	14.61	371	P777243	DAF 0112294
8.90	226	4.57	116	11.69	297	P771516	IVECO-FIAT 1902128, KHD 422168629
8.93	227	4.56	116	14.50	368	P151951	MAN 81.08304.0024
8.93	227	4.56	116	14.61	371	P181087	MANN & HUMMEL C23440
8.94	227	4.58	116	14.61	371	P771508	MERCEDES-BENZ 0010944704, KHD 42216-5054, Safety=P776696
9.00	229	5.69	145	16.00	406	P526410	CASE AG EQUIPMENT, USE WITH SAFETY P526407
9.00	229	6.87	174	1.87	47	P524375	NISSAN, DATSUN 16456-18000, SUBARU
9.01	229	5.71	145	13.58	345	P539475	FRANKLIN 1504917
9.06	230	4.76	121	13.00	330	P500044	HINO 178012850
9.06	230	4.87	124	19.38	492	P136405	AIR MAZE CD1120501830, JOHN DEERE
9.06	230	6.85	174	2.58	66	P500065	HONDA 17220634005
9.08	231	5.24	133	16.75	425	P136255	JOHN DEERE AR79679, Safety=P141319
9.08	231	5.24	133	19.38	492	P145756	JOHN DEERE AR80652
9.14	232	5.28	134	17.00	432	P134960	WHITE FARM 303216535
9.14	232	5.78	147	12.88	327	P182080	LONG LIFE VERSION OF P181080
9.14	232	5.78	147	13.00	330	P181080	Donaldson FTG11 CYCLOPAC, NISSAN 16546-Z9004, Safety=P127315

OUTER DIA.		INNER DIA.		LENGTH		PART NUMBER	PRIMARY APPLICATION
IN	MM	IN	MM	IN	MM		
9.14	232	5.78	147	17.16	436	P545613	MITSUBISHI ME073252
9.14	232	5.78	147	17.88	454	P182070	LONG LIFE VERSION OF P181070, Safety=P124046
9.14	232	5.78	147	18.00	457	P159548	FORD D8NN9B618AA
9.14	232	5.78	147	18.00	457	P527596	HINO 17801-2480B
9.14	232	5.78	147	18.00	457	P181070	Donaldson FTG11 CYCLOPAC A/C, Safety=P124046, Long Life Primary=P182070
9.17	233	4.84	123	10.59	269	P777358	VOLVO 347138
9.21	234	4.84	123	13.54	344	P772532	MASSEY FERGUSON 3385733M1
9.21	234	4.84	123	15.00	381	P778124	LEYLAND DAF ACU8498
9.21	234	4.84	123	16.57	421	P772504	LEYLAND-DAF ABU9896
9.21	234	4.85	123	8.00	203	P181149	BLUE BIRD BUS 2105773
9.21	234	4.85	123	11.00	279	P113395	FORD C8HZ9601C
9.21	234	4.85	123	12.00	305	P127075	JOHN DEERE AT39124, IHC 1150719C1, Safety=P124837
9.21	234	4.85	123	13.00	330	P182034	LONG LIFE VERSION OF P181034, Safety=P119374, EON=EAF5034
9.21	234	4.85	123	13.00	330	P123827	DDA GEN SETS 3-71, 4-71, 6-71
9.21	234	4.85	123	13.00	330	P181034	Donaldson FHG12 CYCLOPAC A/C, Safety=P119374, Long Life Primary=P182034
9.21	234	4.85	123	15.00	381	P145704	KOMATSU 6691817210
9.21	234	4.85	123	16.00	406	P182090	LONG LIFE VERSION OF P181090, Safety=P119375
9.21	234	4.85	123	16.00	406	P181090	Donaldson EGB10 A/C, TEREX 9059575
9.21	234	4.86	123	13.54	344	P771527	FIAT GEOTECH 1930174
9.21	234	4.86	123	15.98	406	P771522	FIAT GEOTECH 1930784, ATLAS COPCO 3216708201
9.21	234	4.86	123	16.57	421	P771504	FORD 83DB-9601-AA, IVECO 7980508, IHC 3372006R1
9.21	234	4.86	123	16.57	421	P771514	LEYLAND-DAF BBU7280
9.21	234	5.86	149	18.00	457	P131395	IHC 932391C2, WHITE FARM 303108724
9.21	234	5.87	149	17.54	446	P539473	STEIGER 906443T1, USE WITH SAFETY P539474
9.21	234	6.60	168	10.00	254	P015837	FWD OSHKOSH
9.21	234	4.84	123	12.99	330	P772527	FIAT GEOTECH, Safety=P123828, Use P771527 for Scheduled Maintenance
9.22	234	4.84	123	12.00	305	P181103	CAT 4M-8047, 7W-5389, SFTY-P533803 w/holes 9", SFTY-P158661 w/studs, SFTY-P158678 w/8 holes
9.22	234	4.84	123	15.98	406	P772530	FIAT AGRI 22190599, Safety=P133138
9.22	234	4.84	123	15.98	406	P772522	JOHN DEERE DOX18913, FIAT 300138019, Safety=P133138
9.22	234	4.84	123	18.00	457	P535596	HINO 178012810
9.29	236	6.71	170	2.28	58	P500035	DAIHATSU 1780187702000
9.33	237	5.15	131	18.50	470	P532966	Donaldson FRG11 RADIALSEAL AIR CLEANERS, USE P533781 SAFETY, Donaldson Endurance EAF5105
9.37	238	7.24	184	2.24	57	P500060	ISUZU 8942171000
9.40	239	5.78	147	5.18	132	P526753	MITSUBISHI MB-0120389
9.43	240	6.87	174	3.62	92	P528216	FORD B7A9601C
9.45	240	3.28	83	.79	20	P500030	TOYOTA 17801-15060
9.49	241	5.19	132	19.00	483	P181137	MERCEDES-BENZ 0010947904, KHD 422165059, Safety=P776697
9.50	241	6.89	175	27.44	697	P151028	FRAM CA2550, EON=EAF5048
9.50	241	6.89	175	27.44	697	P524831	GM 2067009
9.50	241	8.00	203	3.00	76	P524354	GM 6CYL-292
9.52	242	7.24	184	3.74	95	P777485	FORD 87HX9601AA
9.53	242	5.12	130	16.26	413	P777948	DAF 1318919, 754713
9.53	242	5.18	132	19.13	486	P772507	Mercedes 0010948004, Replaces P771507
9.53	242	5.20	132	19.69	500	P771509	M.A.N. 81.05504.0033
9.53	242	5.21	132	11.81	300	P776260	IVECO 1905983
9.53	242	5.21	132	16.54	420	P776198	IVECO PEGASO 172150
9.53	242	5.21	132	20.87	530	P775896	SCANIA 370750
9.56	243	5.10	130	6.40	163	P526488	CUMMINS 209892
9.57	243	5.20	132	14.33	364	P778441	DAF 393561
9.60	244	5.04	128	7.29	185	P136398	AIR MAZE 200746-07, CUMMINS 169365
9.62	244	5.26	134	15.00	381	P181139	KOMATSU, Safety=P159036
9.63	245	5.11	130	11.60	295	P133712	FRAM CA240PLHD
9.65	245	3.81	97	18.14	461	P500102	KOMATSU 6675817011
9.65	245	4.07	103	15.56	395	P526489	WHITE 3108661
9.65	245	5.12	130	8.82	224	P500100	KOMATSU 6675817231
9.65	245	5.20	132	8.82	224	P500099	KOMATSU 6675817021
9.65	245	5.24	133	18.14	461	P500093	KOMATSU 6675817010
9.65	245	6.04	153	13.58	345	P776497	FIAT 1930600
9.65	245	6.04	153	16.54	420	P772587	FIAT 1930604
9.69	246	.0		1.30	33	P500055	SUZUKI 1378062B00
9.69	246	7.94	202	2.25	57	P524347	AMC, FORD, INT'L, JEEP
9.69	246	8.19	208	1.87	47	P524349	GM 5649797
9.69	246	8.19	208	2.78	71	P524384	GM 25040929

## Air Primary – Continued

OUTER DIA. IN MM	INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION
9.69 246	8.19 208	3.53 90	P524351	GM 6CYL-292, V8-305, JEEP
9.70 246	7.39 188	2.48 63	P539460	RENAULT/R.V.I. 8983500079

OUTER DIA. IN (MM)	INNER DIA. IN (MM)	DEPTH IN MM	PART NUMBER	PRIMARY APPLICATION
9.72 x 8.94 (247 x 227)	4.43 x 3.50 (113 x 89)	2.40 61	P500084	NISSAN 16546-D1100

OUTER DIA. IN MM	INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION
9.73 247	5.66 144	12.56 319	P522451	KOMATSU #6114-80-7101-P, 600-181-2500
9.76 248	7.94 202	2.13 54	P528212	FORD E3T9601H
9.84 250	6.14 156	1.61 41	P500026	TOYOTA 17801-16020
9.84 250	7.56 192	2.40 61	P500004	MITSUBISHI MD603014
9.84 250	7.56 192	161.00 4089	P500066	HONDA 17220657000, 17220673005
9.91 252	6.05 154	16.00 406	P525943	CASE A171255
9.91 252	6.05 154	19.00 483	P533257	CASE 205 STEIGER W/3306 CAT ENG,#90-4233S1
9.98 253	5.48 139	20.28 515	P526492	IHC 925761C1
9.98 253	5.48 139	20.28 515	P526499	IHC 631421C1, Safety=P526498
10.00 254	.39 10	17.06 433	P538453	AIR MAZE CD1219610826
10.00 254	5.50 140	17.06 433	P526506	IHC 702641-C1, GMC 8994977
10.00 254	5.50 140	17.31 440	P526514	MF 1613732M1
10.00 254	7.50 190	2.37 60	P524353	INT'L 4CYL-196, 6CYL-198, V8-304, V8-345
10.03 255	8.53 217	2.25 57	P524372	GM 8996587
10.03 255	8.53 217	2.47 63	P524389	GM 25041542
10.04 255	6.26 159	16.46 418	P500111	NISSAN 16546-97001
10.12 257	8.25 210	2.25 57	P524395	FORD C8ZF9601A
10.16 258	6.30 160	20.98 533	P778436	VOLVO 1660600, 16606606, USE WITH SAFETY P780321
10.22 260	7.70 196	2.03 52	P524377	DODGE, PLYMOUTH, HONDA 17220-671-000
10.23 260	7.63 194	1.69 43	P500067	HONDA 17220PE3601
10.23 260	9.05 230	2.05 52	P500068	HONDA 17232PD5600
10.25 260	5.51 140	12.00 305	P181133	CAT 4L-8463
10.25 260	7.62 194	2.75 70	P524391	DODGE 6CYL-225, V8-318, AMC, CHRYSLER, JEEP
10.25 260	8.00 203	2.37 60	P524374	CHEV LUV, TOYOTA, DATSUN, GM
10.37 263	5.63 143	10.00 254	P133701	VORTOX VF-135A
10.39 264	3.27 83	1.38 35	P500038	DAIHATSU 1780187717000
10.39 264	6.06 154	15.98 406	P771524	ATLAS COPCO 3216707901
10.39 264	6.06 154	16.54 420	P772531	FIAT 1930602, Safety=P770678
10.39 264	6.06 154	16.54 420	P772520	FIAT 1930783, MF 3580723M1, Safety=P770678
10.40 264	6.03 153	12.00 305	P131348	IHC 627934C1, Safety=P131336
10.40 264	6.03 153	13.00 330	P137957	GARDNER DENVER 8507413
10.40 264	6.04 153	7.75 197	P181107	CAT 4L-9851
10.40 264	6.04 153	9.00 229	P181123	CAT 7N-1225
10.40 264	6.04 153	10.00 254	P181200	GMC Brigadere w/CAT 3208T
10.40 264	6.04 153	10.00 254	P181021	Donaldson EBB12 A/C, GMC 2009007, Long Life Primary=P182021
10.40 264	6.04 153	10.00 254	P182021	LONG LIFE VERSION OF P181021
10.40 264	6.04 153	10.00 254	P181162	GMC 15506047
10.40 264	6.04 153	11.75 298	P181106	CAT 4L-9852
10.40 264	6.04 153	11.90 302	P181019	Donaldson EBB12 A/C, IHC 478974C1, EON=EAF5019
10.40 264	6.04 153	13.76 350	P182044	LONG LIFE VERSION OF P181044, Safety=P119371, EON=EAF5044
10.40 264	6.04 153	14.00 356	P128252	CASE, CLARK
10.40 264	6.04 153	14.00 356	P181075	Donaldson EBA13 A/C, MACK 57MD29305P2
10.40 264	6.04 153	14.00 356	P181044	Donaldson STG12 DONACLONE A/C, Safety=P119371, Long Life Primary=P182044
10.40 264	6.04 153	15.00 381	P181014	Donaldson EBA13 A/C, FORD D5HZ9601D
10.40 264	6.04 153	15.00 381	P182014	LONG LIFE VERSION OF P181014, EON=EAF5014
10.40 264	6.04 153	15.98 406	P771520	Donaldson FLB12
10.40 264	6.04 153	15.98 406	P772524	FIAT AGRI 700056048, OREN & KOPPEL 8300375, Safety=P770678
10.40 264	6.04 153	16.00 406	P131397	IHC 935694C1
10.40 264	6.04 153	16.00 406	P524738	FORD CARGO 7.8 E7HZ-9601-B
10.40 264	6.04 153	16.00 406	P115889	JOHN DEERE A30508, IHC 627127C1



OUTER DIA.		INNER DIA.		LENGTH		PART NUMBER	PRIMARY APPLICATION
IN	MM	IN	MM	IN	MM		
10.40	264	6.04	153	16.00	406	P181028	Donaldson EBB12 OR EGB12 A/C, IHC 476741C1, Safety=P137640, Long Life Primary=P182028
10.40	264	6.04	153	16.00	406	P182028	LONG LIFE VERSION OF P181028, EON=EAF5028
10.40	264	6.04	153	18.00	457	P126318	ALLIS CHALMERS 269244
10.40	264	6.04	153	19.88	505	P182091	FIAT 1930791, HANOMAG 3074306M1, Safety=P130772
10.40	264	6.04	153	20.00	508	P128960	FORD, MOTORCRAFT FA609
10.40	264	6.04	153	20.00	508	P181091	Donaldson EGB12 A/C, JOHN DEERE AR70106
10.40	264	6.04	153	21.82	554	P181007	Donaldson EBA13 A/C, STANDARD, Long Life Primary=P182007
10.40	264	6.04	153	21.82	554	P182007	LONG LIFE VERSION OF P181007, EON=EAF5007
10.40	264	6.04	153	26.00	660	P520620	TIPTON, FLEETGUARD AF1907M
10.40	264	6.04	153	26.00	660	P181016	Donaldson EBA13 A/C, WHITE, FREIGHTLINER, Long Life Primary=P182016
10.40	264	6.04	153	26.00	660	P182016	LONG LIFE VERSION OF P181016, EON=EAF5016
10.40	264	6.05	154	7.91	201	P539487	GM 25096001
10.40	264	6.96	177	9.00	229	P182033	LONG LIFE VERSION OF P181033
10.40	264	6.96	177	9.00	229	P181033	Donaldson SBG12 DONACLONE, Long Life Primary= P182033
10.40	264	6.96	177	11.00	279	P181074	Donaldson EBA13 A/C, MACK 57MD29305
10.40	264	7.79	198	10.00	254	P119596	CLARK, IHC, WABCO
10.40	264	7.79	198	12.00	305	P015838	FWD OSHKOSH
10.47	266	5.25	133	9.13	232	P776386	MERCEDES 0010947304
10.55	268	7.68	195	11.18	284	P771551	VOLVO 475339
10.63	270	6.18	157	22.75	578	P770035	VOLVO 475755
10.63	270	7.44	189	1.34	34	P500075	HONDA 17220PH3000
10.63	270	7.95	202	1.65	42	P500071	HONDA 17220PE0003
10.64	270	7.95	202	2.13	54	P500005	MINISUBISHI MD604880
10.66	271	6.22	158	22.44	570	P777105	VOLVO 1544428, 1600375, 475755
10.66	271	7.01	178	22.36	568	P777154	VOLVO 1660376, 16603763
10.67	271	6.22	158	23.19	589	P777767	VOLVO 1080918, 10809184
10.71	272	7.93	201	1.79	45	P500053	SUZUKI 1378082000
10.75	273	6.38	162	13.91	353	P500046	HINO 178012830, 178012890A
10.75	273	8.62	219	2.56	65	P524396	GM 6483536, 6484294
10.86	276	6.50	165	15.00	381	P134353	CLARK 1991959, Safety=P134354
10.86	276	6.50	165	15.00	381	P533445	KOBELCO 2446R35353
10.86	276	6.50	165	20.00	508	P181082	Donaldson FTG13 CYCLOPAC A/C, Safety=P138722
10.86	276	6.50	165	20.00	508	P533443	KOBELCO 2446R35253
10.87	276	6.50	165	15.00	381	P526428	KOMASTU 600-181-1580, Primary/Safety KIT #X006253
10.87	276	6.50	165	15.00	381	P526433	MINISUBISHI ME063135, ME063130
10.87	276	6.50	165	15.00	381	P777776	KOMATSU 20701K1190
10.87	276	6.50	165	18.00	457	P529241	JOHN DEERE AR85242, DRESSER 1249055H1, Safety=P529240
10.87	276	9.00	230	2.21	56	P524358	FORD C8T9601A
10.87	276	9.00	230	3.53	90	P524401	CHRYSLER 3614353
10.91	277	6.30	160	10.12	257	P771510	MERCEDES-BENZ 0010949304

OUTER DIA 1	OUTER DIA 2	LENGTH	PART NUMBER	PRIMARY APPLICATION
IN	MM	IN	MM	
11.00	279	8.00	203	24.00 610 P527586 FREIGHTLINER, FARR ECOII CM #78105

OUTER DIA.		INNER DIA.		LENGTH		PART NUMBER	PRIMARY APPLICATION
IN	MM	IN	MM	IN	MM		
11.06	281	6.77	172	20.08	510	P777279	DAF 1295090, PERKINS CV20948
11.09	282	6.72	171	20.00	508	P131280	IHC 627975C2, JOHN DEERE AT49022, USE WITH SAFETY P118216
11.09	282	6.73	171	12.00	305	P117383	LINCOLN ELECTRIC M122841
11.09	282	6.73	171	12.00	305	P140681	MARINE, FLAME RETARDANT, UL APPROVED
11.09	282	6.73	171	13.00	330	P119720	WHITE MOTOR
11.09	282	6.73	171	13.00	330	P181104	CAT 4M-9334, 7W-5317, SFTY=P158662 w/8 studs, SFTY=P158669 W/10 holes
11.09	282	6.73	171	16.00	406	P182046	LONG LIFE VERSION OF P181046, Safety=P119373, EON=EAF5046
11.09	282	6.73	171	16.00	406	P145700	KOMATSU, Safety=P119373
11.09	282	6.73	171	16.00	406	P181046	Donaldson FHG14 CYCLOPAC A/C, Safety=P119373, Long Life Primary=P182046
11.09	282	6.73	171	16.06	408	P181102	CAT 7M-9045, 7W-5316, SFTY=P521845 w/10 holes, SFTY=P158663 w/8 STUDS
11.10	282	4.33	110	1.81	46	P500069	HONDA 17220PM3Y01
11.10	282	6.69	170	14.01	356	P778096	LEYLAND DAF ACU8456
11.10	282	6.73	171	15.35	390	P772585	RENAULT RVI 5010094146, Safety=P123007
11.18	284	8.91	226	2.70	69	P524361	FORD V8-302, D2AZ9601A
11.18	284	9.00	230	2.04	52	P524376	FORD D3ZZ9601A
11.23	285	9.39	238	1.79	45	P524371	FORD D7EF9601AA, D7FZ9601A

## Air Primary – Continued

OUTER DIA.		INNER DIA.		LENGTH		PART NUMBER	PRIMARY APPLICATION
IN	MM	IN	MM	IN	MM		
11.28	287	4.49	114	1.76	45	P500077	MAZDA E30123603
11.30	287	4.72	120	.87	22	P500079	MAZDA B36613Z40
11.31	287	8.56	217	5.56	141	P524360	GM V8-366, V8-427 6423239
11.34	288	9.43	240	2.05	52	P500080	MAZDA B60323603
11.37	289	9.62	244	2.16	55	P524359	FORD 6CYL-300
11.42	290	7.08	180	17.76	451	P500047	HINO 178012590
11.49	292	8.12	206	13.00	330	P181118	CAT 1P-7716, 7W-5495, Safety=P158670 w/8 holes
11.50	292	7.25	184	15.68	398	P526509	MF 1044273M91
11.50	292	9.00	230	1.77	45	P524370	FORD D7ZZ9601A
11.53	293	8.70	221	2.30	58	P500054	SUZUKI 1378060A00
11.54	293	.71	18	14.88	378	P778375	LANCER BOSS P15324
11.59	294	8.98	228	10.00	254	P119595	IHC, MACK, PACCAR
11.61	295	8.78	223	1.57	40	P500019	TOYOTA 17801-15010
11.62	295	7.19	183	7.25	184	P526496	CASE A43734, Safety Filter is P526497
11.65	296	8.31	211	5.00	127	P524368	INT'L 446661C1,C2
11.68	297	8.11	206	5.00	127	P181187	FORD E3TZ9601C, EON=EAF5187
11.68	297	8.11	206	7.00	178	P181188	IHC 588213C1, EON=EAF5188
11.73	298	7.40	188	15.78	401	P776251	RENAULT 5000807196
11.83	300	7.15	182	12.80	325	P136837	VORTOX VF160A
11.87	301	10.25	260	17.66	449	P145859	TEREX 9039992
11.88	302	7.52	191	14.37	365	P777242	DAF 667078
11.89	302	7.52	191	13.31	338	P776252	MAN 81.08304.0072
11.89	302	7.52	191	14.98	380	P771575	DAF 667078
11.89	302	7.52	191	18.15	461	P778613	MERCEDES BENZ 0030941504
11.89	302	7.52	191	18.66	474	P771558	M.A.N. 81.08304.0044, Safety=P777551
12.00	305	7.29	185	15.00	381	P181134	CAT 4L-8464
12.00	305	7.32	186	10.76	273	P539484	CASE IH A17741
12.00	305	9.81	249	3.45	88	P524355	GM V8-305, V8-350, V8-454
12.00	305	9.88	251	5.47	139	P524369	GM V8-305, V8-350, V8-454, CHEV
12.08	307	7.72	196	18.49	470	P539481	STEIGER 906017S1
12.08	307	7.73	196	17.69	449	P539459	CASE IH 494730C91
12.08	307	7.73	196	18.48	469	P539455	Case IH 3240383R1, 3252645R91
12.08	307	7.73	196	21.07	535	P539471	METROPLEX M00709102
12.08	307	8.50	216	4.33	110	P777487	FORD 81DB9601DB
12.09	307	7.70	196	8.25	210	P528232	IHC 433127C91, FURN GASKET: P171198
12.09	307	7.71	196	15.65	398	P778856	KOMATSU 20801K1210
12.09	307	7.71	196	16.22	412	P771523	MACK/RVI FRI COACH
12.09	307	7.71	196	18.22	463	P780175	RENAULT 5010317060
12.09	307	7.71	196	18.54	471	P771521	RENAULT/RVI 5010066304
12.09	307	7.72	196	15.19	386	P181056	Donaldson EBB A/C, FRAM, IHC, WHITE, EON=EAF5056
12.09	307	7.72	196	16.20	411	P772523	IHC-DRESSER 1201733H1, FIAT 321549350
12.09	307	7.72	196	18.00	457	P145702	KOMATSU, Donaldson FHG AIR CLEANER, Safety=P145701
12.09	307	7.72	196	19.47	495	P136835	WHITE MOTOR 027000805
12.09	307	7.72	196	20.00	508	P182043	LONG LIFE VERSION OF P181043, Safety=P124860, EON=EAF5043
12.09	307	7.72	196	23.00	584	P182078	LONG LIFE VERSION OF P181078
12.09	307	7.72	196	23.00	584	P772506	O&K HR120C EXCAVATOR, Safety=P139293
12.09	307	7.73	196	7.00	178	P181030	Donaldson EBB14, 8.2L NAT& 8.2L TURBO, FORD, GM, EON=EAF5030
12.09	307	7.73	196	10.00	254	P182032	LONG LIFE VERSION OF P181032
12.09	307	7.73	196	10.00	254	P123918	IHC 346777R91
12.09	307	7.73	196	10.00	254	P181032	Donaldson SBG14 DONACLONE A/C, Long Life Primary=P182032
12.09	307	7.73	196	12.00	305	P121922	FORD, MACK WHITE MOTOR
12.09	307	7.73	196	13.00	330	P117327	UNIT RIG 23486, WHITE MOTOR 027090093
12.09	307	7.73	196	13.00	330	P182037	LONG LIFE VERSION OF P181037
12.09	307	7.73	196	13.00	330	P181037	Donaldson SBG14 DONACLONE, Long Life Primary=P182037
12.09	307	7.73	196	14.00	356	P181010	GMC PACCAR W/Donaldson FWG16 A/C
12.09	307	7.73	196	15.00	381	P182096	LONG LIFE VERSION OF P181096, EON=EAF5096
12.09	307	7.73	196	15.00	381	P181096	Donaldson EBB15 A/C, VOLVO/WHITE 22005-3202
12.09	307	7.73	196	15.35	390	P772586	RENAULT RVI 5000814797
12.09	307	7.73	196	15.75	400	P775804	RENAULT RVI 5010094154
12.09	307	7.73	196	16.00	406	P521055	FREIGHTLINER OFF HWY TRUCK
12.09	307	7.73	196	16.00	406	P181018	Donaldson EBB14 A/C, FORD D5HZ9601A
12.09	307	7.73	196	16.00	406	P182041	LONG LIFE VERSION OF P181041, Safety=P119370, EON=EAF5041

OUTER DIA.		INNER DIA.		LENGTH		PART NUMBER	PRIMARY APPLICATION
IN	MM	IN	MM	IN	MM		
12.09	307	7.73	196	16.00	406	P181041	Donaldson STG14 DONACLONE A/C, Safety=P119370, Long Life Primary=P182041
12.09	307	7.73	196	16.00	406	P181100	CUMMINS, FLEETGUARD AF263
12.09	307	7.73	196	16.00	406	P181076	Donaldson EAD16 A/C, FORD D5HZ9601B
12.09	307	7.73	196	17.24	438	P775918	SCANIA 395776-7087
12.09	307	7.73	196	17.25	438	P181136	IHC 472099C1
12.09	307	7.73	196	18.00	457	P181002	Donaldson FHG16 CYCLOPAC A/C, Safety=P119372, Long Life Primary=P182002, EON=EAF5002
12.09	307	7.73	196	18.00	457	P181015	Donaldson EBB14 OR EGB14 A/C, IHC 476743C1, Long Life Primary=P182015
12.09	307	7.73	196	18.00	457	P131343	IHC 680587C2
12.09	307	7.73	196	18.00	457	P182015	LONG LIFE VERSION OF P181015, EON=EAF5015
12.09	307	7.73	196	18.00	457	P182002	LONG LIFE VERSION OF P181002, Safety=P119372
12.09	307	7.73	196	18.58	472	P772567	LEYLAND-DAF MKZ2802
12.09	307	7.73	196	19.00	483	P181073	Donaldson FTG15 CYCLOPAC A/C, Safety=P127313
12.09	307	7.73	196	20.00	508	P270336	INDUSTRIAL BLOWER
12.09	307	7.73	196	20.00	508	P181043	Donaldson FVG14 CYCLOFLOW A/C, Safety=P124860, Long Life Primary=P182043
12.09	307	7.73	196	20.55	522	P772577	IVECO-PEGASO 171686
12.09	307	7.73	196	20.55	522	P772536	FIAT GEOTECH 1930900, PEGASO, Safety=P771073
12.09	307	7.73	196	21.00	533	P181183	STEIGER 90-4203T1
12.09	307	7.73	196	22.56	573	P775026	JOHN DEERE AZ45868
12.09	307	7.73	196	23.00	584	P181078	Donaldson FVG14 CYCLOFLOW A/C
12.09	307	7.73	196	24.00	610	P127308	Donaldson FTG15 AIR CLEANER, Safety=P127309
12.09	307	7.73	196	24.57	624	P772581	PERLINI 350087A
12.10	307	7.73	196	20.36	517	P539485	VERSATILE 22934
12.12	308	5.74	146	1.73	44	P500073	HONDA 17220PM4003
12.24	311	7.87	200	14.13	359	P777152	VOLVO 1542743, 1660619, 475386
12.38	314	9.26	235	1.97	50	P524397	TOYOTA CARS & LT TRKS, BMW
12.49	317	7.72	196	9.00	229	P181120	CAT 1P-8483, 7W-5313, SFTY-P158675 12", SFTY-P158677 15" both w/10 hls
12.49	317	9.13	232	18.50	470	P181124	CAT 1W-2516, 7W-5216, Safety=P158675 W/10 holes
12.50	318	7.50	190	22.25	565	P526512	MF 1051374M91, Safety=P526511
12.56	319	7.51	191	26.81	681	P546614	AIR MAZE CD1628610826, Safety=P546613, LONGER VERSION OF P526512
12.57	319	12.54	319	27.00	686	P136831	AIR MAZE CD1628500826, IHC
12.60	320	8.35	212	5.50	140	P524367	FORD V8-370, V8-475
12.62	321	9.75	248	5.00	127	P524362	INT'L 364302C91, 446661-C1
12.62	321	9.75	248	5.51	140	P524366	FORD V8-370, V8-429
12.63	321	8.42	214	8.24	209	P524365	INT'L 466400C1
12.74	324	8.38	213	8.00	203	P181005	Donaldson EBA15 A/C, COOLING AIR MACK 57MD21
12.74	324	8.38	213	9.31	236	P181113	CAT 4S-8833
12.74	324	8.38	213	11.00	279	P119417	IHC, FREIGHTLINER, WABCO
12.74	324	8.38	213	14.00	356	P181004	Donaldson EBA15 A/C, COMBUSTION AIR MACK 57MD31
12.74	324	8.38	213	14.04	357	P181114	CAT 4S-8337
12.74	324	8.38	213	15.75	400	P524344	VOLVO/WHITE V1115700, Safety=P521692
12.74	324	8.38	213	16.00	406	P151098	FLXIBLE BUS 14158154
12.74	324	8.38	213	16.00	406	P153971	TRANSIT BUS
12.74	324	8.38	213	17.03	433	P181057	Donaldson FWD16 OR FVG16, WHITE, FREIGHTLINER, Safety= P158050, EON=EAF5057
12.74	324	8.38	213	19.06	484	P182055	LONG LIFE VERSION OF P181055, Safety=P138037
12.74	324	8.38	213	19.06	484	P181055	Donaldson FVG16 A/C, WHITE, FREIGHTLINER, Safety=P138037
12.74	324	8.38	213	22.00	559	P181008	Donaldson EBA15 AIR CLEANER, Long Life Primary=P182008
12.74	324	8.38	213	22.00	559	P125744	GAS TURBINE ENGINE DOWNFLOW COLLECTOR
12.74	324	8.38	213	22.00	559	P182008	LONG LIFE VERSION OF P181008, EON=EAF5008
12.74	324	8.38	213	23.00	584	P128781	LOCOMOTIVE
12.74	324	8.38	213	24.03	610	P182049	LONG LIFE VERSION OF P181049, Safety= <del>P114991</del> P114664, EON=EAF5049
12.74	324	8.38	213	24.03	610	P181049	Donaldson FVG16 CYCLOFLOW A/C, Safety= <del>P114991</del> P114664, Long Life Primary=P182049
12.74	324	8.38	213	26.00	660	P181009	Donaldson EBA15 A/C, Long Life Primary=P182009
12.74	324	8.38	213	26.00	660	P181166	ROOF VACUUM DUST COLL.
12.74	324	8.38	213	26.00	660	P182009	LONG LIFE VERSION OF P181009, EON=EAF5009
12.74	324	8.38	213	26.00	660	P181186	VORTOX VF160R, Donaldson Endurance Version EAF5102
12.75	324	10.00	254	4.88	124	P777488	GM 7980474, 7980585
12.75	324	11.00	279	2.78	71	P524394	CHRYSLER 2863349
12.76	324	8.38	213	21.10	536	P772519	RENAULT 0003564135
12.83	326	6.57	167	13.94	354	P771582	MERCEDES-BENZ 0020942404
12.83	326	7.60	193	10.16	258	P771583	MERCEDES-BENZ 0010948304
12.87	327	6.33	161	10.16	258	P771595	MERCEDES-BENZ 0030944204
12.87	327	8.50	216	18.66	474	P775843	IVECO 1905710
12.87	327	8.50	216	19.69	500	P778081	FIAT 1907695
12.88	327	8.50	216	23.77	604	P780006	LIEBHERR 7368216

## Air Primary – Continued

OUTER DIA. IN (MM)	INNER DIA. IN (MM)	DEPTH IN MM	PART NUMBER	PRIMARY APPLICATION
12.91 x 9.92 (328 x 252)	4.53 x 3.01 (115 x 76)	2.15 55	P500010	MITSUBISHI MD604952

OUTER DIA. IN MM	INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION
13.00 330	11.22 285	2.80 71	P524356	GM 6483645, 6484963
13.09 332	7.99 203	16.22 412	P778779	VOLVO 1665898
13.28 337	11.28 287	2.53 64	P524398	FORD DOGY9601A
13.28 337	11.28 287	2.78 71	P524357	FORD V8-460 C8A29601A

OUTER DIA 1 IN MM	OUTER DIA 2 IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION
13.50 343	7.00 178	18.00 457	P528722	FARR ECO II 71338-004 (SHORT)

OUTER DIA. IN MM	INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION
13.54 344	8.50 216	1.67 42	P500070	HONDA 17220PH4601
13.82 351	8.27 210	14.09 358	P778605	VOLVO 15444490
13.83 351	9.49 241	11.75 298	P181108	CAT 4L-9853
13.83 351	9.49 241	14.00 356	P131404	IHC 346779R91
13.83 351	9.49 241	14.00 356	P182031	LONG LIFE VERSION OF P181031
13.83 351	9.49 241	14.00 356	P181031	Donaldson SBG16 DONACLONE A/C, Long Life Primary=P182031
13.83 351	9.49 241	15.00 381	P124370	IR 35254903
13.83 351	9.49 241	15.50 394	P182095	LONG LIFE VERSION OF P181095, EON=EAF5095
13.83 351	9.49 241	15.50 394	P181095	Donaldson EBB16 A/C, VOLVO/WHITE 22005-3201
13.83 351	9.49 241	15.68 398	P181115	CAT 5S-4282
13.83 351	9.49 241	16.00 406	P182036	LONG LIFE VERSION OF P181036
13.83 351	9.49 241	16.00 406	P181036	Donaldson SBG16 DONACLONE, CAT 6L-3313, Long Life Primary=P182036
13.83 351	9.49 241	17.75 451	P181109	CAT 5L-1203
13.83 351	9.49 241	17.88 454	P182039	LONG LIFE VERSION OF P181039, Safety=P114931, EON=EAF5039
13.83 351	9.49 241	18.00 457	P181193	CAT 4W-5716
13.83 351	9.49 241	18.00 457	P181039	Donaldson STG16 DONACLONE A/C, Safety=P114931, Long Life Primary=P182039
13.83 351	9.49 241	18.06 459	P181099	Donaldson EBB16, IHC, GMC, Long Life Primary=P182099
13.83 351	9.49 241	19.00 483	P181012	Donaldson EBA16 A/C-STANDARD, GMC
13.83 351	9.49 241	19.00 483	P182012	LONG LIFE VERSION OF P181012
13.83 351	9.49 241	21.02 534	P181185	Donaldson LONG EBB16 A/C
13.83 351	9.49 241	22.03 560	P181047	Donaldson FVG16 A/C, TEREX 9059569
13.83 351	9.49 241	23.00 584	P181058	Donaldson EBA16 A/C, PACCAR
13.83 351	9.49 241	25.00 635	P181061	Donaldson EBA16 A/C, GMC 717714
13.84 352	11.23 285	7.00 178	P119184	GMC
13.84 352	11.23 285	14.00 356	P118157	EUCLID, TEREX
13.84 352	7.48 190	6.88 175	P121607	CASE A44185, OLIVER 303089258
13.84 352	7.48 190	7.00 178	P522926	FORD E8HZ9601A
13.84 352	7.48 190	10.00 254	P181189	FORD E2HZ9601B
13.84 352	7.48 190	18.02 458	P181065	Donaldson EAD16 A/C, CUMMINS
13.84 352	7.48 190	18.06 459	P182099	LONG LIFE VERSION OF P181099, EON=EAF5099
13.84 352	7.48 190	19.00 483	P153973	FLXIBLE 97-5409-00182
13.84 352	7.48 190	21.02 534	P182185	LONG LIFE VERSION OF P181185
13.84 352	7.48 190	22.06 560	P181147	Donaldson EBB16 A/C, MACK
13.84 352	9.47 241	13.03 331	P527566	FORD, Donaldson EGB16 A/C
13.84 352	9.47 241	16.00 406	P153962	FLXIBLE BUS 97-5349-1, TREATED, P153972 IS UNTREATED VERSION
13.84 352	9.47 241	16.00 406	P153972	FLXIBLE BUS 97-5409-1, P153962 IS TREATED VERSION
13.84 352	9.47 241	20.00 508	P124867	Donaldson FVG16 CYCLOFLOW AIR CLEANER, Safety=P124866
13.84 352	9.48 241	26.00 660	P181011	Donaldson EBA16 AIR CLEANER, Long Life Primary=P182011
13.87 352	11.62 295	3.00 76	P524393	GM 6421746
13.88 353	11.61 295	4.05 103	P524373	GM V8-379, 8997189
13.88 353	9.95 253	29.00 737	P546761	AIR MAZE CD1830610826
14.28 363	9.92 252	18.00 457	P181210	CAT D10N 7W-9853, Safety=P525129
14.38 365	8.26 210	16.69 424	P539462	VOLVO 6888848
14.68 373	10.34 263	23.88 607	P182042	LONG LIFE VERSION OF P181042, Safety=P128408, EON=EAF5042



OUTER DIA.		INNER DIA.		LENGTH		PART NUMBER	PRIMARY APPLICATION
IN	MM	IN	MM	IN	MM		
14.68	373	10.34	263	24.00	610	P526415	CAT 4W-5228
14.68	373	10.34	263	24.02	610	P181042	Donaldson STG16 DONACLONE, Safety=P128408, Long Life Primary=P182042
15.09	383	8.70	221	15.34	390	P522874	MCI BUS #9G-3-37, EON=EAF5065
15.11	384	.85	22	27.04	687	P539461	INGERSOLL RAND 59710368
15.59	396	7.56	192	2.00	51	P500072	HONDA 17220PT0T01
16.62	422	12.03	306	16.00	406	P133709	IR 40070
16.62	422	12.03	306	24.00	610	P133714	DUST COLLECTORS
17.58	447	11.07	281	23.06	586	P181038	Donaldson SRG20/29 DONACLONE W/8" DIA. OUTLETS, Safety=P115070, Long Life Primary=P182028
17.58	447	12.22	310	19.03	483	P182048	TEREX 9059570, DRESSER VE1013, VE1195, DCI SRG20
17.58	447	12.22	310	19.03	483	P181048	Donaldson SRG20 A/C, TEREX 9059570
17.58	447	12.22	310	23.03	585	P182040	LONG LIFE VERSION OF P181040, Safety=P117781, EON=EAF5040
17.58	447	12.22	310	23.03	585	P181040	Donaldson SRG20/29 Donaclone w/10" DIA. Outlets, Safety=P117781, Long Life Primary=P182040
17.62	448	11.07	281	23.06	586	P182038	LONG LIFE VERSION OF P181038, Safety=P115070, EON=EAF5038
19.29	490	12.93	328	9.84	250	P181126	CAT 8N-6309, Safety=P523048, Primary, polyester wrap for high carbon Underground Mining=P521685
19.29	490	12.93	328	13.84	352	P535114	CATERPILLAR 4P0710
22.00	559	15.64	397	24.00	610	P529552	CATERPILLAR #105-9741

## Air Primary, DuraLite®

OUTER DIA.		INNER DIA.		LENGTH		PART NUMBER	PRIMARY APPLICATION
IN	MM	IN	MM	IN	MM		
4.50	114	1.50	38	4.50	114	C045001	DEUTZ ALLIS 1356376 & 71356376, FMC 309093, DONALDSON ECC A/C
4.50	114	1.50	38	4.50	114	D045003	INGERSOLL RAND 8524575
4.50	114	1.50	38	6.00	152	D045004	JOHN DEERE AM101283
4.50	114	1.50	38	8.00	203	C045002	AIR CLEANER, DURALITE ECC 04"
5.50	140	1.75	44	4.00	102	C055003	DEUTZ ALLIS 900025380434, MURPHY DIESEL MD43843, DONALDSON ECC A/C
5.50	140	1.75	44	7.00	178	D055004	GEHL CO 77628, JOHN DEERE AM100258, DONALDSON ECD A/C
5.50	140	1.75	44	7.00	178	C055002	GEHL CO 75986 & 79388, GENERAC CORP 73912, DONALDSON ECC A/C
6.50	165	2.00	51	4.00	102	D065003	FREIGHTLINER, TELEDYNE
6.50	165	2.00	51	4.00	102	C065001	E-Z GO CART 21959G1, JACOBSEN 330811, DONALDSON ECC A/C
6.50	165	2.00	51	7.50	190	C065002	FIAT-ALLIS 73253611, DONALDSON ECC A/C
6.50	165	2.00	51	9.00	229	D065008	FREIGHTLINER, THERMOKING 11-5978, DONALDSON ECD A/C
6.50	165	2.00	51	9.00	229	C065015	CARRIER TRANSICOLD 30-01077-01/16781, DONALDSON ECC A/C
6.50	165	2.25	57	5.00	127	C065003	YANMAR (DCI ECC065003)
8.50	216	2.50	64	4.00	102	C085001	BRODERSON 60012047, DONALDSON ECC A/C
8.50	216	2.50	64	5.00	127	C085005	LEROI 43867
8.50	216	2.50	64	6.50	165	C085002	FIAT ALLIS 73253613, GENERAC CORP 73267, DONALDSON ECC A/C
8.50	216	2.50	64	9.50	241	C085006	ISUZU X14210031
8.50	216	2.50	64	9.50	241	C085043	SAME AS C085006 WITH INNER LINER ADDED
8.50	216	3.00	76	5.00	127	C085003	LISTER DIESEL 000-03043, TIPPECANOE 3919046, DONALDSON ECC A/C
8.50	216	3.00	76	9.50	241	C085041	SAME AS C085004 WITH INNER LINER ADDED
8.50	216	3.00	76	9.50	241	C085004	CUMMINS 3908719, LEROI 438672, DONALDSON ECC A/C
8.50	216	3.00	76	11.00	279	B085001	CATERPILLAR 7C-1571, DONALDSON ECB A/C
8.50	216	3.00	76	11.00	279	B085048	MARINE OR OTHER HIGH MOISTURE ENVIRONMENTS
8.50	216	4.00	102	8.50	216	B085008	AIR CLEANER, DURALITE ECB 08"
8.50	216	4.00	102	11.00	279	B085011	CUMMINS 2912986, HERCULES B085008 & 40000642, DONALDSON ECB A/C
8.50	216	4.00	102	11.00	279	B085046	MARINE OR OTHER HIGH MOISTURE ENVIRONMENTS
10.50	267	4.00	102	6.00	152	C105028	JOHN DEERE RE63779A, ECC10 WITH RODENT LINER
10.50	267	4.00	102	6.00	152	C105003	LEROI 438673
10.50	267	4.00	102	10.50	267	C105017	SAME AS C105004 WITH INNER LINER ADDED
10.50	267	4.00	102	10.50	267	B105003	AIR CLEANER, DURALITE ECB 10"
10.50	267	4.00	102	10.50	267	C105004	GRIMMER-SCHMIDT, CUMMINS
10.50	267	4.00	102	10.50	267	B105006	CUMMINS 3912986, ISUZU X14210031, LEROI 438671
10.50	267	4.00	102	10.50	267	B105020	MARINE OR OTHER HIGH MOISTURE ENVIRONMENTS
10.50	267	5.00	127	15.00	381	B105002	GENERAC, SPARTAN MOTORS, DONALDSON ECB A/C
12.50	318	5.00	127	11.00	279	C125017	JOHN DEERE RE64564, ECC12 WITH RODENT LINER
12.50	318	5.00	127	11.00	279	C125004	FIAT ALLIS 73253513, PERKINS, DONALDSON ECC A/C
12.50	318	5.50	140	9.00	229	B125005	LEROI 43867
12.50	318	6.00	152	15.00	381	B125003	DEUTZ ALLIS 900025380434, DIVERSIFIED, DONALDSON ECB A/C

## Air Primary, EON<sup>®</sup>

OUTER DIA. IN	MM	INNER DIA. IN	MM	LENGTH IN	MM	PART NUMBER	PRIMARY APPLICATION
8.66	220	5.20	132	15.00	381	EAF5074	MACK, RVI, P771003 is standard version
8.66	220	5.21	132	28.00	711	EAF5073	Donaldson ECG09 A/C, P150692 is standard version
8.66	220	5.21	132	28.00	711	EAF5025	Donaldson EBA09 KONEPAC, P129472 is standard version
8.84	225	5.48	139	22.00	559	EAF5003	Donaldson FHG16 A/C, P181003 is standard version
9.21	234	4.85	123	13.00	330	EAF5034	Donaldson FHG12 A/C
9.22	234	4.84	123	10.00	254	EAF5035	Donaldson FWA12, FWG12 A/C
9.33	237	5.15	131	12.28	312	EAF5067	GM # 15619013, FORD # F3HZ9601A, P527484 is standard version
9.33	237	5.15	131	14.49	368	EAF5066	FREIGHTLINER, P526678 is standard version
9.33	237	5.15	131	18.50	470	EAF5105	Donaldson EPG11 AIR CLEANER, FREIGHTLINER FLN, STANDARD VERSION, P532966
9.50	241	6.89	175	27.44	697	EAF5048	FRAM CA2550, P151028 is standard version
10.40	264	6.03	153	11.90	302	EAF5019	Donaldson EBB12 A/C, P181019 is standard version
10.40	264	6.04	153	13.76	350	EAF5044	Donaldson STG12 A/C
10.40	264	6.04	153	15.00	381	EAF5014	Donaldson EBA13 A/C, P182014 is standard version
10.40	264	6.04	153	16.00	406	EAF5028	Donaldson EBB12 OR EBG12 A/C, P182028 is standard version
10.40	264	6.04	153	21.82	554	EAF5007	Donaldson EBA13 A/C, P182007 is standard version
10.40	264	6.04	153	26.00	660	EAF5016	Donaldson EBA13, P182016 is standard version
10.40	264	6.95	177	28.00	711	EAF5024	EBA11 Konepac, P129396 is standard version
10.40	264	6.95	177	28.00	711	EAF5061	Donaldson EBA11 A/C, P522293 is standard version
11.09	282	6.72	171	12.00	305	EAF5000	Donaldson FWA14, FWG14 A/C
11.09	282	6.73	171	16.00	406	EAF5046	Donaldson FHG14 A/C
11.09	282	6.78	172	23.44	595	EAF5100	Donaldson ERA13 A/C, FREIGHTLINER, PETERBILT, STANDARD VERSION, P534816
11.68	297	8.11	206	5.00	127	EAF5187	FORD E3TZ9601C, P181187 is standard version
11.68	297	8.11	206	7.00	178	EAF5188	IHC 588213C1, P181188 is standard version
11.83	300	7.37	187	24.00	610	EAF5060	Donaldson EBA13 A/C, P521598 is standard version
12.09	307	7.72	196	10.00	254	EAF5013	FORD DOHZ9601F, P182013 is standard version
12.09	307	7.72	196	14.00	356	EAF5001	Donaldson FWA16, FWG16 A/C
12.09	307	7.72	196	15.00	381	EAF5096	Donaldson EBB15 A/C, P182096 is standard version
12.09	307	7.72	196	15.19	386	EAF5056	Donaldson EBB14 A/C, P182056 is standard version
12.09	307	7.72	196	18.00	457	EAF5015	Donaldson EBB14 OR EBG14, P182015 is standard version
12.09	307	7.73	196	7.00	178	EAF5030	Donaldson EBB14 A/C, P182030 is standard version
12.09	307	7.73	196	16.00	406	EAF5041	Donaldson STG14 A/C
12.09	307	7.73	196	18.00	457	EAF5002	Donaldson FHG16 A/C
12.09	307	7.73	196	19.88	505	EAF5043	Donaldson FVG14 A/C
12.74	324	7.44	189	25.44	646	EAF5101	Donaldson ERA15 AIR CLNR, KENWORTH, PETERBILT, STANDARD VERSION, P534925
12.74	324	8.38	213	14.00	356	EAF5004	Donaldson EBA15 A/C, P182004 is standard version
12.74	324	8.38	213	17.03	433	EAF5057	Donaldson FWD16 OR FVG16 A/C, P182057 is standard version
12.74	324	8.38	213	22.00	559	EAF5008	Donaldson EBA15 A/C, P182008 is standard version
12.74	324	8.38	213	24.28	617	EAF5049	Donaldson FVG16 A/C
12.74	324	8.38	213	26.00	660	EAF5102	VORTOX, STANDARD VERSION, P181186
12.74	324	8.38	213	26.00	660	EAF5009	Donaldson EBA15 A/C, P182009 is standard version
12.75	324	8.32	211	23.99	609	EAF5027	Donaldson EBA13 KONEPAC, P142100 is standard version
12.75	324	8.32	211	28.00	711	EAF5026	Donaldson EBA13 KONEPAC, P141228 is standard version
13.06	332	6.78	172	18.15	461	EAF5104	Donaldson EPG15 AIR CLEANER, NAVISTAR, STANDARD VERSION, P533235
13.09	332	6.78	172	14.76	375	EAF5069	Donaldson EPG15 A/C, P527682 is standard version
13.83	351	9.49	241	17.88	454	EAF5039	Donaldson STG16 A/C
13.84	352	7.47	190	18.06	459	EAF5099	Donaldson EBB16 A/C, P182099 is standard version
13.84	352	9.47	241	15.50	394	EAF5095	Donaldson EBB16 A/C, P182095 is standard version
14.68	373	10.34	263	23.88	607	EAF5042	Donaldson STG16 A/C
15.09	383	8.70	221	15.34	390	EAF5065	MCI BUS # 9G-3-37, P522874 is standard version
17.58	447	12.22	310	23.03	585	EAF5040	Donaldson SRG20, SRG29 A/C
17.62	448	11.07	281	23.06	586	EAF5038	Donaldson SRG20, SRG29 A/C

## Air Primary, EON<sup>®</sup> Konepac

OUTER DIA. IN	MM	INNER DIA. IN	MM	LENGTH IN	MM	PART NUMBER	PRIMARY APPLICATION
10.40	264	6.95	177	28.00	711	EAF5029	Donaldson ECG11 KONEPAC A/C, P150694 is standard version
10.62	270	6.69	170	20.02	508	EAF5055	Donaldson ECG11 A/C, P155842 is standard version
10.62	270	6.69	170	22.02	559	EAF5053	Donaldson ECG11 A/C, P153551 is standard veresion
10.62	270	6.69	170	28.20	716	EAF5047	Donaldson ECG11 KONEPAC A/C, P150695 is standard version

## Air Primary, Finned

OUTER DIA.		INNER DIA.		LENGTH		PART NUMBER	PRIMARY APPLICATION
IN	MM	IN	MM	IN	MM		
3.26	83	1.68	43	7.00	178	P102745	FWG04, CLARK, TORO, ADVANCE MACHINE, P148970—High Pulsation Version
3.26	83	1.68	43	7.00	178	P148970	Donaldson FW04 CYCLOPAC AIR CLEANER, For High Pulsation Applications, P102745—Standard Version
3.26	83	1.68	43	7.00	178	P121240	KUBOTA
3.27	83	1.67	42	7.00	178	P526801	KUBOTA 15852–11080, CASE 1585211080
3.27	83	1.79	45	7.00	178	P148113	KUBOTA W/TOKYO ROKI AIR CLEANER
4.08	104	2.49	63	9.00	229	P108736	MF 1032762M91, Safety=P120949
4.08	104	2.49	63	10.00	254	P182050	LONG LIFE VERSION OF P181050, P122510—Flame Retardant Version
4.08	104	2.49	63	10.00	254	P148969	Donaldson FW05 CYCLOPAC AIR CLEANER, For High Pulsation Applications
4.08	104	2.49	63	10.00	254	P122510	FLAME RETARDANT, UL APPROVED, Safety=P120949, Long Life Primary=P182050
4.08	104	2.49	63	10.00	254	P181050	Donaldson FWA05 OR FWG05 CYCLOPAC A/C, FHG Safety=P120949, Long Life Primary=P182050, P122510=Flame Retardant
4.08	104	2.49	63	14.00	356	P182072	LONG LIFE VERSION OF P181072, Safety=P120307, P148967—High Pulsation Version
4.08	104	2.49	63	14.00	356	P181072	Donaldson FHG05 CYCLOPAC A/C, Safety=P120307, P148967—High Pulsation Version
4.09	104	2.48	63	8.00	203	P533597	JOHN DEERE AM108184, Safety=P535366
4.09	104	2.48	63	10.00	254	P814723	KOMATSU FORKLIFT 3EA–01–18130
4.09	104	2.48	63	14.00	356	P535337	HYSTER 1377093, UL APPROVED USE WITH P535338 SAFETY
4.09	104	2.49	63	8.03	204	P775749	NISSAN 16546–05H10
4.09	104	2.49	63	8.54	217	P776356	JCB 32/905301, Safety=P776357
5.23	133	3.65	93	15.00	381	P119135	MASSEY FERGUSON, NEW HOLLAND, Safety=P114500
5.24	133	2.50	64	11.57	294	P776636	TOYOTA 17801–23001–71
5.24	133	2.62	67	11.57	294	P771547	FIAT GEOTECH 1909139
5.24	133	2.83	72	8.50	216	P776360	ARRF ARM27–50, FRAM CA4412, FTGD AF1829
5.24	133	2.83	72	13.98	355	P776358	JCB 32/206002
5.24	133	3.22	82	11.42	290	P776730	TOYOTA 17806–23800–71
5.24	133	3.30	84	11.57	294	P776615	TOYOTA 17803–23001–71
5.25	133	2.62	67	11.00	279	P814749	FENDT F278201090020, KOMATSU, Z76–01–11630, Safety=P123160
5.25	133	2.64	67	9.00	229	P136258	JOHN DEERE AH19848
5.25	133	2.64	67	11.00	279	P122514	FLAME RETARDANT. UL APPROVED, Primary=P181052, Long Life Primary=P182052
5.25	133	2.64	67	11.00	279	P148966	Donaldson FW06 CYCLOPAC AIR CLEANER, For High Pulsation Applications
5.25	133	2.64	67	11.00	279	P181052	Donaldson FWA06 OR FWG06 CYCLOPAC, Long Life Primary=P182052, P122514=Flame Retardant
5.25	133	2.64	67	11.00	279	P123159	MASSEY FERGUSON 1043326M91
5.25	133	2.64	67	11.00	279	P182052	LONG LIFE VERSION OF P181052, P122514—Flame Retardant Version
5.25	133	2.64	67	14.00	356	P131359	IHC 383731R93
5.25	133	3.26	83	12.00	305	P130761	IHC 924779C2, UL APPROVED
5.25	133	3.26	83	12.00	305	P130760	JOHN DEERE AE31723 AR84228, Safety=P126984
5.25	133	3.26	83	15.00	381	P182062	LONG LIFE VERSION OF P181062, Safety=P119539
5.25	133	3.26	83	15.00	381	P148586	Donaldson FHG06 CYCLOPAC AIR CLEANER, For High Pulsation Applications, Safety=P119539
5.25	133	3.26	83	15.00	381	P181062	Donaldson FHG06 CYCLOPAC A/C, Safety=P119539, P148586=High Pulsation Primary
6.08	154	3.49	89	11.00	279	P181093	Donaldson FHG08 A/C, MASSEY FERG 1096468M91, Safety=P124767
6.08	154	3.49	89	12.00	305	P148968	Donaldson FW08 CYCLOPAC AIR CLEANER, For High Pulsation Applications, Primary=P181054, Long Life Prmy–P182054
6.08	154	3.49	89	12.00	305	P182054	LONG LIFE VERSION OF P181054, P148968—High Pulsation Version
6.08	154	3.49	89	12.00	305	P181054	Donaldson FWA08 OR FWG08 CYCLOPAC, Long Life Primary=P182054, P148968—High Pulsation Version
6.08	154	3.49	89	15.00	381	P181059	Donaldson FHG08 CYCLOPAC A/C, Safety=P112212, High Pulsation Primary=P148573
6.08	154	3.49	89	15.00	381	P148573	Donaldson FHG08 CYCLOPAC AIR CLEANER, For High Pulsation Applications, Safety=P119410, Primary=P181059, Long Life Primary=P182059
6.08	154	3.49	89	15.00	381	P182059	LONG LIFE VERSION OF P181059, Safety=P112212, P148573—High Pulsation Version
6.09	155	3.47	88	15.00	381	P815288	Donaldson FHG AIR CLEANER G088237
6.09	155	3.48	88	12.00	305	P122492	CASE, CLARK, UL APPROVED VERSION OF P181054
6.09	155	3.48	88	14.11	358	P771548	JOHN DEERE AL30394, Safety=P770960
6.09	155	3.48	88	14.98	380	P772550	FIAT 79072797, VOLVO 3576571, Safety=P119410
6.10	155	3.46	88	11.77	299	P776830	JCB 32/906801
6.10	155	3.46	88	14.96	380	P772554	Donaldson FLG08 AIR CLEANER HOUSINGS
6.10	155	3.46	88	15.51	394	P773605	JCB 32/903601

## Air Primary, Finned – Continued

OUTER DIA.		INNER DIA.		LENGTH		PART NUMBER	PRIMARY APPLICATION
IN	MM	IN	MM	IN	MM		
6.80	173	4.24	108	15.00	381	P526840	CASE IH 510B LDR, TD8 CRWLR, #1129111C1
6.84	174	3.49	89	15.00	381	P131331	IHC 690049C2, Safety=P114500
6.84	174	4.23	107	20.00	508	P533233	KOBELCO 2446R255S5, Safety=P533234
6.84	174	4.24	108	10.00	254	P130763	JOHN DEERE AT33363
6.84	174	4.24	108	14.00	356	P132935	CASE A47032
6.84	174	4.24	108	16.00	406	P182063	LONG LIFE VERSION OF P181063, Safety=P119778
6.84	174	4.24	108	16.00	406	P181063	Donaldson FHG09 CYCLOPAC A/C, Safety=P119778, Long Life Primary=P182063
7.91	201	5.32	135	16.54	420	P771555	FIAT GEOTECH 1930603
7.91	201	5.32	135	16.54	420	P772555	CAT 100-6846, FIAT 1930603, PERKINS 26510317
7.93	201	3.57	91	10.00	254	P182045	LONG LIFE VERSION OF P181045
7.93	201	3.57	91	12.00	305	P101038	GMC MURPHY DIESEL
7.93	201	3.57	91	13.00	330	P104445	FIAT ALLIS 73039921
7.93	201	3.57	91	16.00	406	P110854	IHC 343731R91
7.93	201	4.57	116	10.00	254	P181045	Donaldson FWA10 OR FWG10 CYCLOPAC A/C, Long Life Primary=P182045
7.93	201	5.32	135	16.00	406	P182064	LONG LIFE VERSION OF P181064, Safety=P119375
7.93	201	5.32	135	16.00	406	P181064	Donaldson FHG10 CYCLOPAC, Safety=P119375, Long Life Primary=P182064
7.95	202	3.54	90	14.09	358	P771511	FIAT 920007502
7.95	202	4.57	116	11.81	300	P775732	HINO 17801-1080
9.21	234	4.85	123	8.00	203	P181024	MOTORCRAFT FA560, CAT 2N1990
9.21	234	4.85	123	10.00	254	P181035	Donaldson FWA12 OR FWG12 CYCLOPAC A/C, Long Life Primary=P182035, Flame Retardant=P122525
9.21	234	4.85	123	10.00	254	P182035	LONG LIFE VERSION OF P181035
9.21	234	4.85	123	10.00	254	P118343	IHC
9.21	234	4.85	123	13.00	330	P130770	JOHN DEERE AT27824
9.22	234	4.84	123	10.00	254	P127914	FORD DOHZ9601D, MOTORCRAFT FA78
10.40	264	6.04	153	15.98	406	P771531	BENFRA 40199
11.09	282	6.72	171	12.00	305	P122529	FLAME RETARDANT UL APPROVED, Long Life Primary=P182000, SMP Primary=P181000
11.09	282	6.73	171	10.00	254	P127915	FORD DOHZ9601B, MOTORCRAFT FA76
11.09	282	6.73	171	12.00	305	P182000	LONG LIFE VERSION OF P181000, P122529=Flame Retardant Primary
11.09	282	6.73	171	12.00	305	P181000	Donaldson FWA14 OR FWG14 CYCLOPAC A/C, P182000=Long Life Primary, P122529=UL Approved Primary, EON=EAF5000
11.09	282	6.73	171	15.00	381	P181077	Donaldson FHG14 A/C, JOY, COLT
11.09	282	6.73	171	16.00	406	P181023	FORD DOHZ9601A MOTORCRAFT FA573
12.09	307	7.73	196	10.00	254	P182013	LONG LIFE VERSION OF P181013, Safety=P524815, EON=EAF5013
12.09	307	7.73	196	10.00	254	P181013	FORD DOHZ9601F MOTORCRAFT F186, Safety=P524815
12.09	307	7.73	196	14.00	356	P182001	LONG LIFE VERSION OF P181001
12.09	307	7.73	196	14.00	356	P181001	Donaldson FWA16 OR FWG16 CYCLOPAC A/C, Long Life Primary=P182001, EON=EAF5001
12.09	307	7.73	196	18.00	457	P181079	Donaldson FHG16 A/C, JOY, COLT
13.83	351	9.49	241	14.00	356	P181066	Donaldson FWA16 A/C, PACCAR
13.84	352	7.48	190	12.00	305	P181060	Donaldson FWD16 A/C, WHITE, FREIGHTLINER
13.84	352	9.47	241	18.00	457	P181053	Donaldson FWD16 CYCLOPAC, DETROIT DIESEL

## Air Primary, Konepac

OUTER DIA.		INNER DIA.		LENGTH		PART NUMBER	PRIMARY APPLICATION
IN	MM	IN	MM	IN	MM		
2.99	76	1.86	47	13.15	334	P137285	SAME TRACTOR, Primary=P137293
5.83	148	3.32	82	12.42	315	P770397	FIAT, SAME, Safety=P770398
5.87	149	3.14	80	13.03	331	P137293	SAME TRACTOR, Safety=P137285
7.01	178	3.62	92	15.63	397	P776158	FORD 81DB-9601-TB
7.36	187	4.68	119	23.31	592	P775945	VOLVO 6792554
8.27	210	4.74	120	18.58	472	P776159	E.R.F. 95708-8, LEYLAND-DAF
8.66	220	5.20	132	15.00	381	P771003	RENAULT RV1 5010039162, MACK, EON=EAF5074
8.66	220	5.20	132	28.02	712	P150693	Donaldson ECG09 KONEPAC, P150693-Long Life Primary, P148044-Carbon Treated Primary
8.66	220	5.21	132	15.00	381	P136646	Donaldson EBA09 KONEPAC UNTREATED, MACK, GMC
8.66	220	5.21	132	15.00	381	P130959	Donaldson EBA09, CARBON TREATED W/CVR GASKET
8.66	220	5.21	132	19.29	490	P138428	LEYLAND-DAF ACU3994, RENAULT 5000807395
8.66	220	5.21	132	22.00	559	P141339	IHC 574845C1
8.66	220	5.21	132	28.00	711	P148044	Donaldson ECG09 KONEPAC-TREATED AIR CLEANER, P150692-Primary, P150693-Long Life Primary, EON=EAF5073
8.66	220	5.21	132	28.00	711	P140822	Donaldson EBA09 KONEPAC-STANDARD (REV. FLOW), P129472-Carbon Treated w/cvr gasket, EON=EAF5025
8.66	220	5.21	132	28.00	711	P129472	Donaldson EBA09 KONEPAC-TREATED W/CVR GASKET, P140822-Reverse Flow Version, EON=EAF5025



OUTER DIA. IN MM		INNER DIA. IN MM		LENGTH IN MM		PART NUMBER	PRIMARY APPLICATION
8.66	220	5.21	132	28.00	711	P150692	Donaldson ECG09 KONEPAC-STANDARD, P148044-Carbon Treated Primary, P150693-Long Life Primary, EON=EAF5073
9.88	251	6.22	158	19.53	496	P776765	E.R.F. 95518-0
10.40	264	6.95	177	22.00	559	P141317	IHC 574844C1
10.40	264	6.95	177	22.00	559	P154575	Donaldson SHORT ECG11 KONEPAC SERIES, CONTAINS CARBON TREATMENT, P153551-Standard Primary
10.40	264	6.95	177	28.00	711	P129396	Donaldson EBA11 KONEPAC-TREATED W/COVER GASKET, PACKAGED GASKET P117477, P151097-Non-Treated w/ Cover Gasket, EON=EAF5024
10.40	264	6.95	177	28.00	711	P151097	Donaldson EBA11 KONEPAC-STANDARD, P129396-Carbon Treated Filter, EON=EAF5024
10.40	264	6.95	177	28.00	711	P150694	Donaldson ECG11 KONEPAC -STANDARD, P150695-Long Life Primary, P148043-Carbon Treated Primary, EON=EAF5029
10.40	264	6.95	177	28.00	711	P522293	Donaldson EBA11 KONEPAC, PACAKGED GASKET P154686, EON=EAF5061
10.40	264	6.95	177	28.00	711	P148043	Donaldson ECG11 KONEPAC-TREATED AIR CLEANER, P150694-Standard Primary, P150695-Long Life Primary, EON=EAF5029
10.62	270	6.69	170	20.02	508	P155842	Donaldson SHORT ECG11 A/C, GMC 15527863, EON=EAF5055
10.62	270	6.69	170	22.02	559	P537791	Donaldson SHORT ECG11 KONEPAC-STANDARD, PAINTED COVER VERSION OF P153551
10.62	270	6.69	170	22.02	559	P153551	Donaldson SHORT ECG11 KONEPAC SERIES-STD, P154575-Carbon Treated Primary, EON=EAF5053
10.62	270	6.69	170	28.02	712	P150695	Donaldson ECG11 KONEPAC, P150694-Standard Primary, P148043-Carbon Treated Primary, EON=EAF5047
11.50	292	6.57	167	19.72	501	P776157	LEYLAND-DAF BBU8384
11.50	292	8.11	206	20.08	510	P778601	DEUTZ 91091764
11.83	300	7.37	187	24.00	610	P521598	Donaldson EBA13 KONEPAC, KENWORTH, PETERBILT, EON=EAF5060
11.89	302	7.52	191	19.06	484	P771573	SCANIA #261185, MANN & H C30880/1
12.74	324	8.32	211	24.00	610	P142100	Donaldson EBA13 KONEPAC-TREATED, EON=EAF5027
12.75	324	8.32	211	23.99	609	P530866	JEFFREY DRESSER 4110 RAMCAR EXH FILTER 516372
12.75	324	8.32	211	28.00	711	P141228	Donaldson EBA13 KONEPAC AIR CLEANER, EON=EAF5026

## Air Primary, Oval

OUTER DIA. IN (MM)		INNER DIA. IN (MM)		DEPTH IN MM		PART NUMBER	PRIMARY APPLICATION
7.15 x 2.82 (182 x 72)	14.00 x 9.67 (356 x 246)	6.04	153	P536434	FORD LIGHT TRUCK, F5TZ9601A		
10.41 x (264 x)	8.44 x (214 x)	2.31	59	P528209	GM 25040489, AC 4772C		
10.44 x (265 x)	8.94 x (227 x)	1.89	48	P524379	GM 8996528		
10.56 x (268 x)	9.06 x (230 x)	2.12	54	P524378	GM 1980+ MODELS, 8996555		

## Air Primary, PLEXUS, RadialSeal®

OUTER DIA. IN MM		INNER DIA. IN MM		LENGTH IN MM		PART NUMBER	PRIMARY APPLICATION
9.33	237	5.80	147	25.04	636	P540731	MACK 57MD46M
9.33	237	5.15	131	12.28	312	P530300	FORD F SERIES CARGO #F3HZ9601B, MCFT FA1603, Safety=P527680
9.33	237	5.80	147	23.03	585	P531026	FREIGHTLINER COE
11.09	282	5.80	147	15.15	385	P539186	KENWORTH T2000
11.09	282	6.78	172	15.15	385	P542101	KW T2000 PETERBILT 387
<del>13.07</del>	<del>332</del>	<del>6.78</del>	<del>172</del>	<del>14.76</del>	<del>375</del>	<del>P535717</del>	<del>FREIGHTLINER FL112, FOR SAFETY USE P527683</del> Canceled, use EAF5069

## Air Primary, RadialSeal®

OUTER DIA. IN MM		INNER DIA. IN MM		LENGTH IN MM		PART NUMBER	PRIMARY APPLICATION
3.54	90	1.77	45	7.05	179	P822686	Donaldson FPG04 AIR CLEANERS, USE WITH SAFETY P535396
4.13	105	2.68	68	11.81	300	P772578	FIAT 1930591, L.PETTER 36608105, Safety=P775298
4.16	106	2.36	60	10.43	265	P831424	Donaldson FPG05 AIR CLEANER, UL APPROVED
4.16	106	2.36	60	10.43	265	P821575	Donaldson FPG05* AIR CLEANERS, Safety=P822858
5.08	129	3.20	81	11.97	304	P532410	Donaldson FHG06, CLARK LIFTTRUCK, 4G64 MITSUBISHI, UL APPROVED USE WITH SAFETY P534885
5.08	129	3.20	81	11.97	304	P822768	Donaldson FPG06 A/C, Safety=P822769 i
5.44	138	3.20	81	10.71	272	P829964	TOYOTA 17743U110071, UL APPROVED FLAME RETARDENT VERSION OF P827655 - USE WITH SAFETY P831079
5.44	138	3.20	81	10.71	272	P827655	TOYOTA 177432360071, 177412360071, USE WITH SAFETY P831079

## Air Primary, RadialSeal® – Continued

OUTER DIA. IN	MM	INNER DIA. IN	MM	LENGTH IN	MM	PART NUMBER	PRIMARY APPLICATION
5.44	138	3.20	81	12.67	322	P827653	Donaldson FPG07 AIR CLEANERS
5.44	138	3.20	81	12.67	322	P535770	Donaldson FPG07 AIR CLEANERS WITH, UL APPROVED
5.44	138	3.20	81	15.15	385	P536940	CASE/IH 128781A1, Safety=P536941
5.59	142	3.62	92	12.99	330	P772579	FIAT 1930587, L.PETTER 366-08109, Safety=P775300
6.14	156	3.15	80	9.80	249	P778507	IVECO 1908234
6.14	156	3.15	80	13.54	344	P778509	IVECO 1908233
6.48	165	3.58	91	13.66	347	P828889	Donaldson FPG08 AIR CLEANERS, Safety=P829333
6.49	165	3.58	91	10.65	271	P536733	GM CK SERIES PICKUPS/VANS, STANDARD LIFE ELEMENT
6.50	165	3.96	101	13.90	353	P772580	FIAT 1930589, CAT 110-6326, IR 92793025, Safety=P775302
7.24	184	3.58	91	10.65	271	P536732	GM CK SERIES PICKUPS/VANS, Long Life ELEMENT
7.50	190	3.58	91	10.65	271	P537729	GM 25173425, USES PLEXUS WRAP MATERIAL, P536733, P536732 STANDARD AND HEAVY DUTY W/O WRAP
7.52	191	3.90	99	13.31	338	P777578	FENDT H3112000901
7.95	202	4.84	123	14.57	370	P777588	M.A.N.
7.95	202	4.84	123	20.35	517	P777592	DAF ACHD040
8.02	204	4.20	107	9.47	241	P532703	CHRYSLER 3242-4713953
8.18	208	4.17	106	6.07	154	P533109	CATERPILLAR LIFTTRUCKS V50E, T50E, USE WITH SAFETY P533110
8.18	208	4.17	106	6.95	177	P533651	CATERPILLAR 102-9388
8.18	208	4.17	106	15.09	383	P547331	CASE IH 187471A1
8.18	208	4.82	122	14.06	357	P821883	HITACHI 4283861, Safety=P821908
8.18	208	4.17	106	16.12	409	P778214	Donaldson FRG10 AIR CLEANER
8.19	208	4.33	110	16.14	410	P777638	FENDT, JCB, LIEBHERR
9.22	234	4.61	117	12.00	305	P532499	CATERPILLAR 6I-2499, Safety=P532500
9.33	237	5.15	131	12.28	312	P527484	GM TRUCK #15619013,FORD F3HZ9601A, MTCFT FA1119, Safety=P527680, EON=EAF5067
9.33	237	5.15	131	13.00	330	P536457	Donaldson FRG11 AIR CLEANERS, CAT EXCAVATORS
9.33	237	5.15	131	13.15	334	P832150	HINO 178013000
9.33	237	5.15	131	14.06	357	P821938	HITACHI 4286128
9.33	237	5.15	131	14.49	368	P526678	FREIGHTLINER, EON=EAF5066
9.33	237	5.15	131	15.15	385	P533654	JOHN DEERE RE34966
9.33	237	5.15	131	15.80	401	P536036	MINIBUS ME073821
9.33	237	5.15	131	21.50	546	P538392	JOHN DEERE AT178583, USE WITH SAFETY P538393
9.33	237	5.15	131	23.26	591	P539765	NAVISTAR 3507421C1, DONALDSON ERA11 AIR CLEANER HOUSINGS
9.33	237	5.80	147	23.03	585	P534096	PETERBILT TRUCK, MODEL 385
9.64	245	5.15	131	24.61	625	P537355	DONALDSON ERA11 AIR CLNR, FRTLNR CLASSIC XL
11.09	282	5.80	147	12.88	327	P532501	CATERPILLAR 6I-2501, Safety=P532502
11.09	282	5.80	147	15.15	385	P533930	Donaldson EPG13 RADIALSEAL AIR CLEANERS, Safety=P533890
11.09	282	5.80	147	15.15	385	P533655	JOHN DEERE RE51629
11.09	282	5.80	147	15.94	405	P532503	Donaldson FRG13 RADIALSEAL A/C, CAT 6I-2503, Safety=P532504
11.09	282	6.78	172	23.44	596	P534816	KENWORTH & PETERBILT CONVENTIONALS, DONALDSON ERA13 AIR CLEANER, Donaldson Endurance EAF5100
11.09	282	5.80	147	10.15	258	P536448	CHRYSLER RAM 6500, Safety=P536442
11.09	282	5.80	147	21.15	537	P537778	CASE IH 132151A1, USE WITH SAFETY P537779
11.09	282	5.82	148	20.08	510	P537876	CASE IH 275809A1, LINK BELT E3H0146, Safety=P537877
11.09	282	6.78	172	14.19	360	P536577	NISSAN D654629100
11.10	282	6.77	172	20.08	510	P777409	VOLVO 11110022
11.50	292	7.19	183	13.00	330	P532473	CATERPILLAR 6I-0273, Safety=P532474
11.96	304	6.81	173	17.09	434	P778335	SCANIA 1335679
11.98	304	6.64	169	18.00	457	P778924	KAESSBOHRER 83191471870
12.00	305	6.65	169	20.24	514	P778336	SCANIA 1335678
12.01	305	6.65	169	18.58	472	P777579	M.A.N. 81083040083
12.31	313	6.99	178	20.08	510	P777868	TEREX 15270188, USE WITH SAFETY P777869
12.32	313	7.01	178	22.44	570	P777871	VOLVO, VAN HOOL, USE WITH SAFETY P777875
12.34	313	7.00	178	22.44	570	P778674	Van Hool Bus 10591354
12.50	318	8.21	208	15.02	382	P532505	CATERPILLAR 6I-2505, 1P-8482, Safety=P532506
12.50	318	8.21	208	15.02	382	P532507	CATERPILLAR 6I-2507, 6N-6444, Safety=P532508
12.50	318	8.21	208	18.52	470	P532509	CATERPILLAR 6I-2509, Safety=P532510
12.50	318	8.21	208	21.10	536	P536527	CASE IH 908300T1
12.74	324	7.44	189	25.44	646	P534925	KENWORTH & PETERBILT CONVENTIONALS, DONALDSON ERA15 AIR CLEANER, Donaldson Endurance EAF5101
13.09	332	6.78	172	14.76	375	P527682	Donaldson EPG15" AIR CLEANER, Safety=P527683, EON=EAF5069
13.09	332	6.78	172	16.85	428	P533814	FORD F6HZ9601BA, MOTORCRAFT FA1636
13.09	332	6.78	172	18.15	461	P533235	NAVISTAR 2005895C1, Donaldson Endurance EAF5104
13.09	332	7.69	195	15.94	405	P540388	VOLVO 8076195
13.50	343	8.20	208	17.23	438	P533938	FORD F6HZ9601CA, MOTORCRAFT FA1637
14.28	363	8.98	228	15.03	382	P538007	CATERPILLAR D11N, 1236855

OUTER DIA.		INNER DIA.		LENGTH		PART NUMBER	PRIMARY APPLICATION
IN	MM	IN	MM	IN	MM		
14.28	363	8.98	228	18.90	480	P781398	VOLVO 11110217, USE WITH SAFETY P781399
14.28	363	8.98	228	17.61	447	P533882	CATERPILLAR 777 ORE TRUCK, 106-3969, Safety=P533884

## Air Primary, Special

OUTER DIA 1		OUTER DIA 2		LENGTH		PART NUMBER	PRIMARY APPLICATION
IN	MM	IN	MM	IN	MM		
9.75	248	6.00	152	24.00	610	P524837	FARR ECOII #71338-001, UNITED F-ECOII-9X24
11.00	279	7.00	178	25.75	654	P154927	FARR ECOII #71338-002, UNITED F-ECOII 11X24
13.50	343	7.00	178	24.00	610	P524838	FARR ECOII #71338-003, UNITED F-ECOII-13X24

## Air Primary, Wrap

PART NUMBER	CONTENTS OR USAGE
P521685	CATERPILLAR 8N-2555, Polyester wrap for P181126 (for high carbon underground mining apps)
P521686	CATERPILLAR 4W-7103, POLYESTER WRAP FOR P529552

## Air Safety

OUTER DIA.		INNER DIA.		LENGTH		PART NUMBER	PRIMARY APPLICATION
IN	MM	IN	MM	IN	MM		
2.10	53	1.9	48	10.25	260	P520511	UAC 250C126S MF 1094269M1
2.28	58	2.04	52	7.13	181	P776357	JCB 32/905302, Primary=P776356
2.38	60	1.87	47	13.00	330	P535338	HYSTER 1377096, USE WITH P535337 PRIMARY
2.38	60	1.91	49	7.00	178	P535366	JOHN DEERE AM108185, Primary=P533597
2.46	62	1.91	49	8.26	210	P120949	CLARK 6598222, Primary=P108736 OR P122510
2.46	62	1.91	49	13.00	330	P120307	ADVANCE, CARRIER, CASE, NEW HOLLAND, Primary=P181072
2.46	62	1.94	49	9.00	229	P141278	DCI NDLCYCLOPAC A/C R804518
2.59	66	2.15	55	10.00	254	P123160	CLARK, MASSEY FERGUSON, ALLIS CHALMERS, Primary=P771592
2.60	66	2.12	54	10.39	264	P776565	CASE E41535
2.76	70	1.97	50	11.16	283	P777523	FENDT F345200090010, Primary=P140131
2.76	70	2.40	61	7.24	184	P776895	JCB 32/905002
2.76	70	2.40	61	9.06	230	P778833	ATLAS COPCO 1613740700, USE WITH PRIMARY P780272
2.76	70	2.40	61	10.02	254	P770181	MASSEY FERGUSON 3595519M1, FLG Primary=P772549, ELB Primary=P772552
2.76	70	2.40	61	10.98	279	P778361	JCB 32203703
2.76	70	2.40	61	12.13	308	P770207	FIAT GEOTECH 1930537, RENAULT 5010140506, Primary=P772565
2.87	73	2.86	73	7.48	190	P775704	FENDT X810270072, Primary=P771594
2.91	74	1.89	48	10.20	259	P776566	CASE E43789
2.94	75	1.88	48	9.65	245	P526864	CASE K200380, Primary=P776341
2.94	75	2.38	60	9.94	252	P526501	FORD D6NN-9R500-A
2.94	75	2.38	60	13.38	340	P526504	FORD D6NN-9R-500B, Primary=P522505
2.95	75	1.89	48	11.18	284	P778090	MASSEY FERGUSON 1678295M1
3.00	76	2.40	61	11.00	279	P130776	DEERE AL27159, FIAT 1909129, SAME 2.4249.050.4
3.00	76	2.40	61	14.00	356	P119539	Donaldson FHG06 CYCLOPAC, Primary=P181062
3.13	80	2.15	55	10.00	254	R804523	KOMATSU 3EB-02-25550, USE PRIMARY P771559
3.15	80	2.24	57	7.87	200	P777759	DEUTZ 4308634
3.15	80	2.25	57	12.83	326	P777524	MERCEDES 0020943304, Primary=P181089
3.19	81	2.50	64	10.39	264	P776623	TOYOTA 17804-23000-71
3.27	83	2.12	54	9.33	237	P500096	KOMATSU 6001817360
3.31	84	2.60	66	11.02	280	P778339	KOMATSU 6001819480
3.35	85	2.27	58	10.00	254	P158671	CAT 4N-0313, Primary=P526749
3.35	85	2.27	58	13.00	330	P112212	WHITE FARM 165807A, IHC, Primary=P181059
3.36	85	2.90	74	9.00	229	P541582	JOHN DEERE AL27160, Primary=P130763
3.36	85	2.93	74	9.00	229	P770735	MASSEY FERGUSON 3595501M1, Primary=P770829
3.39	86	2.93	74	10.16	258	P775373	JCB 321906802, Primary=P771584
3.39	86	2.93	74	12.13	308	P775457	FIAT ALLIS 71406283, USE WITH PRIMARY P778702
3.41	87	2.90	74	10.00	254	P124767	DYNAPAC, IR, DRESSER, Primary=P181093
3.41	87	2.90	74	11.00	279	P131394	JOHN DEERE AT44378
3.41	87	2.90	74	14.00	356	P119410	Donaldson FHG08 CYCLOPAC, Primary=P181059
3.41	87	2.93	74	11.00	279	P119791	OLIVER 303003477

## Air Safety – Continued

OUTER DIA.		INNER DIA.		LENGTH		PART NUMBER	PRIMARY APPLICATION
IN	MM	IN	MM	IN	MM		
3.41	87	2.93	74	12.00	305	P127787	DEUTZ, HESSTON, PRIMARMY'S: EGB=P770828, FLG=P772553, FHG=P772564
3.41	87	2.93	74	14.00	356	P114500	MF 1037735M91, IHC 529852R5, Primary=P119135,OR P131331,OR P131283, OR P525423
3.62	92	2.80	71	12.76	324	P778131	MANN & HUMMEL CF811, USE WITH PRIMARY P771557
3.62	92	2.80	71	13.46	342	P776694	MANN & HUMMEL CF800, Primary=P181088
3.62	92	2.94	75	13.69	348	P181208	FORD DINN-9R500-A, Primary=P181204
3.62	92	2.99	76	9.25	235	P539242	JOHN DEERE AL67195, Primary=P181088
3.64	92	2.40	61	11.14	283	P770398	Donaldson EUROPE AIR CLEANERS, Primary=P770397
3.74	95	2.93	74	10.08	256	P778832	JCB 32903202, USE WITH PRIMARY P780310
3.76	96	2.45	62	11.20	284	P159039	KOMATSU
3.80	97	2.64	67	10.08	256	P158664	CAT 2S-1284, Safety HAS 6 STUDS
3.87	98	3.16	80	13.00	330	P136401	AIR MAZE CD916500830, JOHN DEERE
3.88	99	2.50	64	11.75	298	P526498	IHC 631422C1, Primary=P526499
3.99	101	2.32	59	5.07	129	P158676	CAT 7N-9027, Safety HAS 6 STUDS
3.99	101	2.32	59	5.18	132	P527530	CAT 4W-6691, 7W-6754, LIFT TRUCKS, Primary=P181125
4.09	104	2.91	74	11.46	291	P159037	KOMATSU 600-181-9120,9300,9301-S, 9320
4.09	104	2.91	74	14.00	356	P526839	CASE IH 510B LDR, TD8 CRWLR, #1129112C1
4.16	106	3.65	93	13.00	330	P132939	CASE A47033
4.16	106	3.65	93	15.00	381	P119778	Donaldson FHG09 CYCLOPAC, FHG Primary=P181063, FHG P182063=Long Life Primary
4.27	108	3.45	88	10.64	270	P537716	JOHN DEERE AT175345, Primary=P537405
4.37	111	3.54	90	14.65	372	P776695	MANN & HUMMEL CF1000, Primary=P771561
4.47	114	3.43	87	14.00	356	P526408	CASE AG EQUIPMENT, IHC 537337R1, USE WITH PRIMARY P181205
4.57	116	3.46	88	15.00	381	P133138	ATLAS 3216708202, CAT 100-6849, FIAT 1930790, Primary'S: ELB-P772522, FLB-P772530, FWG-P772545
4.57	116	3.46	88	16.54	420	P776019	KOMATSU 205-01-K1480, Primary=P772597
4.57	116	3.49	89	15.00	381	P113343	JOHN DEERE, WHITE FARM
4.58	116	3.48	88	11.00	279	P124837	JOHN DEERE AT31227, OLIVER, IHC, Primary=P127075
4.58	116	3.48	88	13.00	330	P119374	Donaldson FHG12 CYCLOPAC, Primary=P181034 OR Long Life Primary=P182034, FTG PRMY=R800103
4.58	116	3.48	88	14.72	374	P145703	KOMATSU
4.58	116	3.48	88	15.65	398	P119375	Donaldson FHG10 CYCLOPAC, Primary=P181064, Long Life Primary=P182064
4.60	117	3.59	91	12.00	305	P158678	CAT 943 WHEEL/TRACK LDR, #8N-4901, Safety HAS 8 HOLES, Primary=P181103
4.66	118	3.97	101	14.00	356	P141319	JOHN DEERE AR79680, Primary=P136255
4.66	118	3.97	101	16.50	419	P136406	AIR MAZE CD1120501826, JOHN DEERE
4.76	121	3.94	100	14.93	379	P776696	MANN & HUMMEL CF1200, Primary=P771508
4.80	122	3.64	92	12.08	307	P158661	CAT 2S-1285, Safety HAS 6 STUDS, Primary=P181103
4.84	123	3.65	93	15.25	387	P542033	KOBELCO 2446R277S6
4.84	123	3.65	93	19.25	489	P533234	KOBELCO 2446R255S6, USE WITH PRIMARY P533233
5.08	129	3.81	97	16.10	409	P500103	KOMATSU 6675817031
5.08	129	3.82	97	13.00	330	P159036	KOMATSU, Primary=P181139
5.08	129	3.82	97	17.60	447	P500101	KOMATSU 6675817030
5.14	131	4.05	103	15.65	398	P145755	JOHN DEERE AR80653
5.19	132	4.10	104	13.00	330	P153562	IHC 392516R91
5.21	132	4.16	106	11.88	302	P539482	MINIBISHI MEO33773
5.22	133	2.95	75	12.28	312	P778415	MASSEY FERGUSON 1678294M1, 1678296M1
5.25	133	4.13	105	9.33	237	P543661	HITACHI 4247974, USE WITH PRIMARY P780385
5.25	133	4.13	105	15.83	402	P522452	KOMATSU 600-181-6740-S, 600-181-6730, Primary=P181191
5.35	136	4.00	102	6.93	176	P776303	FIAT ALLIS 1930758
5.55	141	4.65	118	18.64	473	P776697	MANN & HUMMEL CF1300, Primary=P181137
5.56	141	4.20	107	10.57	268	P522450	KOMATSU #6114-80-7101-S
5.56	141	4.42	112	15.61	396	P539474	STEIGER 906444T1, USE WITH PRIMARY P539473
5.56	141	4.42	112	15.63	397	P526407	CASE AG EQUIPMENT, USE WITH PRIMARY P526410
5.68	144	.64	16	15.56	395	P538454	AIR MAZE CD1219610830
5.70	145	4.58	116	12.00	305	P127315	CLARK, TIMBERJACK, Primary=P181080
5.70	145	4.58	116	16.00	406	P131335	IHC 932390C1, WHITE FARM 303108716
5.70	145	4.58	116	17.00	432	P124046	FORD, CASE IR, PRMY=P181070, Long Life Primary=P182070
5.75	146	4.81	122	9.38	238	P528223	CAT 8N-5006, INTERNATIONAL S SERIES
5.80	147	3.51	89	10.06	256	P539479	ISUZU 1142151570
5.94	151	4.39	112	19.02	483	P537877	CASE IH 275810A1, LINK BELT E3H0147, Primary=P537876
5.94	151	4.84	123	12.01	305	P776498	FIAT GEOTECH 1930601
5.94	151	4.84	123	14.37	365	P775510	FIAT GEOTECH 1930606
5.94	151	4.86	123	10.00	254	P131336	IHC 627935C1, CASE A47146, Primary=P131348
5.94	151	4.86	123	12.00	305	P119371	Donaldson STG12 DONACLONE AIR CLEANER, P181044=Primary, P182044=Long Life Primary
5.94	151	4.86	123	13.50	343	P137640	IHC 482644C1, Primary=P181028
5.94	151	4.86	123	14.00	356	P131337	IHC 935693C1, JOHN DEERE AE30507



OUTER DIA.		INNER DIA.		LENGTH		PART NUMBER	PRIMARY APPLICATION
IN	MM	IN	MM	IN	MM		
5.94	151	4.86	123	18.00	457	P130772	JOHN DEERE AR70107, Long Life Primary=P182092
5.95	151	4.85	123	15.00	381	P770678	Donaldson FLB AIR CLEANER B120260, FLB PRMY-P772520, FLG PRMY-P772531/P772550
6.02	153	4.76	121	15.55	395	P500112	NISSAN 16546-97002
6.28	160	4.59	117	12.96	329	P158669	CAT 9S-9972, Safety HAS 10 HOLES, Primary=P181104
6.31	160	4.63	118	13.08	332	P158662	CAT 2S-1286, Safety HAS 8 STUDS, Primary=P181104
6.31	160	4.63	118	16.15	410	P521847	CAT 8N-6883, Safety HAS 10 HOLES, Primary=P181102
6.31	160	4.63	118	16.15	410	P158663	CAT 2S-1287, Safety HAS 8 STUDS, Primary=P181102
6.36	162	4.90	124	20.16	512	P780321	VOLVO 1665886, USE WITH PRIMARY P778436
6.37	162	5.71	145	13.19	335	P777525	MANN & HUMMEL CF1620
6.37	162	5.71	145	14.76	375	P777526	MANN & HUMMEL CF1610
6.38	162	5.26	134	15.83	402	P776286	SCANIA 297814-7087
6.38	162	5.47	139	18.54	471	P777551	ATLAS COPCO 161956900, Primary=P771558
6.39	162	5.17	131	14.00	356	P533446	KOBELCO 2446R27351
6.39	162	5.17	131	19.00	483	P533444	KOBELCO 2446R2751
6.39	162	5.29	134	14.00	356	P134354	JOHN DEERE T52224,TIMBERJACK, Primary=P134353
6.39	162	5.29	134	15.00	381	P123007	JOY 360628321, RENAULT RVI 5010094145, Primary=P772585
6.39	162	5.29	134	16.00	406	P119373	Donaldson FHG14 CYCLOPAC, PRMY=P181046, Long Life Primary=P182046
6.39	162	5.29	134	17.00	432	P529240	JOHN DEERE AR85241, DRESSER 1249056H1, Primary=P529241
6.39	162	5.29	134	19.00	483	P124047	Donaldson FTG 13" A/C, CLARK 1991853
6.39	162	5.29	134	20.00	508	P118216	IHC 627976C1, USE WITH PRIMARY P131280
6.40	163	5.28	134	13.75	349	P526432	KOMATSU 600-181-1680, DCI-NDL R800088, Primary/Safety KIT #X006253
6.40	163	5.29	134	18.50	470	P138722	Donaldson FTG AIR CLEANER G130043, Primary=P181082
6.43	163	5.28	134	13.98	355	P777777	KOMATSU 20701K1210
6.69	170	2.62	67	10.08	256	P533599	CATERPILLAR 7C-1062
6.84	174	4.24	108	5.82	148	P123230	JOHN DEERE AR61988, CASE A44286
6.84	174	4.24	108	8.00	203	P124548	CASE A44805
6.89	175	5.43	138	21.22	539	P778403	VOLVO 1660377, 1661808
7.21	183	5.66	144	14.49	368	P539486	CASE IH 530560C1
7.28	185	6.20	157	15.18	386	P778857	KOMATSU 20801K1220
7.28	185	6.20	157	15.65	398	P132349	FORD
7.28	185	6.20	157	17.24	438	P777938	RENAULT 5010269967
7.28	185	6.20	157	17.70	450	P119372	Donaldson FHG16 CYCLOPAC, PRMY=P181002, Long Life Primary=P182002
7.28	185	6.20	157	17.70	450	P145701	KOMATSU 6127-81-7413, Primary=P145702
7.28	185	6.20	157	18.00	457	P127313	LEROI 437382, Primary=P181073
7.28	185	6.20	157	23.00	584	P127309	Donaldson FTG15 CYCLOPAC, P127308=Primary
7.28	185	6.22	158	14.57	370	P775500	RENAULT RVI 5000814798
7.28	185	6.22	158	19.29	490	P771073	FIAT GEOTECH 1930901, Primary=P772536
7.28	185	6.22	158	21.89	556	P776102	JOHN DEERE AZ45867
7.28	185	6.22	158	23.82	605	P775339	PERLINI 350088A
7.33	186	6.12	155	20.87	530	P526511	MF 1051373M91, USE WITH PRIMARY P526512
7.37	187	6.16	156	25.56	649	P136412	AIR MAZE CD1628500827, IHC
7.38	187	6.12	155	25.38	645	P546613	AIR MAZE CD1628610827, USE WITH PRIMARY P546614, LONGER VERSION OF P526511
7.46	189	5.99	152	13.38	340	P158670	CAT 1P-7360, Safety HAS 8 HOLES, Primary=P181118
7.59	193	5.27	134	13.06	332	P539469	AIR REFINER ARM900405
7.64	194	6.04	153	12.00	305	P131338	IHC 672020C1
7.64	194	6.04	153	15.00	381	P158050	Donaldson FVG16-0313, WHITE MOTOR, USE WITH PRIMARY P181057 OR P182057
7.64	194	6.04	153	15.00	381	P119370	Donaldson STG14 DONACLONE AIR CLEANER, P181041=PRMY, P182041=Long Life Primary
7.64	194	6.04	153	15.50	394	P137641	IHC 482645C1
7.64	194	6.04	153	17.00	432	P122425	IHC, KOEHRING, KOMATSU, USE WITH PRIMARY P131343 OR P539481
7.64	194	6.04	153	18.00	457	P124860	TEREX 9031711, Primary=P181043, Long Life Primary=P182043
7.64	194	6.04	153	18.00	457	P133179	ALLIS CHALMERS 259793, FIAT ALLIS 73116280
7.64	194	6.04	153	20.00	508	P520582	STEIGER 90-4204T1, USE WITH PRIMARY P181183
7.64	194	6.04	153	21.00	533	P124862	Donaldson FVG14 CYCLOFLOW AIR CLEANER
7.64	194	6.04	153	21.65	550	P139293	O&K HR120C EXCAVATOR, Primary=P772506
7.70	196	6.00	152	8.78	223	P158666	CAT 4S-8834, Safety HAS 8 HOLES
7.70	196	6.00	152	13.38	340	P158668	CAT 4S-8340, Safety HAS 8 HOLES
7.93	201	3.57	91	16.00	406	P130747	KOMATSU 11T-76-13310, DCI ETD DRILL DUST COLLCTR
8.24	209	7.12	181	9.00	229	P527957	FORD, Donaldson EGB 16 A/C
8.24	209	7.12	181	13.00	330	P521692	VOLVO V1114450, Primary=P524344
8.24	209	7.12	181	16.00	406	P138037	IHC 501276C1, IR 58179367, Primary=P181055, Long Life Primary=P182055
8.24	209	7.12	181	22.00	559	P116446	BUCYRUS ERIE, IR, ONAN, SULLAIR, Primary=P181049
8.46	215	6.99	178	11.97	304	P158677	CAT 6N-6444, Safety HAS 10 HOLES, Primary=P181120, SFTY-P158675 15.28" w/10 holes
8.46	215	6.99	178	15.28	388	P158675	CAT 7N-1308, 1P-8482, SAFETY HAS 10 HOLES, Primary=P181120 OR P181124, Safety=P158677 12"
8.48	215	6.20	157	9.65	245	P524815	FORD TRUCKS WITH Donaldson FHD16 AIR CLEANER, SMP Primary=P181013, Long Life Primary=P182013

## Air Safety – Continued

OUTER DIA.		INNER DIA.		LENGTH		PART NUMBER	PRIMARY APPLICATION
IN	MM	IN	MM	IN	MM		
8.64	219	7.06	179	14.00	356	P124366	IR 35254895
8.64	219	7.06	179	16.66	423	P114931	EUCLID, TEREX, WABCO, CLARK, Primary=P181039
8.64	219	7.06	179	18.00	457	P124866	Donaldson FVG16 CYCLOFLOW AIR CLEANER, Primary=P124867
8.64	219	7.06	179	20.66	525	P124868	Donaldson FVG16 CYCLOFLOW AIR CLEANER
8.70	221	7.00	178	15.28	388	P158665	CAT 3S-4745, Safety HAS 9 HOLES
8.83	224	4.22	107	9.51	242	P539483	CASE IH A17742
9.09	231	7.02	178	17.76	451	P533884	CATERPILLAR 777 ORE TRUCK, 106-3973, Primary=P533882
9.88	251	8.06	205	27.75	705	P546762	AIR MAZE CD1830610827
9.98	253	5.48	139	20.28	515	P526491	IHC 702847C1
10.03	255	8.14	207	18.03	458	P525129	CAT 7W-9567, Primary=P181210
10.24	260	9.12	232	22.00	559	P128408	Donaldson STG16 DONACLONE AIR CLEANER, Primary=P181042, Long Life Primary=P182042
10.86	276	8.18	208	21.68	551	P115070	Donaldson SRG20, WABCO, LETOURNEAU, UNIT RIG, Primary=P181038
10.88	276	8.16	207	18.09	459	P539478	TEREX 9054912
11.87	301	10.25	260	22.02	559	P117781	Donaldson SRG, WABCO, LETOURNEAU, UNIT RIG, Primary=P181040
12.78	325	10.14	258	13.81	351	P535115	CATERPILLAR 4P0711
12.82	326	10.14	258	9.81	249	P523048	CAT 8N-2556, Primary=P181126
13.83	351	9.49	241	22.00	559	P133044	STEIGER 01-3898

## Air Safety, RadialSeal®

OUTER DIA.		INNER DIA.		LENGTH		PART NUMBER	PRIMARY APPLICATION
IN	MM	IN	MM	IN	MM		
1.82	46	1.22	31	6.59	167	P535396	JOHN DEERE M123378, USE WITH PRIMARY P822686
2.40	61	1.89	48	11.42	290	P775298	FIAT GEOTECH 1930592, L. PETTER 366-08106, Primary=P772578
2.44	62	1.77	45	10.22	260	P822858	Donaldson FPG05 AIR CLEANERS, Primary=P821575
3.31	84	2.62	67	12.56	319	P775300	FIAT 1930588, L.PETTER 366-08110, MACOSLR 560938, Primary=P772579
3.32	84	2.55	65	10.42	265	P831079	TOYOTA, Donaldson FPG07 A/C, USE WITH PRIMARY P827655
3.32	84	2.55	65	11.74	298	P534885	TOYOTA 17744U210071, FLAME RETARDENT USE WITH PRIMARY P532410
3.32	84	2.55	65	11.74	298	P822769	Donaldson FPG06 A/C, Primary= P822768
3.32	84	2.55	65	12.38	314	P829332	Donaldson FPG07 AIR CLEANERS
3.32	84	2.55	65	14.65	372	P536941	CASE/IH 128782A1, Primary=P536940
3.70	94	3.03	77	13.54	344	P775302	FIAT GEOTECH 1930590, CATERPILLAR 110-6331, Primary=P772580
3.72	94	3.22	82	12.95	329	P777577	FENDT
3.73	95	2.92	74	13.36	339	P829333	Donaldson FPG08 AIR CLEANERS, Primary=P828889
4.12	105	3.58	91	14.21	361	P778637	DYNAPAC 908400
4.13	105	2.68	68	11.81	300	P775631	GEHL 781360775631
4.13	105	3.58	91	14.06	357	P777779	ATLAS WEYHAUSEN 2998145
4.27	108	2.79	71	5.61	142	P533110	CATERPILLAR 6I-1451, LIFTTRUCKS V50E, T50E, USE WITH PRIMARY P533109
4.27	108	3.45	88	15.08	383	P547332	CASE IH 187472A1
4.27	108	3.45	88	15.79	401	P777639	Donaldson FRG 10 AIR CLEANER
4.27	108	2.79	71	6.49	165	P533652	CATERPILLAR 102-9387
4.76	121	3.25	83	11.55	294	P532500	CATERPILLAR 6I-2500, Primary=P532499
4.77	121	4.43	113	13.65	347	P821963	HITACHI 4286130
4.95	126	4.10	104	13.78	350	P821908	HITACHI 4287060, Primary=P821883
5.30	135	3.78	96	14.72	374	P533653	JOHN DEERE RE34967
5.30	135	3.78	96	18.03	458	P533781	Donaldson EPG11 AIR CLEANERS, USE WITH P532966 PRIMARY
5.30	135	3.70	94	21.21	539	P538393	JOHN DEERE AT178584, USE WITH PRIMARY P538392
5.30	135	3.78	96	11.82	300	P527680	Donaldson EPG11, Ford F3HZ-9R500-A, MTRCFT FA1120, Primary=P527484, Primary=P530300, P531751 IS SAME WITH THIN LINE MEDIA
5.30	135	3.78	96	12.74	324	P536492	Donaldson FRG11 AIR CLEANER, CAT EXCAVATORS
5.30	135	3.78	96	14.02	356	P529548	FREIGHTLINER
5.30	135	4.43	113	11.82	300	P531751	GM 12544543, FORD, P527680 IS SAME WITH PLEATED MEDIA
5.30	135	4.43	113	18.03	458	P538542	FREIGHTLINER FLN SERIES WITH EPG11 HOUSING, USE WITH PRIMARY P532966
5.94	151	4.40	112	20.88	530	P537779	CASE IH 132149A1, Primary=P537778
5.94	151	5.05	128	9.76	248	P536442	CHRYSLER RAM 6500, Primary= P536448
5.94	151	5.05	128	14.83	377	P533890	Donaldson EPG13 RADIALSEAL AIR CLEANERS, Primary=P533930
5.94	151	4.39	112	14.84	377	P538456	JOHN DEERE RE51630
5.94	151	4.40	112	12.44	316	P532502	CATERPILLAR 6I-2502, Primary=P532501
5.94	151	4.40	112	15.51	394	P532504	Donaldson FRG13 RADIALSEAL A/C, CAT 6I-2504, Primary=P532503
6.75	171	5.29	134	18.17	462	P778453	M.A.N. 81083040084
6.85	174	5.82	148	21.97	558	P777875	TEREX 15272253, VOLVO 110339999, USE WITH PRIMARY P777871

OUTER DIA.		INNER DIA.		LENGTH		PART NUMBER	PRIMARY APPLICATION
IN	MM	IN	MM	IN	MM		
6.89	175	5.32	135	14.23	361	P527683	Donaldson EPG15" AIR CLEANER, Primary=P527682
6.89	175	5.97	152	17.52	445	P533723	EPG13 AIR CLEANERS
7.08	180	5.90	150	19.72	501	P777869	TEREX 15270189, USE WITH PRIMARY P777868
7.31	186	5.23	133	13.16	334	P532474	CATERPILLAR 6L-0274, Primary=P532473
8.19	208	4.84	123	14.57	370	P778638	DYNAPAC 908401
8.32	211	6.20	157	6.60	168	P533946	FORD F6HZ9602AA
8.32	211	6.20	158	11.72	298	P532508	CATERPILLAR 6L-2508, Primary=P532507
8.32	211	6.20	158	15.18	386	P532506	CATERPILLAR 6L-2506, Primary=P532505
8.32	211	6.20	158	15.18	386	P532510	CATERPILLAR 6L-2510, Primary=P532509
8.32	211	6.20	157	20.81	529	P536529	CASE IH 908301T1, USE WITH PRIMARY P536527
9.09	231	6.94	176	19.06	484	P781399	VOLVO 11110218, USE WITH PRIMARY P781398
9.09	231	7.02	178	15.17	385	P538008	CATERPILLAR D11N, SHORTER VERSION OF P533884

## Air Vee-Pac®

WIDTH		DEPTH		LENGTH		PART NUMBER	PRIMARY APPLICATION
IN	MM	IN	MM	IN	MM		
35.44	900	18.00	457	10.84	275	P114101	UNIT RIG 902000
18.00	457	30.94	786	10.84	275	P107266	GMC 9034697
14.00	356	36.12	917	6.21	158	P125310	GAS TURBINE ENGINE VPAC

## Air/Oil Separator

OUTER DIA.		INNER DIA.		LENGTH		FLANGE DIA.		FLANGE BOLTS				PART NUMBER	PRIMARY APPLICATION	
IN	MM	IN	MM	IN	MM	IN	MM	NO. OF HOLES	HOLE SIZE		CIRCLE			
									IN	MM	IN	MM		
4.00	102	1.50	38	14.25	362	10.75	273					P525655	SULLAIR 408167-011, # 250034-862	
4.00	102	2.00	51	14.56	370	5.50	140	5.00	.44	11	4.75	121	P525664	GARDNER DENVER 55B8, 2010741 KIT
4.00	102	2.00	51	19.14	486	5.50	140	5.00	.44	11	4.75	121	P525665	GARDNER DENVER 55B9 2010742 KIT
4.12	105	2.30	58	5.12	130	5.38	137						P538647	Quincy 127138-001
4.88	124	3.12	79	9.00	229	6.69	170						P525717	INGERSOLL RAND 35840982
4.88	124	3.12	79	10.16	258	10.38	264						P525559	QUINCY #122117-1 W/SHIELD
4.88	124	3.12	79	10.88	276	6.44	164						P525694	INGERSOLL RAND 35813187
5.25	133	3.38	86	10.25	260	8.62	219						P525529	ATLAS COPCO 1612-3869 W/SHEILD
5.25	133	3.50	89	12.00	305	7.00	178						P538609	Ingersoll-Rand 92077601
5.75	146	3.25	83	8.25	210	7.50	190						P525601	LEROI #43-8891ES W/SHIELD
5.75	146	3.62	92	11.50	292	7.25	184						P525697	INGERSOLL RAND 35843341
5.87	149	3.75	95	10.25	260	11.75	298						P531377	QUINCY NORTHWEST Q1918
5.88	149	3.87	98	9.00	229	8.75	222						P525744	JOY 5431170025
6.00	152	3.00	76	14.61	371								P525723	CHICAGO PNEUMATIC 3PS4801
6.12	155	3.62	92	4.25	108	10.00	254	8.00	.70	18	8.75	222	P525730	JOY 5431170001
6.12	155	3.62	92	12.12	308	11.75	298						P530950	QUINCY NORTHWEST Q1919
6.12	155	3.62	92	15.75	400	8.12	206						P525683	INGERSOLL RAND 35579184
6.12	155	3.62	92	16.22	412	14.38	365						P525666	GARDNER DENVER 55B10, 2010743 KIT
6.62	168	4.72	120	9.00	229	8.62	219						P525186	ATLAS-COPCO 1619-5498, MANN 4900050511
6.62	168	4.81	122	11.91	303	11.81	300						P525184	ATLAS-COPCO 1613-2433, 1202-6414, 2989-0045
6.62	168	4.81	122	18.91	480	11.81	300						P525185	ATLAS-COPCO 1616-2836, 2989-0051
6.62	168	4.85	123	17.12	435	7.88	200	8.00	.81	21	8.31	211	P530759	KAESER 6.1960.0, 6.2012.0
6.75	171	3.78	96	8.81	224	7.56	192						P525714	INGERSOLL RAND 39751391
6.75	171	3.88	99	6.81	173	7.88	200						P525653	SULLAIR 408167-009ES, #250034-112
6.75	171	3.88	99	9.25	235	10.00	254						P525718	INGERSOLL RAND 35858927
6.75	171	4.12	105	7.38	187	9.38	238						P525538	DAVEY #48772 W/SHIELD
6.75	171	4.12	105	11.31	287	7.88	200						P525641	SULLAIR 47043,1086, 1191, 49907
6.75	171	4.12	105	12.12	308	7.88	200						P525603	LEROI #43-908 W/SHIELD
6.75	171	4.12	105	17.00	432	7.88	200						P525212	SULLAIR #11320, 40635, 11018, 11001, 10725
6.75	171	4.18	106	10.50	267	9.38	238						P525708	INGERSOLL RAND 39734892
6.88	175	3.88	99	8.00	203	7.88	200						P525656	SULLAIR 410333ES
6.88	175	3.88	99	9.88	251	7.88	200						P525654	SULLAIR 408167-010ES, #250034-114
6.88	175	4.12	105	12.06	306	.44	11						P525635	SULLAIR 42995,12252 KIT
7.00	178	4.00	102	15.50	394								P530818	JOY 5017945-0001
7.00	178	4.00	102	26.44	672								P525725	CHICAGO PNEUMATIC 5PS4801

## Air/Oil Separator – Continued

OUTER DIA.		INNER DIA.		LENGTH		FLANGE DIA.		FLANGE BOLTS				PART NUMBER	PRIMARY APPLICATION	
IN	MM	IN	MM	IN	MM	IN	MM	NO. OF HOLES	HOLE SIZE		CIRCLE			
										IN	MM	IN	MM	
7.50	190	5.62	143	9.88	251								P530815	CHICAGO PNEUMATIC N404099
8.00	203	5.88	149	13.25	337	15.62	397						P533381	QUINCY NW #Q1920
8.25	210	7.12	181	23.69	602	8.25	210						P538582	Joy 1223358
8.38	213	5.25	133	10.75	273	10.66	271						P530783	SULLAIR 250005-547, 250034-087
8.38	213	5.25	133	16.00	406	10.66	271						P525651	SULLAIR 408167-005ES, #250034-116
8.38	213	5.25	133	24.00	610	10.66	271						P525652	SULLAIR 408167-006ES, #250034-118
8.38	213	5.38	137	9.25	235	11.50	292						P538617	Gardner Denver 55B31, EBE80132, EBE80131, 115693
8.38	213	5.38	137	10.69	272	12.03	306	10.00	.62	16	11.00	279	P538594	Davey 48773
8.38	213	5.38	137	14.25	362	21.00	533						P530800	GARDNER DENVER ECM80135, 55B25
8.38	213	5.38	137	18.25	464	10.38	264						P525568	QUINCY #122487001
8.38	213	5.75	146	12.00	305	11.00	279	12.00	.62	16	9.75	248	P525206	QUINCY MODEL QS160D,G, #20065
8.38	213	5.88	149	8.25	210	10.38	264						P525193	GARDNER DENVER EBE,BESDA,E,F,G-H14-40, #55B7
8.38	213	5.88	149	9.50	241	10.00	254						P530795	GARDNER DENVER 1157866
8.38	213	5.88	149	10.12	257	12.00	305	8.00	.70	18	10.50	267	P525754	JOY 5431170041
8.38	213	5.88	149	10.19	259	10.25	260						P525199	JOY G, D 185 QP, #5431170026
8.38	213	5.88	149	11.94	303	10.75	273						P525205	LEROI Q160G,D Q175G,D, #43-648-1
8.38	213	5.88	149	16.94	430	12.00	305						P525190	GARDNER DENVER ESG,H,J,K30-60, #2009599, #201482
8.38	213	5.88	149	18.25	464	10.38	264						P525209	QUINCY QSI235, #22705-1
8.38	213	5.88	149	23.47	596	12.00	305						P525662	GARDNER DENVER 55B4, ESM66049 KIT
8.38	213	5.88	149	24.19	614	10.66	271						P525211	SULLAIR SERIES 16,250,300,375, #11200,40670, 107
8.38	213	9.50	241	29.00	737	11.75	298						P538586	Ingersoll-Rand 35125541
8.62	219	5.88	149	13.00	330	11.75	298						P538611	Ingersoll-Rand36762250
8.62	219	5.88	149	13.38	340	10.25	260						P525200	JOY G, D 150 QP, #543117-0029, 501800-0003
8.62	219	5.88	149	15.75	400	10.75	273						P525602	LEROI #43-8881ES W/SHIELD
8.62	219	6.12	155	23.62	600	10.75	273						P525770	MANN 4900050131
8.62	219	6.19	157	13.62	346	11.81	300	12.00	.62	16	10.53	267	P538559	Atlas Copco 1202-7419, 1613-7306, 1310-2502-33
8.62	219	6.38	162	8.88	226	11.69	297						P525530	ATLAS COPCO 1614-4373 W/SHIELD
8.62	219	7.00	178	23.25	591	13.75	349						P525648	SULLAIR 408167-002
8.75	222	5.75	146	11.25	286	10.75	273						P538636	Leroi 43-888
8.75	222	7.00	178	8.31	211	10.38	264						P525671	GARDNER DENVER 55B18, 2109718 KIT
8.75	222	7.00	178	10.69	272	10.38	264						P525188	DAVEY 48773
8.75	222	7.13	181	9.50	241	10.75	273						P525204	LEROI 130RGI, 160RGI, 160RDI, #43-648
9.44	240	7.00	178	32.87	835								P525640	SULLAIR 45647,1089 KIT
9.62	244	7.12	181	15.14	385	12.25	311						P525702	INGERSOLL RAND 39705728
10.38	264	7.88	200	13.00	330	11.75	298						P526841	INGERSOLL RAND COMPRESSOR #36723666
10.38	264	7.88	200	17.12	435	11.75	298						P530949	QUINCY NORTHWEST Q1054
10.38	264	8.38	213	14.25	362	15.75	400	16.00	.88	22	13.94	354	P530755	ATLAS-COPCO 1616-4656 W/SHIELD
10.62	270	7.12	181	20.50	521	13.75	349						P531772	SULLAIR 250007-139, 250034-130
10.75	273	8.37	213	9.16	233	17.00	432						P525561	QUINCY #122117-3 W/SHIELD
10.75	273	8.37	213	26.19	665	15.63	397						P525736	JOY 5431170016
10.81	275	8.38	213	17.50	444	12.75	324						P530757	KAESER 6.1965.0, 6.2013.0
10.88	276	8.38	213	18.94	481	16.00	406	12.00	1.00	25	14.25	362	P525609	WORTHINGTON FLR-316 W/SHIELD
10.88	276	8.38	213	23.50	597	14.38	365						P525191	GARDNER DENVER ESN,MO100-150, #2009601 & 2014830
10.88	276	8.38	213	32.21	818	15.75	400	16.00	.68	17	13.75	349	P525187	ATLAS-COPCO 2252-6313, 2989-0040, MOD XAU50-60
10.88	276	9.50	241	23.50	597								P538592	Worthington FLR284
11.00	279	9.25	235	23.75	603								P525626	SULLAIR 11100
11.50	292	6.12	155	37.25	946	14.50	368						P525194	INGERSOLL RAND KXL525, 600, 750, 850 W/SHIELD
11.50	292	8.50	216	26.31	668								P525720	CHICAGO PNEUMATIC 1PS4801
11.75	298	8.00	203	15.50	394	13.81	351						P525604	LEROI #43-885 W/SHIELD
11.75	298	8.75	222	34.87	886	14.50	368						P525695	INGERSOLL RAND 35820893 (SHEILD)
11.75	298	9.63	245	20.00	508	22.00	559	16.00	.75	19	20.50	521	P530772	QUINCY NORTHWEST Q1055
11.81	300	8.66	220	19.75	502	13.97	355						P525768	MANN 4900050191
11.81	300	8.66	220	26.00	660	13.97	355						P525769	MANN 4900050221
11.88	302	8.25	210	17.75	451	14.75	375						P525712	INGERSOLL RAND 39739578
11.88	302	8.38	213	12.75	324	13.25	337						P525716	INGERSOLL RAND 35856376
11.88	302	8.38	213	38.50	978	16.44	418						P526848	INGERSOLL RAND COMPRESSOR #52234366/52180684
11.88	302	9.38	238	29.00	737	16.56	421						P525699	INGERSOLL RAND 36711950
11.88	302	9.62	244	20.25	514	22.12	562	16.00	.75	19	20.50	521	P530745	QUINCY NORTHWEST Q1922
11.88	302	9.62	244	26.12	663	13.88	353						P525214	SULLAIR #408167-001, 250034-120, 250005-974,
11.88	302	9.62	244	26.12	663	13.88	353						P525213	SULLAIR SERIES 20/25, #11145, 40259, 47284, 1087



OUTER DIA.		INNER DIA.		LENGTH		FLANGE DIA.		FLANGE BOLTS						PART NUMBER	PRIMARY APPLICATION
IN	MM	IN	MM	IN	MM	IN	MM	NO. OF HOLES	HOLE SIZE		CIRCLE				
										IN	MM	IN	MM		
13.75	349	10.75	273	23.75	603								P525747	JOY 5431170030	
14.75	375	11.00	279	24.00	610	17.00	432						P530790	SULLAIR 250004-800, 250034-082	
14.75	375	11.75	298	20.13	511	18.00	457	12.00	.81	21	16.44	418	P525208	QUINCY MODEL QS750, QS600, #20068	
14.75	375	11.75	298	24.00	610	18.00	457	12.00	.81	21	16.44	418	P525758	JOY 5431170046	
14.75	375	11.75	298	30.13	765	18.00	457	12.00	.81	21	16.44	418	P525197	JOY #5431170013, 5431170033, 5431170062	
14.75	375	12.25	311	20.50	521	17.12	435						P525542	SCHRAMM #3998-0003 W/SHIELD	
14.75	375	12.37	314	18.16	461	17.00	432						P525553	QUINCY #22705-3 W/SHIELD	
14.75	375	12.37	314	30.00	762	24.12	613	20.00	.69	18	23.00	584	P525613	WORTHINGTON FLR-376 W/SHIELD	
14.88	378	11.40	290	16.38	416	17.00	432						P530810	INGERSOLL RAND 39760590, 39742861, 39831920	
14.88	378	11.40	290	24.12	613	17.00	432						P530781	LEROI 43-895	
14.88	378	11.40	290	24.19	614	17.50	444						P530801	GARDNER DENVER EAU80110, 55B28	
14.88	378	12.38	314	27.19	691	17.56	446	9.00	.50	13	16.00	406	P525676	GARDNER DENVER 55B15, EAY68411 KIT	
14.88	378	12.38	314	27.19	691	17.56	446						P525192	GARDNER DENVER S0150, ESPF, QF, RF200-250, #2009602	
14.88	378	12.38	314	28.00	711	17.12	435						P525210	QUINCY QS1740, #22705-4	
14.88	378	12.38	314	32.00	813	18.75	476						P525705	INGERSOLL RAND 39712070	
16.25	413	12.38	314	41.50	1054	18.25	464						P525715	INGERSOLL RAND 52180692 SHEILD	
19.00	483	15.00	381	22.25	565	23.75	603						P530791	SULLAIR 408167-007, 250034-124	
19.00	483	16.25	413	28.25	718	22.00	559	16.00	.75	19	20.50	521	P530744	QUINCY NORTHWEST Q1057	
19.00	483	16.25	413	32.00	813	22.00	559	16.00	.75	19	20.50	521	P530775	QUINCY NORTHWEST Q1487	
21.00	533	18.00	457	32.25	819	25.62	651						P538623	Gardner Denver 55B30, EAY80129	
21.00	533	18.00	457	33.00	838	26.50	673	12.00	.81	21	24.75	629	P525631	SULLAIR 40260, 11173KIT	
21.00	533	18.25	464	36.25	921	25.69	653						P525660	GARDNER DENVER 55B2, EST65994 KIT	
21.00	533	18.25	464	36.29	922	26.50	673	12.00	.81	21	24.75	629	P525632	SULLAIR 41077, 11544 KIT	
21.00	533	18.25	464	36.31	922	23.62	600						P525555	QUINCY #22705-7 W/SHIELD	

## Breather, Spin-on

OUTER DIA. IN	OUTER DIA. MM	INNER DIA. IN	INNER DIA. MM	LENGTH IN	LENGTH MM	PART NUMBER	PRIMARY APPLICATION
						P528708	VOLVO 1082111, 15868821

## Cab Air

WIDTH IN	WIDTH MM	DEPTH IN	DEPTH MM	LENGTH IN	LENGTH MM	PART NUMBER	PRIMARY APPLICATION
24.00	610	5.00	127	2.19	56	P113330	FEMCO CABS, GM 25043797, IR 57059404
29.50	749	5.00	127	2.19	56	P141320	PANEL FILTER
38.00	965	5.00	127	2.19	56	P112775	EXCEL, OWATONNA, STEIGER, IHC
26.00	660	5.00	127	2.19	56	P128810	VENT PANEL
18.50	470	5.25	133	2.19	56	P115051	CRENLO 80255
26.18	665	5.35	136	2.83	72	P525026	CAT 7T-1890
21.26	540	5.91	150	2.19	56	P527595	CAT 6T-988, MIDSIZE CRAWLERS & LOADERS
30.00	762	6.00	152	2.19	56	P158893	FMC 304973
23.50	597	6.00	152	2.19	56	P120320	EATON 219479, CAT 8P5343
38.00	965	6.00	152	2.19	56	P121036	IHC, CASE
25.50	648	6.00	152	2.19	56	P126227	EATON 2-17922
47.00	1194	6.00	152	2.19	56	P121378	MASSEY FERGUSON 529760M1
17.53	445	6.00	152	2.31	59	P543107	CATERPILLAR 8C9657, DONALDSON LABELED VERSION OF P525038
12.12	308	6.50	165	2.19	56	P900333	AUSTOFT SUGAR CANE HARVESTORS
23.50	597	6.50	165	2.19	56	P122115	CLARK, FIAT ALLIS
33.00	838	6.50	165	2.19	56	P117109	CLARK, HESSTON, HUPP
9.00	229	7.00	178	1.02	26	P780135	CAT 3E0410
15.00	381	7.00	178	2.19	56	P137523	CRENLO
38.00	965	7.00	178	2.19	56	P132448	CASE F64318
23.50	597	7.00	178	2.19	56	P113247	CAT, VERSATILE, WHITE FARM
10.51	267	7.40	188	1.61	41	P535089	VOLVO 4771477, 15845753
28.00	711	7.50	190	2.19	56	P106680	JOHN DEERE, IHC, CASE, ALLIS CHALMERS
20.00	508	7.50	190	2.19	56	P113407	TEREX, WHITE FARM
28.00	711	7.50	190	2.83	72	P158854	JOHN DEERE AR61903
16.00	406	8.00	203	2.19	56	P520450	CAT 5G-1913

## Cab Air – Continued

WIDTH		DEPTH		LENGTH		PART NUMBER	PRIMARY APPLICATION
IN	MM	IN	MM	IN	MM		
17.00	432	8.00	203	2.19	56	P123440	EATON BERGSTROM
32.00	813	9.00	229	2.19	56	P131231	GARDNER DENVER 5L34
9.06	230	9.06	230	2.19	56	P780163	CAT 9X3352
29.00	737	9.25	235	2.19	56	P118540	MASSEY FERGUSON 52446M1
12.25	311	9.50	241	2.19	56	P780298	CAT 7X6041
11.81	300	9.84	250	.95	24	P777576	CATERPILLAR 6C9926
10.00	254	10.00	254	2.19	56	P105958	BUCYRUS ERIE, UNIT RIG
6.00	152	10.00	254	2.19	56	P533559	KOMATSU 421-07-12312
17.00	432	10.00	254	2.19	56	P112671	CAT, CRENLO, THERMOKING
10.82	275	10.82	275	2.19	56	P540845	General 10.82 X 10.82 X 2.19 Vent Panel
23.50	597	11.00	279	2.19	56	P114326	WHITE FARM 7760810
26.00	660	11.00	279	2.19	56	P145709	STOLPER 1020597
11.00	279	11.00	279	2.19	56	P106965	ALLIS CHALMERS, TEREX, LETOURNEAU
15.00	381	11.50	292	5.00	127	P524835	FARR DYNACELL #T512, UNITED F-512
16.00	406	12.00	305	2.19	56	P123229	DEUTZ 70257109
15.00	381	14.04	357	2.19	56	P106146	JOHN DEERE, WABCO
17.00	432	15.00	381	2.19	56	P115739	UNIT RIG, WHITE FARM
15.00	381	15.00	381	2.19	56	P105919	CAT 6L-8485
15.00	381	15.00	381	2.19	56	P113946	JOHN DEERE, FARMHAND
20.00	508	15.00	381	2.19	56	P121351	PACCAR, DART
15.62	397	15.00	381	5.19	132	P150135	CAT 4N-0015
24.00	610	16.00	406	2.19	56	P118951	CAB VENT PANEL
26.00	660	16.00	406	2.19	56	P132447	CLARK 793320-3
8.46	215	17.12	435	2.19	56	P533788	HITACHI 4206637, JOHN DEERE AT116077
24.38	619	19.38	492	2.19	56	P114229	UNIVERSAL SILENCER
19.50	495	19.50	495	2.19	56	P105831	WABCO
25.50	648	19.50	495	2.19	56	P140277	WAUKESHA 169180G
19.50	495	19.50	495	2.19	56	P102052	CAT 5L-6389
19.50	495	19.50	495	5.19	132	P146555	GAS TURBINE PANEL W/PLEAT SPACERS
23.94	608	19.68	500	2.19	56	P148018	AMERICAN LINCOLN 8-24-04070
11.94	303	23.44	595	2.19	56	P150348	AMERICAN LINCOLN
23.50	597	23.50	597	5.19	132	P135930	GAS TURBINE ENGINES
25.69	653	23.94	608	2.19	56	P148645	AMERICAN LINCOLN 8-24-04071
24.00	610	24.00	610	2.19	56	P103688	CAT, GMC, WHITE MOTOR, USE P111098 FOR ENGINE PANEL APPLICATIONS

OUTER DIA.		INNER DIA.		LENGTH		PART NUMBER	PRIMARY APPLICATION
IN	MM	IN	MM	IN	MM		
10.87	276	6.50	165	7.00	178	P532931	JOHN DEERE AH115833

## Coolant Additive

PART NUMBER	PRIMARY APPLICATION
X007099	1 PINT DCA4 FORMULA
X006138	55-GALLON DRUM
X006136	1 PINT / 16 OZ.
X007100	1/2 GAL DCA4 FORMULA
X006137	5-GALLON PAIL
X007101	5 GAL DCA4 FORMULA
X007102	55 GAL DCA4 FORMULA
X007036	1 QUART/32 OZ.
X007038	1 GALLON/128 OZ
X007037	2 QUART/64 OZ

## Coolant Cartridge

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
4.89 124	4.47 114	5.95 151	P551308	PERRY 5020		
5.00 127		3.08 78	P550198	CUMMINS 299001		

## Coolant Spin-on

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
3.66 93	11/16" - 16	4.21 107	P554072	CUMMINS 3318201, Contains 6 units of SCA		
3.66 93	11/16" - 16	4.21 107	P554071	CUMMINS 3315116, Contains 4 units SCA		
3.66 93	11/16" - 16	5.35 136	P554075	CUMMINS 3318318, Contains 15 units of SCA		
3.66 93	11/16" - 16	5.35 136	P554074	CUMMINS 3316053, Contains 12 units of SCA		
3.66 93	11/16" - 16	5.35 136	P554073	CUMMINS 3315115, Contains 8 units of SCA		
3.66 93	11/16" - 16	5.35 136	P554685	CUMMINS without chemicals, Contains no chemical		
3.66 93	3/4" - 20	5.35 136	P554860	MACK 25-MF-314A, Contains 8 units of SCA		
3.66 93	M16 x 1.5	5.35 136	P554019	VOLVO 3945411, 8 UNITS SCA		
3.66 93	M16 x 1.5	5.35 136	P552096	VOLVO 1661964 ,1699830, CONTAINS 4 UNITS SCA, P554071 but with M16 x 1.5mm Thread		
3.67 93	3/4" - 20	5.32 135	P551309	MACK NO CHEMICAL		
3.69 94	11/16" - 16	4.15 105	P552071	CUMMINS 3315116, Contains 4 units of DCA4		
3.69 94	11/16" - 16	5.32 135	P552106	NAVISTAR, Contains 4 units of DCA4		Yes
3.69 94	11/16" - 16	5.44 138	P552088	NALCO NF2008, PENRAY NR2088, FLEETGUARD WF2131, SCA FORMULA WITH TIME RELEASE FOR EXTENDED SERVICE		
3.70 94	11/16" - 16	4.07 103	P552072	CUMMINS 3318201, Contains 6 units of DCA4		
3.70 94	11/16" - 16	4.07 103	P552070	CUMMINS 3318157, Contains 2 units of DCA4		
3.70 94	11/16" - 16	5.32 135	P552075	CUMMINS 3318318, Contains 15 units of DCA4		
3.70 94	11/16" - 16	5.32 135	P552073	CUMMINS 3315115, Contains 8 units of DCA4		
3.70 94	11/16" - 16	5.32 135	P552074	CUMMINS 3316053, Contains 12 units of DCA4		
3.70 94	11/16" - 16	7.48 190	P552076	CUMMINS 3318319, Contains 23 units of DCA4		
3.70 94	3/4" - 20	5.32 135	P552015	MACK TRUCK, Contains 8 units of DCA4		
4.24 108	1" - 16	5.63 143	P552022	MACK TRUCK, Contains 11 units of DCA4		
4.28 109	1" - 16	5.78 147	P554422	MACK 25MF422, Contains 11 units of SCA		
4.28 109	11/16" - 16	7.89 200	P552055	CUMMINS 3305371, Contains 23 units of SCA		

## Engine Liquid Test Kit

PART NUMBER	PRIMARY APPLICATION
X007103	COOLANT 3-WAY TEST STRIPS, EACH KIT CONTAINS STRIPS FOR 50 TESTS, (NITRITE-MOLYBDATE-FREEZE PT)

PART NUMBER	CONTENTS OR USAGE
X007377	INDUSTRIAL HYDRAULIC PACKAGE
X007374	BASIC SPECTROCHEMICAL OIL ANALYSIS
EOA7375	SPECTROCHEMICAL OIL ANALYSIS PLUS LEM
X006986	DURAFAXX—Reports & Analyzes coolant system by o, ff-site lab.

PART NUMBER	PRIMARY APPLICATION
P171424	COOLANTEYE - FLUSHING T AND CLEAR WINDOW, IN-LINE COOLANT SYSTEM DIAGNOSTIC TOOL CONNECTS TO 5/8" AND 3/4" HOSE

PART NUMBER	CONTENTS OR USAGE
EOA7376	SPECTROCHEMICAL OIL ANALYSIS PLUS LEM & TAN/TBN

## Fuel Box Primary

WIDTH		DEPTH		LENGTH		PART NUMBER	PRIMARY APPLICATION
IN	MM	IN	MM	IN	MM		
4.37	111	2.60	66	2.87	73	P550888	GMC 25010487, STANADYNE 21631
4.61	117	2.83	72	2.43	62	P550955	GMC 6.2 DIESEL, STANADYNE 23775
4.62	117	2.83	72	2.46	62	P556285	THERMOKING 116285
6.31	160	3.28	83	2.64	67	P551049	GMC V8-379, STANADYNE 27611
4.95	126	3.71	94	3.15	80	P551130	JOHN DEERE AR50041, STANADYNE 20014, Has Glass Case, P559803 has metal case
5.04	128	3.71	94	3.28	83	P556745	JOHN DEERE AR86745, STANADYNE 26667
4.95	126	3.71	94	3.34	85	P559803	CAT 8N-9850, STANADYNE 21167, Has Metal Case, P551130 is Glass Case

## Fuel Cartridge Primary

OUTER DIA.		THREAD SIZE OR INNER DIA.		LENGTH		PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI-DRAIN (Y/N)
IN	MM	IN	MM	IN	MM				
.63	16	.19	5	.78	20	P550022	FORD V8-460, GM		
.71	18	.29	7	1.03	26	P550470	GMC 5651802		
.71	18	.29	7	2.03	52	P550471	GMC 5651803		
1.12	28	8 - 36 G		1.72	44	P502136	CAT 5S7645	None	None
1.14	29	.51	13	3.35	85	P502138	KUBOTA 15231-43563, 15231-43560	None	None
1.38	35	.43	11	2.44	62	P502134	YANMAR 10450055710	None	None
1.38	35	.43	11	3.39	86	P502166	YANMAR 12455055700, KUBOTA 16271-43560	None	None
1.38	35	.47	12	3.43	87	P502135	YANMAR 10599155710	None	None
1.38	35	.47	12	3.81	97	P502133	YANMAR 10420055710	None	None
1.38	35	1.73	44	.45	11	P502115	MINISUBISHI MA125373	None	None
1.39	35	.50	13	1.87	48	P550007	IHC, DODGE, FORD, JEEP, MELROE		
1.75	44	.50	13	1.12	28	P550200	AC GF124, FURN GSKT-P171182		
1.97	50	.79	20	3.50	89	P502161	YANMAR 12910055650, KUBOTA 15521-43160	None	None
2.14	54	.44	11	3.47	88	P550214	CLARK, GMC, IHC, AUTO, PICKUP, FURN GSKT-P171149		
2.19	56	.26	7	1.47	37	P550364	LISTER PETTER 20113112		
2.22	56	.53	13	4.49	114	P550860	DEUTZ 1160033 (FELT), For pleated paper version-use P550060		
2.22	56	.53	13	4.49	114	P550060	DEUTZ, ATLAS COPCO (Pleated Paper), USE P550860 for felt version		
2.31	59	.72	18	3.00	76	P552341	CAT 5M-7650		
2.44	62	.43	11	2.36	60	P550038	HINO 23401-1060		
2.75	70	.81	21	3.37	86	P551167	CHRYSLER 5037896		
2.76	70	.50	13	2.44	62	P551175	MANN & HUMMEL P715		
2.76	70	.53	13	4.06	103	P550120	MANN BF700X, FURN GSKT: P175508		
2.8	71	.59	15	3.93	100	P550039	HITACHI 4020429		
2.8	71	.62	16	4.17	106	P550026	ISUZU 9-9885111940		
2.83	72	.43	11	3.54	90	P550056	NISSAN 16444-29000		
2.83	72	.57	14	3.35	85	P552563	ISUZU 5-878100500		
2.83	72	.43	11	1.73	44	P502113	MINISUBISHI 3166201031	None	None
2.87	73	.52	13	3.54	90	P502117	MINISUBISHI ME016862	None	None
2.93	74	.62	16	2.20	56	P550673	IHC 478037C1		
2.93	74	.62	16	4.11	104	P550672	KOMATSU 600-311-8210		
2.95	75	.63	16	2.60	66	P502118	TOYOTA 0423456010	None	None
2.97	75	.54	14	4.09	104	P551169	FRAM C1102		
2.98	76	2.01	51	3.90	99	P551163	ALLIS CHALMERS 70090827		
2.98	76	3/4" - 16		6.23	158	P551170	MACK 237GB21		
3.01	76	1.04	26	9.70	246	P551162	CONTINENTAL 12395HE		
3.18	81	.47	12	5.79	147	P550861	DEUTZ, MERCEDES, ATLAS-COPCO, IHC, Use P550061 for felt version		
3.18	81	.55	14	5.79	147	P550061	DEUTZ 1168469, Use P550861 for pleated paper version		
3.25	83	.47	12	5.56	141	P550349	MERCEDES, MANN BF900X (FELT)		
3.35	85	1.54	39	3.94	100	P502137	TUNG FUNG 20108840	None	None
3.37	86	1.12	28	6.50	165	P558792	CAT 4H-8792, 9H-4729, 6H-5932		
3.44	87	.75	19	4.81	122	P550098	JOHN DEERE AR28611R		
3.44	87	.75	19	3.41	87	P502169	LEYLAND ABU9642, MAZDA SL07-23570	None	None
3.46	88	.56	14	2.80	71	P556245	CASE, JOHN DEERE, IHC, MF, ROOSAMASTER, FURN GSKT- P171186, P171190, P171191		
3.46	88	1.53	39	4.45	113	P556287	C.A.V. 7111/792, ROLLED PAPER VERSION		
3.48	88	1.32	34	4.80	122	P550501	PUROLATOR F70100 HOUSING		
3.50	89	.54	14	4.33	110	P551165	ALLIS CHALMERS 4348147		
3.50	89	.74	19	5.28	134	P550394	MASSEY FERGUSON, PERKINS		
3.50	89	.75	19	2.76	70	P551168	PERKINS 31938		



OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
3.53 90	.57 14	5.31 135	P550040	HITACHI 4514801, ISUZU 1878100270	None	None
3.54 90	.57 14	5.52 140	P550044	mitsubishi 30062-65011		
3.58 91	.59 15	5.43 138	P502116	mitsubishi ME971550, ME971553, SAME AS P550044 EXCEPT GASKETS		
3.60 91	.59 15	7.91 201	P551338	NISSAN 16444Z9027		
3.61 92	.59 15	5.28 134	P550055	NISSAN 16444-99128		
3.62 92	.59 15	4.33 110	P550054	mitsubishi ME036478		
3.62 92	.59 15	5.31 135	P550023	NISSAN 16444-90127		
3.62 92	.73 19	5.51 140	P502114	mitsubishi ME046010		
3.70 94	.98 25	7.28 185	P550347	FIAT GEOTECH 1909107		
3.86 98	.87 22	6.35 161	P502132	MANN EK405, P1018/1		
3.90 99	1.61 41	9.23 234	P551317	Caterpillar 1R0756	None	None
3.93 100	1.62 41	9.25 235	P559850	CAT 8N-9850		
3.95 100	.91 23	6.29 160	P551161	MACK 237GB13		
3.97 101	.54 14	5.00 127	P551164	MASSEY FERGUSON 1006543M91		
4.00 102	.57 14	6.32 161	P550042	ISUZU 1878102070		
4.00 102	.77 20	4.90 124	P550096	CUMMINS 105211, 299101, FURN GSKT-P171177, P171194, P171153		
4.09 104	.59 15	4.09 104	P550392	HINO 234011090		
4.37 111	.59 15	5.51 140	P550028	NISSAN 16444-99028		
4.64 118	.87 22	8.39 213	P550125	CUMMINS 130909,299125, FURN GSKT-P171160		
5.00 127	.97 25	9.75 248	P558600	KOMATSU 6610-79-8600		
5.07 129	2.28 58	10.29 261	P554056	CAT 1W-4056	None	None
5.88 149	1.00 25	9.84 250	P550043	CUMMINS, HOUGH, MICH 139097, 256834, FURN GASKET: P171175, P171176		
7.07 180	3.98 101	11.77 299	P502131	MANN B405C, BF1018/1		

## Fuel Cartridge Secondary

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
2.97 75	1.03 26	4.53 115	P550201	MACK 237-GB-28, FURN GSKT-P174995		
2.98 76	1.03 26	3.75 95	P553261	GMC 5573261, FURN GSKT-P171162, P171168		
2.98 76	1.03 26	7.81 198	P550540	CUMMINS, GMC 5573262, FURN GSKT-P171174, P171162		
4.53 115	1.94 49	8.90 226	P551624	AC TP624 w/Pleated Paper, PKGD GASKET P177751, OPTIONAL GASKET P177752		

## Fuel Cartridge Sock

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
3.00 76	1.12 28	6.00 152	P550522	GMC 21029		
3.00 76	1.12 28	8.25 210	P550552	GMC 5575032		
4.00 102	1.12 28	8.75 222	P550541	GMC 5574980		
5.50 140	2.46 62	10.00 254	P550032	DETROIT DIESEL		

## Fuel In-Line

OUTER DIA. IN MM	LINE SIZE	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION
.70 18	.28	1.06 27	P550093	GMC 5651393, GASOLINE ONLY
.75 19	5/16" Hose In, 1/8"-27 Out	2.13 54	P550016	FORD D7TE9155A, MOTORCRAFT FG778, Includes 1 hose and 2 clamps
.94 24	5/16" Hose In and Out	3.06 78	P550454	FORD D3FZ9155A, D2RY9155A, Includes 2 hoses and 4 clamps
.94 24	3/8" Hose In, 1/2"-20 Out	2.84 72	P550199	MOTORCRAFT FG15, FURN GSKT-P171173 ,Includes 1 hose and 2 clamps
1.01 26	5/16" Hose In, 1/8"-27 Out	2.86 73	P550091	FORD, MOTORCRAFT FG14, Includes 1 hoses and 2 clamps
1.33 34	1/2"-20 In, 1/8"-27 Out	1.92 49	P550475	FORD 6CYL-300, V8-302 E1ZE-9155-A4A
1.72 44	5/16" Hose In and Out	4.56 116	P550111	GMC 3229443, Includes 1 hose and 2 clamps
1.93 49	1/8"-27 In, 1/2"-20 Out	3.38 86	P550457	JOHN DEERE T19743
1.93 49	3/8" Hose In and Out	3.85 98	P550974	CUMMINS 3826094
1.94 49	1/4" Hose In and Out	3.86 98	P550094	UNIVERSAL 1/4" O.D. LINES, GASOLINE ONLY
1.94 49	3/8" Hose In and Out	3.88 99	P550090	FORD, GMC, Includes 2 hoses and 4 clamps
1.94 49	3/8" Hose In, 3/8" Tube out	3.88 99	P550433	CASE IH D145357

## Fuel In-Line – Continued

OUTER DIA. IN MM		LINE SIZE	LENGTH IN MM		PART NUMBER	PRIMARY APPLICATION
1.94	49	5/16" Hose In and Out	3.88	99	P550012	PICKUPS AND CARS, UNIVERSAL 5/16", includes 2 hoses and 4 clamps
1.95	50	5/16" Hose In, 1/4" Hose Out	3.20	81	P551330	JEEP LIGHT TRUCK
2.00	51	3/8" Hose In and Out	3.94	100	P550474	DODGE 6CYL-225, V8-318, Includes 2 hoses and 4 clamps
2.00	51	5/8"-24 In and Out	3.70	94	P550446	JOHN DEERE AR103220, CUMMINS 3318919
2.16	55	5/16" Hose In and Out	4.55	116	P550962	DODGE LIGHT TRUCK
2.17	55	M16 X 1.5 In and Out	4.29	109	P550209	AC GF481
3.08	78	5/16" Tube In and Out	6.77	172	P550967	FORD LIGHT TRUCK, includes clips
3.10	79	5/16" Tube In and out	5.70	145	P550126	FORD E3FZ9155C, includes clips

## Fuel Spin-on Primary

OUTER DIA. IN MM		THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM		PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
2.96	75	1 1/8" - 12	5.23	133	P550674	BULK FUEL TANK FILTER		
3.00	76	M16 x 1.5	6.50	165	P550587	DEUTZ 2133558, 2133943, FURN GSKT=P175502, For Rolled Paper version-use P550588	None	None
3.00	76	M20 x 1.5	3.40	86	P550127	KUBOTA 70000-43081		
3.01	76	3/4" - 16	5.75	146	P550410	KOMATSU 600-311-8220		
3.01	76	M16 x 1.5	3.46	88	P555095	FORD #E67HZ9365A (BRAZILIAN CAB FORWARD)		
3.03	77	7/16" - 20	4.87	124	P550325	ONAN 122B325		
3.03	77	M16 x 1.5	2.49	63	P550678	FORD E6HZ9365B		
3.03	77	M16 x 1.5	3.15	80	P550345	DEUTZ 1174424, MANN WK712/2		
3.04	77	M14 x 1.5	3.42	87	P550682	MERCEDES 0010920501		
3.05	77	7/8" - 14	5.83	148	P550368	NAVISTAR 1820749C1		
3.07	78	M14 x 1.5	5.03	128	P553287	DEUTZ 3363287		
3.11	79	M16 x 1.5	4.80	122	P553004	VOLVO 243004, FFWS=P550688	None	None
3.15	80	3/4" - 16	3.31	84	P502177	FSA FF2028, RYCO Z169A		
3.15	80	3/4" - 16	4.50	114	P502163	NISSAN 16403-Z9000, 16403-Z9005		
3.15	80	3/4" - 16	6.89	175	P502167	NISSAN 16405-01T70		
3.15	80	M20 x 1.5	3.93	100	P502143	MITSUBISHI 3446200300		
3.16	80	M20 x 1.5	4.72	120	P502142	MITSUBISHI MB433425, TCM 20801-02131		
3.18	81	7/8" - 14	7.09	180	P551315	Caterpillar 1R0759		
3.30	84	3/4" - 16	3.39	86	P550057	TOYOTA 23303-56301		
3.31	84	M16 x 1.5	6.30	160	P550588	BOSCH 1457434056, For pleated paper version use P550587		
3.34	85	1" - 14	7.09	180	P551740	CATERPILLAR 1R-0740, Smaller dia version of P557440		
3.66	93	1" - 14	5.35	136	P550105	CUMMINS 154709, FURN GSKT: P174994, P169090-SYNTEQ Media, Similar: P550106, P550104, P558000	None	None
3.66	93	1" - 14	5.35	136	P552251	IHC 702250C1, Similar: P552250-Fuel primary, P555004-FFWS		
3.66	93	1" - 12	5.35	136	P550936	GMC 25011011, 8.2L		
3.66	93	1" - 14	6.85	174	P553854	CARRIER, IHC, THERMOKING 11.3854		
3.66	93	1" - 14	6.85	174	P557440	CAT 1R-0711, 1P-2299, 6L-7440, KTSU 600-311-8290, P169096-SYNTEQ Media, P558030-FFWS/DRAIN		
3.66	93	1" - 12	6.85	174	P554347	BULK FUEL , W/O DRAIN, Similar-P551915 with drain		
3.66	93	1" - 14	7.87	200	P555627	IHC 625627C1, P169096-SYNTEQ Media, OTHERS: P557440, P558030-FFWS W/DRAIN		
3.66	93	M24 x 1.5	6.77	172	P550391	MITSUBISHI ME056280		
3.67	93	1" - 14	6.95	177	P169096	CAT 6L-7440, 1P-2299, 8L-9740, SYNTEQ Media, P557440-Standard fuel, P555003-FFWS, P558030-FFWS W/DRAIN		
3.67	93	5/8" - 11	5.32	135	P551174	CASE IH 259099C91		
3.68	93	1" - 14	6.85	174	P551178	NISSAN FL40399008	None	NA
3.68	93	1" - 14	9.43	240	P551311	Caterpillar 1R0749		
3.68	93	3/4" - 16	4.92	125	P552564	ISUZU 1-13240-074-0, HITACHI 4206080		
3.68	93	7/8" - 14	6.91	176	P551314	Caterpillar 1R0751		
3.68	93	7/8" - 14	9.43	240	P551312	Caterpillar 1R0753		
3.68	93	M20 x 1.5	3.94	100	P550049	MITSUBISHI ME016823		
3.69	94	1" - 12	5.37	136	P550215	WATER ABSORBING, FUEL DISPENSING PUMPS, P550115 is Standard Fuel		
3.69	94	1" - 12	5.37	136	P550115	FUEL DISPENSING PUMPS, P550215=Water Absorbing		
3.69	94	1" - 14	5.68	144	P550108	JOHN DEERE AR45098, AR45097		
3.69	94	1" - 12	7.44	189	P551915	BULK FUEL TANKS WITH SEDIMENT DRAIN, Similar: P554347 w/o Drain		
3.69	94	13/16" - 18	6.40	163	P551176	TRANSICOLD 3150301		
3.70	94	1" - 14	4.16	106	P169093	CUMMINS 138627, SYNTEQ Media, P550104-Standard fuel, P555011-FFWS w/bowl, P558020-FFWS W/drain		
3.70	94	1" - 14	4.68	119	P550684	DAVCO 320/330 SERIES		

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
3.70	94	3/4" – 16	5.43 138	P550385 TOYOTA 2330364010	None	None
3.70	94	M20 x 1.5	4.72 120	P502157 MAZDA RF0323570		
3.70	94	M20 x 1.5	4.72 120	P552561 MITSUBISHI ME035393, ME035829		
3.71	94	M18 x 1.5	8.13 207	P550372 VOLVO 420799		
3.72	94	1" – 14	9.43 240	P551712 CATERPILLAR 1R-0712, Smaller dia version of P555823		
3.72	94	M20 x 1.5	5.17 131	P502158 MAZDA 145623570A		
3.72	94	M20 x 1.5	5.43 138	P502149 DAIHATSU 2330387308000		
3.73	95	1" – 14	5.69 145	P550683 HINO 23501-1010		
3.73	95	15/16" – 16	7.73 196	P550681 FIAT ALLIS 74321716		
3.74	95	M20 x 1.5	3.15 80	P550048 MITSUBISHI ME006066		
3.78	96	M24 x 1.5	7.00 178	P550365 ROLLS ROYCE OE42873	None Yes	None None
3.80	97	11/16" – 16	4.16 106	P550677 FRAM PS3808, PUROLATOR GP23		
3.81	97	1" – 14	4.22 107	P550104 CUMMINS 138627, FURN GSKT: P174994, P169093=SYNTEQ Media, Similars: P550105, P550106, P558020		
3.81	97	1" – 12	4.25 108	P550089 DETROIT DIESEL 8.2L ENG, FORD TRK & BUS		
3.81	97	1" – 14	5.70 145	P550109 FORD D3HE9176AA		
3.81	97	1" – 12	6.08 154	P550944 GMC 6.2L 25011285		
3.81	97	1" – 14	7.40 188	P550106 CUMMINS D156172, 202893, FURN GSKT-P169192, FURN GSKT: P174994, P169090=SYN-TEQ Media, Similars: P550105, P550104, P558000		
3.81	97	1" – 14	7.81 198	P552250 IHC 702256C1, Similars: P552251-Fuel primary, P555004-FFWS		
3.81	97	1" – 12	7.97 202	P556915 DET DIESEL 23517471, AC T915D, P555002-FFWS ASSY, P558010-FFWS W/DRAIN		
3.81	97	1/4" – 18	6.40 163	P550097 BOSCH FSA10A1.3.B		
3.81	97	13/16" – 18	4.50 114	P550868 CASE A39868, DAVID BROWN	None	None
3.81	97	13/16" – 18	6.28 160	P558712 CASE IH A58712		
3.81	97	15/16" – 16	5.53 140	P559100 CAT 9L-9100, 9L-8794, FURN GSKT-P171179		
3.81	97	2.85 72		P550437 MOTORCRAFT FD4596, FORD 1999 LIGHT TRUCK		
3.82	97	3/4" – 16	5.47 139	P559419 RENAULT RVI 0003036404		
3.82	97	M16 x 1.5	5.47 139	P554620 DEUTZ 1174422		
3.82	97	M16 x 1.5	8.27 210	P559624 DAF 247138		
3.90	99	M20 x 1.5	5.43 138	P550390 MITSUBISHI MB220900		
4.24	108	7/8" – 14	7.14 181	P551318 Navistar 1822588C1		
4.25	108	1" – 14	7.91 201	P551335 DAVCO 320120		
4.25	108	1" – 14	10.31 262	EFF9092S CAT 4N5823, INDIVIDUAL BOX VERSION OF EFF9092, P555823-Standard Fuel, P555006-FFWS w/bowl, P555060-FFWS filter only		
4.25	108	1" – 14	10.31 262	EFF9092 CAT ENGINES, Donaldson Endurance Version of P555823, P555823-Standard Fuel, P555006-FFWS w/bowl, P555060-FFWS filter only		
4.25	108	M22 x 1.5 6H	7.95 202	P554470 MACK 483GB470M, METRIC THREAD VERSION OF P550219	None None None	None None None
4.26	108	1" – 14	5.90 150	P550455 CARRIER 300109000		
4.26	108	1" – 14	5.93 151	P550448 CARRIER 300109001		
4.27	108	3/4" – 16	7.03 179	P550679 FIAT 74788503		
4.28	109	13/16" – 18	7.89 200	P550219 MACK 483-GB-219A, Similars: P555005-FFWS, P558040-FFWS w/drain		
4.29	109	M16 x 1.5	7.20 183	P551605 IVECO 1901605		
4.31	109	1" – 14	10.60 269	P555823 CAT 4N-5823, P555823=SYNTEQ Media, P555006-FFWS ASSY		
4.33	110	3/4" – 16	4.92 125	P550346 IVECO 1901607 <b>ELF9092</b>		
4.36	111	1" – 14	5.04 128	P550436 RACOR S3225P		
4.41	112	3/4" – 16	6.69 170	P502146 TOYOTA 23303-56040		
4.65	118	1 1/4" – 12	10.64 270	EFF9202 CUMMINS 299202, REPLACES EFF9094, ENDURANCE VERSION OF P550202	None	None
4.67	119	1 1/4" – 12	8.94 227	P550958 DETROIT DIESEL 25011024		
5.06	129	1 1/4" – 12	11.39 289	P550202 CUMMINS 299202, P169094=SYNTEQ Media, P555007-FFWS w/bowl, P550687-FFWS		
5.34	136	1 3/8" – 16	12.19 310	P551316 Caterpillar 1R0755		
5.38	137	1 3/8" – 16	12.13 308	P553080 CAT 8N-3080, 3500 SERIES ENGINE		

## Fuel Spin-on Secondary

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
3.00	76	M16 x 1.5	5.12 130	P550440 CUMMINS 6C, 6CT SERIES		
3.03	77	M16 x 1.5	4.87 124	P550943 GMC 6.2L 25011214		
3.31	84	3/4" – 16	3.94 100	P550225 HINO 23401-1332, NISSAN 16403Z9003		
3.44	87	3/8" – 24	3.44 87	P550118 ONAN 122B326		
3.46	88	M16 x 1.5	4.65 118	P550272 CASE IH 3218794R91, BOSCH 1457434099		
3.66	93	13/16" – 12	4.21 107	P550928 GMC 25010959, P169095=SYNTEQ Media		
3.67	93	13/16" – 12	6.89 175	P169091 DET. DIESEL, GM 6438840, SYNTEQ Media, P556916-Standard fuel spin-on		

## Fuel Spin-on Secondary – Continued

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
3.68	93	1" – 14	6.95 177	P551313 Caterpillar 1R0750	None	None
3.69	94	1" – 14	8.69 221	P552253 IHC 702253C1		
3.78	96	7/8" – 14	8.70 221	P553855 IHC, THERMOKING 11.3855		
3.81	97	13/16" – 12	6.78 172	P556916 DET. DIESEL 23518530, AC TP916D, P169091=SYNTEQ Media		
3.81	97	15/16" – 16	4.75 121	P550110 CASE A39867, FURN GSKT-P171183		
3.81	97	15/16" – 16	5.53 140	P551127 CASE A58713, FURN GSKT-P171183		
3.81	97	7/8" – 14	5.22 133	P553693 CARRIER, THERMOKING 11.3693		
4.24	108	1 1/16" – 16	10.31 262	EFF9440 MACK 483–GB–440, REPLACES P169098, ENDURANCE VERSION OF P550431		
4.24	108	7/8" – 16	7.95 202	EFF9441 MACK 483–GB–441, REPLACES P169097, ENDURANCE VERSION OF P550218		
4.25	108	M30 x 1.5–6H	10.30 262	P554471 MACK 483GB471M, METRIC THREAD VERSION OF P550431		
4.28	109	1 1/16" – 16	10.31 262	P550431 MACK 483–GB–431, P169098=SYNTEQ Media		
4.28	109	7/8" – 14	4.60 117	P550811 FORD, IHC 6.9L 1804459C1		
4.28	109	7/8" – 16	7.89 200	P550218 MACK 483–GB–218B, P169097=SYNTEQ Media		
4.28	109	7/8" – 14	7.98 203	P552603 IHC 672603C1, P550689=FFWS		
4.67	119	1 1/16" – 16	8.94 227	EFF0047S DETROIT DIESEL 16V149T ENG, INDIVIDUAL BOX VERSION OF EFF0047, P550959–Standard Fuel		
4.67	119	1 1/16" – 16	8.94 227	EFF0047 DETROIT DIESEL ENGINES, Donaldson Endurance Version of P550959, P550959–Standard Fuel		
4.67	119	1 1/16" – 16	8.94 227	P550959 FORD, GMC 25011026, P170047=SYNTEQ Media		

## Fuel/Water Separator Accessory

PART NUMBER	CONTENTS OR USAGE
P920682	MOUNTING HEAD/BRACKET
P920730	SERVICE GAUGE FOR P92 FFWS'S
P920681	ELECTRONIC WATER LEVEL SERVICE INDICATOR

## Fuel/Water Separator Assembly

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
3.81	97	1" – 14	6.56 167	P555004 RACOR B32004, INCLUDES BOWL, P552250 & P552251–STD FUEL		
3.81	97	1" – 14	8.06 205	P555003 RACOR B32003, INCLUDES BOWL, P169096=SYNTEQ Media, P555627 & P557440–FUEL, P558030–W/Drain		
3.81	97	1" – 12	9.94 252	P555002 RACOR B32002, INCLUDES BOWL, P550915–FUEL, P558010–FFWS W/DRAIN		
3.81	97	1" – 14	9.94 252	P555001 RACOR B32001, INCLUDES BOWL, P169090=SYNTEQ Media, OTHERS:P550105, P550106, P558000–FFWS w/drain		
4.38	111	1" – 14	11.38 289	P555006 RACOR B32006, INCLUDES BOWL, P169092=SYNTEQ Media, P555823–FUEL SPIN–ON		

## Fuel/Water Separator Box

WIDTH IN MM	DEPTH IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION
4.62	117	2.83 72	2.46 62	P557264 THERMOKING 117264
4.62	117	2.83 72	2.46 62	P556286 THERMOKING 116286

## Fuel/Water Separator Cartridge

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
1.78	45	.50 13	2.68 68	P552000 RACOR 2000SM		
3.01	76	1.04 26	4.41 112	P550686 FRAM CS1133PL SEPARATOR		
3.01	76	1.04 26	7.34 186	P550685 FRAM CC1133PL COALESCER		
3.25	83	.63 16	2.44 62	P552010 RACOR 2010SM		
3.41	87	4.07 103	1.43 36	P550430 CUMMINS ISB SERIES ENGINES		
3.50	89	.63 16	6.42 163	P550366 FORD 844F9176CAB		



OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)			
3.56	90	.56	14	3.99	101	P550966	FORD NAVISTAR LIGHT TRUCK		
3.75	95	1.12	28	6.77	172	P550969	DAVCO 380 SERIES, FURN GSKT:P174999, P174797, P174798, P176160=SYNTEQ Media		
3.82	97	.68	17	6.77	172	P176160	DAVCO 380 SERIES FUEL PRO FOR DET DIESEL ENGINES, includes o-rings, Standarf Ver- sion = P550969		
4.12	105	1.71	43	4.31	109	P551310	CHRYSLER 0488396AA		
4.28	109	.81	21	4.63	118	P552040	RACOR 2040SM		
4.28	109	.81	21	9.63	245	P552020	RACOR 2020SM, FURN GSKT-P167821, P167822, P167823		
4.31	109	.65	17	6.47	164	P550447	FLEETGUARD FS1011 FOR OPTIGUARD SYSTEM, INCLUDES PACKAGED ORING P179238		None
5.83	148	1.00	25	8.68	220	P550316	CAT, CUMMINS, GROVE		

## Fuel/Water Separator Spin-on

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)			
2.99	76	M16 x 1.5	5.71	145	P550248	CUMMINS 3903202			
3.03	77	M16 x 1.5	4.40	112	P550690	CASE J911213			
3.03	77	M16 x 1.5	4.51	115	P550249	CUMMINS 3912104			
3.06	78	M16 x 1.5	6.74	171	P550688	DEUTZ, P553004=Standard Fuel			
3.27	83	2.73	69	4.03	102	P550351	JOHN DEERE RE50455		
3.27	83	2.73	69	4.75	121	P550434	NEW HOLLAND 87840591		
3.27	83	2.73	69	5.02	128	P550397	JOHN DEERE RE62419, STANADYNE 31733		
3.27	83	2.73	69	5.02	128	P550399	CATERPILLAR 1383100, STANADYNE 32919		
3.27	83	2.73	69	5.23	133	P550352	GM 10154635, 6.2L DIESEL		
3.27	83	2.73	69	5.77	147	P550401	CATERPILLAR 100-5593, 1383098 STANADYNE 30729		
3.27	83	2.73	69	6.04	153	P551723	JOHN DEERE RE61723, RE62424		
3.27	83	2.73	69	6.04	153	P550398	JOHN DEERE RE62421, STANADYNE 31734DN		
3.27	83	2.73	69	6.41	163	P550435	NEW HOLLAND 87840590		
3.68	93	1" - 14	9.80	249	P551000	CUMMINS CELECT & QUANTUM ENG APPLICATIONS, CONTAINS STRATAPORE, Similar: P551001 is shorter than P551000			
3.69	94	1" - 14	5.85	149	P550691	CUMMINS 3843447			
3.69	94	1" - 14	7.92	201	P551001	CUMMINS CELECT & QUANTUM ENGINES FOR, FREIGHTLINER TRUCKS, CONTAINS STRATA- PORE, Similar: P551000-longer than P551001			
3.75	95	1" - 14	4.12	105	P550088	FORD 6.6L & 7.8L ENG #E7H4N184A, RACOR R26P			
3.76	96	13/16" - 18	6.01	153	P551329	CASE, CUMMINS			
3.78	96	M20 x 1.5	4.65	118	P550968	DODGE LIGHT TRUCK WITH CUMMINS DIESEL			
3.81	97	1" - 14	4.02	102	P555040	RACOR S32, Similar fuel spin-ons P552250 & P552251			
3.81	97	1" - 14	5.52	140	P555030	RACOR S32, P169096=SYNTEQ Media, P555627=FUEL, P558030=FFWS/DRN			
3.81	97	1" - 14	5.52	140	P555110	RACOR S32011, P550104=STD FUEL, P169093=SYNTEQ Media, P558020=FFWS			
3.81	97	1" - 14	7.40	188	P555010	RACOR S32002, P169090=SYNTEQ, OTHERS: P550105, P550106, P558000=FFWS w/drain			
3.81	97	1" - 12	7.40	188	P555020	RACOR S3202, P558002=FFWS W/DRAIN, P550915=FUEL SPIN-ON			
3.81	97	1" - 14	7.81	198	P558030	WITH DRAIN, P169096=SYNTEQ Media, OTHERS: P557440=STD, P555003=FFWS ASSY			
3.81	97	1" - 14	7.81	198	P558020	WITH DRAIN, FURN GSKT=P174994, P550104=STD FUEL, P169093=SYNTEQ Media			
3.81	97	1" - 14	7.81	198	P558050	WITH DRAIN, P169096=SYNTEQ Media, OTHERS:P555627,P555003=FFWS ASSY			
3.81	97	1" - 12	9.54	242	P558010	WITH DRAIN, P550915=Standard fuel, P555002=FFWS ASSY			
3.81	97	1" - 14	9.65	245	P558000	WITH DRAIN, FURN GSKT=P174994, Standard Fuel=P550105 or P550106, P551001=10 Micron Alternative			
4.27	108	7/8" - 14	8.87	225	P550689	NAVISTAR 1808623C1, P552603 is Standard Fuel			
4.28	109	13/16" - 18	8.84	225	P558040	WITH DRAIN, P550219 STANDARD FUEL, P555005=FFWS ASSY			
4.36	111	1" - 14	5.05	128	P550729	NAVISTAR 1677004C91			
4.36	111	1" - 14	5.10	130	P550730	FORD F1HZ9365A, CARRIER 30-01079, BOWL NOT INCLUDED			
4.38	111	1 1/4" - 12	7.44	189	P920711	1 GPM HIGH PERF FFWS, P920683=3 GPM (longer version)			
4.38	111	1 1/4" - 12	11.75	298	P920683	3 GPM HIGH PERF FFWS, P920711=1 GPM (shorter version)			
4.38	111	1" - 14	8.56	217	P555060	RACOR S3206, P555823=STD FUEL, P169092=SYNTEQ Media			
4.39	112	1" - 14	4.02	102	P553375	FORD 7.3L W/NAVISTAR ENG #F2TZ-9N184A-A			
4.74	120	1 1/4" - 12	11.80	300	P550687	CUMMINS 3309437, P550202=Standard Fuel, P169096=SYNTEQ Media			
5.38	137	1 3/8" - 16	11.77	299	P550348	DETROIT DIESEL 23512631			

## Gasket

OUTER DIA.		INNER DIA.		THICKNESS		PRIMARY APPLICATION	COMPOUND	PART NUMBER
IN	MM	IN	MM	IN	MM			
16.25				17.19		DONALDSON SRG AIR CLEANER		P115097
				45.56		DONALDSON SRG AIR CLEANER	Cellular Rubber	P115098
				.63		DONALDSON SRG AIR CLEANER	Cellular Rubber	P115096
11.77		10.81		.74		FREIGHTLINER CF, FL, FLB TRUCKS, ECG Air Cleaner, FOR P535693 FILTER	Urethane	P536493
11.43		10.81		.30	8	DONALDSON KONEPAC EBA 11" AIR CLEANER, PACKAGED WITH P522293		P154686
3.55	90	3.18	81	.25	6	DETROIT DIESEL MAINTENANCE KIT OPTIONAL GASKET		P169982
4.74	120	4.30	109	.31	8	GRESEN 1576001, OPTIONAL WITH P553293	Rubber	P177051
5.00	127	4.5	114	.12	3	FOR USE WITH LPS05 AND HBK05 SERIES ELEMENTS, L SHAPE CROSS SECTION		P179354
5.50	140	5.25	133	.38	10	OPTIONAL GASKET FOR P555603 & P164906, 5.25" ID X 1/8" WIDE X 1/8" THICK	Nitrile	P179322
5.52	140	4.76		.37	10	Donaldson HYDRAULIC SYSTEM, BOOT GASKET, 5.68" OD		P112789
6.75	171	6		.37	10	DONALDSON SBG08 AIR CLEANER	Sponge Rubber	P018406
6.88	175	5.88		.27	7	DONALDSON SBG10 AIR CLEANER	Sponge Rubber	P018182
8.55	217	8.00	203	.37	10	500, 750 BYPASS HOUSINGS SQUARE X SECTION, OPTIONAL ON P550500, P550750, P550751		P167575
8.88	226	7.88		.25	6	DONALDSON SBG12 AIR CLEANER	Sponge Rubber	P018033
8.97	228	8.47	215	.37	10	500, 750 BYPASS HOUSINGS BEVELED X SECTION, OPTIONAL ON P550500, P550750, P550751		P167574
10.56	268	9.56		.37	10	DONALDSON SBG14 AIR CLEANER	Sponge Rubber	P018029
12.25	311	11.25		.38	10	SBG16 AIR CLEANER	Sponge Rubber	P017368

## Gasket, Liquid Filter

OUTER DIA.		INNER DIA.		THICKNESS		PRIMARY APPLICATION	COMPOUND	PART NUMBER
IN	MM	IN	MM	IN	MM			
.57	14	.36	9	.10	3	OPTIONAL LIQUID FILTER KIT GASKET		P170492
.75	19	.44	11	.11	3	SUPPLIED WITH P550540	HARD FIBER ASTM D-170	P171174
.75	19	.55				RACOR FFWS, USED WITH P552020, P552040		P167822
.76	19	.43	11			SUPPLIED WITH P550096	STEEL COATED RUBBER INSER	P171177
.76	19	.55	14			SUPPLIED WITH P556245	NBR COMPOUND 70 DURO	P171190
.87	22	.50	13			SUPPLIED WITH P550199	ARMSTRONG TN-9004 COMP GA	P171173
1.19	30	.94	24			SUPPLIED WITH P559100	NBR COMPOUND 65 DURO	P171179
1.20	30	.92	23			SUPPLIED WITH P551127	NBR COMPOUND 70 DURO	P171183
1.25	32	.72	18			SUPPLIED WITH P550096	NBR COMPOUND 60 DURO	P171194
2.11	54	1.75	44			GRESEN 3274001, 2 PACKAGED WITH P553293		P177050
2.72	69	2.47	63			SUPPLIED WITH P550214	NBR COMPOUND 65 DURO	P171149
2.94	75	.16	4			PACKAGED WITH P550052	NBR COMPOUND 85 DURO	P171161
3.11	79	2.97	75			SUPPLIED WITH P550183	NBR COMPOUND 85 DURO	P171170
3.15	80	.12	3			SUPPLIED WITH P556245	BUNA-N 70 DURO	P171191
3.15	80	2.9	74			P550860 PACKAGED GASKET, OPTIONAL GASKET FOR P550060	NBR COMPOUND 85 DURO	P171169
3.19	81	2.69	68			SUPPLIED WITH P550197	NBR COMPOUND 50 DURO	P171155
3.35	85	2.62	67			SUPPLIED WITH P556245	BUNA-N 70 DURO	P171186
3.35	85	3.10	79			SUPPLIED WITH P550183	NBR COMPOUND 70 DURO	P171181
3.69	94	3.44	87			SUPPLIED WITH P550540, P553261	NBR COMPOUND 85 DURO	P171162
3.75	95	1.83	46			GRESEN 3277001, OPTIONAL WITH P553293		P177049
3.87	98	3.69	94			SUPPLIED WITH P550186	NBR COMPOUND 85 DURO	P171167
3.94	100	.16	4			SUPPLIED WITH P550185	BUNA-N COMPOUND CLASS #1	P171192
4.00	102	3.77	96			SUPPLIED WITH P550141	NBR COMPOUND 85 DURO	P171157
4.06	103	3.5	89			SUPPLIED WITH P553261		P171168
4.19	106	3.79	96			SUPPLIED WITH P550203	NBR COMPOUND 85 DURO	P171150
4.25	108	.21	5			SUPPLIED WITH P550092	NBR COMPOUND 85 DURO	P171185
4.41	112	.16	4			SUPPLIED WITH P550203	NBR COMPOUND 60 DURO	P171195
4.50	114	4.25	108			SUPPLIED WITH P553335	NBR COMPOUND 85 DURO	P171165
4.50	114	4.3	109			SUPPLIED WITH P550484	NBR COMPOUND 85 DURO	P171164
4.69	119	4.00	102	.06	2	SUPPLIED WITH P557424, P550179		P171188
4.70	119	4.25	108			SUPPLIED WITH P550092	ARMSTRONG TN-9004 COMP	P171180
4.74	120	4.33	110			SUPPLIED WITH P550117, P550096	DURO 90 COMPOUND MUST BE	P171153
4.92	125	4.40	112			SUPPLIED WITH P551475	ASTM D-2000 4 BC A14E14E3	P171156
5.00	127	4.75		.12	3	RACOR FFWS, USED WITH P552020, P552040		P167821
5.01	127	4.79		.12	3	PACKAGED WITH P166375, P166376		P167687

OUTER DIA.		INNER DIA.		THICKNESS		PRIMARY APPLICATION	COMPOUND	PART NUMBER	
IN	MM	IN	MM	IN	MM				
5.05	128	4.81	122	.62	16	SUPPLIED WITH P556004, P550171, P550174	NBR COMPOUND 85 DURO	P171171	
5.09	129	4.71	120			OPTIONAL WITH LPS05 SERIES	NBR COMPOUND 60 DURO	P171184	
5.12	130	4.38	111			SUPPLIED WITH P550117	NBR COMPOUND 85 DURO	P171154	
5.13	130	4.62				PACKAGED GASKET WITH P550132	Compressed Fiber	P167686	
5.20	132	4.84	123			SUPPLIED WITH P556004, P550172, P550174	NBR COMPOUND 85 DURO	P171172	
5.38	137	5.06	129			SUPPLIED WITH P558462	NBR 90 DUR COMPOUND	P171158	
5.51	140	5.21	132			.13	3	OPTIONAL GASKET USED WITH P555603	P174997

PART NUMBER	CONTENTS OR USAGE
P170894	L SHAPE CROSS SECTION SEAL

OUTER DIA.		INNER DIA.		THICKNESS		PRIMARY APPLICATION	COMPOUND	PART NUMBER
IN	MM	IN	MM	IN	MM			
5.69	145	5.47	139	.52		SUPPLIED WITH P550613	BUNA-N 90 DURO	P171166
5.85	149	5.38	137			SUPPLIED WITH P550087	NBR COMPOUND 70 DURO	P171178
5.97	152	5.37				SUPPLIED WITH P550125	70 DURO NITRILE	P171160
6.00	152	5.38	137			SUPPLIED WITH P551014		P171163
6.56	167	6.06	154			SUPPLIED WITH P550043	80 DURO NEOPRENE	P171176
6.92	176	6.45	164			SUPPLIED WITH P550043	BUNA-N 80 DUROMETER	P171175

## Grommet

PART NUMBER	CONTENTS OR USAGE
P175798	SUPPLIED WITH P550696

## Head Assembly Bracket

PART NUMBER	CONTENTS OR USAGE
P174767	REMOTE MOUNT COOLANT HEAD, FOR P174766

## Head Assembly Coolant

INLET PORT	OUTLET PORT	THREADED STUD	BYPASS VALVE SETTING	PART NUMBER	PRIMARY APPLICATION
3/8" NPT	3/8" NPT	1 1/16" - 16	None	P174766	FITS COOLANT FILTERS WITH 11/16-16" THREADS, Mounting bracket is P174767

## Head Assembly Fuel

INLET PORT	OUTLET PORT	THREADED STUD	BYPASS VALVE SETTING	PART NUMBER	PRIMARY APPLICATION
3/8" NPT	3/8" NPT	1 1/16" - 16	None	P174774	FOR P550959 FAMILY SPIN ON FUEL FILTER
7/8"-14	7/8"-14	1 1/4" - 12	None	P174770	FOR P550202 FAMILY SPIN ON FUEL FILTERS
3/8" NPT	3/8" NPT	1 1/4" - 12	None	P174773	FOR P550958 SPIN ON FUEL FILTER
5/8" SAE O-RING	5/8" SAE O-RING	1" - 14	None	P174768	FOR P550105 FAMILY SPIN ON FUEL FILTERS
1/2" NPT	1/2" NPT	1" - 14	None	P174769	FOR P550105 FAMILY SPIN ON FUEL FILTERS
3/8" NPT	3/8" NPT	1" - 12	None	P174771	FOR P556915 FAMILY SPIN ON FUEL FILTERS
1/4" NPT	1/4" NPT	13/16" - 12	None	P174785	FOR P556916 FAMILY SPIN ON FUEL FILTERS
1/4" NPT	1/4" NPT	M16 X 1.5	None	P174775	FOR P550248 SPIN ON FUEL FILTER

## Head Assembly Hydraulic

INLET PORT	OUTLET PORT	THREADED STUD	BYPASS VALVE SETTING	PART NUMBER	PRIMARY APPLICATION
1-1/4" SAE O-RING	1-1/4" SAE O-RING	1 1/2" - 16	25	P166439	DONALDSON HBK05, NO INDICATOR

## Head Assembly Hydraulic – Continued

PART NUMBER	CONTENTS OR USAGE
P169545	DONALDSON LPS05, TOP MOUNTED VISUAL INDICATOR

INLET PORT	OUTLET PORT	THREADED STUD	BYPASS VALVE SETTING	PART NUMBER	PRIMARY APPLICATION
1-1/4" NPT	1-1/4" NPT	1 1/2" – 16	25	P166418	DONALDSON HBK05, NO INDICATOR
1" NPT	1" NPT	1 1/4" – 12	5	P166661	DONALDSON HBK04, VISUAL INDICATOR BOTH SIDES
3/4" NPT	3/4" NPT	1" – 12	25	P167848	DONALDSON LPS04, NO INDICATOR
3/4" NPT	3/4" NPT	1" – 12	5	P171207	DONALDSON LPS04, NO INDICATOR
1-1/4" NPT	1-1/4" NPT	1-1/2" – 16	5	P171208	DONALDSON LPS05, NO INDICATOR
1-1/4" NPT	1-1/4" NPT	1-1/2" – 16	25	P167849	DONALDSON LPS05, NO INDICATOR

PART NUMBER	CONTENTS OR USAGE
P169544	DONALDSON LPS05, TOP MOUNTED VISUAL INDICATOR

INLET PORT	OUTLET PORT	THREADED STUD	BYPASS VALVE SETTING	PART NUMBER	PRIMARY APPLICATION
1-1/4" NPT	1-1/4" NPT	1-1/2" – 16	5	P166665	DONALDSON HBK05, NO INDICATOR
1" SAE O-RING	1" SAE O-RING	1-1/4" – 12	25	P166660	DONALDSON HBK04, VISUAL INDICATOR BOTH SIDES
1" NPT	1" NPT	1-1/4" – 12	25	P166659	DONALDSON HBK04, VISUAL INDICATOR BOTH SIDES
3/4" NPT	3/4" NPT	1-1/4" – 12	25	P169755	DONALDSON HBK04, VISUAL INDICATOR LEFT SIDE
3/4" NPT	3/4" NPT	1-1/4" – 12	25	P169757	DONALDSON HBK04, NO INDICATOR
1-1/4" SAE O-RING	1-1/4" SAE O-RING	1-3/4" – 12	25	P165973	DONALDSON HMK05 DURAMAX, VISUAL INDICATOR BOTH SIDES
1-1/4" SAE O-RING	1-1/4" SAE O-RING	1-3/4" – 12	25	P167619	DONALDSON HMK05 DURAMAX, NO INDICATOR
1-1/4" SAE O-RING	1-1/4" SAE O-RING	1-3/4" – 12	None	P166663	DONALDSON HMK05 DURAMAX, VISUAL INDICATOR BOTH SIDES
1-1/4" NPT	1-1/4" NPT	1-3/4" – 12	25	P167294	DONALDSON HMK05 DURAMAX, VISUAL INDICATOR BOTH SIDES
1-1/4" NPT	1-1/4" NPT	1-3/4" – 12	25	P167621	DONALDSON HMK05 DURAMAX, ELECTRICAL INDICATOR
1-1/2" SAE O-RING	1-1/2" SAE O-RING	1-3/4" – 12	25	P167297	DONALDSON HMK25 DURAMAX, VISUAL INDICATOR BOTH SIDES
1-1/2" NPT	1-1/2" NPT	1-3/4" – 12	25	P169985	DONALDSON HMK25 DURAMAX, VISUAL INDICATOR LEFT SIDE
1-1/2" 4-BOLT FLANGE	1-1/2" 4-BOLT FLANGE	1-3/4" – 12	25	P167296	DONALDSON HMK25 DURAMAX, VISUAL INDICATOR BOTH SIDES
1-1/2" 4-BOLT FLANGE	1-1/2" 4-BOLT FLANGE	1-3/4" – 12	None	P169984	DONALDSON HMK25 DURAMAX, VISUAL INDICATOR BOTH SIDES
3/4" SAE O-RING	3/4" SAE O-RING	1-3/8" – 12	None	P165434	DONALDSON HMK04 DURAMAX, NO INDICATOR
3/4" SAE O-RING	3/4" SAE O-RING	1-3/8" – 12	50	P167529	DONALDSON HMK04 DURAMAX, 3 PORTED HEAD
1" SAE O-RING	1" SAE O-RING	1-3/8" – 12	15	P176569	DONALDSON HMK04 DURAMAX, ELECTRICAL INDICATOR
3/4" SAE O-RING	3/4" SAE O-RING	1-3/8" – 12	25	P167473	DONALDSON HMK04 DURAMAX, NO INDICATOR
1" SAE O-RING	1" SAE O-RING	1-3/8" – 12	None	P166902	DONALDSON HMK04 DURAMAX, ELECTRICAL INDICATOR
1" SAE O-RING	1" SAE O-RING	1-3/8" – 12	25	P176568	DONALDSON HMK04 DURAMAX, ELECTRICAL INDICATOR
1" SAE O-RING	1" SAE O-RING	1-3/8" – 12	25	P166088	DONALDSON HMK04 DURAMAX, VISUAL INDICATOR BOTH SIDES
1" SAE O-RING	1" SAE O-RING	1-3/8" – 12	50	P167201	DONALDSON HMK04 DURAMAX, NO INDICATOR
3/4" SAE O-RING	3/4" SAE O-RING	1-3/8" – 12	25	P166387	DONALDSON HMK04 DURAMAX, VISUAL INDICATOR LEFT SIDE
1" SAE O-RING	1" SAE O-RING	1-3/8" – 12	50	P166862	DONALDSON HMK04 DURAMAX, ELECTRICAL INDICATOR
1" SAE O-RING	1" SAE O-RING	1-3/8" – 12	25	P163681	DONALDSON HMK04 DURAMAX, NO INDICATOR
1" SAE O-RING	1" SAE O-RING	1-3/8" – 12	None	P166664	DONALDSON HMK04 DURAMAX, VISUAL INDICATOR BOTH SIDES
3/4" SAE O-RING	3/4" SAE O-RING	1-3/8" – 12	None	P169320	DONALDSON HMK04 DURAMAX, VISUAL INDICATOR LEFT SIDE
1" SAE O-RING	1" SAE O-RING	1-3/8" – 12	25	P165537	DONALDSON HMK04 DURAMAX, ELECTRICAL INDICATOR
3/4" NPT	3/4" NPT	1-3/8" – 12	25	P169317	DONALDSON HMK04 DURAMAX, NO INDICATOR
1" NPT	1" NPT	1-3/8" – 12	25	P166416	DONALDSON HMK04 DURAMAX, VISUAL INDICATOR LEFT SIDE
1" NPT	1" NPT	1-3/8" – 12	25	P166086	DONALDSON HMK04 DURAMAX, VISUAL INDICATOR BOTH SIDES
3/4" NPT	3/4" NPT	1-3/8" – 12	25	P169310	DONALDSON HMK04 DURAMAX, VISUAL INDICATOR LEFT SIDE
1" NPT	1" NPT	1-3/8" – 12	25	P169309	DONALDSON HMK04 DURAMAX, NO INDICATOR
3/4" SAE O-RING	3/4" SAE O-RING	2" – 12	None	P170327	DONALDSON HMK03 DURAMAX, INDICATORS OTIONAL
3/4" SAE O-RING	3/4" SAE O-RING	2" – 12	50	P170773	DONALDSON HMK03 DURAMAX, INDICATORS OTIONAL

PART NUMBER	CONTENTS OR USAGE
P160095	DONALDSON HAK05, VISUAL INDICATOR RIGHT SIDE



## Head Assembly Lube

INLET PORT	OUTLET PORT	THREADED STUD	BYPASS VALVE SETTING	PART NUMBER	PRIMARY APPLICATION
3/8" NPT	3/8" NPT	1 3/8" – 16	None	P174777	FOR P550777 SPIN ON BY PASS FILTER
3/4" NPT	3/4" NPT	1" – 16	None	P174776	FOR P558615, P558616 SPIN ON LUBE FILTERS
1-1/4" SAE O-RING	1-1/4" SAE O-RING	2 1/4" – 12	None	P174783	FOR P553000 SPIN ON LUBE FILTERS
1-1/4" NPT	1-1/4" NPT	2 1/4" – 12	None	P174781	FOR P553000 SPIN ON LUBE FILTERS
1" SAE O-RING	1" SAE O-RING	2 1/4" – 12	None	P174782	FOR P553000 SPIN ON LUBE FILTERS
1-1/4" NPT	1-1/4" NPT	5/16" – 18	40 psid	P174780	FOR P551670 FAMILY SPIN ON LUBE FILTERS

## Head Assembly Transmission

INLET PORT	OUTLET PORT	THREADED STUD	BYPASS VALVE SETTING	PART NUMBER	PRIMARY APPLICATION
1" SAE O-RING	1" SAE O-RING	1 5/16" – 12	25	P174784	FOR P550223 FAMILY SPIN ON TRANSMISSION FILTERS

## Hydraulic Breather Adapter

PART NUMBER	CONTENTS OR USAGE
P173545	THREADED ADAPTER FOR HYD ASSEMBLY
P173544	THREADED ADAPTER FOR HYDRAULIC ASSY

## Hydraulic Cartridge

OUTER DIA. IN	MM	THREAD SIZE OR INNER DIA. IN	MM	LENGTH IN	MM	PART NUMBER	PRIMARY APPLICATION	BETA <sub>(x)</sub> = 2/20/75	RELIEF VALVE SETTING
1.12	28	.61	15	2.75	70	P171773	FBO filter housing LC5/02	- / - / 149	None
1.38	35	.48	12	3.70	94	P170599	HYCON 0030D010BN, SYNTEQ Media	- / - / 10	
1.38	35	.48	12	3.70	94	P170598	HYCON 0030D005BN, SYNTEQ Media	- / - / 5	
1.66	42	.69	18	1.88	48	P173591	PARKER 901473, ROSAEN 3-S-10C		
1.67	42	.94	24	3.31	84	P502215	KOBELCO R36P0019		
1.69	43	.87	22	3.38	86	P171839	Donaldson FSK ASSY	10 / 21 / 25	
1.69	43	.87	22	6.38	162	P171833	Donaldson FSK ASSY	60 / - / -	
1.69	43	.87	22	6.38	162	P171830	Donaldson FSK ASSY	90 / - / -	
1.69	43	.87	22	6.38	162	P171842	Donaldson FSK ASSY	9 / 19 / 25	
1.69	43	.87	22	6.38	162	P171845	Donaldson FSK ASSY	2 / 7 / 10	
1.69	43	.87	22	6.38	162	P171836	Donaldson FSK ASSY	20 / 35 / -	
1.69	43	.89	23	3.54	90	P171701	MP PRODUCTS HP037.1A06A, FBO CM140/01, SYNTEQ Media	2 / 3 / 5	
1.69	43	.89	23	3.54	90	P171702	MP PRODUCTS HP037.1A10A, FBO CM140/02, SYNTEQ Media	2 / 7 / 10	
1.69	43	.89	23	3.54	90	P171703	MP PRODUCTS HP037.1A25A, FBO CM180/01, SYNTEQ Media	9 / 19 / 25	
1.69	43	.89	23	6.92	176	P171707	MP PRODUCTS HP037.2A06A, FBO CM180/01, SYNTEQ Media	2 / 3 / 5	
1.69	43	.89	23	6.92	176	P171708	MP PRODUCTS HP037.2A10A, FBO CM180/02, SYNTEQ Media	2 / 7 / 10	
1.69	43	.89	23	6.92	176	P171709	MP PRODUCTS HP037.2A25A, FBO CM180/03, SYNTEQ Media	9 / 19 / 25	
1.75	44	1.00	25	4.44	113	P167181	PALL HC9021FUT4Z, DCI HPK02 ASSY, SYNTEQ Media	- / - / 25	
1.75	44	1.00	25	4.44	113	P167180	PALL HC9021FUP4Z, DCI HPK02 ASSY, SYNTEQ Media	- / - / 3	
1.75	44	1.00	25	8.12	206	P167182	PALL HC9021FUP8Z, DCI HPK02 ASSEMBLY, SYNTEQ Media	- / - / 3	
1.75	44	1.00	25	8.12	206	P167183	PALL HC9021FUT8Z, DCI HPK02 ASSY, SYNTEQ Media	- / - / 25	
1.77	45	1.00	25	4.31	109	P165136	PALL HC9020FUT4H, Donaldson HPK02 ASSY, SYNTEQ Media #9	7 / 17 / 22	
1.77	45	1.00	25	4.31	109	P165006	PALL HC9020FUS4H, Donaldson HPK02 ASSY, SYNTEQ Media #4	2 / 7 / 10	
1.77	45	1.00	25	4.31	109	P165041	PALL HC9020FUN4H, Donaldson HPK02 ASSY, SYNTEQ Media #2	2 / 3 / 5	
1.77	45	1.00	25	4.31	109	P169429	PALL HC9020FUP4H, Donaldson HPK02 ASSY, SYNTEQ Media #1	- / - / 3	
1.77	45	1.00	25	7.94	202	P165015	PALL HC9020FUS8H, Donaldson HPK02 ASSY, SYNTEQ Media #4	2 / 7 / 10	
1.77	45	1.00	25	7.94	202	P165043	PALL HC9020FUN8H, Donaldson HPK02 ASSY, SYNTEQ Media #2	2 / 3 / 5	
1.77	45	1.00	25	7.94	202	P165138	PALL HC9020FUT8H, Donaldson HPK02 ASSY, SYNTEQ Media #9	2 / 3 / 5	
1.77	45	1.00	25	7.94	202	P167838	PALL HC9020FUP8H, Donaldson HPK02 ASSY, SYNTEQ Media #1	- / - / 3	
1.81	46	1.02	26	3.42	87	P171713	MP PRODUCTS HP065.1A06NA, FBO CM230/01, SYNTEQ Media	2 / 3 / 5	
1.81	46	1.02	26	3.42	87	P171715	MP PRODUCTS HP065.1A25NA, FBO CM230/03, SYNTEQ Media	9 / 19 / 25	
1.81	46	1.02	26	3.42	87	P171714	MP PRODUCTS HP065.1A10NA, FBO CM230/02, SYNTEQ Media	2 / 7 / 10	
1.85	47	.87	22	3.31	84	P170600	HYCON 0060D005BNHC, SYNTEQ Media	- / - / 5	
1.85	47	.87	22	3.31	84	P170586	HYCON 0060D003BHHC, SYNTEQ Media	- / - / 3	
1.85	47	.87	22	3.31	84	P170587	HYCON 0060D010BHHC, SYNTEQ Media	- / - / 10	

## Hydraulic Cartridge – Continued

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA <sub>(x)</sub> = 2/20/75	RELIEF VALVE SETTING		
1.85	47	.87	22	3.31 84	P170601	HYCON 0060D010BNHC, SYNTEQ Media	- / - / 10	
1.85	47	.87	22	6.02 153	P177001	HYCON 0110D020BNHC		
1.85	47	.87	22	6.02 153	P170602	HYCON 0110D005BNHC, SYNTEQ Media	- / - / 10	
1.85	47	.87	22	6.02 153	P170588	HYCON 0110D003BHHC, SYNTEQ Media	- / - / 5	
1.85	47	.87	22	6.02 153	P170604	HYCON 0110D010BNHC, SYNTEQ Media	- / - / 10	
1.85	47	.87	22	6.02 153	P170589	HYCON 0110D010BHHC, SYNTEQ Media	- / - / 10	
1.99	50	.96	24	4.31 109	P169446	PALL HC9800FUN4H, SYNTEQ Media #2	2 / 3 / 5	
1.99	50	.96	24	4.31 109	P169797	PALL HC9800FUT4H, SYNTEQ Media #9	10 / 17 / 22	
1.99	50	.96	24	7.94 202	P169448	PALL HC9800FUP8H, SYNTEQ Media #1	- / - / 3	
1.99	50	.96	24	7.94 202	P169449	PALL HC9800FUS8H, SYNTEQ Media #4	2 / 7 / 10	
1.99	50	.96	24	7.94 202	P169798	PALL HC9800FUN8H, SYNTEQ Media #2	2 / 3 / 5	
1.99	50	.96	24	7.94 202	P169450	PALL HC9800FUT8H, SYNTEQ Media #9	10 / 17 / 22	
1.99	50	.96	24	12.93 328	P169451	PALL HC9800FUP13H, SYNTEQ Media #1	- / - / 3	
1.99	50	.96	24	12.93 328	P169452	PALL HC9800FUN13H, SYNTEQ Media #2	2 / 3 / 5	
2.00	51	.94	24	4.56 116	P167413	PALL HC9801FUT4H, Donaldson HYDRAULIC ASSEMBLY, SYNTEQ Media	- / - / 25	
2.00	51	.94	24	4.56 116	P167270	PALL HC9801FUP4Z, SYNTEQ Media	- / - / 3	
2.00	51	.94	24	8.23 209	P167414	PALL HC9801FUP8H, Donaldson HYDRAULIC ASSEMBLY, SYNTEQ Media	- / - / 3	
2.00	51	.94	24	8.23 209	P167415	PALL HC9801FUT8H, Donaldson HYDRAULIC ASSEMBLY, SYNTEQ Media	- / - / 25	
2.00	51	.94	24	12.87 327	P167417	PALL HC9801FUT13Z, SYNTEQ Media	- / - / 25	
2.01	51	.91	23	2.95 75	P551347	CATERPILLAR 997352		
2.01	51	.91	23	5.73 146	P173238	HITACHI 4207841	- / - / 149	
2.03	52	.87	22	4.06 103	P170613	HYCON 0060R010BNHC, STAUFF RE014G10B, SYNTEQ Media	- / - / 3	43
2.03	52	.87	22	6.71 170	P170614	HYCON 0110R010BNHC, STAUFF RE030G10B, SYNTEQ Media	- / - / 3	43
2.05	52	1.00	25	2.64 67	P171504	FBO CR30/3, Donaldson FHK/FSK	30 / - / -	
2.05	52	1.00	25	2.64 67	P171503	FBO CR30/1, Donaldson FHK/FSK	10 / 21 / 25	
2.05	52	1.02	26	2.76 70	P171646	FBO C25/1	10 / 21 / 25	
2.13	54	1.08	27	4.80 122	P171736	MP PRODUCTS HP135.1A25NA, FBO 452.53, SYNTEQ Media	9 / 19 / 25	
2.13	54	1.08	27	4.80 122	P171734	MP PRODUCTS HP135.1A03NA, FBO 452.51, SYNTEQ Media	- / - / 3	
2.13	54	1.08	27	4.80 122	P171735	MP PRODUCTS HP135.1A10NA, FBO 452.52, SYNTEQ Media	2 / 7 / 10	
2.13	54	1.08	27	9.05 230	P171739	MP PRODUCTS HP135.2A25NA, FBO 453.53, SYNTEQ Media	9 / 19 / 25	
2.13	54	1.08	27	9.05 230	P171738	MP PRODUCTS HP135.2A10NA, FBO 453.52, SYNTEQ Media	2 / 7 / 10	
2.13	54	1.08	27	9.05 230	P171737	MP PRODUCTS HP135.2A03NA, FBO 453.51, SYNTEQ Media	- / - / 3	
2.31	59	1.36	35	6.00 152	P550134	CASE A36524, AS1483	22 / 43 / -	
2.32	59	1.04	26	7.87 200	P173486	ARGO P3062051		
2.36	60	.71	18	3.94 100	P550309	ZF 7632141102		
2.44	62	1.00	25	5.00 127	P164556	PARKER 922625	15 / 30 / 35	
2.44	62	1.02	26	5.00 127	P170066	PARKER 922624, SYNTEQ Media #9	10 / 17 / 22	
2.44	62	1.02	26	5.00 127	P170065	PARKER 922625, SYNTEQ Media #20		
2.44	62	1.02	26	5.00 127	P170068	PARKER 922623, 922622, SYNTEQ Media #4	2 / 7 / 10	
2.44	62	1.02	26	5.00 127	P170069	PARKER 922621, SYNTEQ Media #2	2 / 3 / 5	
2.44	62	1.02	26	9.25 235	P170072	PARKER 925834, SYNTEQ Media #20	20 / 30 / -	None
2.44	62	1.02	26	9.25 235	P170073	PARKER 925835, SYNTEQ Media #9	10 / 17 / 22	
2.44	62	1.02	26	9.25 235	P170085	PARKER 925838, SYNTEQ Media #2	2 / 3 / 5	
2.44	62	1.02	26	9.25 235	P170084	PARKER 925836, 925837, SYNTEQ Media #4	2 / 7 / 10	
2.44	62	1.53	39	3.69 94	P173579	VICKERS 361739, 941054	10 / 20 / 40	
2.44	62	1.53	39	3.69 94	P173580	VICKERS 361990, 941052	10 / - / -	
2.52	64	1.06	27	3.70 94	P557841	CASE, CAT, FORD, IHC 267841C91, GARRISON 32446		
2.56	65	1.00	25	10.94 278	P550082	KOMATSU DOZERS D50A, 53A, 58-1, P-17	10 / 21 / 25	
2.56	65	1.07	27	5.62 143	P550085	KOMATSU 101-60-15171		
2.56	65	1.88	48	2.00 51	P173621	PARKER 927097, ROSAEN 10-T-74W		
2.61	66	1.50	38	4.80 122	P550232	MARVEL 529206-5125, PUROLATOR PM6035		
2.63	67	1.25	32	7.25 184	P550133	CASE D43800, D43801		
2.69	68	1.01	26	4.56 116	P171310	SCHROEDER C3, CS3, D3, SYNTEQ Media #2	2 / 3 / 5	
2.69	68	1.01	26	4.56 116	P171311	SCHROEDER C10, D10, CS7, SYNTEQ Media #4	5 / 13 / 16	
2.69	68	1.01	26	4.56 116	P171312	SCHROEDER C25, D25, SYNTEQ Media #9	10 / 17 / 22	
2.69	68	1.01	26	9.31 236	P171314	SCHROEDER CC3, DD3, CCS3, SYNTEQ Media #2	2 / 3 / 5	
2.69	68	1.01	26	9.31 236	P171316	SCHROEDER CC25, DD25, SYNTEQ Media #9	10 / 17 / 22	
2.69	68	1.01	26	9.31 236	P171315	SCHROEDER CC10, DD10, CCS7, SYNTEQ Media #4	2 / 7 / 10	
2.72	69	1.34	34	4.53 115	P170590	HYCON 0160D003BHHC, SYNTEQ Media	- / - / 5	
2.72	69	1.34	34	4.53 115	P170606	HYCON 0160D010BNHC, SYNTEQ Media	- / - / 10	
2.72	69	1.34	34	4.53 115	P170605	HYCON 0160D005BNHC, SYNTEQ Media	- / - / 10	

OUTER DIA.		THREAD SIZE OR INNER DIA.		LENGTH		PART NUMBER	PRIMARY APPLICATION	BETA(x) = 2/20/75	RELIEF VALVE SETTING
IN	MM	IN	MM	IN	MM				
2.72	69	1.34	34	4.53	115	P170591	HYCON 0160D010BHHC, SYNTEQ Media	- / - / 10	
2.72	69	1.34	34	6.81	173	P177002	HYCON 0240D020BNHC		
2.72	69	1.34	34	6.81	173	P170607	HYCON 0240D005BNHC, SYNTEQ Media	- / - / 10	
2.72	69	1.34	34	6.81	173	P170608	HYCON 0240D010BNHC, SYNTEQ Media	- / - / 10	
2.72	69	1.34	34	6.85	174	P170593	HYCON 0240D010BHHC, SYNTEQ Media	- / - / 10	
2.72	69	1.34	34	6.85	174	P170592	HYCON 0240D003BHHC, SYNTEQ Media	- / - / 5	
2.73	69	1.68	43	3.56	90	P165110	PARKER 922955, 901856, SYNTEQ Media #20	20 / 33 / 40	None
2.73	69	1.68	43	6.56	167	P164992	PARKER 901536, SYNTEQ Media #9	10 / 17 / 22	None
2.73	69	1.68	43	6.56	167	P165106	PARKER 924489, SYNTEQ Media #4	5 / 13 / 16	None
2.73	69	1.68	43	6.56	167	P165112	PARKER 922792, 901535, SYNTEQ Media #20	20 / 35 / -	
2.73	69	1.68	43	8.69	221	P165108	PARKER 924731, 924733, SYNTEQ Media #2	2 / 3 / 5	None
2.73	69	1.68	43	8.69	221	P165114	PARKER 924735, 924730, SYNTEQ Media #20	20 / 35 / -	
2.73	69	1.68	43	8.69	221	P164996	PARKER 924732, 924734, SYNTEQ Media #9	10 / 17 / 22	
2.73	69	1.68	43	8.69	221	P171248	PARKER 924739	74 / - / -	
2.75	70	.31	8	3.36	85	P551200	GM 7194968		
2.75	70	1.69	43	2.25	57	P173596	PARKER 901493, ROSAEN 10-S-20C		
2.75	70	1.69	43	2.25	57	P173597	PARKER 901494, ROSAEN 10-S-10C		
2.75	70	1.69	43	3.50	89	P173622	PARKER 922955, ROSAEN 20-IL, IH-40A	40 / - / -	
2.76	70	1.14	29	3.23	82	P171524	Donaldson FHK/FSK ASSY, Wire Mesh	90 / - / -	
2.76	70	1.14	29	3.23	82	P171526	Donaldson FHK/FSK ASSY, SYNTEQ Media	9 / 19 / 25	
2.76	70	1.14	29	3.23	82	P171525	Donaldson FHK/FSK ASSY, SYNTEQ Media	2 / 7 / 10	
2.76	70	1.14	29	3.23	82	P171529	Donaldson FHK/FSK ASSY, Cellulose	60 / - / -	
2.76	70	1.14	29	3.23	82	P171527	Donaldson FHK/FSK ASSY, FBO CR60/1	10 / 21 / 25	
2.76	70	1.14	29	3.23	82	P171528	Donaldson FHK/FSK ASSY, FBO CR60/3	30 / - / -	
2.76	70	1.14	29	5.04	128	P171531	Donaldson FHK/FSK ASSY, SYNTEQ Media	2 / 7 / 10	
2.76	70	1.14	29	5.04	128	P171530	Donaldson FHK/FSK ASSY, Wire Mesh	90 / - / -	
2.76	70	1.14	29	5.04	128	P171535	Donaldson FHK/FSK ASSY, WIRE MESH	60 / - / -	
2.76	70	1.14	29	5.04	128	P171534	Donaldson FHK/FSK ASSY, Cellulose	30 / - / -	
2.76	70	1.14	29	5.04	128	P171533	Donaldson FHK/FSK ASSY, FBO CR100/1, Cellulose	10 / 21 / 25	
2.76	70	1.14	29	5.04	128	P171532	Donaldson FHK/FSK ASSY, SYNTEQ Media	9 / 19 / 25	
2.76	70	1.38	35	3.35	85	P171653	FBO C40/1	10 / 21 / 25	
2.76	70	1.38	35	5.12	130	P171660	FBO C100/1	10 / 21 / 25	
2.76	70	1.57	40	8.27	210	P171834	INTANK RETURN ASSY'S	60 / - / -	
2.76	70	1.57	40	8.27	210	P171846	Donaldson FSK ASSY	2 / 7 / 10	
2.76	70	1.57	40	8.27	210	P171840	Donaldson FSK ASSY	10 / 21 / 25	
2.76	70	1.57	40	8.27	210	P171831	Donaldson FSK ASSY	90 / - / -	
2.76	70	1.57	40	8.27	210	P171837	Donaldson FSK ASSY	20 / 35 / -	
2.8	71	1.44	37	4.31	109	P551223	RIPLEY 4P03		
2.82	72	.32	8	4.17	106	P174564	FAIREY ARLON TXW2-CC3	- / - / 3	
2.82	72	.32	8	5.91	150	P174565	FAIREY ARLON TXW3-CC3	- / - / 3	
2.82	72	.32	8	7.87	200	P174566	FAIREY ARLON TXW3D-CC3	- / - / 3	
2.82	72	.32	8	11.80	300	P174567	FAIREY ARLON TXW3E-CC3	- / - / 3	
2.82	72	1.77	45	4.17	106	P171794	Donaldson FRK ASSY, FAIREY ARLON ST260	60 / - / -	
2.82	72	1.77	45	4.17	106	P171787	Donaldson FRK ASSY, FAIREY ARLON ST2120	90 / - / -	
2.82	72	1.77	45	4.17	106	P171815	Donaldson FRK ASSY, FAIREY ARLON TXW2-CC25, SYNTEQ Media	9 / 19 / 25	
2.82	72	1.77	45	4.17	106	P171822	Donaldson FRK ASSY, FAIREY ARLON TXW2-CC10, SYNTEQ Media	2 / 7 / 10	
2.82	72	1.77	45	4.17	106	P171801	FAIREY ARLON TX210	25 / 50 / -	
2.82	72	1.77	45	4.17	106	P171808	Donaldson FRK ASSY, FAIREY ARLON TX2-10	10 / 21 / 25	
2.82	72	1.77	45	5.91	150	P171809	Donaldson FRK ASSY, FAIREY ARLON TX3-10	10 / 21 / 25	
2.82	72	1.77	45	5.91	150	P171816	Donaldson FRK ASSY, FAIREY ARLON TXW3-CC25, SYNTEQ Media	9 / 19 / 25	
2.82	72	1.77	45	5.91	150	P171788	Donaldson FRK ASSY, FAIREY ARLON ST3120	90 / - / -	
2.82	72	1.77	45	5.91	150	P171802	Donaldson FRK ASSY, FAIREY ARLON TX310	25 / 50 / -	
2.82	72	1.77	45	5.91	150	P171823	Donaldson FRK ASSY, FAIREY ARLON TXW3-CC10, SYNTEQ Media	2 / 7 / 10	
2.82	72	1.77	45	5.91	150	P171795	Donaldson FRK ASSY, FAIREY ARLON ST360	60 / - / -	
2.82	72	1.77	45	7.87	200	P171803	Donaldson FRK ASSY, FAIREY ARLON TX3D10	25 / 50 / -	
2.82	72	1.77	45	7.87	200	P171810	Donaldson FRK ASSY, FAIREY ARLON TX3D-10	10 / 21 / 25	
2.82	72	1.77	45	7.87	200	P171817	Donaldson FRK ASSY, FAIREY ARLON TXW3D-CC25, SYNTEQ Media	9 / 19 / 25	
2.82	72	1.77	45	7.87	200	P171789	Donaldson FRK ASSY, FAIREY ARLON ST3D120	90 / - / -	
2.82	72	1.77	45	7.87	200	P171824	Donaldson FRK ASSY, FAIREY ARLON TXW3D-CC10, SYNTEQ Media	2 / 7 / 10	
2.82	72	1.77	45	7.87	200	P171796	Donaldson FRK ASSY, FAIREY ARLON ST3D60	60 / - / -	
2.82	72	1.77	45	11.81	300	P171797	Donaldson FRK ASSY, FAIREY ARLON ST3E60	60 / - / -	
2.82	72	1.77	45	11.81	300	P171804	Donaldson FRK ASSY, FAIREY ARLON TX3E10	25 / 50 / -	
2.82	72	1.77	45	11.81	300	P171818	Donaldson FRK ASSY, FAIREY ARLON TXW3K-CC25, SYNTEQ Media	9 / 19 / 25	

## Hydraulic Cartridge – Continued

OUTER DIA. IN	MM	THREAD SIZE OR INNER DIA. IN	MM	LENGTH IN	MM	PART NUMBER	PRIMARY APPLICATION	BETA <sub>(x)</sub> = 2/20/75	RELIEF VALVE SETTING
2.82	72	1.77	45	11.81	300	P171790	Donaldson FRK ASSY, FAIREY ARLON ST3E120	90 / - / -	
2.82	72	1.77	45	11.81	300	P171811	Donaldson FRK ASSY, FAIREY ARLON TX3E-10	10 / 21 / 25	
2.82	72	1.77	45	11.81	300	P171825	Donaldson FRK ASSY, FAIREY ARLON TXW3E-CC10, SYNTEQ Media	2 / 7 / 10	
2.84	72	2.44	62	2.25	57	P173600	PARKER 922933, 1507, ROSAEN 10-S-74W		
2.84	72	2.44	62	3.50	89	P173623	PARKER 901825, 922992, ROSAEN 33-T-149W, 20IL, IH-149W		
2.84	72	2.44	62	6.50	165	P171244	PARKER 922972	- / - / 149	
2.84	72	2.44	62	6.50	165	P171245	PARKER 922973	- / - / 149	
2.84	72	2.90	74	2.25	57	P173592	PARKER 1485, ROSAEN 5-S-149W		
2.87	73	.47	12	4.37	111	P558467	VICKERS 228467,270562,922788,923115 IHC, NEW HOL		
2.87	73	1.18	30	8.44	214	P551331	ALLISON TRANS		
2.87	73	1.26	32	3.90	99	P173027	FAIREY ARLON 270Z1FFA, SYNTEQ Media	- / - / 3	
2.87	73	1.26	32	3.90	99	P174559	FAIREY ARLON 290Z175A	74 / - / -	
2.87	73	1.26	32	3.90	99	P173028	FAIREY ARLON 270Z101A, SYNTEQ Media	2 / 3 / 5	
2.87	73	1.26	32	3.90	99	P173030	FAIREY ARLON 270Z110A, SYNTEQ Media	9 / 19 / 25	
2.87	73	1.26	32	3.90	99	P173029	FAIREY ARLON 270Z105A, SYNTEQ Media	2 / 7 / 10	
2.87	73	1.26	32	9.13	232	P173033	FAIREY ARLON 270L205A, SYNTEQ Media	2 / 7 / 10	
2.87	73	1.26	32	9.13	232	P173031	FAIREY ARLON 270Z2FFA, SYNTEQ Media	- / - / 3	
2.87	73	1.26	32	9.13	232	P173032	FAIREY ARLON 270L201A, SYNTEQ Media	2 / 3 / 5	
2.87	73	1.26	32	9.13	232	P173034	FAIREY ARLON 270L210A, SYNTEQ Media	9 / 19 / 25	
2.87	73	1.26	32	9.13	232	P174560	FAIREY ARLON 290Z275A	74 / - / -	
2.87	73	1.34	34	5.67	144	P170615	HYCON 0160R010BNHC, STAUFF RE045G10B, SYNTEQ Media	- / - / 5	43
2.87	73	1.34	34	5.67	144	P170889	HYCON 0160R005BNHC, SYNTEQ Media	10 / 20 / 45	43
2.87	73	1.34	34	8.00	203	P170617	HYCON 0240R010BNHC, STAUFF RE070G10B, SYNTEQ Media	- / - / 20	43
2.87	73	1.38	35	8.27	210	P551245	HITACHI 3021593		
2.87	73	1.41	36	4.45	113	P502172	HITACHI 4159320		None
2.90	74	1.12	28	3.62	92	P169079	JOHN DEERE AT67957, SYNTEQ Media #9	10 / 17 / 22	
2.90	74	1.12	28	5.45	138	P551194	CASE IH 69878C91		
2.90	74	1.13	29	7.39	188	P167847	JOHN DEERE AT67960, SYNTEQ Media #9	10 / 17 / 22	
2.94	75	2.44	62	8.62	219	P171246	PARKER 923007	- / - / 149	
2.97	75	1.04	26	5.64	143	P550700	CAT 2P5834	18 / 41 / 54	
2.99	76	1.04	26	4.75	121	P164816	SCHROEDER A10 OR A25, SYNTEQ Media #9	10 / 17 / 22	
2.99	76	1.04	26	4.75	121	P164814	SCHROEDER AS-7, A-3, SYNTEQ Media #4	2 / 7 / 10	
3.00	76	1.04	26	4.75	121	P167520	SCHROEDER A-3, Media #3	4 / 12 / 16	
3.00	76	1.04	26	4.75	121	P167522	SCHROEDER A-10, Media #10	10 / 21 / 25	
3.00	76	1.04	26	4.75	121	P169477	SCHROEDER A-25, Media #25	25 / 50 / -	
3.01	76	1.04	26	2.91	74	P551220	FULLER A1781		
3.07	78	1.59	40	5.51	140	P171742	FBO 45453	9 / 19 / 25	
3.07	78	1.59	40	9.44	240	P171744	MP PRODUCTS HP320.2A10NA, FBO 455.52, SYNTEQ Media	2 / 7 / 10	
3.07	78	1.59	40	9.44	240	P171743	MP PRODUCTS HP320.2A03NA, FBO 455.51, SYNTEQ Media	- / - / 3	
3.07	78	1.59	40	9.44	240	P171745	MP PRODUCTS HP320.2A25NA, FBO 455.53, SYNTEQ Media	9 / 19 / 25	
3.07	78	1.59	40	14.96	380	P171748	MP PRODUCTS HP320.3A25NA, FBO 456.53, SYNTEQ Media	9 / 19 / 25	
3.07	78	1.59	40	14.96	380	P171747	MP PRODUCTS HP320.3A10NA, FBO 456.52, SYNTEQ Media	2 / 7 / 10	
3.07	78	1.59	40	14.96	380	P171746	MP PRODUCTS HP320.3A03NA, FBO 456.51, SYNTEQ Media	- / - / 3	
3.09	79	1.52	39	8.03	204	P170737	ALLISON TRANS 23040988, PALL HC8200FDN8H, SYNTEQ Media #2	2 / 3 / 5	
3.10	79	1.68	43	4.45	113	P169431	PALL HC9600FUP4H, SYNTEQ Media #1	- / - / 3	
3.10	79	1.68	43	8.03	204	P169435	PALL HC9650FUP8H, SYNTEQ Media #1	- / - / 3	
3.10	79	1.68	43	8.03	204	P167842	PALL HC9600FUP8H, Donaldson HPK03 ASSY, SYNTEQ Media #1	- / - / 3	
3.10	79	1.68	43	12.76	324	P169432	PALL HC9600FUP13H, SYNTEQ Media #1	- / - / 3	
3.10	79	1.68	43	16.67	423	P169436	PALL HC9650FUP16H, SYNTEQ Media #1	- / - / 3	
3.10	79	1.68	43	16.67	423	P169433	PALL HC9600FUP16H, Donaldson HPK04 ASSY, SYNTEQ Media #1	- / - / 3	
3.10	79	1.71	43	4.22	107	P173578	KATO TRACKED CRANE		
3.10	79	1.71	43	4.45	113	P164164	PALL HC9600FUS4H, SYNTEQ Media #4	2 / 7 / 10	
3.10	79	1.71	43	4.45	113	P164172	PALL HC9600FUT4H, SYNTEQ Media #9	7 / 17 / 22	
3.10	79	1.71	43	4.45	113	P164364	PALL HC9600FUS4Z, SYNTEQ Media #4	5 / 13 / 16	
3.10	79	1.71	43	4.45	113	P164592	PALL HC9600FUN4H, SYNTEQ Media #2	2 / 3 / 5	
3.10	79	1.71	43	8.03	204	P162233	Donaldson HPK04 ASSEMBLY	74 / - / -	
3.10	79	1.71	43	8.03	204	P164365	PALL HC9600FUS8Z, Donaldson HPK03 ASSY, SYNTEQ Media #4, Viton Version	5 / 13 / 16	
3.10	79	1.71	43	8.03	204	P164166	PALL HC9600FUS8H, Donaldson HPK03/HPK04 ASSY, SYNTEQ Media #4	2 / 7 / 10	
3.10	79	1.71	43	8.03	204	P164594	PALL HC9600FUN8H, Donaldson HPK03 ASSY, SYNTEQ Media #2	2 / 3 / 5	
3.10	79	1.71	43	8.03	204	P165319	Donaldson HPK03/HPK04 ASSEMBLIES, Media #20	20 / 35 / -	
3.10	79	1.71	43	8.03	204	P164601	PALL HC9600FUN8Z, Donaldson HPK04 ASSY, SYNTEQ Media #2, Viton Version	2 / 3 / 5	



OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA(x) = 2/20/75	RELIEF VALVE SETTING
3.10	79	1.71 43	8.20 208	P164174	PALL HC9600FUT8H, Donaldson HPK03/HPK04 ASSY, SYNTEQ Media #9	10/17/22
3.10	79	1.71 43	8.37 213	P165586	PALL HC9650FUT8H, SYNTEQ Media #9	10/17/22
3.10	79	1.71 43	8.37 213	P165585	PALL HC9650FUS8H, SYNTEQ Media #4	2/7/10
3.10	79	1.71 43	8.37 213	P165584	PALL HC9650FUN8H, SYNTEQ Media #2	2/3/5
3.10	79	1.71 43	12.76 324	P164596	PALL HC9600FUN13H, SYNTEQ Media #2	2/3/5
3.10	79	1.71 43	12.76 324	P164168	PALL HC9600FUS13H, SYNTEQ Media #4	2/7/10
3.10	79	1.71 43	12.93 328	P164176	PALL HC9600FUT13H, SYNTEQ Media #9	7/17/22
3.10	79	1.71 43	16.67 423	P164170	PALL HC9600FUS16H, Donaldson HPK04 ASSY, SYNTEQ Media #4	2/7/10
3.10	79	1.71 43	16.67 423	P164603	PALL HC9600FKN16Z, SYNTEQ Media #2	2/3/5
3.10	79	1.71 43	16.67 423	P164598	PALL HC9600FUN16H, Donaldson HPK04 ASSY, SYNTEQ Media #2	2/3/5
3.10	79	1.71 43	16.67 423	P164367	PALL HC9600FUS16Z, Donaldson HPK04 ASSY, Media #4	5/13/16
3.10	79	1.71 43	16.67 423	P165589	PALL HC9650FUT16H, SYNTEQ Media #9	7/17/22
3.10	79	1.71 43	16.67 423	P165588	PALL HC9650FUS16H, SYNTEQ Media #4	2/7/10
3.10	79	1.71 43	16.67 423	P165587	PALLHC9650FUN16H, SYNTEQ Media #2	2/3/5
3.10	79	1.71 43	16.84 428	P164178	PALL HC9600FUT16H, PUROLATOR 9313214, DCI HPK04, SYNTEQ Media #9	10/17/22
3.10	79	1.73 44	8.00 203	P162953	Donaldson HPK03 ASSBLY, Media #3	4/12/16
3.10	79	1.73 44	8.00 203	P163244	Donaldson HPK03 ASSBLY, Media #5	5/13/17
3.10	79	1.73 44	8.00 203	P162957	Donaldson HPK03 ASSBLY	15/30/35
3.10	79	1.76 45	8.14 207	P161351	AMER H&D 9838517	149/-/-
3.12	79	1.70 43	4.55 116	P167184	PALL HC9601FUP4Z, HC9601FUP4H, SYNTEQ Media	-/-/3
3.12	79	1.70 43	8.20 208	P169426	PALL HC9651FUT8H, SYNTEQ Media	10/21/25
3.12	79	1.70 43	8.20 208	P167186	PALL HC9601FUT8H, Donaldson HPK04 ASSEMBLY, SYNTEQ Media	-/-/3
3.12	79	1.70 43	8.20 208	P167185	PALL HC9601FUP8H, SYNTEQ Media	-/-/3
3.12	79	1.70 43	8.20 208	P169424	PALL HC9651FUP8H, SYNTEQ Media	-/-/3
3.12	79	1.70 43	12.95 329	P167412	PALL HC9601FUT13H, Donaldson HYDRAULIC ASSEMBLY, SYNTEQ Media	-/-/25
3.12	79	1.70 43	12.95 329	P167411	PALL HC9601FUP13H, Donaldson HYDRAULIC ASSEMBLY, SYNTEQ Media	-/-/3
3.12	79	1.70 43	16.81 427	P167188	PALL HC9601FUT16H, Donaldson HYDRAULIC ASSEMBLY, SYNTEQ Media	-/-/25
3.12	79	1.70 43	16.81 427	P167187	PALL HC9601FUP16H, Donaldson HYDRAULIC ASSEMBLY, SYNTEQ Media	-/-/3
3.12	79	1.70 43	17.06 433	P169425	PALL HC9651FUP16H, SYNTEQ Media	-/-/3
3.12	79	1.86 47	4.00 102	P550261	VICKERS 398853	
3.12	79	1.86 47	4.02 102	P550263	VICKERS 398855, 941072	
3.12	79	1.86 47	8.00 203	P550264	VICKERS 398856	16/35/47
3.15	80	1.72 44	4.61 117	P167843	PALL HC9601FUT4H, PARKER 927169, SYNTEQ Media	
3.23	82	.75 19	4.33 110	P550310	ZF 7633141101	
3.27	83	1.57 40	7.72 196	P173481	LIEBHERR7367204	
3.27	83	1.97 50	8.94 227	P173489	ARGO P2092301	
3.32	84	1.87 47	5.56 141	P174293	PTI PG-050-JH, PG-050-CH	10/17/22
3.32	84	1.87 47	5.56 141	P174292	PTI PG-050-HH	2/3/5
3.32	84	1.87 47	5.56 141	P174290	PTI PG-050-DH	20/35/-
3.32	84	1.87 47	10.12 257	P174297	PTI PG-080-JH, PG-080-CH	10/17/22
3.32	84	1.87 47	10.12 257	P174296	PTI PG-080-HH	2/3/5
3.32	84	1.87 47	10.12 257	P174295	PTI PG-080-GH	-/-/3
3.32	84	1.87 47	10.12 257	P174294	PTI PG-080-DH	20/35/-
3.32	84	1.87 47	14.62 371	P174298	PTI PG-120-DH	20/35/-
3.32	84	1.87 47	14.62 371	P174300	PTI PG-120-HH	2/3/5
3.32	84	1.87 47	14.62 371	P174301	PTI PG-120-JH, PG-120-CH	10/17/22
3.32	84	1.87 47	14.62 371	P174299	PTI PG-120-GH	-/-/3
3.34	85	1.86 47	9.00 229	P164203	CAT 4J-0816, SYNTEQ Media, Standard-P550816-LUBE CARTRIDGE	5/13/16
3.36	85	1.90 48	3.90 99	P173035	FAIREY ARLON 370ZAFFA, SYNTEQ Media	-/-/3

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
3.37	86	1.81 46	9.06 230	P502178	CAT 3S3875	None

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA(x) = 2/20/75	RELIEF VALVE SETTING
3.38	86	1.53 39	8.03 204	P174538	PALL HC8200FKP8H	-/-/3
3.38	86	1.53 39	8.03 204	P174539	PALL HC8200FKS8H	2/7/10
3.38	86	1.53 39	8.03 204	P174540	PALL HC8200FKT8H	10/17/22
3.39	86	1.74 44	8.06 205	P174790	PALL HC6400FKN8H	-/-/3
3.39	86	1.74 44	12.86 327	P174791	PALL HC6400FKN13H	-/-/3

## Hydraulic Cartridge – Continued

OUTER DIA. IN	MM	THREAD SIZE OR INNER DIA. IN	MM	LENGTH IN	MM	PART NUMBER	PRIMARY APPLICATION	BETA <sub>(x)</sub> = 2/20/75	RELIEF VALVE SETTING
3.39	86	1.74	44	16.86	428	P174792	PALL HC6400FKN16H	- / - / 3	
3.39	86	1.74	44	25.66	652	P174793	PALL HC6400FKN26H	- / - / 3	
3.39	86	1.96	50	8.03	204	P174530	PALL HC8800FKT8H	10 / 17 / 22	
3.39	86	1.96	50	8.03	204	P174526	PALL HC8800FKP8H	- / - / 3	
3.39	86	1.96	50	8.03	204	P174527	PALL HC8800FKN8H	2 / 3 / 5	
3.39	86	1.96	50	8.03	204	P174529	PALL HC8800FKS8H	2 / 7 / 10	
3.39	86	1.96	50	12.76	324	P174531	PALL HC8800FKP13H	- / - / 3	
3.39	86	1.96	50	12.76	324	P174532	PALL HC8800FKN13H	2 / 3 / 5	
3.39	86	1.96	50	12.76	324	P174533	PALL HC8800FKS13H	2 / 7 / 10	
3.39	86	1.96	50	12.76	324	P174534	PALL HC8800FKT13H	10 / 17 / 22	
3.39	86	1.96	50	16.67	423	P174537	PALL HC8800FKT16H	10 / 17 / 22	
3.39	86	1.96	50	16.67	423	P174536	PALL HC8800FKS16H	2 / 7 / 10	
3.39	86	1.96	50	16.67	423	P174535	PALL HC8800FKP16H	- / - / 3	
3.39	86	1.96	50	16.67	423	P170481	PALL HC8800FDN16H, SYNTEQ Media #2	2 / 3 / 5	
3.45	88	1.14	29	5.49	139	P550699	CLARK 244530	13 / 27 / 36	
3.45	88	2.56	65	8.00	203	P550136	JOHN DEERE AH76668	10 / - / -	
3.47	88	1.39	35	2.72	69	P550487	IHC 279294C92, MACK 485GB3160, POWER STEERING, FURN GSKT=P171154	15 / 30 / 40	
3.48	88	1.14	29	5.50	140	P550694	MICHIGAN 230962, JOHN DEERE AT49249	22 / 43 / -	
3.48	88	1.36	35	9.27	235	P550696	VERSATILE 36169	22 / 43 / -	16 - 19
3.50	89	1.06	27	2.49	63	P551221	FIAT-ALLIS 70079170		
3.50	89	1.53	39	12.78	325	P174544	PALL HC8200FKT13H	10 / 17 / 22	
3.50	89	1.53	39	16.68	424	P174548	PALL HC8200FKT16H	10 / 17 / 22	
3.50	89	1.53	39	16.68	424	P174545	PALL HC8200FKP16H	- / - / 3	
3.50	89	1.53	39	16.68	424	P174547	PALL HC8200FKS16H	2 / 7 / 10	
3.50	89	1.53	39	16.68	424	P174546	PALL HC8200FKN16H	2 / 3 / 5	
3.50	89	1.97	50	12.99	330	P173488	ARGO P2093301		
3.52	89	.86	22	4.18	106	P551191	GM 5997769		
3.53	90	1.61	41	9.02	229	P169478	SCHROEDER J-25, Media #25	25 / 50 / -	
3.53	90	1.61	41	9.02	229	P167516	SCHROEDER J-10, Media #10	10 / 21 / 25	
3.53	90	1.61	41	9.02	229	P164812	SCHROEDER J10 OR J25, SYNTEQ Media #9	10 / 17 / 22	
3.53	90	1.61	41	9.02	229	P164810	SCHROEDER JS-7, SYNTEQ Media #4	2 / 7 / 10	
3.53	90	1.61	41	9.02	229	P169443	SCHROEDER JS-1, SYNTEQ Media #1	- / - / 3	
3.53	90	1.61	41	9.02	229	P169444	SCHROEDER JS-3, SYNTEQ Media #2	2 / 3 / 5	
3.53	90	1.61	41	9.02	229	P167518	SCHROEDER J-3, Media #3	4 / 12 / 16	
3.53	90	1.61	41	9.02	229	P173780	SCHROEDER KM150, JM150	149 / - / -	
3.53	90	1.61	41	9.02	229	P173781	SCHROEDER KM60, JM60	74 / - / -	
3.54	90	1.93	49	10.91	277	P502170	HITACHI 3502410N		None
3.56	90	1.89	48	6.42	163	P170610	HYCON 0330D010BNHC, SYNTEQ Media	- / - / 120	
3.56	90	1.89	48	6.42	163	P177003	HYCON 0330D020BNHC		
3.56	90	1.89	48	6.42	163	P170595	HYCON 0330D010BHHC, SYNTEQ Media	- / - / 10	
3.56	90	1.89	48	6.42	163	P170594	HYCON 0330D003BHHC, SYNTEQ Media	- / - / 5	
3.56	90	1.89	48	6.42	163	P170609	HYCON 0330D005BNHC, SYNTEQ Media	- / - / 10	
3.56	90	1.89	48	12.96	329	P170612	HYCON 0660D010BNHC, SYNTEQ Media	- / - / 3	
3.56	90	1.89	48	12.96	329	P170611	HYCON 0660D005BNHC, SYNTEQ Media	- / - / 5	
3.56	90	1.89	48	12.96	329	P170596	HYCON 0660D003BHHC, SYNTEQ Media	- / - / 5	
3.56	90	1.89	48	12.96	329	P177000	HYCON 0660D003BNHC		
3.56	90	1.90	48	12.96	329	P170597	HYCON 0660D010BHHC, SYNTEQ Media	- / - / 10	
3.60	91	1.91	49	7.40	188	P170095	PARKER 907233, SYNTEQ Media #20	20 / 35 / -	
3.60	91	1.91	49	7.40	188	P170096	PARKER 907234, SYNTEQ Media #9	10 / 17 / 22	
3.60	91	1.91	49	7.40	188	P170099	PARKER 976191, SYNTEQ Media #2	2 / 3 / 5	
3.60	91	1.91	49	7.40	188	P170098	PARKER 924588, 983061, SYNTEQ Media #4	2 / 7 / 10	
3.60	91	1.91	49	15.30	389	P171413	PARKER 976211, SYNTEQ Media #2	2 / 3 / 5	
3.60	91	1.91	49	15.30	389	P171412	PARKER 924589, 982131, SYNTEQ Media #6	2 / 7 / 10	
3.66	93	1.41	36	5.90	150	P555935	CAT 8B-5935, USE AS LUBE OR HYDRAULIC		
3.66	93	1.89	48	3.90	99	P173036	FAIREY ARLON 370L101A, SYNTEQ Media	2 / 3 / 5	
3.66	93	1.89	48	3.90	99	P173038	FAIREY ARLON 370L110A, SYNTEQ Media	9 / 19 / 25	
3.66	93	1.89	48	3.90	99	P173037	FAIREY ARLON 370L105A, SYNTEQ Media	2 / 7 / 10	
3.66	93	1.89	48	3.90	99	P174561	FAIREY ARLON 390Z175A	74 / - / -	
3.66	93	1.89	48	7.87	200	P173041	FAIREY ARLON 370L205A, SYNTEQ Media	2 / 7 / 10	
3.66	93	1.89	48	7.87	200	P174562	FAIREY ARLON 390Z275A	74 / - / -	
3.66	93	1.89	48	7.87	200	P173042	FAIREY ARLON 370L210A, SYNTEQ Media	9 / 19 / 25	

OUTER DIA.		THREAD SIZE OR INNER DIA.		LENGTH		PART NUMBER	PRIMARY APPLICATION	BETA(x) = 2/20/75	RELIEF VALVE SETTING
IN	MM	IN	MM	IN	MM				
3.66	93	1.89	48	7.87	200	P173039	FAIREY ARLON 370Z2FFA, SYNTEQ Media	- / - / 3	
3.66	93	1.89	48	7.87	200	P173040	FAIREY ARLON 370L201A, SYNTEQ Media	2 / 3 / 5	
3.66	93	1.89	48	12.60	320	P174563	FAIREY ARLON 390Z375A	74 / - / -	
3.66	93	1.89	48	12.60	320	P173043	FAIREY ARLON 370Z3FFA, SYNTEQ Media	- / - / 3	
3.66	93	1.89	48	12.60	320	P173044	FAIREY ARLON 370L301A, SYNTEQ Media	2 / 3 / 5	
3.66	93	1.89	48	12.60	320	P173046	FAIREY ARLON 370L310A, SYNTEQ Media	9 / 19 / 25	
3.66	93	1.89	48	12.60	320	P173045	FAIREY ARLON 370L305A, SYNTEQ Media	2 / 7 / 10	
3.68	93	1.74	44	9.09	231	P174915	PARKER 932409	2 / 7 / 10	
3.68	93	1.74	44	18.78	477	P174914	PARKER 932410	2 / 7 / 10	
3.68	93	1.75	44	9.00	229	P169556	PARKER 924452, SYNTEQ Media #2	2 / 3 / 5	
3.68	93	1.75	44	9.00	229	P174749	PARKER 924455	44 / - / -	
3.68	93	1.75	44	9.00	229	P169554	PARKER 924449, Media #5	5 / 13 / 17	
3.68	93	1.75	44	9.00	229	P169553	PARKER 924448, 924451, Media #25	25 / 50 / -	
3.68	93	1.75	44	9.00	229	P171239	PARKER 924456	74 / - / -	
3.68	93	1.75	44	9.00	229	P169555	PARKER 924450, Media #10	10 / 21 / 25	
3.68	93	1.75	44	9.00	229	P169557	PARKER 924453, SYNTEQ Media #4	2 / 7 / 10	
3.68	93	1.75	44	9.25	235	P169400	Donaldson HYDRAULIC ASSEMBLY, Media #25	20 / 35 / -	
3.68	93	1.75	44	18.31	465	P169560	PARKER 924792, Media #10	10 / 21 / 25	
3.68	93	1.75	44	18.31	465	P171240	PARKER 924798	74 / - / -	
3.68	93	1.75	44	18.31	465	P169558	PARKER 924790, 924793, Media #25	25 / 50 / -	
3.68	93	1.75	44	18.31	465	P169559	PARKER 924791, Media #5	5 / 13 / 17	
3.68	93	1.75	44	18.31	465	P169561	PARKER 924794, SYNTEQ Media #2	2 / 3 / 5	
3.68	93	1.75	44	18.31	465	P169562	PARKER 924795, SYNTEQ Media #4	2 / 7 / 10	
3.71	94	2.06	52	7.72	196	P551225	RIPLEY 8P13		
3.72	94	1.89	48	7.68	195	P170618	HYCON 0330R010BNHC, STAUFF RE090G10B, SYNTEQ Media	- / - / 10	43
3.74	95	1.61	41	7.99	203	P171541	Donaldson FHK ASSY, WIRE MESH	60 / - / -	
3.74	95	1.61	41	7.99	203	P171539	Donaldson FHK ASSY, FBO CR180/1, Cellulose	10 / 21 / 25	
3.74	95	1.61	41	7.99	203	P171538	Donaldson FHK ASSY, SYNTEQ Media	9 / 19 / 25	
3.74	95	1.61	41	7.99	203	P171537	Donaldson FHK ASSY, SYNTEQ Media	2 / 7 / 10	
3.74	95	1.61	41	7.99	203	P171536	Donaldson FHK ASSY, WIRE MESH	90 / - / -	
3.74	95	1.61	41	7.99	203	P171540	Donaldson FHK ASSY, FBO CR180/3, Cellulose	30 / - / -	
3.75	95	2.18	55	38.52	978	P164561	PALL HC9400FUS39H, SYNTEQ Media #6	2 / 7 / 10	
3.75	95	2.18	55	38.52	978	P164563	PALL HC9400FUT39H, SYNTEQ Media #9	10 / 17 / 22	
3.75	95	2.18	55	38.52	978	P164587	PALL HC9400FUS39H, SYNTEQ Media #2	2 / 3 / 5	
3.75	95	2.21	56	8.01	203	P167889	PALL HC8900FUT8H, SYNTEQ Media #9	10 / 17 / 22	
3.75	95	2.21	56	12.76	324	P167886	PALL HC8900FDN13H, Media #2	2 / 3 / 5	
3.75	95	2.21	56	12.76	324	P164225	PALL HC9400FUT13H, SYNTEQ Media #9	10 / 17 / 22	
3.75	95	2.21	56	12.76	324	P167890	PALL HC8900FUT13H, SYNTEQ Media #9	10 / 17 / 22	
3.75	95	2.21	56	12.76	324	P167888	PALL HC8900FUS13H, SYNTEQ Media #4	2 / 7 / 10	
3.75	95	2.21	56	12.76	324	P164223	PALL HC9400FUS13H, SYNTEQ Media #4	2 / 7 / 10	
3.75	95	2.21	56	12.76	324	P169434	PALL HC9400FUP13H, SYNTEQ Media #1	- / - / 3	
3.75	95	2.21	56	12.76	324	P164583	PALL HC9400FUN13H, SYNTEQ Media #2	2 / 3 / 5	
3.75	95	2.21	56	16.68	424	P167891	PALL HC8900FUT16H, SYNTEQ Media #9	10 / 17 / 22	
3.75	95	2.21	56	16.68	424	P167942	PALL HC8900FDN16H, SYNTEQ Media #2	2 / 3 / 5	
3.75	95	2.21	56	16.68	424	P167943	PALL HC8900FUS16H, SYNTEQ Media #4	2 / 7 / 10	
3.75	95	2.21	56	25.53	648	P167841	PALL HC9400FUP26H, Donaldson HPK05 ASSY, SYNTEQ Media #1	- / - / 3	
3.75	95	2.21	56	25.53	648	P164229	PALL HC9400FUT26H, Donaldson HPK05 ASSY, SYNTEQ Media #9	10 / 17 / 22	
3.75	95	2.21	56	25.53	648	P164585	PALL HC9400FUN26H, Donaldson HPK05 ASSY, SYNTEQ Media #2	2 / 3 / 5	
3.75	95	2.21	56	25.53	648	P164227	PALL HC9400FUS26H, Donaldson HPK05 ASSY, SYNTEQ Media #6	2 / 7 / 10	
3.75	95	2.21	56	8.01	203	P174523	PALL HC8900FKP8H, HC8900FKP8Z	- / - / 3	
3.75	95	2.21	56	12.76	324	P174524	PALL HC8900FKP13H, HC8900FKP13Z	- / - / 3	
3.75	95	2.21	56	16.68	424	P174525	PALL HC8900FKP16H, HC8900FKP16Z	- / - / 3	
3.76	96	1.72	44	8.05	204	P165158	PALL HC8500FUN8H, SYNTEQ Media #2	2 / 3 / 5	
3.76	96	1.72	44	8.05	204	P164917	PALL HC8500FUS8H, SYNTEQ Media #4	2 / 7 / 10	
3.76	96	1.72	44	12.80	325	P165160	PALL HC8500FUN13H, SYNTEQ Media #2	2 / 3 / 5	
3.76	96	1.72	44	12.80	325	P164919	PALL HC8500FUS13H, SYNTEQ Media #4	2 / 7 / 10	
3.76	96	1.72	44	12.80	325	P165166	PALL HC8500FUT13H, SYNTEQ Media #9	10 / 17 / 22	
3.76	96	1.72	44	25.57	649	P165168	PALL HC8500FUT26H, SYNTEQ Media #9	10 / 17 / 22	
3.76	96	1.72	44	25.57	649	P165162	PALL HC8500FUS26H, SYNTEQ Media #2	2 / 3 / 5	
3.76	96	1.72	44	25.57	649	P164921	PALL HC8500FUS26H, SYNTEQ Media #4	2 / 7 / 10	
3.78	96	1.92	49	10.00	254	P551369	VME 4786819, PACKAGED GASKET P761122	- / - / 25	
3.79	96	2.20	56	12.94	329	P176136	PALL HC990AFUP13H	74 / - / -	
3.80	97	2.19	56	25.90	658	P171037	PALL HC9901FUT26H, HYCON H9901/S6-010BH, HPK05	- / - / 149	

## Hydraulic Cartridge – Continued

OUTER DIA. IN	MM	THREAD SIZE OR INNER DIA. IN	MM	LENGTH IN	MM	PART NUMBER	PRIMARY APPLICATION	BETA <sub>(x)</sub> = 2/20/75	RELIEF VALVE SETTING
3.82	97	1.08	27	6.05	154	P551185	CASE IH A65854		
3.83	97	1.12	28	6.05	154	P551184	CASE IH A61234		
3.84	98	1.61	41	9.02	229	P167410	SCHROEDER K10, KK10 HYD APPL, Media #10	10 / 21 / 25	
3.84	98	1.61	41	9.02	229	P167425	SCHROEDER K25 HYD APPL, Media #25	20 / 35 / -	
3.84	98	1.61	41	9.02	229	P167514	SCHROEDER K-3, Media #3	4 / 12 / 16	
3.85	98	1.61	41	9.02	229	P163910	SCHROEDER K-10 & K-25, SYNTEQ Media #9	10 / 17 / 22	
3.85	98	1.61	41	9.02	229	P169344	SCHROEDER KS3, SYNTEQ Media #2	2 / 3 / 5	
3.85	98	1.61	41	9.02	229	P169341	SCHROEDER KS-1, SYNTEQ Media #1	- / - / 3	
3.85	98	1.61	41	9.02	229	P163903	SCHROEDER K-3, SYNTEQ Media #4	2 / 7 / 10	
3.85	98	1.61	41	9.02	229	P174622	SCHROEDER KSTV	- / - / 3	
3.85	98	1.61	41	9.02	229	P174623	SCHROEDER KSSV	2 / 3 / 5	
3.85	98	1.61	41	9.02	229	P174624	SCHROEDER KSTV	5 / 13 / 16	
3.85	98	1.61	41	18.25	464	P174260	SCHROEDER KKS15	10 / 17 / 22	None
3.85	98	1.61	41	18.25	464	P174245	SCHROEDER KKS1	- / - / 3	
3.85	98	1.61	41	18.25	464	P174249	SCHROEDER KKS7	2 / 7 / 10	
3.85	98	1.61	41	18.25	464	P174243	SCHROEDER KK10	10 / 21 / 25	
3.85	98	1.61	41	18.25	464	P174244	SCHROEDER KK25	20 / 35 / -	
3.85	98	1.61	41	18.25	464	P174247	SCHROEDER KKS3	2 / 3 / 5	
3.85	98	1.61	41	27.81	706	P174268	SCHROEDER KKK15	10 / 17 / 22	None
3.85	98	1.61	41	27.81	706	P174250	SCHROEDER KKK57	2 / 7 / 10	
3.85	98	1.61	41	27.81	706	P174248	SCHROEDER KKK53	2 / 3 / 5	
3.85	98	1.61	41	27.81	706	P174246	SCHROEDER KKK10	- / - / 3	
3.94	100	1.62	41	9.12	232	P551290	KOMATSU 281-16-11290	14 / 25 / -	
3.94	100	1.65	42	9.12	232	P551158	KOMATSU 175-49-11580	14 / 25 / -	
3.94	100	1.95	50	9.11	231	P174611	ZINGA RE-409-25		
3.94	100	1.95	50	9.11	231	P174610	ZINGA RE-409-10	27 / 35 / 45	
3.94	100	2.05	52	4.72	120	P171681	FBO C200/1	10 / 21 / 25	
3.94	100	2.05	52	8.27	210	P171667	FBO C250/1	10 / 21 / 25	
3.94	100	2.34	59	8.27	210	P551054	KOMATSU 07063-01054, 154-60-12170		
3.94	100	2.34	59	11.06	281	P551160	KOMATSU 144-60-11160		
3.94	100	2.48	63	13.50	343	P173491	LIEBHERR 7002504		
3.94	100	2.48	63	18.27	464	P173490	LIEBHERR 7360470		
3.98	101	1.42	36	5.00	127	P550698	GMC 15513845	22 / 43 / -	
3.99	101	2.33	59	9.37	238	P551229	CATERPILLAR 9W2932		
4.00	102	1.06	27	6.00	152	P163437	PUROLATOR, INGERSOLL RAND		
4.00	102	1.56	40	14.81	376	P164277	HYSTER 320006, SYNTEQ Media #6	5 / 10 / 13	
4.00	102	1.56	40	14.81	376	P163447	HYSTER #S-44643-2	15 / 30 / 35	
4.00	102	2.23	57	9.00	229	P550282	VICKERS 426530	1 / 8 / 12	
4.00	102	2.23	57	9.00	229	P550284	VICKERS 404210, DESIGNED FOR WATER GLYCOL APPLICATIONS	16 / 35 / 47	
4.00	102	2.23	57	9.00	229	P550283	VICKERS 426531	16 / 35 / 47	
4.00	102	2.23	57	9.00	229	P550265	VICKERS 404208		
4.00	102	2.23	57	18.00	457	P550267	VICKERS 404211		
4.00	102	2.27	58	9.25	235	P559740	CAT 9M-9740, P164200=SYNTEQ Media	20 / 35 / -	
4.00	102	2.30	58	9.25	235	P164200	CAT 9M-9740, 2M-3943, 1M-9156, SYNTEQ Media, Standard=P559740-HYD CART	5 / 13 / 16	
4.00	102	2.30	58	9.25	235	P165238	CAT 4T-3131, SYNTEQ Media #6	5 / 10 / 13	
4.00	102	2.90	74	6.25	159	P173582	VICKERS 361740, 941058		
4.00	102	2.90	74	6.25	159	P173581	VICKERS 361991, 941056	- / - / 149	
4.00	102	2.90	74	6.25	159	P173583	VICKERS 361992, 941060	30 / - / -	
4.00	102	2.90	74	6.25	159	P173584	VICKERS 361741, 941062		
4.17	106	.41	10	7.48	190	P174568	FAIREY ARLON TXW4-CC3	- / - / 3	
4.17	106	.41	10	18.31	465	P174570	FAIREY ARLON TXW5A-CC3	- / - / 3	
4.17	106	2.52	64	7.48	190	P171812	Donaldson FRK ASSY, FAIREY ARLON TXX4-10	10 / 21 / 25	
4.17	106	2.52	64	7.48	190	P171819	Donaldson FRK ASSY, FAIREY ARLON TXW4-CC25, SYNTEQ Media	9 / 19 / 25	
4.17	106	2.52	64	7.48	190	P171798	Donaldson FRK ASSY, FAIREY ARLON ST460	60 / - / -	
4.17	106	2.52	64	7.48	190	P171805	Donaldson FRK ASSY, FAIREY ARLON TXX410	25 / 50 / -	
4.17	106	2.52	64	7.48	190	P171791	Donaldson FRK ASSY, FAIREY ARLON ST4120	90 / - / -	
4.17	106	2.52	64	7.48	190	P171826	Donaldson FRK ASSY, FAIREY ARLON TXW4-CC10, SYNTEQ Media	2 / 7 / 10	
4.17	106	2.52	64	10.24	260	P171827	Donaldson FRK ASSY, FAIREY ARLON TXW5-CC10, SYNTEQ Media	2 / 7 / 10	
4.17	106	2.52	64	10.24	260	P171820	Donaldson FRK ASSY, FAIREY ARLON TXW5-CC25, SYNTEQ Media	9 / 19 / 25	
4.17	106	2.52	64	10.24	260	P171813	Donaldson FRK ASSY, FAIREY ARLON TXX5-10	10 / 21 / 25	
4.17	106	2.52	64	10.24	260	P171799	Donaldson FRK ASSY, FAIREY ARLON ST560	60 / - / -	



OUTER DIA.		THREAD SIZE		LENGTH		PART NUMBER	PRIMARY APPLICATION	BETA(x) = 2/20/75	RELIEF VALVE SETTING
IN	MM	OR INNER DIA.	OR INNER DIA.	IN	MM				
4.17	106	2.52	64	10.24	260	P171792	Donaldson FRK ASSY, FAIREY ARLON ST5120	90 / - / -	
4.17	106	2.52	64	10.24	260	P171806	Donaldson FRK ASSY, FAIREY ARLON TXX510	25 / 50 / -	
4.17	106	2.52	64	18.30	465	P171821	Donaldson FRK ASSY, FAIREY ARLON TXW5A-CC25, SYNTEQ Media	9 / 19 / 25	
4.17	106	2.52	64	18.30	465	P171814	Donaldson FRK ASSY, FAIREY ARLON TXX5A-10	10 / 21 / 25	
4.17	106	2.52	64	18.30	465	P171828	Donaldson FRK ASSY, FAIREY ARLON TXW5A-CC10, SYNTEQ Media	2 / 7 / 10	
4.17	106	2.52	64	18.31	465	P171793	Donaldson FRK ASSY, FAIREY ARLON ST5A120	90 / - / -	
4.17	106	2.52	64	18.31	465	P171800	Donaldson FRK ASSY, FAIREY ARLON ST5A60	60 / - / -	
4.17	106	2.52	64	18.31	465	P171807	Donaldson FRK ASSY, FAIREY ARLON TXX5A10	25 / 50 / -	
4.18	106	.41	10	10.29	261	P174569	FAIREY ARLON TXW5-CC3	- / - / 3	
4.22	107	1.78	45	9.00	229	P550084	KOMATSU 424-16-11140, Wheel Loaders	14 / 25 / -	
4.25	108	3.12	79	9.50	241	P173613	PARKER 909293, ROSAEN 51/52 CF74W		
4.25	108	3.12	79	9.50	241	P173617	PARKER 908643, ROSAEN 51/52 RF20C		
4.25	108	3.12	79	9.50	241	P173618	PARKER 908642		
4.25	108	3.12	79	9.50	241	P173614	PARKER 909291, ROSAEN 51/52 CF25W		
4.25	108	3.12	79	9.50	241	P173615	PARKER 909299, ROSAEN 51/52 CF149W		
4.33	110	2.87	73	12.83	326	P173487	ARGO P2113321		
4.37	111	.68	17	9.56	243	P555422	JOHN DEERE AT45422		
4.38	111	2.44	62	5.00	127	P160455	GARDNER DENVER #2109394, Donaldson HAK05, Media #25	25 / 50 / -	
4.38	111	2.44	62	5.00	127	P160605	EATON, I/R, HARNISCHFEGGER #46Z419, DCI HAK05	15 / 30 / 35	
4.38	111	2.44	62	5.00	127	P160205	CASE, EATON, INC, CLARK, Donaldson HAK05, Media #10	10 / 21 / 25	
4.38	111	2.44	62	5.00	127	P160105	Donaldson HAK05 ASSBLY, Media #25	25 / 50 / -	
4.38	111	2.44	62	5.00	127	P163859	Donaldson HAK05/ HDK06 ASSBLY, Media #5	5 / 13 / 17	
4.38	111	2.44	62	8.00	203	P161413	IR 35294024, Donaldson HHK05-RETURN, Media #10	10 / 21 / 25	
4.38	111	2.44	62	8.00	203	P160608	DRESSER 141064, AMER H&D #9832471, DCI HAK05	15 / 30 / 35	
4.38	111	2.44	62	8.00	203	P160708	FMC #43J1020M, Donaldson HAK05 ASSEMBLY, Media #5	5 / 13 / 17	
4.38	111	2.44	62	8.00	203	P160508	EATON #6851961,G/D #5826901P, CASE, (DCI HAK05), P162104=SYNTEQ Media	15 / 30 / 35	
4.38	111	2.44	62	8.00	203	P161008	Donaldson HAK05 ASSBLY, SYNTEQ Media	- / - / 2	
4.38	111	2.44	62	8.00	203	P161402	GENERAL USAGE, Media #10	10 / 21 / 25	
4.38	111	2.44	62	8.00	203	P160658	Donaldson HAK05 ASSBLY, Media #10	10 / 21 / 25	
4.38	111	2.44	62	8.00	203	P160208	BUCYRUS ERIE,CASE,I/R,STEIGER,CHAMPION,DCI-HAK05, Media #10	10 / 21 / 25	
4.38	111	2.44	62	8.00	203	P160108	GALION D136601, OLD DOM D100-435-2 (DCI HAK05), Media #25	25 / 50 / -	
4.38	111	2.44	62	8.00	203	P160574	HARNISCHFEGGER #1046Z331, Donaldson HHK05-RETURN	15 / 30 / 35	
4.38	111	2.44	62	8.00	203	P160558	CLARK 888936.FMC #76J1505P, Donaldson HAK05, SYNTEQ Media #6, Similar-P163860	5 / 10 / 13	
4.38	111	2.44	62	8.00	203	P165251	TIMBERJACK 841153100, Media #10	10 / 21 / 25	
4.38	111	2.44	62	8.00	203	P163173	CONTAINS P163172 ELEM & P161914 SEAL KIT, SYNTEQ Media #16		
4.38	111	2.44	62	8.00	203	P165248	INGERSOLL RAND #39123211	15 / 30 / 35	
4.38	111	2.44	62	8.00	203	P162368	CASE 116427, Donaldson HAK05 ASSY	149 / - / -	
4.38	111	2.44	62	8.00	203	P163172	DRILTECH, SULLAIR, SYNTEQ Media #16	15 / 30 / 37	
4.38	111	2.44	62	8.00	203	P164341	NEW HOLLAND 776528	15 / 30 / 35	
4.38	111	2.44	62	8.00	203	P165626	Donaldson HAK05 ASSEMBLY, SYNTEQ Media #2	2 / 3 / 5	
4.38	111	2.44	62	8.00	203	P166461	Donaldson HAK05 ASSEMBLY, SYNTEQ Media #9	7 / 17 / 22	
4.38	111	2.44	62	8.00	203	P166460	Donaldson HAK05 ASSEMBLY, SYNTEQ Media #4	5 / 13 / 16	
4.38	111	2.44	62	8.00	203	P164493	Donaldson HHK05 ASSEMBLY, SYNTEQ Media #16	15 / 30 / 37	
4.38	111	2.44	62	10.00	254	P161908	IOWA MFG #45177-509-03, AMER H&D #1205450	15 / 30 / 35	
4.38	111	2.44	62	13.00	330	P160613	BADGER, WARNER & SWASEY, CASE, HARNISCHFEGGER	15 / 30 / 35	
4.38	111	2.44	62	13.00	330	P160513	GROVE, EATON #6851957 Donaldson HAK05, P162105=SYNTEQ Media	15 / 30 / 35	
4.38	111	2.44	62	13.00	330	P160213	CASE 111118, CLARK #2521234, Donaldson HAK05, Media #10	10 / 21 / 25	
4.38	111	2.44	62	13.00	330	P160663	Donaldson HAK05 ASSBLY, Media #10	10 / 21 / 25	
4.38	111	2.44	62	13.00	330	P160113	JOY 7017010275, Donaldson HAK05, Media #25	25 / 50 / -	
4.38	111	2.44	62	13.00	330	P163455	CONTAINS P160213 ELE & P160016 ORNG,CLARK 960641, Media #10		
4.38	111	2.44	62	13.00	330	P162777	OLD DOMINION 100-433-4	149 / - / -	
4.38	111	2.44	62	13.00	330	P161959	SULLAIR #1847C		
4.38	111	2.44	62	13.00	330	P162707	AMER H&D 1206667, Media #10	10 / 21 / 25	
4.38	111	2.44	62	13.00	330	P162181	Donaldson HHK05 ASSBLY	15 / 30 / 35	
4.38	111	2.44	62	13.00	330	P165378	GROVE, HARNISCHFEGGER, Donaldson HAK05, SYNTEQ Media #9	7 / 17 / 22	
4.38	111	2.44	62	13.00	330	P164884	Donaldson HHK05 ASSBLY, Media #5	5 / 13 / 17	
4.38	111	2.44	62	13.00	330	P161969	AMER H&D 1206666	15 / 30 / 35	
4.38	111	2.44	62	13.00	330	P161627	Donaldson HHK05 ASSEMBLY, EATON 514784603, Media #5	15 / 30 / 35	
4.38	111	2.44	62	13.00	330	P165507	WHITE FARM 312799847, MF 1070232M1, SYNTEQ Media #9	7 / 17 / 22	
4.38	111	2.44	62	13.00	330	P161917	DRILTECH #318553	74 / - / -	
4.38	111	2.44	62	16.00	406	P161113	Donaldson HHK05-RETURN LINE ASSBLY	15 / 30 / 35	
4.38	111	2.44	62	16.00	406	P160216	CASE 105892, SULLAIR 241177, (DCI HAK05 & HDK06), Media #10	10 / 21 / 25	

## Hydraulic Cartridge – Continued

OUTER DIA. IN	MM	THREAD SIZE OR INNER DIA. IN	MM	LENGTH IN	MM	PART NUMBER	PRIMARY APPLICATION	BETA <sub>(x)</sub> = 2/20/75	RELIEF VALVE SETTING
4.38	111	2.44	62	16.00	406	P160807	IOWA MFG. #4517550903, Donaldson HHK05-SUCTION	15 / 30 / 35	None
4.38	111	2.44	62	16.00	406	P160566	HYSTER #254612, DONALDSON HAK05 & HDK06, SYNTEQ Media #6, Similar-P163862	5 / 10 / 13	
4.38	111	2.44	62	16.00	406	P160166	Donaldson HAK05/HDK06 ASSEMBLY	25 / 50 / -	
4.38	111	2.44	62	16.00	406	P160316	Donaldson HAK05 ASSEMBLY, Media #3	4 / 12 / 16	
4.38	111	2.44	62	16.00	406	P160116	OLD DOM D100-436-2, JOY 1816389, DCI HAK05/HDK06, Media #25	25 / 50 / -	
4.38	111	2.44	62	16.00	406	P162581	Donaldson HHK05 ASSEMBLY	15 / 30 / -	
4.38	111	2.44	62	16.00	406	P161016	Donaldson HAK05, HDK06 ASSEMBLIES, 1/2 MEDIA	- / - / 2	
4.38	111	2.44	62	16.00	406	P160516	CASE, GROVE, GARD/DENV, LOED CORP, Donaldson HAK05 Assembly	15 / 30 / 35	
4.38	111	2.44	62	16.00	406	P161571	IR 52263209, Donaldson HAK05, SYNTEQ Media, P160516 IS STD	15 / 30 / 37	
4.38	111	2.44	62	16.00	406	P160716	Donaldson HAK05 ASSEMBLY, Media #5	5 / 13 / 17	
4.38	111	2.44	62	16.00	406	P160666	MARATHON LETOURNEAU 4068356, (DCI HAK05-HKD06), Media #10	10 / 21 / 25	
4.38	111	2.44	62	16.00	406	P160470	GROVE, Donaldson DCI HAK05 & HDK06	25 / 50 / -	
4.38	111	2.44	62	16.00	406	P160700	JOY 1800108, SULLAIR 241185, DCI HAK05/HDK06 ASY	149 / - / -	
4.38	111	2.44	62	16.00	406	P161222	TAYLOR MACHINE #4044-318, DCI HHK05-RETURN	149 / - / -	
4.38	111	2.44	62	16.00	406	P160616	Donaldson HDK06 ASSEMBLY	15 / 30 / 35	
4.38	111	2.44	62	16.00	406	P163443	FMC #31P0147		
4.38	111	2.44	62	16.00	406	P166246	IR 35330133, Media #25, Contains P166267 element, P160016 oring		
4.38	111	2.44	62	16.00	406	P165789	Donaldson HAK05 ASSEMBLY, SYNTEQ Media #6	5 / 10 / 13	
4.38	111	2.44	62	16.00	406	P162716	Donaldson HHK05 ASSEMBLY, Media #25	25 / 50 / -	
4.38	111	2.44	62	16.00	406	P162471	CLARK 2526831, Donaldson HHK05-RETURN, Media #10	10 / 21 / 25	
4.38	111	2.44	62	16.00	406	P162708	Donaldson HHK05 ASSEMBLY, Media #10	10 / 21 / 25	
4.38	111	2.44	62	16.00	406	P165628	Donaldson HAK05 & HDK06 ASSEMBLY, SYNTEQ Media #2	2 / 3 / 5	
4.38	111	2.44	62	16.00	406	P164495	Donaldson HHK05 ASSEMBLY, SYNTEQ Media #6	5 / 10 / 13	
4.38	111	2.44	62	16.00	406	P165249	INGERSOLL RAND #39123229, 39123237	15 / 30 / 35	
4.38	111	2.44	62	16.00	406	P166597	Donaldson HAK05 ASSEMBLY, SYNTEQ Media #20	20 / 35 / -	
4.38	111	2.44	62	16.00	406	P164697	DEERE AT78046, GROVE 7437800011, DCI HAK05/HKD06, SYNTEQ Media #4	5 / 13 / 16	
4.38	111	2.44	62	16.00	406	P164699	Donaldson HAK05 & HDK06 ASSEMBLY, SYNTEQ Media #9	7 / 17 / 22	
4.38	111	2.44	62	16.00	406	P164334	Donaldson HYD ASSBLY KIT, includes P160616		
4.38	111	2.44	62	16.00	406	P164266	Donaldson HHK05 ASSEMBLY, Media #5	5 / 13 / 17	
4.38	111	2.44	62	16.00	406	P163862	Donaldson HAK05/HDK06 ASSBLY, Media #5	5 / 13 / 17	
4.38	111	2.44	62	16.00	406	P163858	Donaldson HAK05 ASSEMBLY, Media #3	4 / 12 / 16	
4.39	112	1.75	44	12.75	324	P559434	FIAT ALLIS 70669434, A.CHALMERS 676022, PKGD GASKETS P177374, P177376, P177375		
4.39	112	2.22	56	14.47	368	P171454	HARNISCHEFFGER 45Z459	15 / 30 / 35	
4.39	112	2.44	62	8.00	203	P176220	Donaldson HAK05 ASSY	2 / 7 / 10	
4.39	112	2.44	62	8.00	203	P162260	GARDNER DENVER 5990190, SYNTEQ Media #16		
4.39	112	2.44	62	8.00	203	P162104	GARDNER DENVER 2109093, Similar P160508 (Std)	15 / 30 / 37	
4.39	112	2.44	62	16.00	406	P176221	Donaldson HAK05, HDK06 ASSY	2 / 7 / 10	
4.39	112	3.50	89	7.19	183	P551186	JOHN DEERE AT24274		
4.41	112	2.72	69	17.24	438	P173207	HITACHI, 4227353, JOHN DEERE TH101885, TH111010,	- / - / 149	
4.41	112	2.76	70	11.50	292	P550083	KOMATSU 198-49-11440	10 / 21 / 25	
4.42	112	1.66	42	9.00	229	P170090	PARKER 926372, 926325, SYNTEQ Media #4	2 / 7 / 10	
4.42	112	1.66	42	9.00	229	P170092	PARKER 926326, SYNTEQ Media #9	10 / 17 / 22	
4.42	112	1.66	42	9.00	229	P170094	PARKER 926327, SYNTEQ Media #20	20 / 35 / -	
4.47	114	2.87	73	14.72	374	P550037	MITSUBISHI 68937001001	25 / 40 / -	
4.49	114	2.68	68	13.09	332	P173760	HYCON 0660R010P		
4.49	114	2.68	68	13.09	332	P170888	HYCON 0660R003BNHC, SYNTEQ Media		
4.49	114	2.68	68	13.09	332	P170619	HYCON 0660R010BNHC, STAUFF RE160G10B, SYNTEQ Media	16 / 35 / 47	
4.50	114	.53	13	5.00	127	P556004	IHC, TOWMOTOR, CHRYSLER, FORD, REYNORD 4931343, FURN GSKT-P171171, P171172		
4.50	114	.53	13	9.06	230	P556001	IHC, EATON, RACINE		
4.50	114	1.78	45	7.00	178	P550138	GRESEN 3294, PKGD GASKETS (2) P177050, OPT. GASKETS P177049, P177051	26 / 41 / -	
4.50	114	2.22	56	7.25	184	P555150	AC, CLARK, JD, FORD, ALLIS 70679513-2		
4.50	114	2.24	57	9.53	242	P165314	GENERAL HIGH PERF CARTRIDGE, SYNTEQ Media #9	7 / 17 / 22	
4.5	114	2.26	57	7.18	182	P169081	Case A176593, SYNTEQ Media #4	5 / 13 / 16	
4.51	115	.66	17	7.06	179	P551183	CASE IH A44012		
4.51	115	2.25	57	9.18	233	P550079	IHC 1140079-C1	3 / - / -	
4.51	115	2.27	58	6.97	177	P550140	IHC 612713C91	20 / 35 / -	
4.52	115	.54	14	9.00	229	P551216	CASE IH L52029, DCI VERSION OF P166031		
4.52	115	1.75	44	7.18	182	P551213	JOHN DEERE AT62042		
4.52	115	1.75	44	9.10	231	P550654	IHC 930654-C1	4 / - / -	

OUTER DIA.		THREAD SIZE OR INNER DIA.		LENGTH		PART NUMBER	PRIMARY APPLICATION	BETA(x) = 2/20/75	RELIEF VALVE SETTING
IN	MM	IN	MM	IN	MM				
4.52	115	1.80	46	7.00	178	P551207	CASE IH 502689T91		
4.52	115	1.80	46	7.00	178	P553293	GRESEN 3293, A-CHALMERS, CASE, PKGD GASKETS 2-P177050-OPT GASKETS P177049, P177051	16 / 35 / 47	
4.52	115	2.27	58	7.12	181	P551193	CASE IH A46403		
4.52	115	2.27	58	7.97	202	P551187	JOHN DEERE		
4.52	115	2.27	58	8.08	205	P551214	JOHN DEERE AT63548		
4.52	115	2.27	58	8.08	205	P551222	JOHN DEERE AT78414		
4.52	115	2.27	58	9.00	229	P551215	CATERPILLAR 349804		
4.61	117	2.19	56	5.29	134	P165231	JOHN DEERE RE11889, SYNTEQ Media #4	5 / 13 / 16	
4.61	117	2.19	56	7.79	198	P164904	JOHN DEERE AR94510, SYNTEQ Media #9	10 / 17 / 22	
4.61	117	2.19	56	7.79	198	P164906	JOHN DEERE AR98098, SYNTEQ Media #4, OPTIONAL GASKET P179322	5 / 13 / 16	
4.61	117	2.20	56	5.29	134	P555603	JOHN DEERE AR75603, AR75601, P174997 Gasket included. Optional Gasket P179322	20 / 35 / -	
4.64	118	2.26	57	7.36	187	P551226	FORD D8NNB951AE		
4.65	118	2.32	59	6.50	165	P173485	CATERPILLAR, DEMAG		
4.65	118	2.40	61	6.50	165	P550308	HANOMAG 373952178	25 / - / -	
4.87	124	2.87	73	8.93	227	P551190	CASE IH 113940C1		
4.96	126	.41	10	8.31	211	P174571	FAIREY ARLON TXW6A-CC3	- / - / 3	
4.96	126	.41	10	11.42	290	P174572	FAIREY ARLON TXW8A-CC3	- / - / 3	
4.96	126	.41	10	18.90	480	P174573	FAIREY ARLON TXW8C-CC3	- / - / 3	
4.96	126	3.26	83	8.31	211	P173053	FAIREY ARLON ST6A60	60 / - / -	
4.96	126	3.26	83	8.31	211	P173052	FAIREY ARLON TXX6A10	25 / 50 / -	
4.96	126	3.26	83	8.31	211	P173051	FAIREY ARLON ST6A120	90 / - / -	
4.96	126	3.26	83	11.42	290	P173055	FAIREY ARLON TXX8A10	25 / 50 / -	
4.96	126	3.26	83	18.90	480	P173059	FAIREY ARLON ST8C60	60 / - / -	
4.96	126	3.26	83	18.90	480	P173058	FAIREY ARLON MB8C	25 / 50 / -	
4.96	126	3.26	83	18.90	480	P173057	FAIREY ARLON ST8C120	90 / - / -	
4.96	126	3.62	92	8.31	211	P172460	FAIREY ARLON TXX6A-10	10 / 21 / 25	
4.96	126	3.62	92	8.31	211	P172461	FAIREY ARLON TXX6A-CC10, SYNTEQ Media	2 / 7 / 10	
4.96	126	3.62	92	8.31	211	P172462	FAIREY ARLON TXX6A-CC25, SYNTEQ Media	9 / 19 / 25	
4.96	126	3.62	92	11.42	290	P172465	FAIREY ARLON TXX8A-CC25, SYNTEQ Media	9 / 19 / 25	
4.96	126	3.62	92	11.42	290	P172463	FAIREY ARLON TXX8A-10	10 / 21 / 25	
4.96	126	3.62	92	11.42	290	P172464	FAIREY ARLON TXX8A-CC10, SYNTEQ Media	2 / 7 / 10	
4.96	126	3.62	92	18.90	480	P172468	FAIREY ARLON TXW8C-CC25, SYNTEQ Media	9 / 19 / 25	
4.96	126	3.62	92	18.90	480	P172467	FAIREY ARLON TXW8C-CC10, SYNTEQ Media	2 / 7 / 10	
4.96	126	3.62	92	18.90	480	P172466	FAIREY ARLON TXX8C-10	10 / 21 / 25	
5.00	127	1.50	38	4.12	105	P550637	MAC K POWER STEERING, OPTIONAL GASKET P167575		
5.00	127	2.50	64	11.87	301	P557373	GALION B67373, B67373A		
5.00	127	2.81	71	6.12	155	P554636	INT'L 390560-R91, 527507-R91, AND -R92		
5.00	127	3.00	76	3.00	76	P550128	IHC 401073R2, 530144R92		
5.00	127	4.50	114	4.62	117	P173625	PARKER 927106, ROSAEN 65-T-74W		
5.06	129	2.81	71	8.97	228	P551188	CASE IH L72877		
5.06	129	2.93	74	9.00	229	P551219	JOHN DEERE AH76991		
5.07	129	3.34	85	7.00	178	P550523	CAT 4T-0522, 4T-0523		
5.07	129	3.34	85	9.00	229	P164205	CAT 4J-6064, 4J-0806, 2J-1560, SYNTEQ Media #4, Standard=P556064	5 / 13 / 16	
5.07	129	3.34	85	9.00	229	P163448	HYSTER, WABCO VS7413, Media #5	5 / 13 / 17	
5.07	129	3.34	85	9.00	229	P165239	CAT 4T-3132, SYNTEQ Media #6	5 / 10 / 13	
5.07	129	3.34	85	11.00	279	P164241	CAT 9J-0750, 9J-5461, GMC 25012355, SYNTEQ Media #4	5 / 13 / 16	
5.07	129	3.34	85	18.50	470	P165744	WABCO PB4545, Media #5	5 / 13 / 17	
5.07	129	3.35	85	9.00	229	P166549	TROJAN 2092442, Media #10	10 / 21 / 25	
5.07	129	3.58	91	11.00	279	P555461	CAT 9J-5461, P164241=SYNTEQ Media	20 / 35 / -	
5.08	129	2.81	71	8.97	228	P551197	ALLIS CHALMERS 70269310		
5.08	129	2.82	72	9.00	229	P551198	CASE IH 623017C1		
5.08	129	2.86	73	2.50	64	P551217	CASE IH 1240689C91		
5.08	129	3.35	85	9.02	229	P556064	CAT 4J-6064, 4J-0806, P164205=SYNTEQ Media	20 / 35 / -	
5.09	129	2.81	71	6.10	155	P551218	JOHN DEERE AH91274		
5.12	130	3.37	86	6.00	152	P558877	CAT 5J-8877		
5.12	130	3.40	86	11.50	292	P557380	KOMATSU 175-60-27380	14 / 25 / -	
5.17	131	3.75	95	6.35	161	P551199	ORENSTEIN & KOPPEL 124926		
5.39	137	2.99	76	9.84	250	P171674	FBO C630/1	10 / 21 / 25	
5.50	140	4.03	102	8.63	219	P173585	VICKERS 378991, 941064		
5.50	140	4.81	122	9.00	229	P173610	PARKER 927093, 1747, ROSAEN 150-S-74W	25 / 30 / 45	
5.51	140	2.05	52	5.35	136	P171552	FBO CR250/3	30 / - / -	
5.51	140	2.05	52	5.35	136	P171551	FBO CR250/1	10 / 21 / 25	

## Hydraulic Cartridge – Continued

OUTER DIA. IN	MM	THREAD SIZE OR INNER DIA. IN	MM	LENGTH IN	MM	PART NUMBER	PRIMARY APPLICATION	BETA <sub>(x)</sub> = 2/20/75	RELIEF VALVE SETTING
5.51	140	2.05	52	7.99	203	P171556	Donaldson FIK ASSY	9 / 19 / 25	
5.51	140	2.05	52	7.99	203	P171555	Donaldson FIK ASSY	2 / 7 / 10	
5.51	140	2.05	52	7.99	203	P171559	Donaldson FIK ASSY	60 / - / -	
5.51	140	2.05	52	7.99	203	P171558	Donaldson FIK ASSY, FBO CR325/3	30 / - / -	
5.51	140	2.05	52	7.99	203	P171557	Donaldson FIK ASSY, FBO CR325/1	10 / 21 / 25	
5.51	140	2.05	52	7.99	203	P171554	Donaldson FIK ASSY	90 / - / -	
5.51	140	2.56	65	7.99	203	P171569	Donaldson FHK ASSY	10 / 21 / 25	
5.51	140	2.56	65	7.99	203	P171571	Donaldson FHK ASSY	60 / - / -	
5.51	140	2.56	65	7.99	203	P171568	Donaldson FHK ASSY	9 / 19 / 25	
5.51	140	2.56	65	7.99	203	P171567	Donaldson FHK ASSY	2 / 7 / 10	
5.51	140	2.56	65	7.99	203	P171565	Donaldson FHK, FIK ASSY, INTANK RETURN ASSY'S	60 / - / -	
5.51	140	2.56	65	7.99	203	P171564	Donaldson FHK, FIK ASSY, FBO CR330/3	30 / - / -	
5.51	140	2.56	65	7.99	203	P171563	Donaldson FHK, FIK ASSY, FBO CR330/1	10 / 21 / 25	
5.51	140	2.56	65	7.99	203	P171562	Donaldson FHK, FIK ASSY	9 / 19 / 25	
5.51	140	2.56	65	7.99	203	P171561	Donaldson FHK, FIK ASSY	2 / 7 / 10	
5.51	140	2.56	65	7.99	203	P171560	Donaldson FHK, FIK ASSY	90 / - / -	
5.51	140	2.56	65	7.99	203	P171570	Donaldson FHK ASSY	20 / 35 / -	
5.51	140	2.56	65	9.84	250	P171577	Donaldson FIK ASSY		
5.51	140	2.56	65	9.84	250	P171576	Donaldson FIK ASSY, FBO CR600/3	30 / - / -	
5.51	140	2.56	65	9.84	250	P171575	Donaldson FIK ASSY, FBO CR600/1	10 / 21 / 25	
5.51	140	2.56	65	9.84	250	P171574	Donaldson FIK ASSY	9 / 19 / 25	
5.51	140	2.56	65	9.84	250	P171572	Donaldson FIK ASSY	90 / - / -	
5.51	140	2.56	65	9.84	250	P171573	Donaldson FIK ASSY	2 / 7 / 10	
5.51	140	2.56	65	15.74	400	P171582	Donaldson FIK ASSY, FBO CR800/3	30 / - / -	
5.51	140	2.56	65	15.74	400	P171583	Donaldson FIK ASSY	60 / - / -	
5.51	140	2.58	66	15.74	400	P171581	Donaldson FIK ASSY, FBO CR800/1	10 / 21 / 25	
5.51	140	2.58	66	15.74	400	P171580	Donaldson FIK ASSY	9 / 19 / 25	
5.51	140	2.58	66	15.74	400	P171579	Donaldson FIK ASSY	2 / 7 / 10	
5.51	140	2.58	66	15.74	400	P171578	Donaldson FIK ASSY	90 / - / -	
5.51	140	2.63	67	7.83	199	P165233	JOHN DEERE AR99661, SYNTEQ Media #9	10 / 17 / 22	
5.51	140	2.56	66	7.99	203	P171566	Donaldson FHK ASSY		
5.62	143	3.72	94	12.00	305	P170063	PARKER 908648, SYNTEQ Media #9	10 / 17 / 22	
5.62	143	3.72	94	12.00	305	P170062	PARKER 987121, SYNTEQ Media #2	2 / 3 / 5	
5.62	143	3.72	94	12.00	305	P170061	PARKER 987141, 924467, SYNTEQ Media #4	2 / 7 / 10	
5.62	143	3.72	94	12.00	305	P166204	PARKER 908649, Media #20	20 / 35 / -	
5.62	143	3.72	94	12.00	305	P171243	PARKER 909309	149 / - / -	
5.62	143	3.72	94	12.00	305	P171241	PARKER 909303	74 / - / -	
5.62	143	3.72	94	24.19	614	P165786	PARKER 922787(x2) & 926849 Connector	20 / 35 / -	
5.63	143	3.78	96	14.30	363	P170891	HYCON 0950R010BNHC, SYNTEQ Media		43
5.63	143	3.78	96	14.30	363	P170885	HYCON 0950R005BNHC, SYNTEQ Media	20 / 30 / 40	43
5.63	143	3.78	96	18.99	482	P170620	HYCON 1300R010BNHC, STAUFF RE300G10B, SYNTEQ Media	- / - / 20	43
5.63	143	3.78	96	18.99	482	P170890	HYCON 1300R020BNHC, SYNTEQ Media		43
5.63	143	3.78	96	18.99	482	P170886	HYCON 1300R003BNHC, SYNTEQ Media	- / - / 10	43
5.63	143	3.78	96	36.26	921	P170887	HYCON 2600R003BNHC, SYNTEQ Media		43
5.90	150	4.34	110	11.81	300	P551142	KOMATSU 07063-01142, 195-60-16320	14 / 25 / -	
5.90	150	4.34	110	17.72	450	P551333	HITACHI 4206705, KOBELCO 24046Z73, SAME AS P551210 BUT INCLUDES P171465 O- RING	14 / 25 / -	
5.90	150	4.34	110	17.72	450	P551210	KOMATSU 07063-01210, 205-60-51430	10 / 21 / 25	
5.90	150	4.34	110	17.72	450	P551334	HITACHI 4219713, SAME AS P551210 BUT INCLUDES P171221 O-RING	14 / 25 / -	
5.91	150	4.33	110	17.72	450	P550702	JOHN DEERE AT127608, AT147343		
5.93	151	2.16	55	17.00	432	P167766	CLARK 233333, Contains P167801 Element & O-rings		
5.94	151	1.75	44	7.12	181	P163438	PUROLATOR, INGERSOLL RAND, Media #25		
5.94	151	1.75	44	7.12	181	P163439	PUROLATOR, INGERSOLL RAND, GARDNER/DENVER, Media #10		
5.98	152	3.35	85	16.34	415	P173483	LEIBHERR 7211198		
5.98	152	3.35	85	24.57	624	P173484	IIEBHERR 7366101		
5.98	152	3.54	90	32.83	834	P173482	LIEBHERR 7366869		
6.00	152	2.60	66	18.00	457	P173543	COMMERCIAL FILTER 9053-5009	5 / 13 / 16	
6.00	152	2.60	66	18.00	457	P550212	HILCO PL718-5	5 / 13 / 17	
6.00	152	2.60	66	18.00	457	P170102	HILCO PL-718-26, SYNTEQ Media #2	2 / 3 / 5	
6.00	152	2.60	66	18.00	457	P550213	HILCO PL-718-10	10 / 21 / 25	
6.00	152	2.60	66	18.00	457	P550216	HILCO PL-718	25 / 50 / -	



OUTER DIA.		THREAD SIZE		LENGTH		PART NUMBER	PRIMARY APPLICATION	BETA(x) = 2/20/75	RELIEF VALVE SETTING
IN	MM	OR INNER DIA.	OR INNER DIA.	IN	MM				
6.00	152	2.62	67	17.94	456	P557826	HOUGH, IHC, MICHIGAN	5 / 13 / 17	
6.00	152	3.19	81	18.00	457	P176205	HILCO PL718	7 / 17 / 22	None
6.00	152	3.19	81	18.00	457	P176202	HILCO PL718	- / 2 / 3	None
6.00	152	3.19	81	18.00	457	P176204	HILCO PL718	5 / 13 / 16	None
6.00	152	3.19	81	18.00	457	P176203	HILCO PL718	2 / 3 / 5	None
6.00	152	3.34	85	14.38	365	P173992	BOLIDEN ALLIS # 17-105-973-001, CRUSHER LUBE OIL FILTER	20 / 35 / -	
6.00	152	3.41	87	18.00	457	P176222	Donaldson HFK08 ASSY	2 / 7 / 10	None
6.00	152	3.41	87	18.00	457	P161365	Donaldson HFK08 ASSEMBLY, Media #25	25 / 50 / -	
6.00	152	3.41	87	18.00	457	P166462	Donaldson HFK08 ASSEMBLY, SYNTEQ Media #2	2 / 3 / 5	
6.00	152	3.41	87	18.00	457	P173573	Donaldson HFK08 ASSEMBLY, Media No 44	44 / - / -	
6.00	152	3.41	87	18.00	457	P161961	Donaldson HFK08 ASSEMBLY, Media #10	10 / 21 / 25	
6.00	152	3.41	87	18.00	457	P165171	CLARK 2515079, SYNTEQ Media #10	10 / 21 / 25	
6.00	152	3.41	87	18.00	457	P164701	Donaldson HFK08 ASSEMBLY, SYNTEQ Media #4	5 / 13 / 16	
6.00	152	3.41	87	18.00	457	P163947	Donaldson HFK08 ASSEMBLY, Media #5	5 / 13 / 17	
6.00	152	3.41	87	18.00	457	P163945	Donaldson HFK08 ASSEMBLY	149 / - / -	
6.00	152	3.41	87	18.00	457	P164405	Donaldson HFK08 ASSEMBLY, SYNTEQ Media	- / - / 2	
6.00	152	3.41	87	18.00	457	P164703	Donaldson HFK08 ASSEMBLY, SYNTEQ Media #9	7 / 17 / 22	
6.00	152	3.49	89	37.80	960	P176596	PALL HC8310FKS39H	2 / 7 / 10	
6.00	152	3.52	89	8.50	216	P550427	EUCLID, TEREX, PUROLATOR EP114		
6.00	152	3.94	100	25.40	645	P173081	O & K 1717467		
6.00	152	3.96	101	11.92	303	P163446	BUCYRUS ERIE #741572, SYNTEQ Media #6	5 / 10 / 13	
6.00	152	4.08	104	18.00	457	P165778	KOEHRING #4313259	149 / - / -	
6.00	152	4.12	105	13.83	351	P171054	PALL HC8310FKT16H, HC8300FDT16H, SYNTEQ Media #9	10 / 17 / 22	
6.00	152	4.12	105	13.83	351	P171056	PALL HC8310FKP16H, HC8300FDP16H, SYNTEQ Media	- / - / 3	
6.00	152	4.12	105	13.83	351	P171053	PALL HC8310FKS16H, HC8300FDS16H, SYNTEQ Media #6	2 / 7 / 10	
6.00	152	4.12	105	13.83	351	P171055	PALL HC8310FKN16H, HC8300FDN16H, SYNTEQ Media #2	2 / 3 / 5	
6.00	152	4.12	105	35.68	906	P171045	PALL HC8310FKS39H, HC8310FDS39H, HC8310FDS39Z, SYNTEQ Media #6	5 / 13 / 16	
6.00	152	4.12	105	35.68	906	P171046	PALL HC8310FKT39H, HC8300FDT39H, SYNTEQ Media #9	10 / 17 / 22	
6.00	152	4.12	105	35.68	906	P171047	PALL HC8310FKN39H, HC8300FDN39H, SYNTEQ Media #2	2 / 3 / 5	
6.00	152	4.12	105	35.68	906	P171048	PALL HC8310FKP39H, HC8300FDP39H, SYNTEQ Media	- / - / 3	
6.01	153	4.48	114	9.00	229	P551192	JOHN DEERE AT53999		
6.02	153	3.28	83	8.13	206	P165149	PALL HC8400FUT8H, SYNTEQ Media #9	10 / 17 / 22	
6.02	153	3.28	83	8.13	206	P164851	PALL HC8400FUS8H, SYNTEQ Media #4	2 / 7 / 10	
6.02	153	3.28	83	8.13	206	P169437	PALL HC8400FUP8H, SYNTEQ Media #1	- / - / 3	
6.02	153	3.28	83	16.77	426	P164852	PALL HC8400FUS16H, HARNISCHFEGER 1046Z493, SYNTEQ Media #4	2 / 7 / 10	
6.02	153	3.28	83	16.77	426	P165142	PALL HC8400FUN16H, SYNTEQ Media #2	2 / 3 / 5	
6.02	153	3.28	83	16.77	426	P165151	PALL HC8400FUT16H, SYNTEQ Media #9	10 / 17 / 22	
6.02	153	3.28	83	16.77	426	P169438	PALL HC8400FUP16H, SYNTEQ Media #1	- / - / 3	
6.02	153	3.28	83	25.62	651	P165144	PALL HC8400FUN26H, SYNTEQ Media #2	2 / 3 / 5	
6.02	153	3.28	83	25.62	651	P164853	PALL HC8400FUS26H, SYNTEQ Media #4	2 / 7 / 10	
6.02	153	4.12	105	38.62	981	P167836	PALL HC8300FUP39H, SYNTEQ Media #1	- / - / 3	
6.02	153	4.12	105	8.13	206	P164574	PALL HC8300FUN8H, SYNTEQ Media #2	2 / 3 / 5	
6.02	153	4.12	105	8.13	206	P164215	PALL HC8300FUS8H, SYNTEQ Media #6	2 / 7 / 10	
6.02	153	4.12	105	8.13	206	P164580	PALL HC8300FUN8Z, PARKER 927862, SYNTEQ Media #2	2 / 3 / 5	
6.02	153	4.12	105	8.13	206	P164217	PALL HC8300FUT8H, SYNTEQ Media #9	10 / 17 / 22	
6.02	153	4.16	106	38.62	981	P164565	PALL HC8300FUS39H, SYNTEQ Media #4	5 / 13 / 16	
6.02	153	4.17	106	16.77	426	P167835	PALL HC8300FUP16H, SYNTEQ Media #1	- / - / 3	
6.50	165	3.00	76	18.50	470	P166474	KOEHRING 288B1984, SYNTEQ Media #4	5 / 13 / 16	
6.50	165	3.54	90	15.12	384	P166446	KOEHRING 7055098, 4313252, 301955098, SYNTEQ Media #4	5 / 13 / 16	
6.50	165	5.50	140	12.16	309	P556219	IHC 666219-C1		
6.50	165	5.50	140	15.06	383	P556220	IHC 666220-C1		
6.84	174	3.94	100	9.00	229	P556700	CAT 7J-0670, KOMATSU, P164207-SYNTEQ Media	15 / 30 / 35	
6.84	174	4.23	107	9.00	229	P165240	CAT 4T-3133, SYNTEQ Media #6	5 / 10 / 13	
6.84	174	4.23	107	9.00	229	P164207	CAT 7J-0670, SYNTEQ Media, Standard-P556700	5 / 13 / 16	
7.24	184	1.49	38	2.48	63	P551196	CASE IH 388080R93		
7.24	184	1.49	38	3.23	82	P551189	CASE IH 388085R92		
7.44	189	4.85	123	18.00	457	P161010	Donaldson HEK11 ASSBLY	15 / 30 / 35	
7.44	189	4.85	123	18.00	457	P160024	Donaldson HEK11 ASSBLY, Media #25	25 / 50 / 22	
7.44	189	4.85	123	18.00	457	P161632	AMER H&D 1015077, Media #10	10 / 21 / 25	
7.44	189	4.85	123	18.00	457	P164270	IHC 940241C2	15 / 30 / 35	
7.44	189	4.85	123	22.00	559	P160229	AMER H&D 9832392 Donaldson HEK11 ASSY, Media #10	10 / 21 / 25	
7.44	189	4.85	123	22.00	559	P160479	Donaldson HEK11 ASSBLY, Media #25	25 / 50 / -	
7.44	189	4.85	123	22.00	559	P160078	INSLEY #471351, Donaldson HEK11 ASSEMBLY	149 / - / -	

## Hydraulic Cartridge – Continued

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA <sub>(x)</sub> = 2/20/75	RELIEF VALVE SETTING
7.44 189	4.85 123	22.00 559	P160225	AMER H&D 9832252, WAGNER 355701 (DCI HEK11), Media #25	25 / 50 / -	None
7.44 189	4.85 123	22.00 559	P176223	Donaldson HEK11 ASSY	2 / 7 / 10	
7.44 189	4.85 123	22.00 559	P160896	CLARK, MARATHON LETOURNEAU #4068355	15 / 30 / 35	
7.44 189	4.85 123	22.00 559	P161205	AMER H&D 9832441, Donaldson HEK11	15 / 30 / 35	
7.44 189	4.85 123	22.00 559	P161015	AMER H&D, INSLEY, Donaldson HEK11	15 / 30 / 35	
7.44 189	4.85 123	22.00 559	P163472	Donaldson HEK11 ASSEMBLY, Media #1	- / - / 2	
7.44 189	4.85 123	22.00 559	P164707	GROVE #7437000168, Donaldson HEK11 ASSY, SYNTEQ Media #9	7 / 17 / 22	
7.44 189	4.85 123	22.00 559	P164413	Donaldson HEK11 HYD ASSY, SYNTEQ Media #16	15 / 30 / 37	
7.44 189	4.85 123	22.00 559	P165449	Donaldson HEK11 ASSEMBLY, SYNTEQ Media #6	5 / 10 / 13	
7.44 189	4.85 123	22.00 559	P176417	Donaldson HEK11 FILTER ASSY'S, # 2 MEDIA, REPLACES P165465	2 / 3 / 5	
7.44 189	4.85 123	22.00 559	P171279	Donaldson HEK11 HYD ASSBLY, SYNTEQ #20 Media	20 / 35 / -	

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
7.66 195	.86 22	15.08 383	P550360	VOLVO 15856180		

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA <sub>(x)</sub> = 2/20/75	RELIEF VALVE SETTING
7.66 195	.86 22	15.08 383	P550350	LUBERFINER 750 HSGS IN HYD BYPASS APPS #2091	5 / - / -	

## Hydraulic Cartridge Kit

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA <sub>(x)</sub> = 2/20/75	RELIEF VALVE SETTING
			P177040	Marathon 417-2125		

## Hydraulic Seal

PART NUMBER	CONTENTS OR USAGE
P160476	Donaldson HYDRAULIC ASSEMBLIES
P160234	Donaldson HYDRAULIC ASSEMBLIES
P160215	Donaldson HYDRAULIC ASSEMBLIES

## Hydraulic Spin-on

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA <sub>(x)</sub> = 2/20/75	RELIEF VALVE SETTING
3.66 93	.97" - 20	5.62 143	P176323	SULLAIR 250025-524	74 / - / -	
3.66 93	1" - 12	5.21 132	P551554	GRESEN, Donaldson LPS04, 25 MICRON, WATER ABSORBING		
3.66 93	1" - 12	5.35 136	P551550	GRESEN, MFP, CROSS, Donaldson LPS04, 3 MICRON	4 / 12 / 16	
3.66 93	1" - 12	5.35 136	P551553	GRESEN, CROSS, Donaldson LPS04, 25 MICRON	20 / 35 / -	
3.66 93	1" - 12	5.35 136	P551551	GRESEN, CROSS, Donaldson LPS04, 10 MICRON	10 / 21 / 25	
3.66 93	1" - 12	8.60 218	P550255	GRESEN, MFP, CROSS, Donaldson LPS04 ASSY, 10 MICRON	10 / - / -	
3.66 93	1" - 12	8.60 218	P550256	GRESEN, MFP, CROSS, Donaldson LPS04 ASSY	25 / - / -	
3.66 93	3/4" - 16	3.84 98	P551231	JOHN DEERE AET10401		
3.66 93	3/4" - 16	5.37 136	P550222	GMC 25010543	20 / 35 / 40	7 - 10
3.67 93	1 1/8" - 16	5.70 145	P551232	NEW HOLLAND 9846407		
3.67 93	1" - 12	3.75 95	P551204	REXNORD 493308		12 - 15
3.67 93	1" - 12	5.66 144	P551234	JOHN DEERE RE17380	10 / 23 / 35	
3.67 93	1" - 12	5.69 145	P551195	REXNORD 493309		12 - 15
3.67 93	1" - 12	8.00 203	P551205	CLARK 6559458		
3.68 93	1 1/2" - 16	5.83 148	P551236	AUSTOFT 17034223	1 / - / -	
3.68 93	1 1/2" - 16	5.83 148	P551237	CASE IH 254133A1	10 / - / -	
3.68 93	1 1/2" - 16	8.00 203	P551238	JOHN DEERE AE44880		

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA(x) = 2/20/75	RELIEF VALVE SETTING	
3.68	93	1 1/2" - 16	8.00 203	P551202	JOHN DEERE AT69852		
3.68	93	1 1/2" - 16	9.33 237	P551206	JOHN DEERE AT73307		
3.68	93	13/16" - 16	6.89 175	P551182	FIAT-ALLIS 702539526		
3.69	94	1 1/4" - 12	5.37 136	P162766	M/F 1053870M91, CHARLYNN 5610, DCI HBK04 ASSY, Media #10	10 / 15 / 25	
3.69	94	1 1/4" - 12	5.37 136	P164348	IR 35327824, CHARLYNN 5604, DCI HBK04 ASSY, Media #25	25 / 35 / 50	
3.69	94	1 1/4" - 12	8.69 221	P164351	GARNER DENVER 2109648, Donaldson HBK04 ASSY, Media #10	10 / 15 / 25	
3.69	94	1 1/4" - 12	8.69 221	P164352	IR 35296920, Donaldson HBK04 ASSEMBLY, Media #25	25 / 35 / 50	
3.69	94	1 1/4" - 12	8.76 222	P169083	IR 39138433, Media #10	10 / 15 / 25	15 - 20
3.69	94	1 1/8" - 16	5.26 134	P551323	FORD	20 / 35 / 45	7 - 9
3.69	94	1 1/8" - 16	5.37 136	P556005	CESSNA 62200-A, VCKRS 350577, 573082, 573083,	10 / 18 / 25	
3.69	94	1" - 12	8.88 226	P550416	JOHN DEERE AT140030, HITACHI 4230376	25 / 35 / 45	
3.69	94	2" - 16	5.56 141	P552850	CLARK #234099-MODEL 35C & 45C, MB GCS20-30	12 / - / -	8 - 12
3.71	94	2" - 16	5.97 152	P174675	CLARK 4202525	7 / 17 / 22	30 - 50
3.72	94	1 1/2" - 16	5.82 148	P167829	ALLISON AT500, MT600 TRANSMISSION #23042062, SYNTEQ Media #2	1 / 3 / 5	
3.72	94	1 1/2" - 16	8.02 204	P169392	PALL HC7400SUP8H, HC7400SUN8H, SYNTEQ Media #2	- / - / 3	
3.72	94	1" - 12	8.09 205	P551233	FLEETGUARD HF6523		
3.72	94	2" - 16	6.81 173	P550701	CLARK 2366807	6 / 15 / 20	
3.73	95	1" - 12	5.76 146	P550274	ZINGA AE-100, Donaldson LPS04, 150 MICRON	- / - / 149	
3.73	95	1" - 12	6.83 173	P550695	PETERBILT 10-960	26 / 41 / -	20 - 24
3.75	95	1 1/2" - 16	5.82 148	P167830	JOY 01228337-0020, SYNTEQ Media #9	9 / 19 / 25	
3.75	95	1 1/2" - 16	8.00 203	P551239	JOHN DEERE AT133459	5 / 14 / 18	
3.75	95	1 1/2" - 16	8.00 203	P550705	IHC 1272942C1	10 / 20 / -	
3.75	95	1 1/2" - 16	8.02 204	P169393	PALL HC7400SUT8H, HC7400SUS8H, HC7400SUK8H, SYNTEQ Media #9	- / - / 10	
3.75	95	13/16" - 16	4.57 116	P551324	CATERPILLAR, Replaces P551328		16 - 19
3.82	97	1 3/8" - 12	4.47 114	P169078	JOHN DEERE AM102723, Media #10	10 / 21 / 25	
3.82	97	1" - 12	7.01 178	P550229	LINDE 009830615		
3.82	97	1" - 12	8.23 209	P550230	ZF 0750131007	15 / - / -	32 - 38
3.82	97	3/4" - 16	5.56 141	P551327	HYSTER	20 / 35 / 40	23 PSID
3.82	97	7/8" - 14	3.93 100	P173739	CLARK 2799807, 4.5" LONG WITH 50 PSID IN BYPASS VALVE	7 / 17 / 22	50
3.82	97	7/8" - 14	5.97 152	P173738	CLARK 2792962, 2782050, 6" WITH 50 PSID IN BAFFLE BYPASS VALVE	7 / 17 / 22	50
3.86	98	1 1/2" - 16	9.50 241	P551235	JOHN DEERE AT147496		
3.86	98	3/4" - 14	5.80 147	P550268	UCC MX1518-4-10, PTI F4E-35-CCB	10 / 20 / 30	
3.88	99	1 5/16" - 12	5.75 146	P165243	CHAMPION 10924, CASE D59062, Media #10	10 / - / -	
4.03	102	1 7/8" - 12	5.59 142	P551212	HYDRECO 918X14		
4.63	118	1 1/4" - 11	6.27 159	P176324	SULLAIR 250025-526	74 / - / -	
4.63	118	1 1/4" - 11	11.27 286	P176325	SULLAIR 250025-525	74 / - / -	
4.67	119	1 5/16" - 12	10.30 262	P551227	GM 25010643	6 / 14 / 16	
4.78	121	1 1/2" - 16	10.66 271	P167945	Donaldson HBK05 ASSEMBLY, SYNTEQ Media #6, Viton Version	5 / 10 / 13	
4.84	123	1 1/2" - 16	11.41 290	P550417	JOHN DEERE 11172912	10 / 15 / 25	
4.84	123	1 1/2" - 16	11.41 290	P550415	JOHN DEERE AT140315	7 / 12 / 20	
4.87	124	1 1/2" - 16	6.66 169	P167944	Donaldson HBK05 ASSEMBLY, SYNTEQ Media #6, Viton Version	5 / 10 / 13	
4.87	124	1 5/16" - 12	10.23 260	P550223	GMC 25010643, AC #HD223, ALLISON TRANS.	15 / 35 / 40	
4.89	124	1 1/2" - 16	8.22 209	P551242	JOHN DEERE AT103193		
4.89	124	1 1/2" - 16	8.22 209	P551244	JOHN DEERE AT144879		
4.91	125	1 1/2" - 16	7.06 179	P550388	GRESEN, VICKERS, Donaldson LPS05, 10 MICRON, FURN GSKT-P170894, P171189		
4.91	125	1 1/2" - 16	7.06 179	P550387	GRESEN, VICKERS, Donaldson LPS05, 25 MICRON, Furn Gskt-P171184		
5.00	127	1 1/2" - 16	6.85 174	P550386	GRESEN, Donaldson LPS05, 3 MICRON	3 / - / -	
5.00	127	1 1/2" - 16	11.39 289	P550251	GRESEN, Donaldson LSP05 ASSY, PACKAGED GASKETS P165641, P170894	10 / - / -	
5.00	127	1 1/2" - 16	11.39 289	P550253	GRESEN, Donaldson LPS05 ASSY, 25 MICRON, WATER ABSORBING		
5.00	127	1 1/2" - 16	11.39 289	P550250	GRESEN, Donaldson LPS05 ASSY, PACKAGED GASKETS P165461, P170894	3 / - / -	
5.00	127	1 1/2" - 16	11.39 289	P550252	GRESEN, Donaldson LPS05 ASSY, 25 MICRON	25 / - / -	
5.00	127	1 1/2" - 16	11.71 297	P550320	DRESSER 1214275H1, 1214275H2		
5.00	127	3" - 8	8.81 224	P162205	IHC 1103452C2, Donaldson HBK05, Media #10		
5.00	127	3" - 8	12.25 311	P163435	IHC 1106643-C1, 1106643-C2		
5.06	129	1 1/2" - 16	6.63 168	P550275	ZINGA SE-100, Donaldson LPS05, 150 MICRON	- / - / 149	
5.06	129	1 1/2" - 16	8.88 226	P550697	FORD D8NNM903EA, D8NNF914AA	26 / 41 / -	
5.06	129	1 1/2" - 16	10.63 270	P550276	ZINGA LE-100, Donaldson LPS05, 150 MICRON	- / - / 149	
5.06	129	1 1/2" - 16	10.66 271	P167796	Donaldson HBK05 ASSEMBLY, SYNTEQ Media, Viton Version	- / - / 2	
5.06	129	1 1/4" - 11	7.00 178	P550148	UCC MX1591-4-10	25 / - / -	
5.08	129	1 1/2" - 16	6.66 169	P167162	PALL HC7500SUN4H, Donaldson HBK05 ASSY, SYNTEQ Media #2	2 / 3 / 5	
5.08	129	1 1/2" - 16	6.66 169	P169430	PALL HC7500SUP4H, Donaldson HBK05 ASSY, SYNTEQ Media #1	- / - / 3	
5.08	129	1 1/2" - 16	6.66 169	P165875	PALL HC7500SUS4H, Donaldson HBK05 ASSY, SYNTEQ Media #4	5 / 13 / 16	
5.08	129	1 1/2" - 16	6.66 169	P165879	PALL HC7500SUK4H, Donaldson HBK05 ASSY, SYNTEQ Media #20	20 / 35 / -	

## Hydraulic Spin-on – Continued

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA <sub>(x)</sub> = 2/20/75	RELIEF VALVE SETTING
5.08 129	1 1/2" – 16	6.66 169	P165877	PALL HC7500SUT4H, ZINGA SE-25, DCI HBK05 ASSY, SYNTEQ Media #9	10 / 17 / 22	4 – 6 7 – 9
5.08 129	1 1/2" – 16	6.67 169	P551240	PALL HC7500SUP4Z		
5.08 129	1 1/2" – 16	6.70 170	P551208	FORD D8NNM903AA		
5.08 129	1 1/2" – 16	6.71 170	P551209	FORD D8NNM903CA		
5.08 129	1 1/2" – BSP	6.85 174	P550363	FAIREY ARLON 4A110		
5.08 129	1 1/2" – 16	10.66 271	P165762	PALL HC7500SKN8H, Donaldson HBK05 ASSY, SYNTEQ Media #2	2 / 3 / 5	
5.08 129	1 1/2" – 16	10.66 271	P165880	PALL HC7500SUK8H, Donaldson HBK05 ASSY, SYNTEQ Media #20	20 / 35 / –	
5.08 129	1 1/2" – 16	10.66 271	P165876	PALL HC7500SUS8H, HC7500SUK8H, DCI HBK05 ASSY, SYNTEQ Media #4	5 / 13 / 16	
5.08 129	1 1/2" – 16	10.66 271	P167832	PALL HC7500SUP8H, Donaldson HBK05 ASSY, SYNTEQ Media #1	– / – / 3	
5.08 129	1 1/2" – 16	10.66 271	P165878	PALL HC7500SUT8H, Donaldson HBK05 ASSY, SYNTEQ Media #9	10 / 17 / 22	
5.08 129	1 1/2" – 15	10.66 271	P169084	Case A176594, SYNTEQ Media #4, Contains two P169136 elements w/gasket		
5.08 129	1 1/2" – 16	10.66 271	P169077	Case 1329214C1, SYNTEQ Media #4. Contains P169135 element with o-rings		
5.08 129	1 1/2" – 16	10.71 272	P551228	CASE IH A169652		
5.08 129	1 1/2" – 16	10.71 272	P551241	MANITOU DMS16AN	14 / 28 / 36	
5.08 129	1 1/2" – 16	10.71 272	P551211	CASE IH A161845		
5.12 130	1 1/4" – 11	7.05 179	P550269	UCC UC2418	10 / 20 / 28	
5.31 135	2" – 16	6.89 175	P550445	Clark Hurth 247052, Hyster 1315621, P550701 WITH PRESSURE RELIEF VALVE	6 / 12 / 18	
5.34 136	M42 x 2–6H	3.88 99	P551248	PARKER EO1035		
5.34 136	M42 x 2–6H	9.52 242	P551246	PARKER EO1034		

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
5.35 136	1 3/4" – 16	9.57 243	P502224	FORD FONNB486BB, NEW HOLLAND 82005016	18 – 24	None

## Hydraulic Spin-on, Duramax<sup>®</sup>

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA <sub>(x)</sub> = 2/20/75	RELIEF VALVE SETTING
3.11 79	2" – 12	9.52 242	P176107	HMK03 FILTER ASSY'S	2 / 7 / 10	None
3.13 80	2" – 12	5.52 140	P170310	Donaldson HMK03 ASSEMBLY, SYNTEQ Media #4	5 / 13 / 16	None
3.13 80	2" – 12	5.52 140	P170306	Donaldson HMK03 ASSEMBLY, SYNTEQ Media	– / – / 3	
3.13 80	2" – 12	5.52 140	P170480	Donaldson HMK03 ASSEMBLY, Media #10	10 / 21 / 25	
3.13 80	2" – 12	5.52 140	P170308	Donaldson HMK03 ASSEMBLY, SYNTEQ Media #2	2 / 3 / 5	
3.13 80	2" – 12	5.52 140	P170312	Donaldson HMK03 ASSEMBLY, SYNTEQ Media #9	10 / 17 / 22	
3.13 80	2" – 12	9.52 242	P173702	Ag Chem Equipment 714122	4 / 12 / 15	
3.13 80	2" – 12	9.52 242	P170307	Donaldson HMK03 ASSEMBLY, SYNTEQ Media	– / – / 3	
3.13 80	2" – 12	9.52 242	P170313	Donaldson HMK03 ASSEMBLY, SYNTEQ Media	10 / 17 / 22	
3.13 80	2" – 12	9.52 242	P170311	Donaldson HMK03 ASSEMBLY, SYNTEQ Media #4	5 / 13 / 16	
3.13 80	2" – 12	9.52 242	P170089	Donaldson HMK03 ASSEMBLY, Media #10	10 / 21 / 25	
3.13 80	2" – 12	9.52 242	P170309	Donaldson HMK03 ASSEMBLY, SYNTEQ Media #2	2 / 3 / 5	
3.71 94	1 3/8" – 12	4.47 114	P178619	JOHN DEERE RE55801		
3.71 94	1 3/8" – 12	9.44 240	P177047	JOHN DEERE T175002, #3 SYNTHETIC MEDIA, P164378 IS SAME BUT WITH #4 SYNTHETIC MEDIA		
3.81 97	1 3/8" – 12	9.44 240	P171298	KAWASAKI WHL LDR 65 & 115, 3098170080, SYNTEQ Media #9	7 / 17 / 22	
3.82 97	1 3/8" – 12	5.97 152	P176565	Donaldson HMK04 ASSY'S	2 / 7 / 10	
3.82 97	1 3/8" – 12	5.97 152	P163428	IR 39136650, Donaldson HMK04, Media #25	25 / 50 / –	
3.82 97	1 3/8" – 12	5.97 152	P173736	SAUER SUNDSTRAND 9700810	5 / 13 / 16	
3.82 97	1 3/8" – 12	5.97 152	P165354	Donaldson HMK04 ASSEMBLY, SYNTEQ Media #2	2 / 3 / 5	
3.82 97	1 3/8" – 12	5.97 152	P165335	Donaldson HMK04 ASSY, SYNTEQ Media #20	20 / 35 / –	
3.82 97	1 3/8" – 12	5.97 152	P163412	IHC 1272051C1, Donaldson HMK04, Media #5	5 / 13 / 17	
3.82 97	1 3/8" – 12	5.97 152	P163496	CAT 090–2900, HYSTER 3006174, Donaldson HMK04	15 / 30 / 35	
3.82 97	1 3/8" – 12	5.97 152	P164375	CLARK 6630977, Donaldson HMK04 ASSY, SYNTEQ Media #6	5 / 13 / 16	
3.82 97	1 3/8" – 12	5.97 152	P163552	Donaldson HMK04 ASSY, Media #3	4 / 12 / 16	
3.82 97	1 3/8" – 12	5.97 152	P164381	CASE X724693, Donaldson HMK04, SYNTEQ Media #9	7 / 17 / 22	
3.82 97	1 3/8" – 12	5.97 152	P163542	CASE A165029, Donaldson HMK04, Media #5	5 / 13 / 17	
3.82 97	1 3/8" – 12	5.97 152	P163419	CLARK 6599543, TRAILMOBILE 1035485, DCI HMK04, Media #10	10 / 21 / 25	
3.82 97	1 3/8" – 12	5.97 152	P163315	CAT 8T–7478, Donaldson HMK04, Media #10	10 / 21 / 25	
3.82 97	1 3/8" – 12	5.97 152	P163405	Donaldson HMK04 ASSY, Media #3	4 / 12 / 16	



OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA(x) = 2/20/75	RELIEF VALVE SETTING	
3.82	97	1 3/8" – 12	7.88 200	P174552	NEW HOLLAND 9842392, JOHN DEERE M124541	4 / 12 / 15	
3.82	97	1 3/8" – 12	9.44 240	P163324	CASE N7332, IR #50995034, Donaldson HMK04, Media #10	10 / 21 / 25	
3.82	97	1 3/8" – 12	9.44 240	P167590	Donaldson HMK04 ASSEMBLY, SYNTEQ Media #1	- / - / 3	
3.82	97	1 3/8" – 12	9.44 240	P163555	KOEHRING 853531235, Donaldson HMK04 ASSY, Media #5	5 / 13 / 17	
3.82	97	1 3/8" – 12	9.44 240	P163558	HAWKER SIDDLEY #10030972, Donaldson HMK04, Media #25	25 / 50 / -	
3.82	97	1 3/8" – 12	9.44 240	P163567	HYSTER #398886, Donaldson HMK04, Media #10	10 / 21 / 25	
3.82	97	1 3/8" – 12	9.44 240	P163425	CASE L36242, KOEHRING 31252006, Donaldson HMK04, Media #25	25 / 50 / -	
3.82	97	1 3/8" – 12	9.44 240	P163322	CASE D89909, Donaldson HMK04	15 / 30 / 35	
3.82	97	1 3/8" – 12	9.44 240	P163323	CLARK 6598903, Donaldson HMK04 ASSY, Media #3	4 / 12 / 16	
3.82	97	1 3/8" – 12	9.44 240	P170950	John DEERE AH128449, 90 SERIES COMBINES, SYNTEQ Media #9	7 / 17 / 22	
3.82	97	1 3/8" – 12	9.44 240	P176566	Donaldson HMK04 ASSY'S	2 / 7 / 10	
3.82	97	1 3/8" – 12	9.44 240	P163434	CASE D120594, FIAT ALLIS 73131887, DCI HMK04, Media #5	5 / 13 / 17	
3.82	97	1 3/8" – 12	9.44 240	P164384	CASE N9025, CAT 9T-5916, DEERE AH114973, SYNTEQ Media #9	7 / 17 / 22	
3.82	97	1 3/8" – 12	9.44 240	P165332	Donaldson HMK04 ASSEMBLY, SYNTEQ Media #2	2 / 3 / 5	
3.82	97	1 3/8" – 12	9.44 240	P165338	Donaldson HMK04 ASSEMBLY, SYNTEQ Media #20	20 / 35 / -	
3.82	97	1 3/8" – 12	9.44 240	P164378	ADVANCE 496209, KOEHRING 853531244 (DCI HMK04), SYNTEQ Media #6	5 / 13 / 16	
3.82	97	1 3/8" – 12	9.44 240	P164059	Donaldson HMK04 ASSEMBLY, SYNTEQ Media #16, Viton Version	15 / 30 / 37	
3.82	97	1 3/8" – 12	9.44 240	P164056	Donaldson HMK04 ASSEMBLY, SYNTEQ Media #6, Viton Version	5 / 10 / 13	
3.82	97	1 3/8" – 12	9.44 240	P173737	SAUER SUNDSTRAND 8700068	5 / 13 / 16	
4.77	121	1 3/4" – 12	7.60 193	P176208	CAT 9T-6636	10 / 17 / 22	
4.77	121	1 3/4" – 12	7.60 193	P176207	NEW HOLLAND 9706161	4 / 12 / 15	
4.77	121	1 3/4" – 12	11.63 295	P173521	JOHN DEERE RE38965	10 / 17 / 22	
4.77	121	1 3/4" – 12	11.63 295	P171274	Donaldson HMK05/HMK25 HYD ASSY, SYNTEQ Media #2, Viton Version	2 / 3 / 5	
4.77	121	1 3/4" – 12	11.63 295	P170906	Donaldson HYD ASSY, Donaldson HMK05, SYNTEQ Media #1	- / - / 3	
4.77	121	1 3/4" – 12	11.63 295	P176567	Donaldson HMK05, HMK25 ASSY'S	2 / 7 / 10	
4.77	121	1 3/4" – 12	11.63 295	P171275	Donaldson HMK05/HMK25 HYD ASSY, SYNTEQ Media #4 Viton Version	5 / 13 / 16	
4.77	121	1 3/4" – 12	11.63 295	P171273	Donaldson HMK05/HMK25 HYD ASSY, SYNTEQ Media #1 Viton Version	- / - / 3	
4.77	121	1 3/4" – 12	11.63 295	P165569	CAT, CLARK, IHC, HYSTER, DCI HMK05 & HMK25 ASSY, SYNTEQ Media #9	10 / 17 / 22	
4.77	121	1 3/4" – 12	11.63 295	P165659	CASE N9086, Donaldson HMK05, HMK25 ASSEMBLY, SYNTEQ Media #4	5 / 13 / 16	
4.77	121	1 3/4" – 12	11.63 295	P171276	Donaldson HMK05/HMK25 HYD ASSY, SYNTEQ Media #7 Viton Version	10 / 17 / 22	
4.77	121	1 3/4" – 12	11.63 295	P165675	Donaldson HMK05 & HMK25 ASSEMBLY, SYNTEQ Media #2	2 / 3 / 5	
4.77	121	1 3/4" – 12	11.63 295	P165672	LEROI 438931, Donaldson HMK05 & HMK25 ASSY, SYNTEQ Media #20	20 / 35 / -	
4.77	121	1 3/4" – 12	11.63 295	P165705	CHAMPION 37104, CLARK 965899, DCI HMK05, HMK25, Media #10	10 / 21 / 25	
4.77	121	1 3/4" – 12	14.24 362	P170949	CASE IH 1971728C1, MAGNUM AG TRACTORS, SYNTEQ Media #4	4 / 12 / 15	
4.77	121	1 3/8" – 12	11.63 295	P173689	CASE IH D149921	10 / 17 / 22	

## Hydraulic Strainer

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA(x) = 2/20/75	RELIEF VALVE SETTING	
2.63	67	1" – NPT	5.35 136	P173911	SUCTION W/RELIEF VALVE		3
2.63	67	1" NPT	5.35 136	P169014	SCHROEDER SS-1-100	2 / 3 / 5	
2.63	67	1/2" NPT	3.10 79	P169012	Donaldson HYDRAULIC ASSEMBLY	10 / 15 / 25	15 – 20
2.63	67	3/4" – 14	3.55 90	P173910	SUCTION W/RELIEF VALVE	25 / 40 / -	3
2.63	67	3/4" NPT	3.55 90	P169013	Donaldson HYDRAULIC ASSEMBLY	10 / 15 / 25	15 – 20
3.38	86	1-1/2" NPT	8.01 203	P169016	SCHROEDER SS-1.50-100	2 / 3 / 5	
3.38	86	1-1/2" NPT	8.01 203	P173913	SUCTION W/RELIEF VALVE		3
3.38	86	1-1/4" NPT	6.85 174	P173912	SUCTION W/RELIEF VALVE		3
3.38	86	1-1/4" NPT	6.85 174	P169015	SCHROEDER SS-1.25-100	2 / 3 / 5	
3.94	100	1 1/2" – NPT	9.85 250	P173914	SUCTION W/RELIEF VALVE		3
3.94	100	1 1/2" NPT	9.85 250	P169017	Donaldson HYDRAULIC ASSEMBLY	2 / 3 / 5	
3.94	100	2" – NPT	9.85 250	P173915	SUCTION W/RELIEF VALVE	2 / 10 / 20	3
3.94	100	2" NPT	9.85 250	P169018	SCHROEDER SS-2-100	2 / 3 / 5	
5.12	130	1 1/2" – NPT	10.10 257	P173916	SUCTION W/RELIEF VALVE	2 / 10 / 20	3
5.12	130	2 1/2" NPT	10.10 257	P169019	Donaldson HYDRAULIC ASSEMBLY	2 / 3 / 5	
5.12	130	3" – NPT	11.78 299	P173917	SUCTION W/RELIEF VALVE	27 / 35 / 45	3
5.12	130	3" NPT	11.78 299	P169020	SCHROEDER SS-3-100	2 / 3 / 5	
5.78	147	.71 18	.21 5	P161269	Donaldson HSK02 ASSBLY	175 / - / -	

## Hydraulic/Lube Spin-on

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA(x) = 2/20/75	RELIEF VALVE SETTING
3.81 97	13/16" - 16	4.22 107	P550159	IHC 995285C1		8 - 11
3.88 99	3/4" - 16	3.80 97	P550210	JOHN DEERE AM39653	10 / 25 / 40	

## Hydraulic/Transmission Cartridge

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA(x) = 2/20/75	RELIEF VALVE SETTING
3.10 79	1.71 43	12.76 324	P166255	DDA, GMC #23018851, SYNTEQ Media #4	5 / 13 / 16	None
3.10 79	1.71 43	12.76 324	P166254	DDA, GMC #23018850 (CLEANUP), SYNTEQ Media #2	2 / 3 / 5	
3.75 95	2.18 55	16.68 424	P166135	DET. DIESEL, GMC #23018853, 23049374 (CLEAN UP), SYNTEQ Media #2	2 / 3 / 5	
3.75 95	2.18 55	16.68 424	P166136	DETROIT DIESEL, GMC #23018852, SYNTEQ Media #4	5 / 13 / 16	
4.28 109	1.44 37	9.06 230	P550951	DDA AC PF951, FURN GSKT-P177500, P171159, P175516, P166376=SYNTEQ Media	25 / 45 / 60	
4.3 109	1.4 36	5.80 147	P166167	DDA #5574978, 2-53, 3-53 ENGINES, SYNTEQ Media, P550147-Lube Cartridge	5 / 13 / 16	
4.30 109	1.4 36	8.90 226	P166376	DDA #557498, GMC TRANSMISSIONS, SYNTEQ Media, P550951=Cellulose Version	5 / 13 / 16	
4.30 109	1.4 36	8.90 226	P166375	GM 53, 71, 92 SERIES, DD 5573014, SYNTEQ Media, P550132-Lube Cartridge	10 / 17 / 22	
4.30 109	1.40 36	9.00 229	P166792	DDA 557498-Clean-up, SYNTEQ Media #2, Contains P166844 element w/o-ring		

## Lube Cartridge Bypass

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA(x) = 2/20/75	RELIEF VALVE SETTING
3.52 89	.69 18	4.16 106	P550179	CASE 08152AB, FURN GSKT-P174995	10 / - / -	

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
3.53 90	.88 22	5.69 145	P550186	IHC 355009R91, FURN GSKT-P171167		
3.53 90	.88 22	7.72 196	P550181	IHC 376375R91, FURN GSKT-P171167		
3.82 97	1.73 44	5.74 146	P550076	NISSAN 15274-99428		
3.89 99	.66 17	5.67 144	P550074	NISSAN 15274-Z9029		
3.94 100	1.25 32	7.25 184	P550182	IHC 376376R91		
4.00 102	.56 14	5.00 127	P550170	FRAM F4, FURN GSKT: P551153		
4.00 102	.56 14	5.00 127	P550171	FRAM F21, FURN GSKT-P171154		
4.02 102	.55 14	8.00 203	P550117	CLARK EUCLID GMC 5572425 (MILITARY SEN.), FURN GSKT-P171153, P171154, Cotton media-P550300		
4.81 122	.66 17	8.86 225	P550058	HINO 15607-1010		

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA(x) = 2/20/75	RELIEF VALVE SETTING
6.30 160	.67 17	10.51 267	P550423	HITACHI 4225367		
6.50 165	16 x 1.0MM	11.02 280	P550382	ISUZU 1878102390		
6.50 165	16 x 1.0MM	12.95 329	P550384	ISUZU 1132400560		

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
6.50 165	3/8" - 24	8.75 222	P552041	ISUZU/GMC CAB FORWARD HOUSING, Filter has bail handle attached		

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA(x) = 2/20/75	RELIEF VALVE SETTING
6.50 165	6.50 165	13.00 330	P550381	ISUZU 1878100501		

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
7.72 196	.86 22	10.06 256	P550500	500 SERIES BYPASS		
7.72 196	.86 22	15.06 383	P550751	750 SERIES PREMIUM BYPASS, OPTIONAL SEALS P167574, P167575, P167576, P550750-STANDARD VERSION		
7.72 196	.86 22	15.06 383	P550750	750 SERIES CARTRIDGE BYPASS, OPTIONAL SEALS P167574, P167575, P167576, P550751=SYNTEQ Media		

## Lube Cartridge Combination

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
3.58 91	.47 12	6.42 163	P550361	MERCEDES 6011800009, FULL FLOW/BYPASS		
7.50 190	.72 18	15.00 381	P552311	MACK 236GB311A, WGB S118CP		

## Lube Cartridge Full Flow

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
2.00 51	.81 21	2.12 54	P555400	LISTER, PETTER		
2.30 58	.44 11	4.63 118	P551294	CASE IH 376373R91		
2.35 60	.70 18	3.90 99	P550396	Mercedes 001844901, 00184425, Replaces P551284		
2.36 60	.69 18	3.94 100	P502207	MANN H614/X, MERCEDES 1021800009	None	None
2.41 61	.93 24	6.22 158	P502214	MANN H727/1	None	None
2.61 66	1.01 26	7.53 191	P551299	ALLIS CHALMERS 70694662		
2.75 70	1.31 33	3.33 85	P551291	LEYLAND 134311		
2.75 70	1.31 33	6.00 152	P550183	FORD E1ADKN18662A, FURN GSKT-P171170, P171181, P171169		
2.78 71	4.62 117	4.62 117	P551302	MERCEDES 0001800009		
2.81 71	1.31 33	4.19 106	P551305	FORD 113E6713A,14A		
2.81 71	4.33 110	.67 17	P502185	TOYOTA 04152-31012	None	None
2.84 72	.82 21	3.19 81	P551273	FORD 105E6731		
2.85 72	1.30 33	5.39 137	P502193	ISUZU 513240036	None	None
2.87 73	.81 21	4.57 116	P550184	FORD A730X6731TA, FURN GSKT-P171169		
2.87 73	1.31 33	5.56 141	P550052	MASSEY FERGUSON 101811M91, 1881840M1, 894976M91, FURN GASKET: P171161		
2.87 73	1.41 36	9.00 229	P550165	CAT, LINK BELT 9F6742, LEROI		
2.95 75	.75 19	6.97 177	P502196	ISUZU 13240045	None	None
2.96 75	.77 20	4.02 102	P551283	FRAM FH1PL		
2.97 75	1.07 27	5.64 143	P551296	CASE IH A40902		
2.98 76	.78 20	4.07 103	P551279	CHRYSLER 1634447		
3.00 76	1.05 27	8.11 206	P550429	CATERPILLAR 9T9054		None
3.11 79	.75 19	9.37 238	P550311	LEYLAND 602426		
3.11 79	1.56 40	5.35 136	P502203	NISSAN 1520876225	None	None
3.12 79	1.83 46	9.00 229	P550816	CAT 4J-0816, P164203=SYNTEQ Media		

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA(x) = 2/20/75	RELIEF VALVE SETTING
3.18 81	.42 11	6.22 158	P550395	GARDNER, DAF		

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
3.23 82	.94 24	7.68 195	P550315	MERCEDES 3661800009		
3.23 82	1.00 25	8.98 228	P551274	FIAT 61232674		
3.26 83	1.28 33	5.51 140	P550141	JOY, GMC 5576054, 5574540, FURN GSKT-P171157, P166364=SYNTEQ Media		
3.27 83	.94 24	5.12 130	P550354	MERCEDES 3661840225		
3.29 84	.96 24	5.27 134	P502211	MANN AF32	None	None

## Lube Cartridge Full Flow – Continued

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)			
3.29	84	.96	24	7.68	195	P502210	MANN AF34	None	None
3.31	84	.65	17	5.63	143	P550015	ISUZU 9885111940		
3.34	85	1.06	27	4.25	108	P550192	JOHN DEERE AH111RT		
3.34	85	1.62	41	6.50	165	P555088	JOHN DEERE AT15088T, PURO R14	None	None
3.35	85	.90	23	5.08	129	P502188	HINO 9956210300, 15607-1120		
3.35	85	.90	23	5.08	129	P502189	HINO 15607-1210		
3.35	85	.90	23	5.08	129	P502192	HINO 15607-1390		
3.35	85	1.57	40	5.63	143	P502194	ISUZU 13240085,		
3.50	89	.54	14	5.59	142	P551289	CASE IH 50310D,50308D		
3.50	89	.71	18	4.14	105	P551286	ALLIS CHALMERS 70090825		

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA(x) = 2/20/75	RELIEF VALVE SETTING			
3.50	89	.78	20	4.74	120	P551278	FORD C1TZ6731D		

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)			
3.50	89	1.16	29	6.16	156	P551275	GMC, MAN 5572128	None	None
3.50	89	1.34	34	3.78	96	P551285	PERKINS 101606		
3.53	90	1.33	34	4.67	119	P550185	MASSEY FERGUSON 1852331M1, FURN GSKT-P171192		
3.54	90	.59	15	4.09	104	P502202	ISUZU 1878103720		
3.56	90	1.28	33	8.44	214	P550190	GMC 6437562, AC PF166, FURN GSKT-P171157		
3.62	92	.51	13	5.83	148	P550359	ROLLS ROYCE OE12448		
3.62	92	.69	18	4.33	110	P502179	MITSUBISHI 3134012030	None	None
3.62	92	.69	18	6.30	160	P502180	MITSUBISHI 3144012030	None	None
3.62	92	.71	18	5.41	137	P502187	TOYOTA 0415246010	None	None

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA(x) = 2/20/75	RELIEF VALVE SETTING			
3.74	95	1.91	49	7.05	179	P502225	LEYLAND 11K243		None

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)			
3.75	95	.56	14	4.38	111	P550203	FIAT ALLIS, CASE, CLARK, MF, HYSTER, GALION, FURN GSKT-P171150, P171195	13 – 15	None
3.75	95	1.03	26	5.56	141	P557424	IR 35107424, FURN GSKT-P174995		
3.75	95	1.04	26	5.94	151	P550092	AC, CASE, CAT, CLARK, FTGD LF503, FURN GSKT: P171180, P171185	None	None
3.82	97	1.19	30	6.45	164	P551270	MANN & HUMMEL H10501		
3.83	97	1.33	34	7.71	196	P551271	FIAT-ALLIS 8806171		
3.85	98	.56	14	4.63	118	P550286	MACK 57GC286		
3.86	98	1.57	40	9.53	242	P555625	MERCEDES 0011845625		
3.93	100	.81	21	4.81	122	P551475	CASE A21475, A. CHALMERS, AUSTIN-WEST, FURN GSKT-P167685, P171156		
3.94	100	1.56	40	7.19	183	P502206	NISSAN 1527499128		
3.94	100	1.73	44	7.24	184	P550077	NISSAN 15274-90225		
3.97	101	.71	18	6.11	155	P551276	ALLIS CHALMERS 70090824		
3.97	101	.54	14	9.21	234	P502183	MITSUBISHI ME021073		
3.97	101	1.64	42	9.25	235	P551295	ALLIS CHALMERS 70647256		
3.98	101	.65	17	7.68	195	P550070	MITSUBISHI ME034481		
3.98	101	1.10	28	9.25	235	P550068	MITSUBISHI ME021254		
3.98	101	1.22	31	7.64	194	P550069	MITSUBISHI ME034161		
3.98	101	1.63	41	9.29	236	P550484	CAT 1R-0659, 4W-4840, KOMATSU 6610-53-5120, FURN GSKT-P171164, P166482=SYN-TEQ Media		
4.00	102	1.56	40	9.25	235	P166482	CAT 5S-0484, 4W-4840, SYNTEQ Media, P550484-Standard lube		
4.03	102	.68	17	4.67	119	P551277	DELUXE WD30		
4.06	103	1.62	41	5.50	140	P553335	IHC, GALION, HOUGH, TOWMOTOR, FURN GSKT-P171165		
4.09	104	.59	15	5.67	144	P550062	HITACHI 4507886		
4.09	104	.59	15	7.09	180	P502201	ISUZU 1132401160		
4.09	104	1.26	32	6.69	170	P550080	HINO 6071-2104-40		





OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION		RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)		
4.09	104	1.26	32	7.09	180	P550379	HINO 156071560		
4.09	104	1.92	49	6.30	160	P550010	HINO 15607-1090		
4.10	104	.59	15	9.13	232	P550059	HITACHI 4505384, REPLACES P550019		
4.17	106	.59	15	4.17	106	P550017	ISUZU 9885132630		
4.17	106	.59	15	7.30	185	P550018	ISUZU 9885132641		
4.32	110	1.52	39	8.90	226	P550132	DET. DIESEL ENG W/CARTRIDGE LUBE, FURN GSKT- P167686, P174631, P174634, P166375=SYNTEQ Media		
4.33	110	.56	14	7.95	202	P550300	DEUTZ 1168469, P550117 is pleated paper version		
4.33	110	.75	19	7.56	192	P550378	MAZDA ME034605		
4.33	110	2.04	52	8.11	206	P502205	NISSAN 1527499025		
4.45	113	.59	15	9.17	233	P550064	ISUZU 1878100791		
4.47	114	1.75	44	9.06	230	P558462	IHC 268462R91, CUMMINS 104428, FURN GSKT-P171158		
4.47	114	1.87	47	12.29	312	P551298	MICHIGAN 1810889		
4.48	114	2.84	72	10.83	275	P502184	MAZDA 68937310012		
4.50	114	1.06	27	6.76	172	P551293	CASE IH 313117C91		
4.51	115	1.44	37	7.96	202	P551292	ALLIS CHALMERS 74349986		
4.52	115	1.43	36	7.12	181	P551249	WHITE 167143AS		
4.57	116	2.12	54	12.68	322	P550071	MAZDA ME064289		
4.59	117	.53	13	5.00	127	P554731	IHC 214731R91, FORD, FURN GSKT: P171171, P171172		
4.59	117	.75	19	4.87	124	P551014	FORD C5TE6744A, FURN GSKT-P171159, P171163		
4.59	117	1.50	38	7.44	189	P550613	CUMMINS 173174, FURN GSKT-P171166		
4.59	117	1.78	45	7.00	178	P550172	CASE IH 193187R91, A20822, FURN GSKT-P171171, P171172		
4.59	117	2.25	57	7.00	178	P550174	IHC 213445R91, FURN GSKT-P171171, P171172		
4.61	117	2.20	56	8.98	228	P550087	KOMATSU 6610-50-5100, FURN GASKET: P171178		
4.65	118	2.20	56	7.52	191	P558425	MERCEDES 4011840025		
4.65	118	2.17	55	9.49	241	P550041	MERCEDES BENZ 001 1843825, M.A.N.		
4.80	122	.67	17	8.62	219	P502190	HINO 15607-1351		
4.80	122	.67	17	9.80	249	P502191	HINO 156071341, 15607-1340		
4.84	123	.79	20	5.43	138	P502186	TOYOTA 0415277010		
4.84	123	2.25	57	8.86	225	P553925	MERCEDES BENZ 0011843925, OPTIONAL GASKET P17		
5.00	127	1.50	38	9.62	244	P550516	CUMMINS 158139, P166483=SYNTEQ Media		
5.00	127	1.52	39	9.62	244	P166483	CUMMINS 158139, SYNTEQ Media, P550516-Standard lube		
5.02	128	2.26	57	5.59	142	P550066	MAZDA 31240-53054		
5.04	128	.61	15	6.30	160	P550021	NISSAN 15274-99329		

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA(x) = 2/20/75	RELIEF VALVE SETTING
5.04	128	.79	20	7.91 201 P550380 ISUZU 1878103141	25 / 40 / -	

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
5.07	129	3.34	85	9.00 229 P166481	None	None
5.08	129	3.37	86	8.94 227 P550485		
5.12	130	.59	15	9.17 233 P550034		
5.51	140	1.34	34	7.60 193 P502200		
5.83	148	.99	25	9.77 248 P551282		
6.01	153	3.50	89	14.50 368 P551336		
6.18	157	1.72	44	30.50 775 P551280		
				CAT 5S-0485, SYNTEQ Media, P550485-Standard lube		
				CAT 1R-0721, 5S-0485, HYSTER 75669, FURN GSKT-P171166, P166481=SYNTEQ Media		
				NISSAN 15274-99227		
				ISUZU 1132401170		
				FRAM F43P		
				FLEETLIFE FP614-40		
				CUMMINS, ALCO 1601198		

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA(x) = 2/20/75	RELIEF VALVE SETTING
6.30	160	.28	7	5.20 132 P551345 HITACHI 4231195, 3 PACKAGED GASKETS REQUIRED		

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
6.30	160	.90	23	15.08 383 P551259 KOMATSU/KOMATSU DRESSER 6128515030		

## Lube Cartridge Full Flow – Continued

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA <sub>(x)</sub> = 2/20/75	RELIEF VALVE SETTING
6.50 165	1.69 43	7.56 192	P551344	HITACHI 4208241, 4 PACKAGED SEALS REQUIRED		

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
7.42 188	2.63 67	10.00 254	P557500	CAT 7N-7500	None	None
7.42 188	3.43 87	13.38 340	P554136	CAT 1W-4136		
7.64 194	4.65 118	6.71 170	P502223	MANN H20211		

## Lube Cartridge Kit

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
5.12 130	.59 15	11.79 299	P550065	mitsubishi ME064356, 2 orings 2 gaskets supplied unattached		

## Lube Cartridge Sock

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
4.38 111	1.44 37	5.75 146	P550147	GMC 5574978, P166167=SYNTEQ Media		

## Lube Spin-on Bypass

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
3.17 81	1 3/8" – 16	10.36 263	P550425	VOLVO 4775565	8 – 11	Yes
3.70 94	M18 x 1.5	3.94 100	P550242	mitsubishi ME014838		
3.81 97	5/8" – 18	3.72 94	P550196	FIAT 4083490		
3.81 97	5/8" – 18	4.25 108	P550154	IHC 538836R1		
3.81 97	5/8" – 18	5.22 133	P550050	CAT, AMC, MF, ALLIS 74512207	12 – 16	Yes
3.81 97	5/8" – 18	7.91 201	P553404	CARRIER TRANSICOLD 30.00304.00		
4.02 102	M26 x 1.5	5.31 135	P551343	mitsubishi MD069782		
4.17 106	5/8" – 18	3.22 82	P550972	ISUZU 8943604190		
4.28 109	3/4" – 20	7.89 200	P553746	THERMO KING 11.3746		
4.65 118	1 3/8" – 16	10.24 260	P550777	CUMMINS 330432, 3313289		
4.65 118	1 3/8" – 16	10.24 260	ELF7777	ENDURANCE VERSION OF P550777		

## Lube Spin-on Combination

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
3.54 90	M26 x 1.5	3.93 100	P502059	MAZDA PNY214302	11 – 17	Yes
3.54 90	M26 x 1.5	4.92 125	P502043	ISUZU 8943604271	11 – 17	None
3.54 90	M26 x 1.5	4.92 125	P502058	DAIHATSU, ISUZU, MAZDA	11 – 17	Yes
3.66 93	1" – 12	5.08 129	P502068	NISSAN 1520840L00, 1520820N00	None	None
3.66 93	M26 x 1.5	6.92 176	P557382	THERMO KING 117382, FULL FLOW/BYPASS	11 – 17	None
3.93 100	M24 x 1.5	3.30 84	P502017	TOYOTA 90915-03003, 90915-30001		
4.02 102	M26 x 1.5	4.92 125	P502061	MAZDA VSY114302	11 – 17	Yes
4.21 107	M26 x 1.5	5.90 150	P502008	mitsubishi ME013307, ME013343	11 – 17	None
4.25 108	1" – 12	5.14 131	P502032	ISUZU 8941432050	None	None
4.33 110	M32 x 1.5	8.66 220	P502093	CATERPILLAR 517950	25 – 31	None
4.65 118	2 1/4" – 12	8.94 227	P553548	CASE IH J919562, Short version of P553000	75	
4.65 118	2 1/4" – 12	11.75 298	ELF7300S	CUMMINS ENGINES, INDIVIDUAL BOX VERSION OF ELF7300		
4.65 118	2 1/4" – 12	11.75 298	P553000	CUMMINS ENGINES, Donaldson Endurance Version is ELF7300		
4.65 118	2 1/4" – 12	11.75 298	ELF7300	CUMMINS ENGINES, Donaldson Endurance Version of P553000		

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA(x) = 2/20/75	RELIEF VALVE SETTING
4.66 118	M95 x 2.5-6H	11.75 298	P559000	FLEETGUARD LF9000, LF9001 CUMMINS SIGNATURE 600	7 / 17 / 22	None

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
4.86 123	1 1/2" - 12	5.87 149	P550973	ISUZU 8970492820, FULL FLOW BYPASS COMBO		
4.88 124	1 1/2" - 12	4.72 120	P502046	ISUZU 8970967770, 8971482700, 8943381811	None	None
4.88 124	1 1/2" - 12	4.72 120	P502042	ISUZU 8970967770	11 - 17	None
5.12 130	M36 x 1.5	8.66 220	P552562	MINIBISHI ME074013		
5.48 139	M60 x 3	6.62 168	P550356	FORD 826F6714, FULL FLOW/BYPASS	10 - 15	

## Lube Spin-on Full Flow

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
2.56 65	3/4" - 16	2.80 71	P502015	TOYOTA 90915-03001, 90915-10001	11 - 17	None
2.56 65	3/4" - 16	3.35 85	P502070	NISSAN 1520853J00	None	Yes
2.56 65	3/4" - 16	3.54 90	P502019	TOYOTA 90915-03004	11 - 17	None
2.68 68	3/4" - 16	2.56 65	P502024	BRIGGS & STRATON 492932, SUZUKI, DAIHATSU, MAZDA	11 - 17	None
2.68 68	3/4" - 16	2.95 75	P502108	ECHLIN OF86	11 - 17	Yes
2.68 68	M20 x 1.5	2.56 65	P502067	NISSAN, MAZDA, MITSUBISHI	11 - 17	None
2.68 68	M20 x 1.5	2.56 65	P502062	KIA OB3114302, OB63114302	11 - 17	Yes
2.68 68	M20 x 1.5	3.34 85	P502007	MITSUBISHI MD135737, 30A4000100	11 - 17	Yes
2.68 68	M20 x 1.5	3.35 85	P502063	MAZDA JEY014302	11 - 17	Yes
2.68 68	M20 x 1.5	3.35 85	P502047	ISUZU 94314263	8 - 11	Yes
2.68 68	M20 x 1.5	3.35 85	P502057	MAZDA FEY014302	11 - 17	None
2.91 74	3/4" - 16	3.31 84	P502016	TOYOTA 90915-03002, 90915-20001	11 - 17	None
2.95 75	13/16" - 16	3.39 86	P502110	ECHLIN OF71	None	Yes
2.95 75	3/4" - 16	4.75 121	P502090	MERCEDES 051155561G	25 - 31	None
2.95 75	M18 x 1.5	3.39 86	P502105	ECHLIN OF39	None	Yes
2.99 76	13/16" - 16	3.41 87	P551307	GM 6439857,25010325	None	Yes
2.99 76	3/4" - 16	4.72 120	P554770	JOHN DEERE AM34770	11 - 17	Yes
3.00 76	13/16" - 16	4.74 120	P550045	GMC 25010324		
3.00 76	3/4" - 16	3.40 86	P550335	MOPAR L335, CHRYSLER, CLARK, INTERCEPTOR MARINE	7 - 10	Yes
3.00 76	3/4" - 16	3.40 86	P502099	ECHLIN OF19	11 - 17	None
3.00 76	3/4" - 16	3.42 87	P551251	OPEL 2866477		
3.00 76	3/4" - 16	3.46 88	P502107	ECHLIN OF18	None	None
3.00 76	3/4" - 16	3.46 88	P502112	HARVARD 25-250	None	None
3.00 76	3/4" - 16	4.74 120	P550400	FORD E1FZ6731A, MOTORCRAFT FL400	7 - 10	Yes
3.00 76	3/4" - 16	4.88 124	P502086	GM 6437982, AC PF34	None	None
3.00 76	3/4" - 16	5.51 140	P502103	ECHLIN OF29	11 - 17	None
3.00 76	3/4" - 16	5.51 140	P502096	ECHLIN OF5	None	None
3.00 76	M18 x 1.5	3.40 86	P550047	AMC, GMC 25010792		Yes
3.00 76	M18 x 1.5	4.74 120	P550051	GMC 25010908		Yes
3.00 76	M20 x 1.5	2.52 64	P502010	MITSUBISHI MD322508	11 - 17	None
3.00 76	M20 x 1.5	2.66 68	P550162	Kubota 70000-15241	11 - 17	Yes
3.00 76	M20 x 1.5	3.44 87	P502050	HONDA 15400-PH1-F03	11 - 17	Yes
3.00 76	M20 x 1.5	4.74 120	P552849	FORD, MAZDA	7 - 9	Yes

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA(x) = 2/20/75	RELIEF VALVE SETTING
3.01 76	M18 x 1.5-6H	4.50 114	P551260	GM, SYNTHETIC MEDIA VERSION OF P550051		

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
3.07 78	3/4" - 16	5.71 145	P554408	PERKINS 2654408, MF	8 - 11	Yes
3.12 79	3/4" - 16	3.40 86	P550534	DATSUN, TOYOTA SUZUKI	11 - 17	Yes
3.12 79	M20 x 1.5	3.87 98	P555522	THERMOKING 11.5522, J.DEERE, YANMAR	11 - 17	Yes
3.14 80	3/4" - 16	3.87 98	P550971	ISUZU 8944637150		

## Lube Spin-on Full Flow – Continued

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)	
3.14	80	M20 x 1.5	2.76 70	P502071	SUBARU 15208AA020	11 – 17	None
3.15	80	3/4" – 16	2.72 69	P502069	NISSAN 1520801B10	None	None
3.15	80	3/4" – 16	2.95 75	P502022	ATLAS COPCO, BMW, DAIHATSU, SUZUKI	11 – 17	Yes
3.15	80	3/4" – 16	2.95 75	P502023	DAIHATSU	11 – 17	None
3.15	80	3/4" – 16	2.95 75	P502102	ECHLIN OF16	11 – 17	Yes
3.15	80	3/4" – 16	3.15 80	P502020	TOYOTA 15600-06010	11 – 17	Yes
3.15	80	3/4" – 16	3.93 100	P502031	SUZUKI 16510-83000	11 – 17	None
3.15	80	M20 x 1.5	2.52 64	P502009	MINI COOPER MD136466	11 – 17	None
3.15	80	M20 x 1.5	2.95 75	P502098	ECHLIN OF17	Yes	Yes
3.15	80	M20 x 1.5	2.95 75	P502111	ECHLIN OF74	11 – 17	None
3.15	80	M20 x 1.5	3.15 80	P502049	HONDA 15400-PR3-004	11 – 17	None
3.15	80	M20 x 1.5	3.94 100	P502051	HONDA 15400-PH1-014, 15400-PK1-003	11 – 17	Yes

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA(x) = 2/20/75	RELIEF VALVE SETTING
3.15	80	M20 x 1.5	5.64 143	P502056	MAZDA 145623802A, RF0323802	11 – 17

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)	
3.15	80	M22 x 1.5	3.94 100	P550389	ISUZU 8941145840	8 – 11	Yes
3.17	81	3/4" – 16	3.12 79	P551255	MASSEY FERGUSON 3283341M1	16 – 19	Yes
3.24	82	3/4" – 16	3.90 99	P550711	NISSAN 15208-H8911		Yes
3.24	82	3/4" – 16	4.40 112	P550715	KUBOTA 15426-32430	16 – 19	Yes
3.28	83	M20 x 1.5	2.78 71	P550726	KUBOTA 15841-32430, 15841-32431	11 – 15	
3.31	84	3/4" – 16	3.93 100	P550227	SUBARU, PINTO, DATSUN		Yes
3.31	84	3/4" – 15	4.92 125	P550078	TOYOTA 15601-33010		Yes
3.39	86	M18 x 1.5	2.89 73	P502074	PEUGEOT 1109-43	None	Yes
3.43	87	M20 x 1.5	3.07 78	P502109	ECHLIN OF44	None	None
3.43	87	M20 x 1.5	3.50 89	P502076	PEUGEOT 1109-51	18 – 24	None
3.43	87	M20 x 1.5	3.86 98	P502097	ECHLIN OF8	11 – 17	None
3.52	89	M20 x 1.5	3.23 82	P502092	PROTON PW502889	11 – 17	None
3.54	90	.0	3.45 88	P502075	PEUGEOT 1109-59	None	Yes
3.54	90	M20 x 1.5	3.93 100	P502039	ISUZU 8944309830	11 – 17	Yes
3.54	90	M20 x 1.5	4.92 125	P502025	DAIHATSU 1560187309000	None	None
3.54	90	M22 x 1.5	3.18 81	P502048	HONDA 15400-PA6-305	11 – 17	None
3.60	91	3/4" – 16	3.72 94	P502106	ECHLIN OF2	Yes	Yes
3.64	92	M22 x 1.5	5.47 139	P502072	FORD 785F6714AA3A	Yes	Yes
3.65	93	5/8" – 18	5.80 147	P550194	WISCONSIN RV38	9 – 12	Yes
3.65	93	M22 x 1.5	5.38 137	P550166	ONAN 122-0550	17 – 22	

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA(x) = 2/20/75	RELIEF VALVE SETTING
3.66	93	1 1/8" – 16	6.81 173	P551348	MINI COOPER C45702411, WP110	

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)	
3.66	93	1 1/8" – 16	6.85 174	P550428	CUMMINS "98" B SERIES	None	None

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA(x) = 2/20/75	RELIEF VALVE SETTING
3.66	93	1" – 16	5.35 136	ELF7345	CUMMINS 4B 3.9 SERIES LUBE, Donaldson Endurance Version of P558616, EN-DURANCE VERSION OF P558616	10 / 17 / 22



OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
3.66 93	1" – 12	5.35 136	P552819	DEUTZ, CLARK, HYSTER	18 – 23	Yes
3.66 93	1" – 16	5.35 136	P558616	CUMMINS 3903224, 3908616, Donaldson Endurance ELF7345		

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA(x) = 2/20/75	RELIEF VALVE SETTING
3.66 93	1" – 12	5.35 136	ELF7680	CAT 9N5680, ENDURANCE VERSION OF P555680	10 / 17 / 22	

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
3.66 93	1" – 12	5.35 136	P555680	CAT 9N5680, Donaldson Endurance ELF7680	18 – 23	

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA(x) = 2/20/75	RELIEF VALVE SETTING
3.66 93	1" – 12	5.83 148	P550411	MAZDA 130523802		

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
3.66 93	1" – 12	6.85 174	P553712	CARRIER, ATLS COPCO, THERMOKING 11.3712		

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA(x) = 2/20/75	RELIEF VALVE SETTING
3.66 93	1" – 12	6.85 174	ELF7616	NAVISTAR 675616C91, CASE, IH, ENDURANCE VERSION OF P555616	10 / 17 / 22	

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
3.66 93	1" – 12	6.85 174	P557207	IHC 427207C2	7 – 10	

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA(x) = 2/20/75	RELIEF VALVE SETTING
3.66 93	1" – 16	6.85 174	ELF7349	CUMMINS 4B & 6B SERIES LUBE, Donaldson Endurance Version of P558615, EN-DURANCE VERSION OF P558615	10 / 17 / 22	

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
3.66 93	1" – 16	6.85 174	P558615	CUMMINS 3932217, 3908615, Donaldson Endurance Part ELF7439		
3.66 93	1" – 12	6.85 174	P555616	IHC 675616C91, CASE, Donaldson Endurance ELF7616		Yes
3.66 93	1" – 12	7.87 200	P553771	DEUTZ 1174421, CASE IH, REPLACES P557624	35	Yes
3.66 93	13/16" – 16	5.08 129	P502095	ECHLIN OF4	None	None
3.66 93	13/16" – 16	5.47 139	P502091	GM 5576054, AC PF35	None	None
3.66 93	13/16" – 16	7.87 200	P550832	GMC 6439034		
3.66 93	3/4" – 16	3.81 97	P502104	ECHLIN OF34	11 – 17	Yes
3.66 93	3/4" – 16	3.82 97	P502100	ECHLIN OF20	8 – 11	None
3.66 93	3/4" – 16	4.21 107	P552518	DODGE 6CYL–225,V8–318, CHYRYS, FORD & OTHERS	7 – 10	Yes
3.66 93	3/4" – 16	5.07 129	P502094	ECHLIN OF1	11 – 17	None
3.66 93	3/4" – 16	5.08 129	P502101	ECHLIN OF25	None	None
3.66 93	3/4" – 16	5.35 136	P550008	FORD, MOTORCRAFT FL1A, P169071=SYNTEQ Media	8 – 11	Yes
3.66 93	3/4" – 16	5.35 136	P554403	PERKINS 2654403, MF	7 – 10	Yes
3.66 93	3/4" – 16	5.35 136	P557780	ISUZU, NISSAN	18 – 23	Yes
3.66 93	3/4" – 16	6.85 174	P550299	FORD D3HZ6731B, MOTORCRAFT FL788	7 – 10	Yes
3.67 93	1" – 16	6.87 174	P551265	DAEWOO 65055105009		
3.67 93	1" – 12	6.88 175	P551297	KOMATSU/KOMATSU DRESSER 6002115213	18 – 21	Yes
3.67 93	1" – 12	8.00 203	P551262	NAVISTAR 1808896C1		
3.67 93	3/4" – 16	3.39 86	P551268	KUBOTA 1732132430		
3.67 93	3/4" – 16	3.75 95	P550963	DODGE LIGHT TRUCK	8	Yes

## Lube Spin-on Full Flow – Continued

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
3.67 93	3/4" – 16	4.18 106	P551300	KUBOTA 1540232090	34 – 37	Yes
3.67 93	3/4" – 16	5.32 135	P169071	HIGH EFFICIENCY VERSION OF P550008, SYNTEQ Media	8 – 11	
3.67 93	5/8" – 18	5.32 135	P551303	M & W 4E023	7 – 9	
3.67 93	7/8" – 14	3.75 95	P551287	CATERPILLAR 9M8755	17 – 19	Yes
3.67 93	7/8" – 14	6.82 173	P551250	WHITE 169019A	12 – 15	Yes

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA(x) = 2/20/75	RELIEF VALVE SETTING
3.67 93	M20 x 1.5–6H	3.16 80	P551306	HONDA, ISUZU, MAZDA		12 – 15

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
3.67 93	M22 x 1.5	3.58 91	P550965	FORD LIGHT TRUCK	15	Yes
3.68 93	1" – 12	8.68 220	P551272	CASE IH 3136737R91	18 – 21	Yes
3.68 93	M22 x 1.5	3.19 81	P550716	AMC 8983501900	12 – 15	
3.69 94	1 1/2" – 16	5.76 146	P551352	JOHN DEERE RE59754		
3.69 94	3/4" – 16	4.36 111	P552290	CASE, DAVID BROWN, TOYOTA	18 – 20	Yes
3.70 94	1" – 12	3.75 95	P550710	KOMATSU 600–211–6140	34 – 37	Yes
3.70 94	M22 x 1.5	4.15 105	P550718	ISUZU 8–9421–7272–0		
3.73 95	1 1/8" – 16	5.37 136	P166508	CAT 8N–9580, 9N–5570, SYNTEQ Media, P555570–Standard Lube		
3.73 95	1" – 12	4.22 107	P550719	IHC 3136046R93	20 – 24	
3.73 95	13/16" – 16	5.37 136	P166564	GM CAR & TRUCK, SYNTEQ Media, P550035–Standard Lube		
3.74 95	1" – 12	5.47 139	P559418	DEUTZ 1174418	36	Yes
3.74 95	1" – 12	8.31 211	P550317	RENAULT RVI 5000670671	34 – 37	Yes
3.74 95	3/4" – 16	3.62 92	P550318	SCANIA 173171	14 – 20	Yes
3.75 95	1" – 12	6.99 178	P550362	DEUTZ 1174419	30	Yes
3.75 95	24 x 1.5 MM	6.88 175	P550975	VALMET 836136342	34 – 37	Yes
3.78 96	1 1/8" – 16	6.61 168	P502084	MITSUBISHI LPF08	None	None
3.78 96	13/16" – 16	5.14 131	P550964	GM LIGHT TRUCK		Yes
3.78 96	M22 x 1.5	3.78 96	P550357	FORD 844F6716AA	10 – 15	Yes
3.80 97	1 1/8" – 16	6.81 173	P502082	MITSUBISHI C4570411, WAKO UWP110	None	None
3.81 97	1 1/8" – 16	5.22 133	P555570	CAT 8N–9586, 9N–5570, P166508–SYNTEQ Media		
3.81 97	1" – 12	6.78 172	P558250	IHC 528250R91,	11 – 17	Yes
3.81 97	13/16" – 16	4.22 107	P550224	GM, AMC & LIGHT TRUCKS		Yes
3.81 97	13/16" – 16	4.22 107	P550025	GMC 6CYL. & V8 GAS		
3.81 97	13/16" – 16	5.12 130	P550035	GM, ACPF35, P166564–SYNTEQ Media		
3.81 97	13/16" – 16	5.22 133	P550024	ALLIS CHALMERS, CASE, IHC		Yes
3.81 97	13/16" – 16	5.53 140	P550020	JOHN DEERE AR58956, T19044	18 – 23	
3.81 97	2.75 x 5.5	4.81 122	P551106	WISCONSIN ENGINES RV40, –S, –S4		
3.81 97	3/4" – 16	3.70 94	P550882	ATLAS COPCO 10300882, FORD, MACK	11 – 17	Yes
3.81 97	3/4" – 16	3.72 94	P550095	FORD, ONAN	8 – 11	Yes
3.81 97	3/4" – 16	5.38 137	P550168	GMC 94169778	27 – 35	Yes
3.81 97	3/4" – 16	6.78 172	P554407	PERKINS 2654407, Equipped with standpipe	8 – 11	Yes
3.81 97	M20 x 1.5	3.09 78	P550173	CHRYSLER	18 – 20	Yes
3.81 97	M20 x 1.5	3.70 94	P550158	FORD E3TZ6731C	8 – 11	Yes
3.82 97	3/4" – 16	3.98 101	P551201	ZETTELMEYER 2138220	11 – 17	Yes
3.82 97	M22 x 1.5	5.51 140	P553315	FORD 785F–6714–AA3A		
3.96 101	1" – 12	4.92 125	P502060	MAZDA TFY014302	11 – 17	Yes
4.00 102	1" – 12	5.92 150	P550422	HITACHI 4183853, ISUZU 8943212191		
4.02 102	1" – 12	5.91 150	P502080	MITSUBISHI 32B4000100	Yes	Yes
4.02 102	M24 x 1.5	6.77 172	P550383	ISUZU 8941145850		

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA(x) = 2/20/75	RELIEF VALVE SETTING
4.02 102	M26 x 1.5	6.02 153	P550406	HINO 156071480		



OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)	
4.17	106	M20 x 1.5	4.92 125	P550067	MITSUBISHI ME014833	14 PSI	Yes
4.21	107	1" – 12	3.96 101	P502085	MITSUBISHI 32A4000100	18 – 24	None
4.24	108	1 1/2" – 16	5.63 143	P550784	FORD E3TZ6731A, IHC 6.9L 1804442C1		
4.24	108	1 1/8" – 16	6.51 165	P551266	NISSAN FL201Z9010		
4.24	108	1 1/8" – 15	6.56 167	P550708	KOMATSU 6134-51-5120	27	Yes
4.24	108	1 1/8" – 16	7.02 178	P551263	VOLVO 8477416		
4.24	108	1 1/8" – 16	10.39 264	P553191	MACK 485GB3191, RENAULT, VOLVO & ON HWY TRUCKS, P167404=SYNTEQ Media		
4.24	108	3/4" – 16	6.59 167	P551267	NISSAN 15201Z9008		
4.24	108	7/8" – 16	8.05 204	P551304	CASE IH A62423	7 – 9	Yes
4.24	108	M20 x 1.5-6H	5.62 143	P551264	KOMATSU/KOMATSU DRESSER Z1402OF105		
4.24	108	M20 x 1.5-6H	6.52 166	P551257	ISUZU X13201012		
4.24	108	M30 x 1.5-6H	7.02 178	P551253	ROLLS ROYCE CV2473	18 – 21	
4.25	108	1 1/2" – 12	10.42 265	P502081	MITSUBISHI 3754001101	None	None

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA(x) =	RELIEF VALVE SETTING
4.25	108	1 1/8" – 16	10.31 262	ELF7483S	MACK/VOLVO, INDIVIDUAL BOX VERSION OF ELF7483, ENDURANCE VERSION OF P553191	2/20/75

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
4.25	108	1 1/8" – 16	10.31 262	ELF7739S	CAT ENGINES, INDIVIDUAL BOX VERSION OF ELF7739	
4.25	108	1 1/8" – 16	10.31 262	ELF7739	CAT ENGINES, Donaldson Endurance Version of P554004	
4.25	108	1 1/8" – 16	10.31 262	P554004	CATERPILLAR 1R-0658, 2P-4004, P167404=SYNTEQ Media	

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA(x) =	RELIEF VALVE SETTING
4.25	108	1 1/8" – 16	10.31 262	ELF7483	MACK/VOLVO ENGINES, Donaldson Endurance Version of P553191, ENDURANCE VERSION OF P553191	10 / 17 / 22

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)	
4.25	108	1" – 12	6.00 152	P550731	FORD E7HZ6731A (BRAZILIAN CAB FORWARD)	18 – 23	
4.25	108	1" – 16	7.37 187	P554400	A.CHALMERS 3000 SER ENG		
4.25	108	3/4" – 16	4.33 110	P502077	FIAT 4371582V03	8 – 11	None
4.25	108	M 30 x 2	5.62 143	P502222	FIAT 74741272	18 – 24	Yes
4.26	108	1 1/8" – 16	6.57 167	P550086	KOMATSU 6136-51-5120	11 – 17	
4.26	108	3/4" – 16	7.37 187	P551603	FIAT 71909101, IVECO 01901603, HESSTON	30	Yes
4.27	108	1 1/2" – 16	8.02 204	P550371	NAVISTAR 1822731C1, 1814562C1		
4.27	108	1" – 12	8.00 203	P550319	IHC 1811953C1 FOR DT/DTA360 & 466 DIESEL ENG		
4.27	108	1" – 12	9.09 231	P550393	MERCEDES TRUCK 0031841701		
4.27	108	7/8" – 18	8.06 205	P550714	WHITE 30-3068145	18 – 25	Yes
4.27	108	M30 x 1.5-6H	5.63 143	P550707	TOYOTA 15601-68010	18 – 21	Yes
4.27	108	M30 x 2-6H	9.00 229	P550712	FIAT ALLIS 74744707	18 – 21	Yes
4.28	109	1 1/8" – 16	5.78 147	P556007	CAT 9N-6007		
4.28	109	1" – 16	5.78 147	P550152	FIAT ALLIS, A.CHALMERS 4023548-3		
4.28	109	3/4" – 16	3.77 96	P550580	FORD, MASSEY FERGUSON, MPLS MOLINE	8 – 11	Yes
4.28	109	3/4" – 16	5.78 147	P553411	ALLIS CHALMERS, WORTHINGTON, FORD	18 – 20	Yes
4.29	109	1" – 12	7.00 178	P553871	THERMOKING 11.3871		
4.29	109	M30 x 2	9.06 230	P550342	IVECO 1902102		
4.33	110	1 1/2" – 12	4.92 125	P502045	ISUZU NPR4.3, C-515	None	None
4.33	110	1 1/8" – 16	6.38 162	P550420	HITACHI 4296675		
4.33	110	1 1/8" – 16	6.73 171	P502088	NISSAN 15201Z9000, 15201Z9002, 15201Z9003	None	None
4.33	110	1 1/8" – 16	10.08 256	P551102	DEUTZ 1174420	30 – 42	Yes
4.33	110	3/4" – 16	4.82 122	P502089	NISSAN 15201Z9001, 15201Z9004	None	None
4.37	111	1" – 12	8.98 228	P551604	FIAT 71909137, IVECO 01901604	18 – 20	Yes
4.40	112	3/4" – 16	5.70 145	P550226	IVECO 1902047	20 – 23	Yes
4.50	114	1 1/8" – 16	8.50 216	P550073	NISSAN 15208-Z9001		

## Lube Spin-on Full Flow – Continued

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
4.65 118	1 1/2" – 16	7.83 199	P552050	HINO 156072050, P551381 (1-1/2" – 12) BUT WITH (1-1/2" – 16) THREAD		
4.65 118	1 1/2" – 16	11.73 298	XLP4105	SYNTEQ MEDIA VERSION OF P554105, FOR OFF-ROAD APPLICATIONS		

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA(α) = 2/20/75	RELIEF VALVE SETTING
4.65 118	1 1/2" – 12	6.22 158	ELF7947S	DETROIT DIESEL ENGINES, INDIVIDUAL BOX VERSION OF ELF7947, P550947=Standard lube	10 / 17 / 22	
4.65 118	1 1/2" – 12	6.22 158	ELF7947	DETROIT DIESEL ENGINES, Donaldson Endurance Version of P550947, P550947=Standard lube		
4.65 118	1 1/2" – 12	10.24 260	ELF7670S	CUMMINS 299670, KOMATSU #600-211-1230, INDIVIDUAL BOX VERSION OF ELF7670, Similar Parts: P551670-10.25"L, P550671-9.75"L, P550947-6.16"L		

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
4.65 118	1 1/2" – 12	10.24 260	P551670	CUMMINS 3313279, DET DIESEL ENG, <del>P167670</del> SYNTEQ Media, Other Similar: P550671, P550947		
4.65 118	1 1/2" – 12	10.24 260	XLP7670	SYNTEQ MEDIA VERSION OF P551670, FOR OFF-ROAD APPLICATIONS		

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA(α) = 2/20/75	RELIEF VALVE SETTING
4.65 118	1 1/2" – 12	10.24 260	ELF7670	CUMMINS ENGINES, Donaldson Endurance Version of P551670, Similar Parts: P551670-10.25"L, P550671-9.75"L, P550947-6.16"L	4 / 17 / 15	

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
4.65 118	1 5/8" – 12	10.24 260	ELF3998S	DETROIT DIESEL SERIES 60 ENGINES, INDIVIDUAL BOX VERSION OF ELF3998, P552100 is Standard Version	None	None
4.65 118	1 5/8" – 12	10.24 260	P552100	DET. DIESEL 50 & 60 SERIES ENGINES, 23518480		
4.65 118	1 5/8" – 12	10.24 260	ELF3998	DETROIT DIESEL SERIES 60 ENGINES, Donaldson Endurance Version of P552100, P552100 is Standard Version		
4.65 118	M95 x 2.5	11.70 297	ELF7900	ENDURANCE VERSION OF P559000		
4.67 119	1 1/2" – 12	6.27 159	P550947	GMC 25011106, Detroit Diesel Engines, ELF7947=SYNTEQ Media, OTHER SIMILAR: P551670, P550671		
4.67 119	1 1/2" – 12	7.84 199	P551381	HINO 15607-1381		
4.67 119	1 1/2" – 12	8.94 227	P550671	CUMMINS, P167670=SYNTEQ Media, Similar: P551670-10.25"L, P550947-6.1"L		
4.67 119	1 1/2" – 16	11.75 298	P554105	4-5/8" DIA. VERSION OF CATERPILLAR #2P4005		
4.72 120	1 3/8" – 16	9.80 249	P550421	HITACHI 4266385, ISUZU 11324010521		
4.88 124	1 1/8" – 16	4.72 120	P502083	MITSUBISHI 3743802400		
5.00 127	1 1/2" – 16	6.85 174	P553634	MICH FP, JOHN DEERE AR43634, FURN GSKT=P171184	None	None
5.02 128	1 1/2" – 12	6.89 175	P558329	JOHN DEERE AR98329, FURN GSKT: P171184		
5.33 135	1 1/2" – 16	12.13 308	P554005	CAT 1R-0716, 2P-4005, STGR, SULLAIR, <del>P107405</del> SYNTEQ Media		
5.33 135	1 1/2" – 15	12.13 308	P551402	DD 2000 SERIES AND MARINE VERSION 4000 SERIES, REPLACES P550341		
5.33 135	M45 x 1.5	12.13 308	P551400	DETROIT DIESEL 4000 SERIES ENGINE, REPLACES P550655		
5.38 137	1 1/2" – 16	8.16 207	P550713	LEYLAND HAJ8423		
5.38 137	1 1/2" – 16	9.91 252	P550727	DAF 0267715		
5.41 137	M36 x 1.5	12.10 307	P550367	NAVISTAR 1819452C1		
5.44 138	13/16" – 16	5.44 138	P550188	CUMMINS 170200		
5.55 141	1 1/2" – 16	12.20 310	P550341	DAF 267714		
5.56 141	1/1/8" – 16	6.00 152	P550157	FORD EDNN6714AA	8 – 10 32 – 40	
5.58 142	1 1/2" – 16	9.62 244	P554206	IHC 684206C1		

OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	BETA(α) = 2/20/75	RELIEF VALVE SETTING
11.73 298	1 1/2" – 16	11.73 298	ELF7405S	CAT 2P-4005, INDIVIDUAL BOX VERSION OF ELF7405, P554005-is CAT standard lube, P554105-MACK/RVI/VOLVO Standard Lube	10 / 17 / 22	
11.73 298	1 1/2" – 16	11.73 298	ELF7405	CAT ENGINES, Donaldson Endurance Version of P554005, P554005-is CAT standard lube, P554105-MACK/RVI/VOLVO Standard Lube		



OUTER DIA. IN MM	THREAD SIZE OR INNER DIA. IN MM	LENGTH IN MM	PART NUMBER	PRIMARY APPLICATION	RELIEF VALVE SETTING	ANTI- DRAIN (Y/N)
11.73 298	M36 x 1.5	11.73 298	ELF7367S	NAVISTAR 1819452C1, INDIVIDUAL BOX VERSION OF ELF7367, P550367—Standard Lube		
11.73 298	M36 x 1.5	11.73 298	ELF7367	NAVISTAR 1819452C1, Donaldson Endurance Version of P550367, ENDURANCE VERSION OF P550367		

## O-Ring

OUTER DIA. IN MM	INNER DIA. IN MM	THICKNESS IN MM	PRIMARY APPLICATION	COMPOUND	PART NUMBER
.62	.47	.08	SUPPLIED WITH P552020		P167823
1.13 29	.88 22	.12 3	FOR CUMMINS HOLD-DOWN, #116029, USED ON 500 & 750		P167579
1.72 44	1.48 38	.11 3	DONALDSON HDK06 HYDRAULIC ASSEMBLIES		P160331

PART NUMBER	CONTENTS OR USAGE
P161851	Donaldson HYDRAULIC ASSEMBLIES

OUTER DIA. IN MM	INNER DIA. IN MM	THICKNESS IN MM	PRIMARY APPLICATION	COMPOUND	PART NUMBER
3.76 96	3.48 88	.13 4	DONALDSON HPK03 HYD ASSEMBLY		P162005
3.90 99	3.48 88	.21 5	DONALDSON HFK08 HYDRAULIC ASSEMBLIES		P161282

PART NUMBER	CONTENTS OR USAGE
P160016	DONALDSON HAK05 HYDRAULIC ASSY

OUTER DIA. IN MM	INNER DIA. IN MM	THICKNESS IN MM	PRIMARY APPLICATION	COMPOUND	PART NUMBER
6.40 163	5.98 152	.21 5	DONALDSON HDK06 HYDRAULIC ASSEMBLIES	Nitrile	P160137
7.50 190	7.05 179	.22 6	HITACHI, USED WITH P551334		P171221
7.90 201	7.48 190	.21 5	HITACHI, KOBELCO, USED WITH P551333		P171465
8.28 210	7.73 196	.27 7	DONALDSON HFK08 HYDRAULIC ASSEMBLIES		P161275

## O-Ring & Retaining Ring Kit

PART NUMBER	CONTENTS OR USAGE
P160779	DONALDSON HDK06 HYDRAULIC ASSEMBLIES

## O-Ring Kit

PART NUMBER	CONTENTS OR USAGE
P162860	Donaldson HPK05 HYDRAULIC ASSEMBLIES
P162742	Donaldson HPK04 ASSY, CONTAINS P161463, P161464

## O-Ring, Bypass Valve Seal

OUTER DIA. IN MM	INNER DIA. IN MM	THICKNESS IN MM	PRIMARY APPLICATION	COMPOUND	PART NUMBER
2.39 61	2.11 54	.13 4	DONALDSON HAK05/HDK06 HYDRAULIC ASSEMBLIES		P160125

## O-Ring, Cover Gasket

OUTER DIA. IN MM	INNER DIA. IN MM	THICKNESS IN MM	PRIMARY APPLICATION	COMPOUND	PART NUMBER
8.53 217	7.98 203	.27 7	500, 750 BYPASS HOUSINGS ROUND X SECTION, OPTIONAL ON P550500, P550750, P550751		P167576
9.03 229	8.48 215	.27 7	SUPPLIED WITH P552311		P167577

## O-Ring, Cup Seal

OUTER DIA. IN MM	INNER DIA. IN MM	THICKNESS IN MM	PRIMARY APPLICATION	COMPOUND	PART NUMBER
6.78 172	6.32 161	.23 6	DONALDSON HFK08 HYDRAULIC ASSEMBLIES		P161277

## O-Ring, Liquid Filter

PART NUMBER	CONTENTS OR USAGE
P166374	SUPPLIED WITH P550951

## O-Ring, Steel Washer

OUTER DIA. IN MM	INNER DIA. IN MM	THICKNESS IN MM	PRIMARY APPLICATION	COMPOUND	PART NUMBER
1.23 31	.73 19	.25 6	DONALDSON HAK05 HYDRAULIC ASSEMBLIES		P160020

## Transmission Cartridge Kit

PART NUMBER	PRIMARY APPLICATION
P179096	ALLISON WORLD 3060 TRANSMISSION, # 29526898, KIT INCLUDES (2) 29509723 FILTERS PLUS SEALS
P179206	ALLISON WORLD TRANSMISSION # 29526899, KIT INCLUDES (2) # 29501202 FILTERS PLUS SEAL KIT

## Transmission Filter

PART NUMBER	PRIMARY APPLICATION
P557115	FORD TRUCK, UNIQUE SHAPE
P557112	CHEV, DODGE, FORD TRUCK/BUS, UNIQUE SHAPE
P557117	FORD TRUCK C4, E & F SERIES, UNIQUE SHAPE
P557106	CHEV, DODGE, FORD TRUCK/BUS, UNIQUE SHAPE
P557146	CHEV, GMC TRUCK, UNIQUE SHAPE
P557153	CHEV, FORD, DODGE, GMC TRUCK/BUS, MERCEDES, UNIQUE SHAPE
P557156	CHEV, GMC LIGHT TRUCK, UNIQUE SHAPE
P557159	FORD F SERIES, UNIQUE SHAPE
P557169	FORD, GMC, DODGE TRUCK/BUS, UNIQUE SHAPE
P557104	JEEP, DODGE, IVECO, UNIQUE SHAPE
P557124	FORD TRUCK E SERIES, UNIQUE SHAPE
P557151	FORD F SERIES TRUCK, UNIQUE SHAPE
P550960	GM LIGHT TRUCK

## Washer, Gasket

PART NUMBER	CONTENTS OR USAGE
P161852	Donaldson HYDRAULIC ASSEMBLIES

OUTER DIA. IN MM	INNER DIA. IN MM	THICKNESS IN MM	PRIMARY APPLICATION	COMPOUND	PART NUMBER
1.06	.61	.19	750 SERIES, MODEL C T-HANDLE HOLD-DOWN WASHER		P167578

UPC Code	Part Number	UPC Code	Part Number	UPC Code	Part Number	UPC Code	Part Number	UPC Code	Part Number
742330-00050	B085001	742330-00888	P113343	742330-01047	P123229	742330-01168	P131404	742330-01261	P142799
742330-00051	B085008	742330-00889	P113395	742330-01048	P123230	742330-01171	P132349	742330-01262	P142800
742330-00052	B085011	742330-00890	P113407	742330-01050	P123347	742330-01172	P132447	742330-01263	P142801
742330-00053	B085046	742330-00892	P113703	742330-01051	P123440	742330-01173	P132448	742330-01264	P142802
742330-00054	B085048	742330-00893	P113720	742330-01056	P123827	742330-01175	P132935	742330-01265	P142803
742330-00062	B105002	742330-00896	P113946	742330-01058	P123918	742330-01176	P132939	742330-01266	P142804
742330-00063	B105003	742330-00898	P114101	742330-01059	P123990	742330-01179	P133044	742330-01267	P142805
742330-00064	B105006	742330-00900	P114229	742330-01061	P124046	742330-01180	P133045	742330-01268	P142806
742330-00067	B105020	742330-00901	P114241	742330-01062	P124047	742330-01182	P133138	742330-01269	P142807
742330-00073	B125003	742330-00910	P114326	742330-01064	P124366	742330-01184	P133179	742330-01271	P142810
742330-00074	B125005	742330-00911	P114500	742330-01065	P124370	742330-01187	P133701	742330-01272	P142811
742330-00084	C045001	742330-00917	P114931	742330-01066	P124548	742330-01188	P133702	742330-01273	P142812
742330-00085	C045002	742330-00921	P115051	742330-01069	P124767	742330-01189	P133703	742330-01274	P142813
742330-00086	C055002	742330-00923	P115070	742330-01070	P124837	742330-01190	P133705	742330-01279	P145700
742330-00087	C055003	742330-00924	P115096	742330-01073	P124860	742330-01191	P133706	742330-01280	P145701
742330-00088	C065001	742330-00925	P115097	742330-01074	P124862	742330-01192	P133709	742330-01281	P145702
742330-00089	C065002	742330-00926	P115098	742330-01075	P124866	742330-01193	P133712	742330-01282	P145703
742330-00090	C065003	742330-00940	P115690	742330-01076	P124867	742330-01194	P133713	742330-01283	P145704
742330-00092	C065015	742330-00941	P115739	742330-01077	P124868	742330-01195	P133714	742330-01284	P145709
742330-00093	C085001	742330-00942	P115889	742330-01079	P125310	742330-01196	P133765	742330-01285	P145755
742330-00094	C085002	742330-00946	P116446	742330-01080	P125744	742330-01197	P134353	742330-01286	P145756
742330-00095	C085003	742330-00952	P117109	742330-01088	P126227	742330-01198	P134354	742330-01289	P145859
742330-00096	C085004	742330-00953	P117327	742330-01089	P126318	742330-01200	P134960	742330-01291	P146555
742330-00097	C085005	742330-00954	P117383	742330-01092	P127075	742330-01201	P135930	742330-01292	P148018
742330-00098	C085006	742330-00960	P117781	742330-01094	P127308	742330-01202	P136254	742330-01293	P148043
742330-00099	C085041	742330-00965	P118157	742330-01095	P127309	742330-01203	P136255	742330-01294	P148044
742330-00100	C085043	742330-00967	P118216	742330-01096	P127313	742330-01204	P136258	742330-01295	P148113
742330-00101	C105003	742330-00970	P118342	742330-01097	P127315	742330-01205	P136390	742330-01312	P148573
742330-00102	C105004	742330-00971	P118343	742330-01102	P127787	742330-01208	P136398	742330-01313	P148586
742330-00103	C105017	742330-00973	P118540	742330-01103	P127914	742330-01209	P136400	742330-01314	P148645
742330-00104	C125004	742330-00977	P118785	742330-01104	P127915	742330-01210	P136401	742330-01316	P148966
742330-00105	D045003	742330-00979	P118951	742330-01109	P128252	742330-01211	P136405	742330-01318	P148968
742330-00106	D045004	742330-00982	P119135	742330-01112	P128408	742330-01212	P136406	742330-01319	P148969
742330-00107	D055004	742330-00984	P119184	742330-01114	P128781	742330-01214	P136412	742330-01320	P148970
742330-00108	D065003	742330-00987	P119370	742330-01115	P128810	742330-01217	P136646	742330-01323	P150135
742330-00109	D065008	742330-00988	P119371	742330-01116	P128960	742330-01218	P136682	742330-01325	P150348
742330-00635	P015835	742330-00989	P119372	742330-01119	P129396	742330-01219	P136831	742330-01327	P150464
742330-00637	P015837	742330-00990	P119373	742330-01121	P129472	742330-01222	P136835	742330-01328	P150692
742330-00638	P015838	742330-00991	P119374	742330-01128	P130747	742330-01223	P136836	742330-01329	P150693
742330-00660	P017368	742330-00992	P119375	742330-01129	P130760	742330-01224	P136837	742330-01330	P150694
742330-00662	P017665	742330-00993	P119410	742330-01130	P130761	742330-01226	P137285	742330-01331	P150695
742330-00667	P018029	742330-00995	P119417	742330-01132	P130763	742330-01227	P137293	742330-01333	P150706
742330-00668	P018033	742330-00996	P119492	742330-01133	P130764	742330-01228	P137523	742330-01337	P151028
742330-00674	P018182	742330-00997	P119539	742330-01134	P130766	742330-01229	P137640	742330-01338	P151097
742330-00679	P018406	742330-00998	P119595	742330-01135	P130769	742330-01230	P137641	742330-01339	P151098
742330-00708	P101038	742330-00999	P119596	742330-01136	P130770	742330-01232	P137957	742330-01341	P151951
742330-00742	P102052	742330-01001	P119720	742330-01137	P130771	742330-01233	P138037	742330-01343	P153551
742330-00748	P102745	742330-01002	P119778	742330-01138	P130772	742330-01235	P138428	742330-01345	P153562
742330-00765	P103688	742330-01003	P119791	742330-01140	P130776	742330-01237	P138722	742330-01347	P153962
742330-00785	P104445	742330-01009	P120307	742330-01141	P130884	742330-01239	P139293	742330-01348	P153971
742330-00819	P105831	742330-01011	P120320	742330-01142	P130959	742330-01240	P140131	742330-01349	P153972
742330-00820	P105919	742330-01013	P120484	742330-01143	P131231	742330-01241	P140277	742330-01350	P153973
742330-00822	P105958	742330-01017	P120949	742330-01144	P131280	742330-01244	P140681	742330-01352	P154575
742330-00824	P106146	742330-01018	P121036	742330-01145	P131283	742330-01245	P140822	742330-01353	P154686
742330-00832	P106680	742330-01021	P121240	742330-01146	P131321	742330-01246	P141228	742330-01354	P154927
742330-00835	P106950	742330-01023	P121351	742330-01148	P131324	742330-01247	P141278	742330-01357	P155842
742330-00837	P106965	742330-01024	P121378	742330-01150	P131331	742330-01248	P141317	742330-01358	P158050
742330-00838	P107266	742330-01028	P121607	742330-01153	P131335	742330-01249	P141319	742330-01362	P158661
742330-00845	P108158	742330-01029	P121922	742330-01154	P131336	742330-01250	P141320	742330-01363	P158662
742330-00847	P108736	742330-01032	P122115	742330-01155	P131337	742330-01251	P141339	742330-01364	P158663
742330-00861	P110854	742330-01033	P122425	742330-01156	P131338	742330-01253	P142100	742330-01365	P158664
742330-00866	P111098	742330-01034	P122492	742330-01159	P131343	742330-01254	P142792	742330-01366	P158665
742330-00872	P112212	742330-01035	P122510	742330-01160	P131348	742330-01255	P142793	742330-01367	P158666
742330-00882	P112671	742330-01036	P122514	742330-01162	P131357	742330-01256	P142794	742330-01368	P158668
742330-00883	P112775	742330-01040	P122529	742330-01163	P131359	742330-01257	P142795	742330-01369	P158669
742330-00884	P112789	742330-01044	P123007	742330-01165	P131394	742330-01258	P142796	742330-01370	P158670
742330-00886	P113247	742330-01045	P123159	742330-01166	P131395	742330-01259	P142797	742330-01371	P158671
742330-00887	P113330	742330-01046	P123160	742330-01167	P131397	742330-01260	P142798	742330-01372	P158675

UPC Code	Part Number	UPC Code	Part Number	UPC Code	Part Number	UPC Code	Part Number	UPC Code	Part Number
742330-01373	P158676	742330-01464	P161205	742330-01554	P163448	742330-01643	P164592	742330-01732	P165569
742330-01374	P158677	742330-01465	P161222	742330-01555	P163455	742330-01644	P164594	742330-01733	P165584
742330-01375	P158678	742330-01466	P161269	742330-01556	P163472	742330-01645	P164596	742330-01734	P165585
742330-01377	P158852	742330-01467	P161275	742330-01557	P163496	742330-01646	P164598	742330-01735	P165586
742330-01379	P158854	742330-01468	P161277	742330-01558	P163542	742330-01648	P164601	742330-01736	P165587
742330-01380	P158893	742330-01469	P161282	742330-01561	P163552	742330-01650	P164603	742330-01737	P165588
742330-01382	P159036	742330-01472	P161351	742330-01562	P163555	742330-01651	P164697	742330-01738	P165589
742330-01383	P159037	742330-01473	P161365	742330-01563	P163558	742330-01652	P164699	742330-01739	P165626
742330-01385	P159039	742330-01474	P161402	742330-01565	P163567	742330-01653	P164701	742330-01740	P165628
742330-01387	P159548	742330-01475	P161413	742330-01567	P163642	742330-01654	P164703	742330-01741	P165633
742330-01389	P160016	742330-01476	P161464	742330-01568	P163681	742330-01655	P164707	742330-01742	P165659
742330-01390	P160020	742330-01478	P161571	742330-01570	P163858	742330-01656	P164810	742330-01743	P165672
742330-01391	P160024	742330-01479	P161627	742330-01571	P163859	742330-01657	P164812	742330-01744	P165675
742330-01392	P160077	742330-01480	P161632	742330-01574	P163862	742330-01658	P164814	742330-01745	P165705
742330-01393	P160078	742330-01485	P161848	742330-01575	P163903	742330-01659	P164816	742330-01746	P165744
742330-01394	P160105	742330-01486	P161850	742330-01576	P163910	742330-01660	P164851	742330-01747	P165762
742330-01395	P160108	742330-01487	P161851	742330-01577	P163945	742330-01661	P164852	742330-01748	P165778
742330-01396	P160113	742330-01488	P161852	742330-01578	P163947	742330-01662	P164853	742330-01749	P165786
742330-01397	P160116	742330-01489	P161908	742330-01579	P164056	742330-01663	P164884	742330-01750	P165789
742330-01398	P160125	742330-01490	P161917	742330-01580	P164059	742330-01665	P164904	742330-01751	P165875
742330-01400	P160130	742330-01493	P161959	742330-01581	P164164	742330-01666	P164906	742330-01752	P165876
742330-01401	P160137	742330-01494	P161961	742330-01582	P164166	742330-01667	P164917	742330-01753	P165877
742330-01403	P160166	742330-01495	P161969	742330-01583	P164168	742330-01668	P164919	742330-01754	P165878
742330-01404	P160205	742330-01496	P162005	742330-01584	P164170	742330-01669	P164921	742330-01755	P165879
742330-01405	P160208	742330-01497	P162037	742330-01585	P164172	742330-01671	P164992	742330-01756	P165880
742330-01406	P160213	742330-01498	P162104	742330-01586	P164174	742330-01672	P164996	742330-01757	P165973
742330-01407	P160215	742330-01500	P162181	742330-01587	P164176	742330-01673	P165006	742330-01760	P166086
742330-01408	P160216	742330-01501	P162205	742330-01588	P164178	742330-01674	P165015	742330-01761	P166088
742330-01409	P160220	742330-01502	P162233	742330-01591	P164200	742330-01675	P165041	742330-01762	P166134
742330-01410	P160225	742330-01503	P162260	742330-01592	P164203	742330-01676	P165043	742330-01763	P166135
742330-01411	P160229	742330-01507	P162368	742330-01593	P164205	742330-01678	P165106	742330-01764	P166136
742330-01412	P160234	742330-01508	P162400	742330-01594	P164207	742330-01679	P165108	742330-01765	P166167
742330-01414	P160293	742330-01509	P162451	742330-01595	P164215	742330-01680	P165110	742330-01766	P166204
742330-01416	P160316	742330-01511	P162471	742330-01596	P164217	742330-01681	P165112	742330-01767	P166246
742330-01417	P160331	742330-01513	P162581	742330-01597	P164223	742330-01682	P165114	742330-01768	P166254
742330-01418	P160351	742330-01514	P162642	742330-01598	P164225	742330-01683	P165136	742330-01769	P166255
742330-01419	P160353	742330-01516	P162694	742330-01599	P164227	742330-01684	P165138	742330-01770	P166298
742330-01421	P160373	742330-01517	P162696	742330-01600	P164229	742330-01686	P165142	742330-01772	P166374
742330-01424	P160455	742330-01518	P162707	742330-01601	P164241	742330-01687	P165144	742330-01773	P166375
742330-01425	P160470	742330-01519	P162708	742330-01602	P164266	742330-01689	P165149	742330-01774	P166376
742330-01426	P160473	742330-01520	P162716	742330-01603	P164270	742330-01690	P165151	742330-01775	P166387
742330-01427	P160476	742330-01521	P162742	742330-01604	P164277	742330-01693	P165158	742330-01776	P166416
742330-01428	P160479	742330-01522	P162766	742330-01605	P164315	742330-01694	P165160	742330-01777	P166418
742330-01429	P160508	742330-01523	P162777	742330-01606	P164334	742330-01695	P165162	742330-01778	P166439
742330-01430	P160513	742330-01526	P162860	742330-01607	P164341	742330-01697	P165166	742330-01779	P166446
742330-01431	P160516	742330-01528	P162938	742330-01608	P164348	742330-01698	P165168	742330-01780	P166460
742330-01434	P160558	742330-01529	P162953	742330-01609	P164351	742330-01699	P165171	742330-01781	P166461
742330-01435	P160566	742330-01530	P162957	742330-01610	P164352	742330-01701	P165194	742330-01782	P166462
742330-01436	P160574	742330-01531	P163172	742330-01611	P164364	742330-01702	P165231	742330-01784	P166474
742330-01437	P160605	742330-01532	P163173	742330-01612	P164365	742330-01703	P165233	742330-01785	P166481
742330-01438	P160608	742330-01533	P163244	742330-01613	P164367	742330-01705	P165238	742330-01786	P166482
742330-01439	P160613	742330-01534	P163315	742330-01617	P164375	742330-01706	P165239	742330-01787	P166483
742330-01443	P160658	742330-01535	P163322	742330-01618	P164378	742330-01707	P165240	742330-01788	P166508
742330-01444	P160663	742330-01536	P163323	742330-01619	P164381	742330-01709	P165243	742330-01790	P166549
742330-01445	P160666	742330-01537	P163324	742330-01620	P164384	742330-01713	P165248	742330-01791	P166564
742330-01448	P160700	742330-01538	P163405	742330-01621	P164405	742330-01714	P165249	742330-01792	P166597
742330-01449	P160708	742330-01539	P163412	742330-01622	P164413	742330-01716	P165251	742330-01793	P166603
742330-01450	P160710	742330-01540	P163419	742330-01627	P164493	742330-01718	P165314	742330-01794	P166659
742330-01451	P160716	742330-01541	P163425	742330-01628	P164495	742330-01719	P165319	742330-01795	P166660
742330-01452	P160779	742330-01542	P163428	742330-01629	P164556	742330-01721	P165332	742330-01797	P166663
742330-01453	P160807	742330-01543	P163434	742330-01630	P164561	742330-01722	P165335	742330-01798	P166664
742330-01454	P160896	742330-01544	P163435	742330-01632	P164563	742330-01723	P165338	742330-01799	P166665
742330-01455	P161008	742330-01546	P163437	742330-01634	P164565	742330-01724	P165354	742330-01801	P166792
742330-01456	P161010	742330-01547	P163438	742330-01635	P164574	742330-01725	P165378	742330-01802	P166862
742330-01457	P161015	742330-01548	P163439	742330-01636	P164580	742330-01726	P165434	742330-01803	P166902
742330-01458	P161016	742330-01549	P163443	742330-01637	P164583	742330-01727	P165449	742330-01804	P167162
742330-01459	P161059	742330-01552	P163446	742330-01638	P164585	742330-01730	P165507	742330-01805	P167180
742330-01462	P161113	742330-01553	P163447	742330-01639	P164587	742330-01731	P165537	742330-01806	P167181

UPC Code	Part Number	UPC Code	Part Number	UPC Code	Part Number	UPC Code	Part Number	UPC Code	Part Number
742330-01807	P167182	742330-01882	P167943	742330-01967	P169755	742330-02040	P170614	742330-02116	P171194
742330-01808	P167183	742330-01883	P167944	742330-01968	P169757	742330-02041	P170615	742330-02117	P171195
742330-01809	P167184	742330-01884	P167945	742330-01969	P169797	742330-02042	P170617	742330-02118	P171207
742330-01810	P167185	742330-01885	ELF7947S	742330-01970	P169798	742330-02043	P170618	742330-02119	P171208
742330-01811	P167186	742330-01885	ELF7947	742330-01972	P169982	742330-02044	P170619	742330-02120	P171239
742330-01812	P167187	742330-01886	P169012	742330-01973	P169984	742330-02045	P170620	742330-02121	P171240
742330-01813	P167188	742330-01887	P169013	742330-01974	P169985	742330-02046	P170737	742330-02122	P171241
742330-01814	P167201	742330-01888	P169014	742330-01975	EFF0047	742330-02048	P170773	742330-02124	P171243
742330-01816	P167268	742330-01889	P169015	742330-01975	EFF0047S	742330-02049	P170885	742330-02125	P171244
742330-01817	P167270	742330-01890	P169016	742330-01976	P170061	742330-02050	P170886	742330-02126	P171245
742330-01818	P167294	742330-01891	P169017	742330-01977	P170062	742330-02051	P170887	742330-02127	P171246
742330-01819	P167296	742330-01892	P169018	742330-01978	P170063	742330-02052	P170888	742330-02129	P171248
742330-01820	P167297	742330-01893	P169019	742330-01979	P170065	742330-02053	P170889	742330-02130	P171273
742330-01824	P167324	742330-01894	P169020	742330-01980	P170066	742330-02054	P170890	742330-02131	P171274
742330-01826	ELF7405	742330-01897	P169071	742330-01981	P170068	742330-02055	P170891	742330-02132	P171275
742330-01826	ELF7405S	742330-01898	P169077	742330-01982	P170069	742330-02056	P170894	742330-02133	P171276
742330-01827	P167410	742330-01899	P169078	742330-01983	P170072	742330-02057	P170906	742330-02134	P171279
742330-01828	P167411	742330-01900	P169079	742330-01984	P170073	742330-02058	P170949	742330-02135	P171298
742330-01829	P167412	742330-01901	P169081	742330-01985	P170084	742330-02059	P170950	742330-02137	P171310
742330-01830	P167413	742330-01903	P169083	742330-01986	P170085	742330-02060	P171037	742330-02138	P171311
742330-01831	P167414	742330-01904	P169084	742330-01988	P170089	742330-02061	P171045	742330-02139	P171312
742330-01832	P167415	742330-01907	P169091	742330-01989	P170090	742330-02062	P171046	742330-02141	P171314
742330-01834	P167417	742330-01908	EFF9092S	742330-01990	P170092	742330-02063	P171047	742330-02142	P171315
742330-01835	P167425	742330-01908	EFF9092	742330-01991	P170094	742330-02064	P171048	742330-02143	P171316
742330-01836	P167473	742330-01909	P169093	742330-01992	P170095	742330-02067	P171053	742330-02145	P171365
742330-01837	P167514	742330-01912	P169096	742330-01993	P170096	742330-02068	P171054	742330-02146	P171366
742330-01838	P167516	742330-01916	P169309	742330-01994	P170098	742330-02069	P171055	742330-02147	P171367
742330-01839	P167518	742330-01917	P169310	742330-01995	P170099	742330-02070	P171056	742330-02148	P171368
742330-01840	P167520	742330-01918	P169317	742330-01996	P170102	742330-02071	P171060	742330-02149	P171369
742330-01841	P167522	742330-01919	P169320	742330-01998	P170306	742330-02072	P171087	742330-02150	P171370
742330-01842	P167529	742330-01920	P169341	742330-01999	P170307	742330-02074	P171149	742330-02151	P171371
742330-01843	P167574	742330-01921	P169344	742330-02000	P170308	742330-02075	P171150	742330-02152	P171372
742330-01844	P167575	742330-01922	P169392	742330-02001	P170309	742330-02076	P171153	742330-02153	P171373
742330-01845	P167576	742330-01923	P169393	742330-02002	P170310	742330-02077	P171154	742330-02154	P171374
742330-01846	P167577	742330-01924	P169400	742330-02003	P170311	742330-02078	P171155	742330-02155	P171375
742330-01847	P167578	742330-01925	P169424	742330-02004	P170312	742330-02079	P171156	742330-02156	P171376
742330-01848	P167579	742330-01926	P169425	742330-02005	P170313	742330-02080	P171157	742330-02157	P171377
742330-01849	P167580	742330-01927	P169426	742330-02007	P170327	742330-02081	P171158	742330-02158	P171378
742330-01850	P167590	742330-01929	P169429	742330-02010	P170480	742330-02083	P171160	742330-02159	P171379
742330-01851	P167619	742330-01930	P169430	742330-02011	P170481	742330-02084	P171161	742330-02160	P171380
742330-01852	P167621	742330-01931	P169431	742330-02012	P170492	742330-02085	P171162	742330-02161	P171381
742330-01853	ELF7670	742330-01932	P169432	742330-02013	P170586	742330-02086	P171163	742330-02162	P171382
742330-01853	ELF7670S	742330-01933	P169433	742330-02014	P170587	742330-02087	P171164	742330-02163	P171383
742330-01854	P167686	742330-01934	P169434	742330-02015	P170588	742330-02088	P171165	742330-02164	P171384
742330-01855	P167687	742330-01935	P169435	742330-02016	P170589	742330-02089	P171166	742330-02165	P171385
742330-01856	P167766	742330-01936	P169436	742330-02017	P170590	742330-02090	P171167	742330-02166	P171386
742330-01857	P167796	742330-01937	P169437	742330-02018	P170591	742330-02091	P171168	742330-02167	P171387
742330-01858	P167821	742330-01938	P169438	742330-02019	P170592	742330-02092	P171169	742330-02168	P171388
742330-01859	P167822	742330-01943	P169443	742330-02020	P170593	742330-02093	P171170	742330-02169	P171389
742330-01860	P167823	742330-01944	P169444	742330-02021	P170594	742330-02094	P171171	742330-02170	P171390
742330-01861	P167829	742330-01946	P169446	742330-02022	P170595	742330-02095	P171172	742330-02171	P171391
742330-01862	P167830	742330-01948	P169448	742330-02023	P170596	742330-02096	P171173	742330-02172	P171392
742330-01863	P167832	742330-01949	P169449	742330-02024	P170597	742330-02097	P171174	742330-02173	P171393
742330-01865	P167835	742330-01950	P169450	742330-02025	P170598	742330-02098	P171175	742330-02174	P171394
742330-01866	P167836	742330-01951	P169451	742330-02026	P170599	742330-02099	P171176	742330-02175	P171395
742330-01867	P167838	742330-01952	P169452	742330-02027	P170600	742330-02100	P171177	742330-02178	P171412
742330-01868	P167841	742330-01955	P169477	742330-02028	P170601	742330-02101	P171178	742330-02179	P171413
742330-01869	P167842	742330-01956	P169478	742330-02029	P170602	742330-02102	P171179	742330-02180	P171424
742330-01870	P167843	742330-01957	P169553	742330-02030	P170604	742330-02103	P171180	742330-02183	P171454
742330-01871	P167847	742330-01958	P169554	742330-02031	P170605	742330-02104	P171181	742330-02187	P171524
742330-01872	P167848	742330-01959	P169555	742330-02032	P170606	742330-02106	P171183	742330-02188	P171525
742330-01873	P167849	742330-01960	P169556	742330-02033	P170607	742330-02107	P171184	742330-02189	P171526
742330-01875	P167886	742330-01961	P169557	742330-02034	P170608	742330-02108	P171185	742330-02190	P171529
742330-01877	P167888	742330-01962	P169558	742330-02035	P170609	742330-02109	P171186	742330-02191	P171530
742330-01878	P167889	742330-01963	P169559	742330-02036	P170610	742330-02110	P171188	742330-02192	P171531
742330-01879	P167890	742330-01964	P169560	742330-02037	P170611	742330-02112	P171190	742330-02194	P171532
742330-01880	P167891	742330-01965	P169561	742330-02038	P170612	742330-02113	P171191	742330-02195	P171534
742330-01881	P167942	742330-01966	P169562	742330-02039	P170613	742330-02114	P171192	742330-02196	P171535



UPC Code	Part Number	UPC Code	Part Number	UPC Code	Part Number	UPC Code	Part Number	UPC Code	Part Number
742330-02197	P171536	742330-02265	P171807	742330-02335	P173028	742330-02436	P173915	742330-02508	P181001
742330-02198	P171537	742330-02266	P171808	742330-02336	P173029	742330-02437	P173916	742330-02509	P181002
742330-02199	P171538	742330-02267	P171809	742330-02337	P173030	742330-02438	P173917	742330-02510	P181003
742330-02200	P171541	742330-02268	P171810	742330-02338	P173031	742330-02439	P173929	742330-02511	P181004
742330-02201	P171554	742330-02269	P171811	742330-02339	P173032	742330-02441	P173944	742330-02512	P181005
742330-02202	P171555	742330-02270	P171812	742330-02340	P173033	742330-02442	ELF3998S	742330-02513	P181007
742330-02203	P171556	742330-02271	P171813	742330-02341	P173034	742330-02442	ELF3998	742330-02514	P181008
742330-02204	P171559	742330-02272	P171814	742330-02342	P173035	742330-02443	P174243	742330-02515	P181009
742330-02205	P171560	742330-02273	P171815	742330-02343	P173036	742330-02444	P174244	742330-02516	P181010
742330-02206	P171561	742330-02274	P171816	742330-02344	P173037	742330-02445	P174245	742330-02517	P181011
742330-02207	P171562	742330-02275	P171817	742330-02345	P173038	742330-02446	P174246	742330-02518	P181012
742330-02208	P171565	742330-02276	P171818	742330-02346	P173039	742330-02447	P174247	742330-02519	P181013
742330-02209	P171566	742330-02277	P171819	742330-02347	P173040	742330-02448	P174248	742330-02520	P181014
742330-02210	P171567	742330-02278	P171820	742330-02348	P173041	742330-02449	P174249	742330-02521	P181015
742330-02211	P171568	742330-02279	P171821	742330-02349	P173042	742330-02450	P174250	742330-02522	P181016
742330-02212	P171569	742330-02280	P171822	742330-02350	P173043	742330-02451	P174290	742330-02523	P181017
742330-02213	P171570	742330-02281	P171823	742330-02351	P173044	742330-02453	P174292	742330-02524	P181018
742330-02214	P171571	742330-02282	P171824	742330-02352	P173045	742330-02454	P174293	742330-02525	P181019
742330-02215	P171572	742330-02283	P171825	742330-02353	P173046	742330-02455	P174294	742330-02526	P181021
742330-02216	P171573	742330-02284	P171826	742330-02354	P173051	742330-02456	P174295	742330-02527	P181023
742330-02217	P171574	742330-02285	P171827	742330-02355	P173052	742330-02457	P174296	742330-02528	P181024
742330-02218	P171577	742330-02286	P171828	742330-02356	P173053	742330-02458	P174297	742330-02530	P181028
742330-02219	P171578	742330-02287	P171830	742330-02358	P173055	742330-02459	P174298	742330-02531	P181030
742330-02220	P171579	742330-02288	P171831	742330-02360	P173057	742330-02460	P174299	742330-02532	P181031
742330-02221	P171580	742330-02289	P171833	742330-02361	P173058	742330-02461	P174300	742330-02533	P181032
742330-02222	P171583	742330-02290	P171834	742330-02362	P173059	742330-02462	P174301	742330-02534	P181033
742330-02223	P171701	742330-02291	P171836	742330-02363	P173104	742330-02463	P174396	742330-02535	P181034
742330-02224	P171702	742330-02292	P171837	742330-02364	P173105	742330-02464	P174523	742330-02536	P181035
742330-02225	P171703	742330-02293	P171839	742330-02365	P173543	742330-02465	P174524	742330-02537	P181036
742330-02226	P171707	742330-02294	P171840	742330-02366	P173544	742330-02466	P174525	742330-02538	P181037
742330-02227	P171708	742330-02295	P171842	742330-02367	P173545	742330-02467	P174526	742330-02539	P181038
742330-02228	P171709	742330-02296	P171845	742330-02368	P173573	742330-02468	P174527	742330-02540	P181039
742330-02229	P171713	742330-02297	P171846	742330-02369	P173578	742330-02469	P174529	742330-02541	P181040
742330-02230	P171714	742330-02299	P171848	742330-02370	P173579	742330-02470	P174530	742330-02542	P181041
742330-02231	P171715	742330-02300	P171855	742330-02371	P173580	742330-02471	P174531	742330-02543	P181042
742330-02232	P171734	742330-02301	P171856	742330-02372	P173581	742330-02472	P174532	742330-02544	P181043
742330-02233	P171735	742330-02302	P171859	742330-02373	P173582	742330-02473	P174533	742330-02545	P181044
742330-02234	P171736	742330-02303	P171913	742330-02374	P173583	742330-02474	P174534	742330-02546	P181045
742330-02235	P171737	742330-02304	P171918	742330-02375	P173584	742330-02475	P174535	742330-02547	P181046
742330-02236	P171738	742330-02305	P171920	742330-02376	P173585	742330-02476	P174536	742330-02548	P181047
742330-02237	P171739	742330-02306	P171921	742330-02382	P173591	742330-02477	P174537	742330-02549	P181048
742330-02238	P171742	742330-02307	P171922	742330-02383	P173592	742330-02478	P174538	742330-02550	P181049
742330-02239	P171743	742330-02308	P171945	742330-02387	P173596	742330-02479	P174539	742330-02551	P181050
742330-02240	P171744	742330-02309	P171947	742330-02388	P173597	742330-02480	P174540	742330-02552	P181052
742330-02241	P171745	742330-02310	P171953	742330-02391	P173600	742330-02484	P174544	742330-02553	P181053
742330-02242	P171746	742330-02311	P171954	742330-02401	P173610	742330-02485	P174545	742330-02554	P181054
742330-02243	P171747	742330-02312	P171956	742330-02403	P173613	742330-02486	P174546	742330-02555	P181055
742330-02244	P171748	742330-02313	P171958	742330-02404	P173614	742330-02487	P174547	742330-02556	P181056
742330-02245	P171787	742330-02314	P171959	742330-02405	P173615	742330-02488	P174548	742330-02557	P181057
742330-02246	P171788	742330-02315	P171966	742330-02407	P173617	742330-02489	P174552	742330-02558	P181058
742330-02247	P171789	742330-02316	P171967	742330-02408	P173618	742330-02490	P174559	742330-02559	P181059
742330-02248	P171790	742330-02317	P172460	742330-02411	P173621	742330-02491	P174560	742330-02560	P181060
742330-02249	P171791	742330-02318	P172461	742330-02412	P173622	742330-02492	P174561	742330-02561	P181061
742330-02250	P171792	742330-02319	P172462	742330-02413	P173623	742330-02493	P174562	742330-02562	P181062
742330-02251	P171793	742330-02320	P172463	742330-02415	P173625	742330-02494	P174563	742330-02563	P181063
742330-02252	P171794	742330-02321	P172464	742330-02421	P173736	742330-02495	P174564	742330-02564	P181064
742330-02253	P171795	742330-02322	P172465	742330-02422	P173737	742330-02496	P174565	742330-02565	P181065
742330-02254	P171796	742330-02323	P172466	742330-02423	P173738	742330-02497	P174566	742330-02566	P181066
742330-02255	P171797	742330-02324	P172467	742330-02424	P173739	742330-02498	P174567	742330-02568	P181068
742330-02256	P171798	742330-02325	P172468	742330-02426	P173760	742330-02499	P174568	742330-02569	P181070
742330-02257	P171799	742330-02327	P172969	742330-02427	P173780	742330-02500	P174569	742330-02570	P181071
742330-02258	P171800	742330-02328	P172970	742330-02428	P173781	742330-02501	P174570	742330-02571	P181072
742330-02259	P171801	742330-02329	P172971	742330-02429	P173893	742330-02502	P174571	742330-02572	P181073
742330-02260	P171802	742330-02330	P172972	742330-02431	P173910	742330-02503	P174572	742330-02573	P181074
742330-02261	P171803	742330-02331	P172973	742330-02432	P173911	742330-02504	P174573	742330-02574	P181075
742330-02262	P171804	742330-02332	P172974	742330-02433	P173912	742330-02505	P174610	742330-02575	P181076
742330-02263	P171805	742330-02333	P172975	742330-02434	P173913	742330-02506	P174611	742330-02576	P181077
742330-02264	P171806	742330-02334	P173027	742330-02435	P173914	742330-02507	P181000	742330-02577	P181078

UPC Code	Part Number	UPC Code	Part Number	UPC Code	Part Number	UPC Code	Part Number	UPC Code	Part Number
742330-02578	P181079	742330-02647	P182000	742330-03268	P270332	742330-03377	P524395	742330-03559	P525664
742330-02579	P181080	742330-02648	P182001	742330-03269	P270333	742330-03378	P524396	742330-03560	P525665
742330-02580	P181082	742330-02649	P182002	742330-03272	P270336	742330-03379	P524397	742330-03561	P525666
742330-02581	P181084	742330-02653	P182007	742330-03294	P520450	742330-03380	P524398	742330-03566	P525671
742330-02582	P181086	742330-02654	P182008	742330-03295	P520508	742330-03381	P524401	742330-03571	P525676
742330-02583	P181087	742330-02655	P182009	742330-03296	P520509	742330-03384	P524738	742330-03577	P525683
742330-02584	P181088	742330-02658	P182012	742330-03297	P520510	742330-03385	P524815	742330-03588	P525694
742330-02585	P181089	742330-02659	P182013	742330-03298	P520511	742330-03386	P524831	742330-03589	P525695
742330-02586	P181090	742330-02660	P182014	742330-03299	P520582	742330-03387	P524835	742330-03591	P525697
742330-02587	P181091	742330-02661	P182015	742330-03300	P520620	742330-03388	P524837	742330-03593	P525699
742330-02588	P181092	742330-02662	P182016	742330-03304	P520925	742330-03389	P524838	742330-03595	P525702
742330-02589	P181093	742330-02663	P182017	742330-03305	P521055	742330-03390	P525026	742330-03598	P525705
742330-02590	P181095	742330-02665	P182021	742330-03306	P521598	742330-03391	P525129	742330-03601	P525708
742330-02591	P181096	742330-02668	P182028	742330-03313	P521686	742330-03392	P525130	742330-03605	P525712
742330-02592	P181097	742330-02669	P182031	742330-03314	P521692	742330-03393	P525184	742330-03606	P525714
742330-02593	P181098	742330-02670	P182032	742330-03315	P521847	742330-03394	P525185	742330-03607	P525715
742330-02594	P181099	742330-02671	P182033	742330-03318	P522293	742330-03395	P525186	742330-03608	P525716
742330-02595	P181100	742330-02672	P182034	742330-03320	P522449	742330-03396	P525187	742330-03609	P525717
742330-02596	P181102	742330-02673	P182035	742330-03321	P522450	742330-03397	P525188	742330-03610	P525718
742330-02597	P181103	742330-02674	P182036	742330-03322	P522451	742330-03399	P525190	742330-03611	P525720
742330-02598	P181104	742330-02675	P182037	742330-03323	P522452	742330-03400	P525191	742330-03614	P525723
742330-02599	P181105	742330-02676	P182038	742330-03326	P522874	742330-03401	P525192	742330-03616	P525725
742330-02600	P181106	742330-02677	P182039	742330-03327	P522926	742330-03402	P525193	742330-03621	P525730
742330-02601	P181107	742330-02678	P182040	742330-03329	P523048	742330-03403	P525194	742330-03627	P525736
742330-02602	P181108	742330-02679	P182041	742330-03331	P524344	742330-03406	P525197	742330-03635	P525744
742330-02603	P181109	742330-02680	P182042	742330-03332	P524346	742330-03408	P525199	742330-03638	P525747
742330-02604	P181113	742330-02681	P182043	742330-03333	P524347	742330-03409	P525200	742330-03645	P525754
742330-02605	P181114	742330-02682	P182044	742330-03334	P524348	742330-03413	P525204	742330-03649	P525758
742330-02606	P181115	742330-02683	P182045	742330-03335	P524349	742330-03414	P525205	742330-03659	P525768
742330-02607	P181118	742330-02684	P182046	742330-03336	P524350	742330-03415	P525206	742330-03660	P525769
742330-02608	P181119	742330-02685	P182048	742330-03337	P524351	742330-03417	P525208	742330-03661	P525770
742330-02609	P181120	742330-02686	P182049	742330-03338	P524353	742330-03418	P525209	742330-03664	P525943
742330-02610	P181123	742330-02687	P182050	742330-03339	P524354	742330-03419	P525210	742330-03665	P525944
742330-02611	P181124	742330-02688	P182052	742330-03340	P524355	742330-03420	P525211	742330-03667	P526407
742330-02612	P181125	742330-02690	P182054	742330-03341	P524356	742330-03421	P525212	742330-03668	P526408
742330-02613	P181126	742330-02691	P182055	742330-03342	P524357	742330-03422	P525213	742330-03669	P526410
742330-02614	P181128	742330-02692	P182059	742330-03343	P524358	742330-03423	P525214	742330-03670	P526411
742330-02615	P181129	742330-02694	P182062	742330-03344	P524359	742330-03426	P525243	742330-03671	P526412
742330-02616	P181130	742330-02695	P182063	742330-03345	P524360	742330-03431	P525529	742330-03672	P526413
742330-02617	P181131	742330-02696	P182064	742330-03346	P524361	742330-03432	P525530	742330-03673	P526415
742330-02618	P181132	742330-02697	P182068	742330-03347	P524362	742330-03440	P525538	742330-03674	P526416
742330-02619	P181133	742330-02698	P182070	742330-03348	P524365	742330-03444	P525542	742330-03675	P526428
742330-02620	P181134	742330-02699	P182071	742330-03349	P524366	742330-03454	P525553	742330-03676	P526432
742330-02621	P181136	742330-02700	P182072	742330-03350	P524367	742330-03456	P525555	742330-03677	P526433
742330-02622	P181137	742330-02701	P182078	742330-03351	P524368	742330-03460	P525559	742330-03678	P526488
742330-02623	P181139	742330-02702	P182080	742330-03352	P524369	742330-03462	P525561	742330-03679	P526489
742330-02624	P181141	742330-02703	P182090	742330-03353	P524370	742330-03469	P525568	742330-03681	P526491
742330-02625	P181142	742330-02704	P182091	742330-03354	P524371	742330-03499	P525601	742330-03682	P526492
742330-02626	P181146	742330-02705	P182092	742330-03355	P524372	742330-03500	P525602	742330-03683	P526493
742330-02627	P181147	742330-02706	P182095	742330-03356	P524373	742330-03501	P525603	742330-03684	P526496
742330-02629	P181149	742330-02707	P182096	742330-03357	P524374	742330-03502	P525604	742330-03685	P526497
742330-02630	P181162	742330-02708	P182099	742330-03358	P524375	742330-03507	P525609	742330-03686	P526498
742330-02631	P181163	742330-02709	P182146	742330-03359	P524376	742330-03511	P525613	742330-03687	P526499
742330-02632	P181165	742330-02711	P182185	742330-03360	P524377	742330-03523	P525626	742330-03688	P526500
742330-02633	P181166	742330-02713	EA5000	742330-03361	P524378	742330-03528	P525631	742330-03689	P526501
742330-02634	P181183	742330-02714	EA5001	742330-03362	P524379	742330-03529	P525632	742330-03691	P526504
742330-02635	P181185	742330-02715	EA5002	742330-03363	P524380	742330-03532	P525635	742330-03692	P526505
742330-02636	P181186	742330-02746	EA5034	742330-03365	P524382	742330-03536	P525640	742330-03693	P526506
742330-02637	P181187	742330-02747	EA5035	742330-03366	P524383	742330-03537	P525641	742330-03694	P526507
742330-02638	P181188	742330-02750	EA5038	742330-03367	P524384	742330-03543	P525648	742330-03695	P526509
742330-02639	P181189	742330-02751	EA5039	742330-03368	P524386	742330-03546	P525651	742330-03696	P526510
742330-02640	P181191	742330-02752	EA5040	742330-03370	P524388	742330-03547	P525652	742330-03697	P526511
742330-02641	P181193	742330-02753	EA5041	742330-03371	P524389	742330-03548	P525653	742330-03698	P526512
742330-02642	P181200	742330-02754	EA5042	742330-03372	P524390	742330-03549	P525654	742330-03699	P526513
742330-02643	P181204	742330-02755	EA5043	742330-03373	P524391	742330-03550	P525655	742330-03700	P526514
742330-02644	P181205	742330-02756	EA5044	742330-03374	P524392	742330-03551	P525656	742330-03701	P526678
742330-02645	P181208	742330-02758	EA5046	742330-03375	P524393	742330-03555	P525660	742330-03702	P526749
742330-02646	P181210	742330-02761	EA5049	742330-03376	P524394	742330-03557	P525662	742330-03704	P526753

UPC Code	Part Number	UPC Code	Part Number	UPC Code	Part Number	UPC Code	Part Number	UPC Code	Part Number
742330-03706	P526756	742330-03792	P530755	742330-03959	P534105	742330-04050	P550057	742330-04124	P550165
742330-03707	P526801	742330-03794	P530757	742330-03963	P534816	742330-04051	P550058	742330-04125	P550166
742330-03708	P526839	742330-03796	P530759	742330-03966	P534925	742330-04052	P550059	742330-04126	P550168
742330-03709	P526840	742330-03809	P530772	742330-03969	P535089	742330-04053	P550060	742330-04127	P550170
742330-03710	P526841	742330-03811	P530775	742330-03970	P535114	742330-04054	P550061	742330-04128	P550171
742330-03711	P526848	742330-03817	P530781	742330-03971	P535115	742330-04055	P550062	742330-04129	P550172
742330-03712	P526864	742330-03819	P530783	742330-03973	P535360	742330-04057	P550064	742330-04130	P550173
742330-03713	P526873	742330-03826	P530790	742330-03974	P535361	742330-04058	P550065	742330-04131	P550174
742330-03716	P526911	742330-03827	P530791	742330-03975	P535362	742330-04059	P550066	742330-04132	P550179
742330-03717	P526966	742330-03831	P530795	742330-03977	P535364	742330-04060	P550067	742330-04133	P550181
742330-03719	P527484	742330-03836	P530800	742330-03978	P535365	742330-04061	P550068	742330-04134	P550182
742330-03720	P527530	742330-03837	P530801	742330-03979	P535366	742330-04062	P550069	742330-04135	P550183
742330-03721	P527566	742330-03846	P530810	742330-03984	P535596	742330-04063	P550070	742330-04136	P550184
742330-03722	P527586	742330-03851	P530815	742330-03985	P535597	742330-04064	P550071	742330-04137	P550185
742330-03723	P527595	742330-03854	P530818	742330-03987	P535717	742330-04065	P550073	742330-04138	P550186
742330-03724	P527596	742330-03858	P530866	742330-03989	P535770	742330-04066	P550074	742330-04139	P550188
742330-03725	P527680	742330-03859	P530949	742330-03992	P536425	742330-04067	P550076	742330-04140	P550190
742330-03726	P527682	742330-03860	P530950	742330-03994	P536427	742330-04068	P550077	742330-04141	P550192
742330-03727	P527683	742330-03861	P531017	742330-03995	P536428	742330-04069	P550078	742330-04142	P550194
742330-03728	P527829	742330-03862	P531026	742330-03996	P536429	742330-04070	P550079	742330-04143	P550196
742330-03729	P527957	742330-03863	P531377	742330-03997	P536430	742330-04071	P550080	742330-04145	P550198
742330-03730	P528205	742330-03864	P531751	742330-03998	P536431	742330-04072	P550082	742330-04146	P550199
742330-03731	P528206	742330-03865	P531772	742330-04000	P536433	742330-04073	P550083	742330-04147	P550200
742330-03733	P528209	742330-03869	P532410	742330-04001	P536434	742330-04074	P550084	742330-04148	P550201
742330-03734	P528211	742330-03870	P532473	742330-04003	P536457	742330-04075	P550085	742330-04149	P550202
742330-03735	P528212	742330-03871	P532474	742330-04004	P536492	742330-04076	P550086	742330-04150	P550203
742330-03736	P528213	742330-03873	P532499	742330-04005	P536493	742330-04077	P550087	742330-04151	P550209
742330-03737	P528215	742330-03874	P532500	742330-04006	P536527	742330-04078	P550088	742330-04152	P550210
742330-03738	P528216	742330-03875	P532501	742330-04007	P536529	742330-04079	P550089	742330-04153	P550212
742330-03740	P528219	742330-03876	P532502	742330-04008	P536940	742330-04080	P550090	742330-04154	P550213
742330-03741	P528220	742330-03877	P532503	742330-04009	P536941	742330-04081	P550091	742330-04155	P550214
742330-03742	P528221	742330-03878	P532504	742330-04010	P550007	742330-04082	P550092	742330-04156	P550215
742330-03743	P528223	742330-03879	P532505	742330-04011	P550008	742330-04083	P550093	742330-04157	P550216
742330-03744	P528224	742330-03880	P532506	742330-04012	P550010	742330-04084	P550094	742330-04158	P550218
742330-03745	P528225	742330-03881	P532507	742330-04013	P550012	742330-04085	P550095	742330-04159	P550219
742330-03746	P528226	742330-03882	P532508	742330-04014	P550015	742330-04086	P550096	742330-04160	P550222
742330-03747	P528227	742330-03883	P532509	742330-04015	P550016	742330-04087	P550097	742330-04161	P550223
742330-03748	P528228	742330-03884	P532510	742330-04016	P550017	742330-04088	P550098	742330-04162	P550224
742330-03749	P528231	742330-03887	P532703	742330-04017	P550018	742330-04089	P550104	742330-04163	P550225
742330-03750	P528232	742330-03920	P533109	742330-04019	P550020	742330-04090	P550105	742330-04164	P550226
742330-03751	P528234	742330-03921	P533110	742330-04020	P550021	742330-04091	P550106	742330-04165	P550227
742330-03752	P528235	742330-03922	P533230	742330-04021	P550022	742330-04092	P550108	742330-04166	P550229
742330-03753	P528236	742330-03923	P500110	742330-04022	P550023	742330-04093	P550109	742330-04167	P550230
742330-03754	P528464	742330-03924	P533232	742330-04023	P550024	742330-04094	P550110	742330-04169	P550232
742330-03755	P528465	742330-03925	P533233	742330-04024	P550025	742330-04095	P550111	742330-04173	P550242
742330-03756	P528708	742330-03926	P533234	742330-04025	P550026	742330-04096	P550115	742330-04178	P550248
742330-03757	P528722	742330-03927	P533235	742330-04026	P550028	742330-04097	P550117	742330-04179	P550249
742330-03759	P529240	742330-03929	P533257	742330-04027	P550032	742330-04098	P550118	742330-04180	P550250
742330-03760	P529241	742330-03930	P533308	742330-04028	P550034	742330-04099	P550120	742330-04181	P550251
742330-03761	P529552	742330-03931	P533381	742330-04029	P550035	742330-04103	P550125	742330-04182	P550252
742330-03762	P530300	742330-03933	P533443	742330-04031	P550037	742330-04104	P550126	742330-04183	P550253
742330-03763	P530355	742330-03934	P533444	742330-04032	P550038	742330-04105	P550127	742330-04185	P550255
742330-03767	P530628	742330-03935	P533445	742330-04033	P550039	742330-04106	P550128	742330-04186	P550256
742330-03769	P530630	742330-03936	P533446	742330-04034	P550040	742330-04107	P550132	742330-04190	P550261
742330-03770	P530631	742330-03938	P533559	742330-04035	P550041	742330-04108	P550133	742330-04192	P550263
742330-03772	P530633	742330-03939	P533597	742330-04036	P550042	742330-04109	P550134	742330-04193	P550264
742330-03773	P530634	742330-03941	P533599	742330-04037	P550043	742330-04110	P550136	742330-04194	P550265
742330-03774	P530635	742330-03942	P533651	742330-04038	P550044	742330-04111	P550138	742330-04196	P550267
742330-03775	P530636	742330-03943	P533652	742330-04039	P550045	742330-04112	P550140	742330-04197	P550268
742330-03776	P530637	742330-03944	P533653	742330-04041	P550047	742330-04113	P550141	742330-04198	P550269
742330-03778	P530639	742330-03945	P533654	742330-04042	P550048	742330-04114	P550147	742330-04199	P550274
742330-03780	P530641	742330-03946	P533655	742330-04043	P550049	742330-04115	P550148	742330-04200	P550275
742330-03781	P530642	742330-03948	P533723	742330-04044	P550050	742330-04116	P550152	742330-04201	P550276
742330-03782	P530643	742330-03950	P533781	742330-04045	P550051	742330-04117	P550154	742330-04202	P550282
742330-03783	P530644	742330-03953	P533882	742330-04046	P550052	742330-04119	P550157	742330-04203	P550283
742330-03784	P530645	742330-03954	P533884	742330-04047	P550054	742330-04120	P550158	742330-04204	P550284
742330-03788	P530744	742330-03957	P534096	742330-04048	P550055	742330-04121	P550159	742330-04205	P550286
742330-03789	P530745	742330-03958	P534104	742330-04049	P550056	742330-04122	P550162	742330-04206	P550289

UPC Code	Part Number	UPC Code	Part Number	UPC Code	Part Number	UPC Code	Part Number	UPC Code	Part Number
742330-04207	P550300	742330-04285	P550685	742330-04364	P551106	742330-04439	P553411	742330-04520	P556287
742330-04208	P550308	742330-04286	P550686	742330-04365	P551127	742330-04440	P553634	742330-04521	P556700
742330-04209	P550309	742330-04287	P550687	742330-04366	P551130	742330-04441	P553693	742330-04522	P556745
742330-04210	P550310	742330-04288	P550688	742330-04368	P551142	742330-04442	P553712	742330-04523	P556915
742330-04211	P550311	742330-04289	P550689	742330-04369	P551158	742330-04443	P553746	742330-04524	P556916
742330-04215	P550315	742330-04290	P550690	742330-04370	P551160	742330-04444	P553771	742330-04525	P557104
742330-04216	P550316	742330-04291	P550691	742330-04371	P551201	742330-04446	P553854	742330-04526	P557106
742330-04217	P550317	742330-04293	P550695	742330-04372	P551210	742330-04447	P553855	742330-04527	P557112
742330-04218	P550318	742330-04294	P550696	742330-04373	P551280	742330-04448	P553871	742330-04528	P557115
742330-04219	P550319	742330-04295	P550697	742330-04374	P551290	742330-04449	P553925	742330-04529	P557117
742330-04220	P550320	742330-04296	P550698	742330-04375	P551331	742330-04450	P554004	742330-04530	P557124
742330-04221	P550325	742330-04297	P550699	742330-04376	P551369	742330-04451	P554005	742330-04531	P557146
742330-04223	P550335	742330-04298	P550700	742330-04377	P551381	742330-04456	P554056	742330-04532	P557151
742330-04224	P550341	742330-04299	P550701	742330-04378	P551475	742330-04457	P554071	742330-04533	P557153
742330-04225	P550342	742330-04300	P550702	742330-04379	P551550	742330-04458	P554072	742330-04534	P557156
742330-04227	P550345	742330-04303	P550705	742330-04380	P551551	742330-04459	P554073	742330-04535	P557159
742330-04228	P550346	742330-04304	P550707	742330-04381	P551553	742330-04460	P554074	742330-04536	P557169
742330-04229	P550347	742330-04305	P550708	742330-04382	P551554	742330-04461	P554075	742330-04537	P557207
742330-04230	P550348	742330-04306	P550710	742330-04383	P551603	742330-04462	P554105	742330-04539	P557264
742330-04231	P550350	742330-04307	P550711	742330-04384	P551604	742330-04463	P554136	742330-04540	P557373
742330-04232	P550351	742330-04308	P550712	742330-04385	P551605	742330-04464	P554206	742330-04541	P557380
742330-04233	P550352	742330-04309	P550713	742330-04386	P551624	742330-04465	P554347	742330-04542	P557424
742330-04234	P550367	742330-04310	P550714	742330-04387	P551670	742330-04466	P554400	742330-04543	P557440
742330-04235	P550368	742330-04311	P550715	742330-04388	P551712	742330-04467	P554403	742330-04544	P557500
742330-04237	P550371	742330-04312	P550716	742330-04389	P551740	742330-04468	P554408	742330-04546	P557780
742330-04238	P550372	742330-04314	P550718	742330-04390	P551915	742330-04469	P554422	742330-04547	P557826
742330-04239	P550386	742330-04315	P550719	742330-04391	P552000	742330-04470	P554620	742330-04548	P557841
742330-04240	P550387	742330-04320	P550726	742330-04392	P552010	742330-04471	P554636	742330-04549	P558000
742330-04241	P550388	742330-04321	P550727	742330-04393	P552015	742330-04472	P554685	742330-04550	P558010
742330-04242	P550393	742330-04322	P550729	742330-04394	P552020	742330-04473	P554731	742330-04551	P558020
742330-04243	P550400	742330-04323	P550730	742330-04395	P552022	742330-04475	P554770	742330-04552	P558030
742330-04244	P550410	742330-04324	P550731	742330-04397	P552040	742330-04476	P554860	742330-04553	P558040
742330-04245	P550427	742330-04326	P550750	742330-04398	P552041	742330-04478	P555001	742330-04554	P558050
742330-04246	P550431	742330-04327	P550751	742330-04399	P552055	742330-04479	P555002	742330-04555	P558250
742330-04248	P550440	742330-04328	P550777	742330-04401	P552070	742330-04480	P555003	742330-04556	P558329
742330-04249	P550454	742330-04329	P550784	742330-04402	P552071	742330-04481	P555004	742330-04557	P558425
742330-04250	P550470	742330-04330	P550811	742330-04403	P552072	742330-04483	P555006	742330-04558	P558462
742330-04251	P550471	742330-04331	P550816	742330-04404	P552073	742330-04485	P555010	742330-04559	P558467
742330-04252	P550474	742330-04332	P550832	742330-04405	P552074	742330-04487	P555020	742330-04560	P558600
742330-04253	P550475	742330-04333	P550860	742330-04406	P552075	742330-04488	P555030	742330-04561	P558615
742330-04254	P550484	742330-04334	P550861	742330-04407	P552076	742330-04489	P555040	742330-04562	P558616
742330-04255	P550485	742330-04335	P550868	742330-04409	P552100	742330-04491	P555060	742330-04564	P558792
742330-04256	P550487	742330-04336	P550882	742330-04410	P552106	742330-04493	P555088	742330-04565	P558877
742330-04257	P550500	742330-04337	P550888	742330-04412	P552250	742330-04494	P555095	742330-04566	P559001
742330-04258	P550516	742330-04338	P550928	742330-04413	P552251	742330-04495	P555110	742330-04567	P559002
742330-04259	P550522	742330-04339	P550936	742330-04414	P552253	742330-04496	P555150	742330-04568	P559003
742330-04260	P550523	742330-04340	P550943	742330-04415	P552290	742330-04497	P555400	742330-04569	P559004
742330-04261	P550534	742330-04341	P550944	742330-04416	P552311	742330-04498	P555422	742330-04570	P559007
742330-04262	P550540	742330-04342	P550947	742330-04417	P552341	742330-04499	P555461	742330-04571	P559008
742330-04263	P550541	742330-04343	P550951	742330-04418	P552518	742330-04500	P555522	742330-04572	P559009
742330-04264	P550552	742330-04344	P550955	742330-04419	P552561	742330-04501	P555570	742330-04573	P559010
742330-04265	P550580	742330-04345	P550958	742330-04420	P552562	742330-04503	P555603	742330-04574	P559011
742330-04266	P550587	742330-04346	P550959	742330-04421	P552563	742330-04504	P555616	742330-04577	P559014
742330-04267	P550588	742330-04347	P550960	742330-04422	P552564	742330-04505	P555625	742330-04578	P559015
742330-04268	P550613	742330-04349	P550962	742330-04423	P552603	742330-04506	P555627	742330-04579	P559016
742330-04270	P550637	742330-04350	P550963	742330-04424	P552819	742330-04507	P555680	742330-04580	P559017
742330-04271	P550654	742330-04351	P550964	742330-04425	P552849	742330-04508	P555823	742330-04581	P559018
742330-04272	P550671	742330-04352	P550965	742330-04426	P552850	742330-04509	P555935	742330-04582	P559019
742330-04273	P550672	742330-04353	P550966	742330-04427	P553000	742330-04510	P556001	742330-04583	P559020
742330-04274	P550673	742330-04354	P550967	742330-04428	P553004	742330-04511	P556004	742330-04585	P559022
742330-04275	P550674	742330-04355	P550968	742330-04429	P553080	742330-04512	P556005	742330-04586	P559023
742330-04277	P550677	742330-04356	P550969	742330-04430	P553191	742330-04513	P556007	742330-04587	P559024
742330-04278	P550678	742330-04357	P551000	742330-04433	P553261	742330-04514	P556064	742330-04588	P559025
742330-04279	P550679	742330-04358	P551001	742330-04434	P553293	742330-04515	P556219	742330-04589	P559026
742330-04281	P550681	742330-04359	P551014	742330-04435	P553315	742330-04516	P556220	742330-04590	P559027
742330-04282	P550682	742330-04360	P551049	742330-04436	P553335	742330-04517	P556245	742330-04591	P559028
742330-04283	P550683	742330-04361	P551054	742330-04437	P553375	742330-04518	P556285	742330-04592	P559029
742330-04284	P550684	742330-04363	P551102	742330-04438	P553404	742330-04519	P556286	742330-04593	P559030



UPC Code	Part Number	UPC Code	Part Number	UPC Code	Part Number	UPC Code	Part Number	UPC Code	Part Number
742330-04594	P559031	742330-04664	P559222	742330-04736	P771504	742330-04809	P772545	742330-04885	P776636
742330-04595	P559032	742330-04665	P559235	742330-04737	P771505	742330-04810	P772549	742330-04886	P776730
742330-04596	P559033	742330-04666	P559236	742330-04739	P771508	742330-04811	P772550	742330-04887	P776765
742330-04597	P559034	742330-04667	P559237	742330-04740	P771509	742330-04812	P772552	742330-04888	P776830
742330-04598	P559035	742330-04668	P559238	742330-04741	P771510	742330-04813	P772553	742330-04889	P776837
742330-04599	P559036	742330-04669	P559239	742330-04742	P771511	742330-04814	P772555	742330-04890	P776895
742330-04600	P559037	742330-04670	P559240	742330-04743	P771512	742330-04815	P772556	742330-04891	P776993
742330-04601	P559038	742330-04671	P559242	742330-04744	P771514	742330-04816	P772564	742330-04892	P776995
742330-04602	P559039	742330-04672	P559243	742330-04746	P771516	742330-04817	P772565	742330-04893	P814723
742330-04603	P559043	742330-04673	P559244	742330-04747	P771520	742330-04818	P772567	742330-04894	P814749
742330-04604	P559044	742330-04674	P559245	742330-04748	P771521	742330-04819	P772577	742330-04895	P815288
742330-04605	P559045	742330-04675	P559246	742330-04749	P771522	742330-04820	P772578	742330-04896	P821575
742330-04606	P559046	742330-04676	P559247	742330-04750	P771523	742330-04821	P772579	742330-04897	P821883
742330-04607	P559047	742330-04677	P559248	742330-04751	P771524	742330-04822	P772580	742330-04898	P821908
742330-04608	P559048	742330-04678	P559249	742330-04752	P771527	742330-04823	P772581	742330-04899	P821938
742330-04609	P559049	742330-04679	P559250	742330-04753	P771529	742330-04824	P772585	742330-04900	P821963
742330-04610	P559050	742330-04680	P559251	742330-04754	P771530	742330-04825	P772586	742330-04901	P822686
742330-04611	P559051	742330-04681	P559252	742330-04755	P771531	742330-04826	P772587	742330-04902	P822768
742330-04612	P559052	742330-04682	P559254	742330-04756	P771532	742330-04827	P772597	742330-04903	P822769
742330-04613	P559053	742330-04683	P559255	742330-04757	P771537	742330-04828	P773605	742330-04904	P822858
742330-04614	P559054	742330-04684	P559256	742330-04758	P771538	742330-04829	P775026	742330-04905	P827653
742330-04615	P559055	742330-04685	P559257	742330-04759	P771540	742330-04831	P775298	742330-04906	P828889
742330-04616	P559056	742330-04686	P559258	742330-04760	P771542	742330-04832	P775300	742330-04907	P829332
742330-04617	P559059	742330-04687	P559259	742330-04761	P771544	742330-04833	P775302	742330-04908	P829333
742330-04618	P559063	742330-04688	P559260	742330-04762	P771545	742330-04834	P775339	742330-04909	P831424
742330-04619	P559069	742330-04689	P559261	742330-04763	P771547	742330-04842	P775373	742330-04912	P920681
742330-04620	P559070	742330-04690	P559262	742330-04764	P771548	742330-04843	P775457	742330-04913	P920682
742330-04621	P559074	742330-04691	P559263	742330-04765	P771549	742330-04844	P775500	742330-04914	P920683
742330-04622	P559075	742330-04692	P559264	742330-04767	P771551	742330-04845	P775510	742330-04915	P920711
742330-04623	P559076	742330-04693	P559265	742330-04768	P771552	742330-04846	P775631	742330-04916	P920730
742330-04624	P559078	742330-04694	P559266	742330-04769	P771553	742330-04847	P775681	742330-04917	R800103
742330-04625	P559079	742330-04695	P559267	742330-04770	P771555	742330-04848	P775687	742330-04919	R804523
742330-04626	P559080	742330-04696	P559268	742330-04771	P771556	742330-04849	P775688	742330-04920	R804759
742330-04628	P559083	742330-04697	P559269	742330-04772	P771557	742330-04850	P775704	742330-05011	X005582
742330-04629	P559085	742330-04698	P559270	742330-04773	P771558	742330-04851	P775732	742330-05012	X005820
742330-04630	P559086	742330-04699	P559271	742330-04775	P771560	742330-04852	P775749	742330-05026	X006136
742330-04631	P559087	742330-04700	P559272	742330-04776	P771561	742330-04853	P775792	742330-05027	X006137
742330-04632	P559088	742330-04701	P559273	742330-04777	P771563	742330-04854	P775804	742330-05028	X006138
742330-04633	P559089	742330-04702	P559274	742330-04778	P771572	742330-04855	P775843	742330-05043	X006229
742330-04634	P559090	742330-04703	P559275	742330-04779	P771573	742330-04856	P775896	742330-05044	X006244
742330-04635	P559091	742330-04704	P559276	742330-04781	P771575	742330-04857	P775918	742330-05045	X006245
742330-04636	P559092	742330-04705	P559277	742330-04782	P771576	742330-04858	P775945	742330-05046	X006246
742330-04637	P559093	742330-04706	P559278	742330-04783	P771582	742330-04859	P776019	742330-05047	X006247
742330-04638	P559094	742330-04707	P559279	742330-04784	P771583	742330-04860	P776102	742330-05048	X006249
742330-04639	P559095	742330-04708	P559280	742330-04785	P771584	742330-04861	P776157	742330-05050	X006251
742330-04640	P559096	742330-04709	P559281	742330-04786	P771588	742330-04862	P776158	742330-05051	X006252
742330-04641	P559097	742330-04710	P559282	742330-04787	P771589	742330-04863	P776159	742330-05052	X006253
742330-04642	P559098	742330-04711	P559283	742330-04788	P771590	742330-04864	P776198	742330-05053	X006254
742330-04643	P559100	742330-04712	P559289	742330-04789	P771591	742330-04865	P776252	742330-05057	X006986
742330-04644	P559200	742330-04713	P559418	742330-04790	P771593	742330-04866	P776260	742330-05060	X007030
742330-04645	P559201	742330-04714	P559419	742330-04791	P771594	742330-04867	P776286	742330-05063	X007033
742330-04646	P559202	742330-04716	P559434	742330-04792	P771595	742330-04868	P776302	742330-05064	X007036
742330-04647	P559203	742330-04717	P559624	742330-04793	P772503	742330-04869	P776303	742330-05065	X007037
742330-04648	P559204	742330-04718	P559740	742330-04794	P772504	742330-04870	P776341	742330-05066	X007038
742330-04649	P559205	742330-04719	P559803	742330-04795	P772506	742330-04871	P776356	742330-05069	X007099
742330-04650	P559206	742330-04720	P559850	742330-04796	P772512	742330-04872	P776357	742330-05070	X007100
742330-04651	P559207	742330-04722	P770035	742330-04797	P772519	742330-04873	P776358	742330-05071	X007101
742330-04652	P559208	742330-04723	P770181	742330-04798	P772520	742330-04874	P776360	742330-05072	X007102
742330-04653	P559210	742330-04724	P770207	742330-04799	P772521	742330-04875	P776386	742330-05073	X007103
742330-04654	P559211	742330-04726	P770397	742330-04800	P772522	742330-04876	P776490	742330-05080	P559292
742330-04655	P559212	742330-04727	P770398	742330-04801	P772523	742330-04877	P776497	742330-05081	P776694
742330-04657	P559214	742330-04728	P770678	742330-04802	P772524	742330-04878	P776498	742330-05082	P776696
742330-04658	P559215	742330-04729	P770735	742330-04803	P772529	742330-04879	P776565	742330-05083	P776697
742330-04659	P559217	742330-04730	P770828	742330-04804	P772530	742330-04880	P776566	742330-05084	P776695
742330-04660	P559218	742330-04732	P770960	742330-04805	P772531	742330-04881	P776567	742330-08034	P536732
742330-04661	P559219	742330-04733	P771003	742330-04806	P772532	742330-04882	P776568	742330-08035	P536733
742330-04662	P559220	742330-04734	P771073	742330-04807	P772535	742330-04883	P776615	742330-08036	P559299
742330-04663	P559221	742330-04735	P771502	742330-04808	P772536	742330-04884	P776623	742330-08038	P559293



UPC Code	Part Number	UPC Code	Part Number	UPC Code	Part Number	UPC Code	Part Number	UPC Code	Part Number
742330-08039	P559294	742330-08144	P174767	742330-08244	EA5019	742330-08494	P539466	742330-08572	P551219
742330-08040	P559295	742330-08145	P174770	742330-08245	EA5028	742330-08496	P539468	742330-08573	P551220
742330-08041	P559300	742330-08146	P174771	742330-08246	EA5095	742330-08497	P539469	742330-08574	P551221
742330-08042	P559286	742330-08147	P174785	742330-08247	EA5096	742330-08498	P539470	742330-08575	P551222
742330-08043	P559287	742330-08148	P174773	742330-08248	EA5099	742330-08499	P539471	742330-08576	P551223
742330-08063	P537367	742330-08149	P174774	742330-08250	EA5060	742330-08500	P539472	742330-08578	P551225
742330-08065	P537369	742330-08150	P174775	742330-08251	EA5061	742330-08501	P539473	742330-08579	P551226
742330-08066	P537370	742330-08151	P174776	742330-08252	EA5065	742330-08502	P539474	742330-08580	P551227
742330-08071	P537374	742330-08152	P174778	742330-08253	EA5066	742330-08503	P539475	742330-08581	P551228
742330-08072	P537375	742330-08153	P174779	742330-08254	EA5067	742330-08504	P539476	742330-08582	P551229
742330-08073	P537376	742330-08154	P174780	742330-08255	EA5069	742330-08505	P539477	742330-08583	P551231
742330-08074	P537377	742330-08155	P174781	742330-08256	EA5073	742330-08506	P539478	742330-08584	P551232
742330-08075	P551329	742330-08156	P174782	742330-08257	EA5074	742330-08507	P539479	742330-08585	P551233
742330-08076	P551323	742330-08157	P174783	742330-08259	P550501	742330-08508	P539480	742330-08586	P551234
742330-08077	P551324	742330-08158	P174784	742330-08261	P538559	742330-08509	P539481	742330-08587	P551235
742330-08081	P551327	742330-08159	P174786	742330-08284	P538582	742330-08510	P539482	742330-08588	P551236
742330-08083	P551330	742330-08160	P174768	742330-08288	P538586	742330-08511	P539483	742330-08589	P551237
742330-08084	P537447	742330-08162	P174769	742330-08294	P538592	742330-08512	P539484	742330-08590	P551238
742330-08085	P537448	742330-08163	P174777	742330-08296	P538594	742330-08513	P539485	742330-08591	P551239
742330-08086	P537449	742330-08167	P554407	742330-08311	P538609	742330-08514	P539486	742330-08592	P551240
742330-08087	P537450	742330-08168	P559285	742330-08313	P538611	742330-08515	P539487	742330-08593	P551241
742330-08088	P537451	742330-08169	P812901	742330-08319	P538617	742330-08516	P551161	742330-08594	P551242
742330-08089	P537452	742330-08170	P538007	742330-08325	P538623	742330-08517	P551162	742330-08596	P551244
742330-08090	P537453	742330-08173	P550974	742330-08338	P538636	742330-08518	P551163	742330-08597	P551245
742330-08091	P537454	742330-08174	P174790	742330-08349	P538647	742330-08519	P551164	742330-08598	P551246
742330-08092	P537455	742330-08175	P174791	742330-08367	P538455	742330-08520	P551165	742330-08600	P551248
742330-08093	P537456	742330-08176	P174792	742330-08368	P538532	742330-08522	P551167	742330-08601	P551249
742330-08094	P550397	742330-08177	P174793	742330-08369	P171503	742330-08523	P551168	742330-08602	P551250
742330-08095	P550398	742330-08179	P777868	742330-08370	P171504	742330-08524	P551169	742330-08603	P551251
742330-08096	P550399	742330-08180	P777869	742330-08371	P171527	742330-08525	P551170	742330-08605	P551253
742330-08097	P550401	742330-08183	P174914	742330-08372	P171528	742330-08529	P551174	742330-08607	P551255
742330-08098	P550349	742330-08184	P174915	742330-08373	P171533	742330-08530	P551175	742330-08609	P551257
742330-08100	P550354	742330-08186	P550975	742330-08375	P171539	742330-08531	P551176	742330-08611	P551259
742330-08102	P550356	742330-08188	P529548	742330-08376	P171540	742330-08533	P551178	742330-08612	P551260
742330-08103	P550357	742330-08189	P538008	742330-08377	P171551	742330-08537	P551182	742330-08614	P551262
742330-08104	P550359	742330-08198	P778214	742330-08378	P171552	742330-08538	P551183	742330-08615	P551263
742330-08105	P550360	742330-08199	P777639	742330-08379	P171557	742330-08539	P551184	742330-08616	P551264
742330-08106	P550361	742330-08212	X007297	742330-08380	P171558	742330-08540	P551185	742330-08617	P551265
742330-08107	P550362	742330-08213	P553287	742330-08381	P171563	742330-08541	P551186	742330-08618	P551266
742330-08108	P550363	742330-08214	P551723	742330-08382	P171564	742330-08542	P551187	742330-08619	P551267
742330-08109	P550364	742330-08215	P538453	742330-08383	P171575	742330-08543	P551188	742330-08620	P551268
742330-08110	P550365	742330-08216	P538454	742330-08384	P171576	742330-08544	P551189	742330-08622	P551270
742330-08111	P550366	742330-08217	P538456	742330-08385	P171581	742330-08545	P551190	742330-08623	P551271
742330-08112	X770068	742330-08218	P535396	742330-08386	P171582	742330-08546	P551191	742330-08624	P551272
742330-08113	X770132	742330-08219	P559101	742330-08387	P171646	742330-08547	P551192	742330-08625	P551273
742330-08114	P557382	742330-08221	EA5024	742330-08388	P171653	742330-08548	P551193	742330-08626	P551274
742330-08117	P559302	742330-08222	EA5025	742330-08389	P171660	742330-08549	P551194	742330-08627	P551275
742330-08118	P559303	742330-08223	EA5026	742330-08390	P171667	742330-08550	P551195	742330-08628	P551276
742330-08121	P174772	742330-08224	EA5027	742330-08391	P171674	742330-08551	P551196	742330-08629	P551277
742330-08122	P174486	742330-08225	EA5029	742330-08392	P171681	742330-08552	P551197	742330-08630	P551278
742330-08124	P559305	742330-08226	EA5047	742330-08393	P173689	742330-08553	P551198	742330-08631	P551279
742330-08125	P559306	742330-08227	EA5048	742330-08394	P550272	742330-08554	P551199	742330-08632	P551282
742330-08126	P559307	742330-08228	EA5053	742330-08411	P559289	742330-08555	P551200	742330-08633	P551283
742330-08127	P559308	742330-08229	EA5055	742330-08412	P900333	742330-08556	P551202	742330-08635	P551285
742330-08128	P559309	742330-08230	EA5030	742330-08414	P559290	742330-08558	P551204	742330-08636	P551286
742330-08129	P174622	742330-08231	EA5056	742330-08417	P173521	742330-08559	P551205	742330-08637	P551287
742330-08130	P174623	742330-08232	EA5057	742330-08418	P175798	742330-08560	P551206	742330-08639	P551289
742330-08131	P174624	742330-08233	EA5187	742330-08419	P539323	742330-08561	P551207	742330-08640	P551291
742330-08133	P559311	742330-08234	EA5188	742330-08483	P539455	742330-08562	P551208	742330-08641	P551292
742330-08134	P559310	742330-08235	EA5003	742330-08485	P539457	742330-08563	P551209	742330-08642	P551293
742330-08135	P174749	742330-08236	EA5004	742330-08486	P539458	742330-08564	P551211	742330-08643	P551294
742330-08136	P537791	742330-08237	EA5007	742330-08487	P539459	742330-08565	P551212	742330-08644	P551295
742330-08137	P559284	742330-08238	EA5008	742330-08488	P539460	742330-08566	P551213	742330-08645	P551296
742330-08138	P550971	742330-08239	EA5009	742330-08489	P539461	742330-08567	P551214	742330-08646	P551297
742330-08139	P550972	742330-08240	EA5013	742330-08490	P539462	742330-08568	P551215	742330-08647	P551298
742330-08140	P550973	742330-08241	EA5014	742330-08491	P539463	742330-08569	P551216	742330-08648	P551299
742330-08142	P827655	742330-08242	EA5015	742330-08492	P539464	742330-08570	P551217	742330-08649	P551300
742330-08143	P831079	742330-08243	EA5016	742330-08493	P539465	742330-08571	P551218	742330-08651	P551302

UPC Code	Part Number	UPC Code	Part Number	UPC Code	Part Number	UPC Code	Part Number	UPC Code	Part Number
742330-08652	P551303	742330-08795	P559468	742330-10392	ELF7349	742330-10573	P777776	742330-10659	P550406
742330-08653	P551304	742330-08796	P550378	742330-10393	ELF7345	742330-10574	P777777	742330-10663	P550411
742330-08654	P551305	742330-08797	P550379	742330-10394	ELF7616	742330-10575	P777779	742330-10670	P551338
742330-08655	P551306	742330-08798	P550380	742330-10395	ELF7483	742330-10576	P777871	742330-10671	P551345
742330-08656	P551307	742330-08799	P550381	742330-10395	ELF7483S	742330-10577	P777938	742330-10672	P551344
742330-08657	P551308	742330-08800	P550382	742330-10396	EFF9202	742330-10578	P777948	742330-10673	P551348
742330-08658	P551309	742330-08801	P550383	742330-10397	EFF9441	742330-10579	P778081	742330-10675	P551347
742330-08675	P532966	742330-08802	P550384	742330-10398	EFF9440	742330-10580	P778337	742330-10676	P173207
742330-08679	P537876	742330-08803	P550385	742330-10399	P173481	742330-10581	P778339	742330-10677	P173238
742330-08680	P537877	742330-08804	P550389	742330-10400	P173482	742330-10582	P778340	742330-10685	P559504
742330-08692	P533930	742330-08805	P550390	742330-10401	P173483	742330-10583	P778359	742330-10686	P559505
742330-08693	P533890	742330-08806	P550391	742330-10402	P173484	742330-10584	P778361	742330-10687	P559506
742330-08694	P536448	742330-08808	P176417	742330-10403	P173485	742330-10585	P778375	742330-10690	P559509
742330-08695	P536442	742330-08809	P539242	742330-10404	P173486	742330-10586	P778399	742330-10691	P559510
742330-08699	P533938	742330-08812	X007374	742330-10405	P173487	742330-10587	P778403	742330-10693	P780298
742330-08700	P533946	742330-08813	EOA7375	742330-10406	P173488	742330-10588	P778415	742330-10694	P780163
742330-08701	P537405	742330-08814	EOA7376	742330-10407	P173489	742330-10589	P778436	742330-10695	P780135
742330-08702	P537716	742330-08815	X007377	742330-10408	P173490	742330-10590	P778441	742330-10698	P551343
742330-08710	P559398	742330-08816	P176431	742330-10409	P173491	742330-10591	P778453	742330-10700	P552050
742330-08711	P559399	742330-08817	P176432	742330-10411	P550395	742330-10592	P778457	742330-10701	P780272
742330-08715	P176160	742330-08818	P176433	742330-10412	ELF7367	742330-10593	P778462	742330-10702	P559513
742330-08717	P552088	742330-08820	P551333	742330-10412	ELF7367S	742330-10594	P778472	742330-10703	P559512
742330-08718	P553548	742330-08821	P551334	742330-10413	P559478	742330-10595	P778507	742330-10705	P177047
742330-08719	P559401	742330-08822	P171465	742330-10414	P559479	742330-10596	P778509	742330-10706	P543107
742330-08720	P533814	742330-08823	P171221	742330-10415	P559480	742330-10597	P778601	742330-10709	P539765
742330-08721	P551310	742330-08828	P540388	742330-10416	P559481	742330-10598	P778605	742330-10752	P559514
742330-08722	P176136	742330-08829	P140132	742330-10417	P559482	742330-10599	P778613	742330-10753	P559515
742330-08724	P551311	742330-08911	P551335	742330-10426	P778404	742330-10600	P778628	742330-10754	P559516
742330-08725	P551312	742330-08958	P559469	742330-10436	P177040	742330-10601	P778636	742330-10755	P559517
742330-08726	P551313	742330-08959	P559470	742330-10437	P550415	742330-10602	P778637	742330-10756	P559518
742330-08727	P551314	742330-08960	P559471	742330-10438	P550416	742330-10603	P778638	742330-10757	P177051
742330-08728	P551315	742330-08961	P559472	742330-10439	P550417	742330-10604	P778779	742330-10758	P177049
742330-08729	P551316	742330-08962	P559473	742330-10440	P559475	742330-10605	P778832	742330-10759	P177050
742330-08731	P176202	742330-08964	P537778	742330-10441	P559476	742330-10606	P778833	742330-10762	P550420
742330-08732	P176203	742330-08966	P559474	742330-10442	P559477	742330-10607	P777523	742330-10763	P550422
742330-08733	P176204	742330-08967	P176565	742330-10444	P176107	742330-10608	P778856	742330-10764	P550421
742330-08734	P176205	742330-08968	P176566	742330-10445	P551336	742330-10609	P778857	742330-10765	P550423
742330-08735	P551317	742330-08969	P176567	742330-10448	P777551	742330-10610	P777524	742330-10766	P543661
742330-08736	P778674	742330-08970	P550694	742330-10453	P559288	742330-10611	P778924	742330-10767	P780385
742330-08737	P551318	742330-08975	P772527	742330-10454	P537779	742330-10613	P778979	742330-10768	P543662
742330-08738	P550396	742330-08978	ELF7300	742330-10455	P780165	742330-10614	P778994	742330-10769	P173081
742330-08739	P176220	742330-08978	ELF7300S	742330-10456	P780175	742330-10615	P780006	742330-10770	P551352
742330-08740	P176221	742330-08979	P176596	742330-10464	P177000	742330-10617	P777488	742330-10772	P559104
742330-08741	P176222	742330-08980	P772554	742330-10465	P177001	742330-10618	P550394	742330-10773	P559105
742330-08742	P176223	742330-08981	P776251	742330-10466	P177002	742330-10619	P550392	742330-10774	P550425
742330-08744	P174260	742330-08982	P777105	742330-10467	P177003	742330-10620	P777487	742330-10778	P542101
742330-08745	P174268	742330-08983	P777152	742330-10469	ELF7739	742330-10622	P559400	742330-10780	P178619
742330-08746	P559409	742330-08984	P777154	742330-10469	ELF7739S	742330-10623	P559331	742330-10782	P559519
742330-08747	P559410	742330-08985	P777177	742330-10471	P778090	742330-10625	P536577	742330-10783	P559520
742330-08757	P173702	742330-08986	P777179	742330-10472	P778096	742330-10627	P536036	742330-10789	P559521
742330-08758	P160616	742330-08987	P777240	742330-10473	P778100	742330-10628	P174675	742330-10790	P559522
742330-08762	P176207	742330-08988	P777241	742330-10474	P778108	742330-10629	P148932	742330-10791	P559523
742330-08763	P176208	742330-08989	P777242	742330-10475	P778109	742330-10632	P559501	742330-10792	P559524
742330-08764	P176323	742330-08990	P777243	742330-10476	P778113	742330-10633	P559502	742330-10793	P559525
742330-08765	P176324	742330-08991	P777279	742330-10477	P778116	742330-10634	P559503	742330-10794	P538542
742330-08766	P176325	742330-08993	P777357	742330-10479	P778124	742330-10636	P521685	742330-10795	P559526
742330-08778	P540845	742330-08994	P777358	742330-10480	P778131	742330-10637	P542033	742330-10796	P559527
742330-08779	P173992	742330-08995	P777409	742330-10481	P778174	742330-10642	EA5100	742330-10798	P780321
742330-08785	P171773	742330-08997	P777483	742330-10482	P778320	742330-10643	EA5101	742330-10801	P174997
742330-08786	P772507	742330-08998	P777485	742330-10483	P778335	742330-10644	EA5102	742330-10805	P559528
742330-08787	P539186	742330-08999	P777486	742330-10484	P778336	742330-10646	EA5104	742330-10806	P559529
742330-08788	P559411	742330-10385	P541582	742330-10566	P777578	742330-10647	EA5105	742330-10807	P538392
742330-08789	P559412	742330-10386	P537729	742330-10567	P777579	742330-10648	P533788	742330-10808	P538393
742330-08790	P559463	742330-10387	P777525	742330-10568	P777588	742330-10650	P832150	742330-10809	P559531
742330-08791	P559464	742330-10388	P777526	742330-10569	P777592	742330-10651	P535337	742330-10811	P559530
742330-08792	P559465	742330-10389	P777576	742330-10570	P777638	742330-10652	P535338	742330-10817	P534885
742330-08793	P559466	742330-10390	P777577	742330-10571	P777759	742330-10654	P552096	742330-10818	P554470
742330-08794	P559467	742330-10391	ELF7680	742330-10572	P777767	742330-10656	P829964	742330-10819	P554471

UPC Code	Part Number	UPC Code	Part Number	UPC Code	Part Number	UPC Code	Part Number	UPC Code	Part Number
742330-10820	P550428	742330-10916	P500068	742330-10994	P502072	742330-11069	P502188	742330-11178	P500125
742330-10821	P545613	742330-10917	P500069	742330-10995	P502074	742330-11070	P502189	742330-11179	P550455
742330-10822	P559532	742330-10918	P500070	742330-10996	P502075	742330-11071	P502190	742330-11180	ELF7777
742330-10823	P777875	742330-10919	P500071	742330-10997	P502076	742330-11072	P502191	742330-11181	P550448
742330-10839	P781398	742330-10920	P500072	742330-10998	P502077	742330-11073	P502192	742330-11182	XLP7670
742330-10840	P781399	742330-10921	P500073	742330-10999	P502081	742330-11074	P502193	742330-11183	XLP4105
742330-10842	P559538	742330-10922	P500074	742330-11000	P502082	742330-11075	P502194	742330-11184	ELF7900
742330-10843	P559539	742330-10923	P500075	742330-11001	P502083	742330-11076	P502196	742330-11186	P547331
742330-10844	P780310	742330-10925	P500077	742330-11002	P502084	742330-11077	P502200	742330-11187	P547332
742330-10854	P559545	742330-10926	P500078	742330-11003	P502085	742330-11078	P502201		
742330-10855	C105028	742330-10927	P500079	742330-11004	P502086	742330-11079	P502202		
742330-10856	C125017	742330-10928	P500080	742330-11005	P502088	742330-11080	P502203		
742330-10857	P500001	742330-10930	P500082	742330-11006	P502089	742330-11081	P502205		
742330-10858	P500002	742330-10931	P500083	742330-11007	P502090	742330-11082	P502206		
742330-10859	P500003	742330-10932	P500084	742330-11008	P502091	742330-11083	P502207		
742330-10860	P500004	742330-10934	P500087	742330-11009	P502092	742330-11085	P502210		
742330-10861	P500005	742330-10935	P500091	742330-11010	P502093	742330-11086	P502211		
742330-10862	P500006	742330-10936	P500093	742330-11011	P502094	742330-11087	P502214		
742330-10863	P500007	742330-10937	P500096	742330-11012	P502095	742330-11088	P502215		
742330-10864	P500008	742330-10938	P500099	742330-11013	P502096	742330-11090	P550429		
742330-10865	P500009	742330-10939	P500100	742330-11014	P502097	742330-11091	P502161		
742330-10866	P500010	742330-10940	P500101	742330-11015	P502098	742330-11092	P502166		
742330-10868	P500014	742330-10941	P500102	742330-11016	P502099	742330-11093	P502170		
742330-10869	P500015	742330-10942	P500103	742330-11017	P502100	742330-11094	P502172		
742330-10870	P500016	742330-10943	P500111	742330-11018	P502101	742330-11095	P502080		
742330-10871	P500017	742330-10944	P500112	742330-11019	P502102	742330-11096	P502224		
742330-10873	P500019	742330-10945	P500113	742330-11020	P502103	742330-11097	P502223		
742330-10874	P500020	742330-10946	P500116	742330-11021	P502104	742330-11098	P502222		
742330-10875	P500021	742330-10947	P500120	742330-11022	P502105	742330-11100	P502039		
742330-10876	P500022	742330-10948	P500121	742330-11023	P502106	742330-11101	P502025		
742330-10877	P500023	742330-10949	P500122	742330-11024	P502107	742330-11102	P500094		
742330-10878	P500024	742330-10950	P500123	742330-11025	P502108	742330-11103	P559000		
742330-10879	P500025	742330-10953	P502007	742330-11026	P502109	742330-11104	P550430		
742330-10880	P500026	742330-10954	P502008	742330-11027	P502110	742330-11105	P551400		
742330-10881	P500027	742330-10955	P502009	742330-11028	P502111	742330-11106	P550433		
742330-10882	P500028	742330-10956	P502010	742330-11029	P502112	742330-11109	P532931		
742330-10883	P500030	742330-10957	P502015	742330-11030	P502113	742330-11110	P540731		
742330-10884	P500031	742330-10958	P502016	742330-11031	P502114	742330-11111	P559546		
742330-10885	P500032	742330-10959	P502017	742330-11032	P502115	742330-11112	P559547		
742330-10886	P500033	742330-10961	P502019	742330-11033	P502116	742330-11115	P550434		
742330-10887	P500034	742330-10962	P502020	742330-11034	P502117	742330-11116	P550435		
742330-10888	P500035	742330-10963	P502022	742330-11035	P502118	742330-11117	P546598		
742330-10889	P500036	742330-10964	P502023	742330-11036	P502131	742330-11118	P546597		
742330-10890	P500037	742330-10965	P502024	742330-11037	P502132	742330-11119	P546596		
742330-10891	P500038	742330-10966	P502031	742330-11038	P502133	742330-11120	P502225		
742330-10892	P500039	742330-10967	P502032	742330-11039	P502134	742330-11121	P546566		
742330-10893	P500041	742330-10972	P502042	742330-11040	P502135	742330-11122	P546567		
742330-10894	P500042	742330-10973	P502043	742330-11041	P502136	742330-11123	P550436		
742330-10895	P500043	742330-10974	P502045	742330-11042	P502137	742330-11124	P550437		
742330-10896	P500044	742330-10975	P502046	742330-11043	P502138	742330-11125	P780164		
742330-10897	P500046	742330-10976	P502047	742330-11044	P502142	742330-11126	P546614		
742330-10898	P500047	742330-10977	P502048	742330-11045	P502143	742330-11127	P546613		
742330-10899	P500048	742330-10978	P502049	742330-11047	P502146	742330-11128	P179096		
742330-10900	P500049	742330-10979	P502050	742330-11049	P502149	742330-11129	P537355		
742330-10901	P500050	742330-10980	P502051	742330-11052	P502157	742330-11155	P546762		
742330-10902	P500051	742330-10981	P502056	742330-11053	P502158	742330-11156	P546761		
742330-10903	P500052	742330-10982	P502057	742330-11056	P502163	742330-11159	P554019		
742330-10904	P500053	742330-10983	P502058	742330-11057	P502167	742330-11160	P179206		
742330-10905	P500054	742330-10984	P502059	742330-11058	P502169	742330-11161	P546641		
742330-10906	P500055	742330-10985	P502060	742330-11060	P502177	742330-11162	P550446		
742330-10907	P500056	742330-10986	P502061	742330-11061	P502178	742330-11163	P550445		
742330-10909	P500060	742330-10987	P502062	742330-11062	P502179	742330-11164	P551402		
742330-10910	P500061	742330-10988	P502063	742330-11063	P502180	742330-11169	P559550		
742330-10911	P500063	742330-10989	P502067	742330-11064	P502183	742330-11170	P550447		
742330-10912	P500064	742330-10990	P502068	742330-11065	P502184	742330-11171	P179322		
742330-10913	P500065	742330-10991	P502069	742330-11066	P502185	742330-11175	P558712		
742330-10914	P500066	742330-10992	P502070	742330-11067	P502186	742330-11176	P179354		
742330-10915	P500067	742330-10993	P502071	742330-11068	P502187	742330-11177	P500124		

## **Engine Aftermarket Warranty for Filtration & Exhaust Products**

Donaldson Company, Inc. warrants its Aftermarket products against failure due to defects in materials and workmanship for the period specified under Terms and Conditions for the particular product. Donaldson Company's obligation under this warranty covers replacing the failed product, including transportation charges, only. If the Donaldson product failure is the sole and direct cause of damage to the equipment on which the product was properly installed, Donaldson Company will reimburse reasonable costs to restore the equipment to the condition it was in immediately before the failure. This warranty does not cover failure due to misapplication, misuse, abuse, neglect, rust through and corrosion (mufflers), improper service practices or non-Donaldson approved modifications. Engine and Equipment Manufacturers warranties remain in effect when Donaldson products are used.

Donaldson Company must be notified in writing of any claims covered by this warranty within one year of the date of failure. Donaldson Company, at its discretion, will either physically visit the site where the alleged failure has been found; or, request that all parts, Donaldson and other relevant parts, be shipped prepaid to its General Office, care of the Product Lab or as otherwise specified.

### **Terms & Conditions**

Warranty coverage begins on the date and mileage the product is purchased by the user and expires when the specified number of years or miles has passed, whichever occurs first.

The length of warranty for replacement products provided under Warranty coverage is the balance of the Warranty period remaining on the product being replaced.

### **Warranty Length by Product**

#### **Aftermarket Filtration Products**

**Length of warranty is from date of delivery to user, unless noted:**

- 1 - Until first cleaned or serviced in any manner
- 2 - From in-service date

Product Type	Length of Warranty
Air Cleaner Housings & Accessories	1 Year
Liquid Filter Assemblies & Accessories	1 Year
Air & Liquid Filter Assemblies	(1)
Air/Oil Separators	6 months/1,000 hours (2)

#### **Aftermarket Exhaust Products**

**Length of warranty is from date of delivery to user.**

Product Type	Length of Warranty
Diesel Mufflers, Vertical Installation	4 Years / 500,000 miles
Diesel Mufflers, Horizontal Installation	3 Years / 500,000 miles
Silent Partner™, Exhaust Silencer	8 Years or
Stainless Steel	1,000,000 miles
Silent Partner™, Exhaust Silencer	4 Years or
Aluminized Steel	500,000 miles
Gas Mufflers	1 Year
Exhaust Accessories	1 Year
Chrome Parts (peeling & blistering only)	90 Days
Flex Pipe	90 Days

**Your Donaldson Distribution Outlet:**



**Donaldson**

Donaldson Company, Inc.  
Minneapolis, MN  
55440-1299  
[www.donaldson.com](http://www.donaldson.com)

© 2000  
Printed in the U.S.A.  
Equal Opportunity Employer  
Donaldson Company, Inc. reserves the right to  
change or discontinue any model or specification  
at any time and without notice.

**United States & Canada**  
Distributors  
Tel: 800-374-1374  
Fax: 952-887-3716  
[www.donaldson-filters.com](http://www.donaldson-filters.com)

**Dealers**  
Tel: 888-888-3835  
Fax: 952-887-3008

**Mexico**  
Tel: 52-53-627320  
Fax: 52-53-978654

**Italy**  
Tel: 39-386-30211  
Fax: 39-386-800405

**Germany**  
Tel: 49-25-94-7810  
Fax: 49-25-94-78121

**United Kingdom**  
Tel: 44-1482-835-213  
Fax: 44-1482-835-411

**Belgium**  
Tel: 32-16-38-3811  
Fax: 32-16-40-0077

**Latin America  
& Caribbean**  
Tel: 952-887-3419  
Fax: 952-887-3002

**Hong Kong**  
Tel: 852-2-402-2830  
Fax: 852-2-493-2928

**Singapore**  
Tel: 65-546-4400  
Fax: 65-546-4325

**South Africa**  
Tel: 27-21-54-6211  
Fax: 27-21-54-7708

**Australia**  
Tel: 61-2-4352-2022  
Fax: 61-2-4351-2036